## (19) World Intellectual Property Organization International Bureau



### 

(43) International Publication Date 1 August 2002 (01.08.2002)

#### **PCT**

## (10) International Publication Number WO 02/059377 A2

(51) International Patent Classification7:

\_\_\_\_

- (21) International Application Number: PCT/US02/02242
- (22) International Filing Date: 24 January 2002 (24.01.2002)
- (25) Filing Language:

English

C12Q 1/68

(26) Publication Language:

English

(30) Priority Data:

60/263,965	24 January 2001 (24.01.2001)	US
60/265,928	2 February 2001 (02.02.2001)	US
09/829,472	9 April 2001 (09.04.2001)	US
60/282,698	9 April 2001 (09.04.2001)	US
60/288,590	4 May 2001 (04.05.2001)	US
60/294,443	29 May 2001 (29.05.2001)	US

- (71) Applicant: EOS BIOTECHNOLOGY, INC. [US/US]; 225A Gateway Boulevard, South San Francisco, CA 94080-7019 (US).
- (72) Inventors: MACK, David, H.; 2076 Monterey Avenue, Menlo Park, CA 94025 (US). GISH, Kurt, C.; 40 Perego Terrace #2, San Francisco, CA 94131 (US). AFAR, Daniel; 435 Visitacion Avenue, Brisbane, CA 94005 (US).

- (74) Agents: BASTIAN, Kevin, L. et al.; Townsend and Townsend and Crew LLP, Two Embarcadero Center, 8th Floor, San Francisco, CA 94111-3834 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

#### Published:

 without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

059377 A2

**(54) Title:** METHODS OF DIAGNOSIS OF BREAST CANCER, COMPOSITIONS AND METHODS OF SCREENING FOR MODULATORS OF BREAST CANCER

(57) Abstract: Described herein are genes whose expression are up-regulated or down-regulated in breast cancer. Related methods and compositions that can be used for diagnosis and treatment of breast cancer are disclosed. Also described herein are methods that can be used to identify modulators of breast cancer.

# METHODS OF DIAGNOSIS OF BREAST CANCER, COMPOSITIONS AND METHODS OF SCREENING FOR MODULATORS OF BREAST CANCER

5

10

#### CROSS-REFERENCES TO RELATED APPLICATIONS

This application claims priority to USSN 60/263,965, filed January 24, 2001; USSN 60/265,928, filed February 2, 2001; USSN 09/829,472 filed April 9, 2001; USSN 60/282,698, filed April 9, 2001; USSN 60/288,590, filed May 4, 2001; and USSN 60/294,443, filed May 29, 2001, all of which are incorporated herein by reference in their entirety.

#### FIELD OF THE INVENTION

The invention relates to the identification of nucleic acid and protein expression profiles and nucleic acids, products, and antibodies thereto that are involved in breast cancer; and to the use of such expression profiles and compositions in the diagnosis, prognosis and therapy of breast cancer. The invention further relates to methods for identifying and using agents and/or targets that inhibit breast cancer.

20

25

15

#### BACKGROUND OF THE INVENTION

Breast cancer is one of the most frequently diagnosed cancers and the second leading cause of female cancer death in North America and northern Europe, with lung cancer being the leading cause. Lifetime incidence of the disease in the United States is one-in-eight, with a 1-in-29 lifetime risk of dying from breast cancer. Early detection of breast cancer, using mammography, clinical breast examination, and self breast examination, has dramatically improved the treatment of the disease, although sensitivity is still major concern, as mammographic sensitivity has been estimated at only 60%–90%. Treatment of breast cancer consists largely of surgical lumpectomy or mastectomy, radiation therapy, anti-

hormone therapy, and/or chemotherapy. Although many breast cancer patients are effectively treated, the current therapies can all induce serious side effects which diminish quality of life. Deciding on a particular course of treatment is typically based on a variety of prognostic parameters and markers (Fitzgibbons et al., 2000, Arch. Pathol. Lab. Med. 124:966-978; Hamilton and Piccart, 2000, Ann. Oncol. 11:647-663), including genetic predispostion markers BRCA-1 and BRCA-2 (Robson, 2000, J. Clin. Oncol. 18:113sup-118sup).

Imaging of breast cancer for diagnosis has been problematic and limited. In addition, dissemination of tumor cells (metastases) to locoregional lymph nodes is an important prognostic factor; five year survival rates drop from 80 percent in patients with no lymph node metastases to 45 to 50 percent in those patients who do have lymph node metastases. A recent report showed that micrometastases can be detected from lymph nodes using reverse transcriptase-PCR methods based on the presence of mRNA for carcinoembryonic antigen, which has previously been shown to be present in the vast majority of breast cancers but not in normal tissues. Liefers et al., New England J. of Med. 339(4):223 (1998).

The identification of novel therapeutic targets and diagnostic markers is essential for improving the current treatment of breast cancer patients. Recent advances in molecular medicine have increased the interest in tumor-specific cell surface antigens that could serve as targets for various immunotherapeutic or small molecule strategies. Antigens suitable for immunotherapeutic strategies should be highly expressed in cancer tissues and ideally not expressed in normal adult tissues. Expression in tissues that are dispensable for life, however, may be tolerated. Examples of such antigens include Her2/neu and the B-cell antigen CD20. Humanized monclonal antibodies directed to Her2/neu (Herceptin®/trastuzumab) are currently in use for the treatment of metastatic breast cancer (Ross and Fletcher, 1998, Stem Cells 16:413-428). Similarly, anti-CD20 monoclonal antibodies (Rituxin®/rituximab) are used to effectively treat non-Hodgekin's lymphoma (Maloney et al., 1997, Blood 90:2188-2195; Leget and Czuczman, 1998, Curr. Opin. Oncol. 10:548-551).

Other potential immunotherapeutic targets have been identified for breast cancer. One such target is polymorphic epithelial mucin (MUC1). MUC1 is a transmembrane

5

10

15

20

25

protein, present at the apical surface of glandular epithelial cells. It is often overexpressed in breast cancer, and typically exhibits an altered glycosylation pattern, resulting in an antigenically distinct molecule, and is in early clinical trials as a vaccine target (Gilewski et al., 2000, Clin. Cancer Res. 6:1693-1701; Scholl et al., 2000, J. Immunother. 23:570-580). The tumor-expressed protein is often cleaved into the circulation, where it is detectable as the tumor marker, CA 15-3 (Bon et al., 1997, Clin. Chem. 43:585-593). However, many patients have tumors that express neither HER2 nor MUC-1; therefore, it is clear that other targets need to be identified to manage localized and metastatic disease. Many other genes have been reported to be overexpressed in breast cancer, such as EGFR (Sainsbury et al., 1987, Lancet 1(8547):1398-1402), c-erbB3 (Naidu et al., 1988, Br. J. Cancer 78:1385-1390), FGFR2 (Penault-Llorca et al., 1991, Int. J. Cancer 61:170-176), PKW (Preiherr et al., 2000, Anticancer Res. 20:2255-2264), MTA1 (Nawa et al., 2000, J. Cell Biochem. 79:202-212), breast cancer associated gene 1 (Kurt et al., 2000, Breast Cancer Res. Treat. 59:41-48). Although monoclonal antibodies to the protein products of some of these overexpressed genes have been reported (for review, see Green et al., 2000, Cancer Treat. Rev. 26:269-286), none are currently approved for breast cancer therapy in the US.

Disclosures of certain genes and ESTs described as being expressed in breast cancer are found in international patent applications WO-99/33869, WO-97/25426, WO-97/02280 and WO-00/55173, WO-98/45328 and WO-00/22130. Similarly, genes and ESTs described as being expressed in breast cancer are disclosed in US Patent Nos. 5,759,776 and 5,693,522. The utility of such genes is described in each of these publications, and their disclosures are incorporated herein in their entirety.

While industry and academia have identified novel sequences, there has not been an equal effort exerted to identify the function of these novel sequences. The elucidation of a role for novel proteins and compounds in disease states for identification of therapeutic targets and diagnostic markers is essential for improving the current treatment of breast cancer patients. Accordingly, provided herein are molecular targets for therapeutic intervention in breast and other cancers. Additionally, provided herein are methods that can be used in diagnosis and prognosis of breast cancer. Further provided are methods that can be used to screen candidate bioactive agents for the ability to modulate breast cancer.

5

10

15

20

25

#### SUMMARY OF THE INVENTION

The present invention therefore provides nucleotide sequences of genes that are up- and down-regulated in breast cancer cells. Such genes are useful for diagnostic purposes, and also as targets for screening for therapeutic compounds that modulate breast cancer, such as hormones or antibodies. Other aspects of the invention will become apparent to the skilled artisan by the following description of the invention.

In one aspect, the present invention provides a method of detecting a breast cancer-associated transcript in a cell from a patient, the method comprising contacting a biological sample from the patient with a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1-25.

In one embodiment, the present invention provides a method of determining the level of a breast cancer associated transcript in a cell from a patient.

In one embodiment, the present invention provides a method of detecting a breast cancer-associated transcript in a cell from a patient, the method comprising contacting a biological sample from the patient with a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1-25.

In one embodiment, the polynucleotide selectively hybridizes to a sequence at least 95% identical to a sequence as shown in Tables 1-25.

In one embodiment, the biological sample is a tissue sample. In another embodiment, the biological sample comprises isolated nucleic acids, e.g., mRNA.

In one embodiment, the polynucleotide is labeled, e.g., with a fluorescent label.

In one embodiment, the polynucleotide is immobilized on a solid surface.

In one embodiment, the patient is undergoing a therapeutic regimen to treat breast cancer. In another embodiment, the patient is suspected of having metastatic breast cancer.

In one embodiment, the patient is a human.

In one embodiment, the breast cancer associated transcript is mRNA.

5

10

15

20

In one embodiment, the method further comprises the step of amplifying nucleic acids before the step of contacting the biological sample with the polynucleotide.

In another aspect, the present invention provides a method of monitoring the efficacy of a therapeutic treatment of breast cancer, the method comprising the steps of: (i) providing a biological sample from a patient undergoing the therapeutic treatment; and (ii) determining the level of a breast cancer-associated transcript in the biological sample by contacting the biological sample with a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1-25, thereby monitoring the efficacy of the therapy. In a further embodiment, the patient has metastatic breast cancer. In a further embodiment, the patient has a drug resistant form of breast cancer.

In one embodiment, the method further comprises the step of: (iii) comparing the level of the breast cancer-associated transcript to a level of the breast cancer-associated transcript in a biological sample from the patient prior to, or earlier in, the therapeutic treatment.

Additionally, provided herein is a method of evaluating the effect of a candidate breast cancer drug comprising administering the drug to a patient and removing a cell sample from the patient. The expression profile of the cell is then determined. This method may further comprise comparing the expression profile to an expression profile of a healthy individual. In a preferred embodiment, said expression profile includes a gene of Tables 1-25.

• In one aspect, the present invention provides an isolated nucleic acid molecule consisting of a polynucleotide sequence as shown in Tables 1-25.

In one embodiment, an expression vector or cell comprises the isolated nucleic acid.

In one aspect, the present invention provides an isolated polypeptide which is encoded by a nucleic acid molecule having polynucleotide sequence as shown in Tables 1-25.

In another aspect, the present invention provides an antibody that specifically binds to an isolated polypeptide which is encoded by a nucleic acid molecule having polynucleotide sequence as shown in Tables 1-25.

5

10

15

20

In one embodiment, the antibody is conjugated to an effector component, e.g., a fluorescent label, a radioisotope or a cytotoxic chemical.

In one embodiment, the antibody is an antibody fragment. In another embodiment, the antibody is humanized.

In one aspect, the present invention provides a method of detecting a breast cancer cell in a biological sample from a patient, the method comprising contacting the biological sample with an antibody as described herein.

In another aspect, the present invention provides a method of detecting antibodies specific to breast cancer in a patient, the method comprising contacting a biological sample from the patient with a polypeptide encoded by a nucleic acid comprising a sequence from Tables 1-25.

In another aspect, the present invention provides a method for identifying a compound that modulates a breast cancer-associated polypeptide, the method comprising the steps of: (i) contacting the compound with a breast cancer-associated polypeptide, the polypeptide encoded by a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1-25; and (ii) determining the functional effect of the compound upon the polypeptide.

In one embodiment, the functional effect is a physical effect, an enzymatic effect, or a chemical effect.

In one embodiment, the polypeptide is expressed in a eukaryotic host cell or cell membrane. In another embodiment, the polypeptide is recombinant.

In one embodiment, the functional effect is determined by measuring ligand binding to the polypeptide.

In another aspect, the present invention provides a method of inhibiting proliferation of a breast cancer-associated cell to treat breast cancer in a patient, the method comprising the step of administering to the subject a therapeutically effective amount of a compound identified as described herein.

In one embodiment, the compound is an antibody.

In another aspect, the present invention provides a drug screening assay comprising the steps of: (i) administering a test compound to a mammal having breast cancer

5

10

15

20

25

or to a cell sample isolated therefrom; (ii) comparing the level of gene expression of a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1-25 in a treated cell or mammal with the level of gene expression of the polynucleotide in a control cell sample or mammal, wherein a test compound that modulates the level of expression of the polynucleotide is a candidate for the treatment of breast cancer.

In one embodiment, the control is a mammal with breast cancer or a cell sample therefrom that has not been treated with the test compound. In another embodiment, the control is a normal cell or mammal.

In one embodiment, the test compound is administered in varying amounts or concentrations. In another embodiment, the test compound is administered for varying time periods. In another embodiment, the comparison can occur after addition or removal of the drug candidate.

In one embodiment, the levels of a plurality of polynucleotides that selectively hybridize to a sequence at least 80% identical to a sequence as shown in Tables 1-25 are individually compared to their respective levels in a control cell sample or mammal. In a preferred embodiment the plurality of polynucleotides is from three to ten.

In another aspect, the present invention provides a method for treating a mammal having breast cancer comprising administering a compound identified by the assay described herein.

In another aspect, the present invention provides a pharmaceutical composition for treating a mammal having breast cancer, the composition comprising a compound identified by the assay described herein and a physiologically acceptable excipient.

In one aspect, the present invention provides a method of screening drug candidates by providing a cell expressing a gene that is up- and down-regulated as in a breast cancer. In one embodiment, a gene is selected from Tables 1-25. The method further includes adding a drug candidate to the cell and determining the effect of the drug candidate on the expression of the expression profile gene.

In one embodiment, the method of screening drug candidates includes comparing the level of expression in the absence of the drug candidate to the level of

5

10

15

20

25

expression in the presence of the drug candidate, wherein the concentration of the drug candidate can vary when present, and wherein the comparison can occur after addition or removal of the drug candidate. In a preferred embodiment, the cell expresses at least two expression profile genes. The profile genes may show an increase or decrease.

Also provided is a method of evaluating the effect of a candidate breast cancer drug comprising administering the drug to a transgenic animal expressing or over-expressing the breast cancer modulatory protein, or an animal lacking the breast cancer modulatory protein, for example as a result of a gene knockout.

Moreover, provided herein is a biochip comprising one or more nucleic acid segments of Tables 1-25, wherein the biochip comprises fewer than 1000 nucleic acid probes. Preferably, at least two nucleic acid segments are included. More preferably, at least three nucleic acid segments are included.

Furthermore, a method of diagnosing a disorder associated with breast cancer is provided. The method comprises determining the expression of a gene of Tables 1-25, preferably a gene of Table 25, in a first tissue type of a first individual, and comparing the distribution to the expression of the gene from a second normal tissue type from the first individual or a second unaffected individual. A difference in the expression indicates that the first individual has a disorder associated with breast cancer.

In a further embodiment, the biochip also includes a polynucleotide sequence of a gene that is not up- and down-regulated in breast cancer.

In one embodiment a method for screening for a bioactive agent capable of interfering with the binding of a breast cancer modulating protein (breast cancer modulatory protein) or a fragment thereof and an antibody which binds to said breast cancer modulatory protein or fragment thereof. In a preferred embodiment, the method comprises combining a breast cancer modulatory protein or fragment thereof, a candidate bioactive agent and an antibody which binds to said breast cancer modulatory protein or fragment thereof. The method further includes determining the binding of said breast cancer modulatory protein or fragment thereof and said antibody. Wherein there is a change in binding, an agent is identified as an interfering agent. The interfering agent can be an agonist or an antagonist. Preferably, the agent inhibits breast cancer.

5.

10

15

20

25

Also provided herein are methods of eliciting an immune response in an individual. In one embodiment a method provided herein comprises administering to an individual a composition comprising a breast cancer modulating protein, or a fragment thereof. In another embodiment, the protein is encoded by a nucleic acid selected from those of Tables 1-25.

Further provided herein are compositions capable of eliciting an immune response in an individual. In one embodiment, a composition provided herein comprises a breast cancer modulating protein, preferably encoded by a nucleic acid of Tables 1-25, more preferably of Table 25, or a fragment thereof, and a pharmaceutically acceptable carrier. In another embodiment, said composition comprises a nucleic acid comprising a sequence encoding a breast cancer modulating protein, preferably selected from the nucleic acids of Tables 1-25, and a pharmaceutically acceptable carrier.

Also provided are methods of neutralizing the effect of a breast cancer protein, or a fragment thereof, comprising contacting an agent specific for said protein with said protein in an amount sufficient to effect neutralization. In another embodiment, the protein is encoded by a nucleic acid selected from those of Tables 1-25.

In another aspect of the invention, a method of treating an individual for breast cancer is provided. In one embodiment, the method comprises administering to said individual an inhibitor of a breast cancer modulating protein. In another embodiment, the method comprises administering to a patient having breast cancer an antibody to a breast cancer modulating protein conjugated to a therapeutic moiety. Such a therapeutic moiety can be a cytotoxic agent or a radioisotope.

#### DETAILED DESCRIPTION OF THE INVENTION

In accordance with the objects outlined above, the present invention provides novel methods for diagnosis and prognosis evaluation for breast cancer (PC), including metastatic breast cancer, as well as methods for screening for compositions which modulate breast cancer. Also provided are methods for treating breast cancer.

Tables 1-24B provide unigene cluster identification numbers for the nucleotide sequence of genes that exhibit increased or decreased expression in breast cancer

30

5

10

15

samples. Tables 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 18, 19, 20, 21, and 22 list those genes that are up-regulated in breast cancer cells. Table 14 lists those genes that are highly upregulated in breast cancer cells. Table 1, 2, 3, 15, and 23 list genes that are down-regulated in breast cancer cells and Table 16, lists genes that are highly down-regulated in breast cancer genes. The Tables also provide an exemplar accession number that provides a nucleotide sequence that is part of the unigene cluster.

#### **Definitions**

5

10

15

20

25

The term "breast cancer protein" or "breast cancer polynucleotide" or "breast cancer-associated transcript" refers to nucleic acid and polypeptide polymorphic variants, alleles, mutants, and interspecies homologues that: (1) have a nucleotide sequence that has greater than about 60% nucleotide sequence identity, 65%, 70%, 75%, 80%, 85%, 90%, preferably 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98% or 99% or greater nucleotide sequence identity, preferably over a region of over a region of at least about 25, 50, 100, 200, 500, 1000, or more nucleotides, to a nucleotide sequence of or associated with a gene of Tables 1-25; (2) bind to antibodies, e.g., polyclonal antibodies, raised against an immunogen comprising an amino acid sequence encoded by a nucleotide sequence of or associated with a gene of Tables 1-25, and conservatively modified variants thereof; (3) specifically hybridize under stringent hybridization conditions to a nucleic acid sequence, or the complement thereof of Tables 1-25 and conservatively modified variants thereof or (4) have an amino acid sequence that has greater than about 60% amino acid sequence identity, 65%, 70%, 75%, 80%, 85%, 90%, preferably 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98% or 99% or greater amino sequence identity, preferably over a region of over a region of at least about 25, 50, 100, 200, 500, 1000, or more amino acid, to an amino acid sequence encoded by a nucleotide sequence of or associated with a gene of Tables 1-25. A polynucleotide or polypeptide sequence is typically from a mammal including, but not limited to, primate, e.g., human; rodent, e.g., rat, mouse, hamster; cow, pig, horse, sheep, or other mammal. A "breast cancer polypeptide" and a "breast cancer polynucleotide," include both naturally occurring or recombinant forms.

A "full length" breast cancer protein or nucleic acid refers to a breast cancer polypeptide or polynucleotide sequence, or a variant thereof, that contains all of the elements normally contained in one or more naturally occurring, wild type breast cancer polynucleotide or polypeptide sequences. The "full length" may be prior to, or after, various stages of post-translation processing or splicing, including alternative splicing.

"Biological sample" as used herein is a sample of biological tissue or fluid that contains nucleic acids or polypeptides, e.g., of a breast cancer protein, polynucleotide or transcript. Such samples include, but are not limited to, tissue isolated from primates, e.g., humans, or rodents, e.g., mice, and rats. Biological samples may also include sections of tissues such as biopsy and autopsy samples, frozen sections taken for histologic purposes, blood, plasma, serum, sputum, stool, tears, mucus, hair, skin, etc. Biological samples also include explants and primary and/or transformed cell cultures derived from patient tissues. A biological sample is typically obtained from a eukaryotic organism, most preferably a mammal such as a primate e.g., chimpanzee or human; cow; dog; cat; a rodent, e.g., guinea pig, rat, mouse; rabbit; or a bird; reptile; or fish.

"Providing a biological sample" means to obtain a biological sample for use in methods described in this invention. Most often, this will be done by removing a sample of cells from an animal, but can also be accomplished by using previously isolated cells (e.g., isolated by another person, at another time, and/or for another purpose), or by performing the methods of the invention *in vivo*. Archival tissues, having treatment or outcome history, will be particularly useful.

The terms "identical" or percent "identity," in the context of two or more nucleic acids or polypeptide sequences, refer to two or more sequences or subsequences that are the same or have a specified percentage of amino acid residues or nucleotides that are the same (i.e., about 60% identity, preferably 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or higher identity over a specified region, when compared and aligned for maximum correspondence over a comparison window or designated region) as measured using a BLAST or BLAST 2.0 sequence comparison algorithms with default parameters described below, or by manual alignment and visual inspection (see, e.g., NCBI web site http://www.ncbi.nlm.nih.gov/BLAST/ or the like). Such sequences are then said to

5

10

15

20

25

be "substantially identical." This definition also refers to, or may be applied to, the compliment of a test sequence. The definition also includes sequences that have deletions and/or additions, as well as those that have substitutions, as well as naturally occurring, e.g., polymorphic or allelic variants, and man-made variants. As described below, the preferred algorithms can account for gaps and the like. Preferably, identity exists over a region that is at least about 25 amino acids or nucleotides in length, or more preferably over a region that is 50-100 amino acids or nucleotides in length.

For sequence comparison, typically one sequence acts as a reference sequence, to which test sequences are compared. When using a sequence comparison algorithm, test and reference sequences are entered into a computer, subsequence coordinates are designated, if necessary, and sequence algorithm program parameters are designated. Preferably, default program parameters can be used, or alternative parameters can be designated. The sequence comparison algorithm then calculates the percent sequence identities for the test sequences relative to the reference sequence, based on the program parameters.

A "comparison window", as used herein, includes reference to a segment of one of the number of contiguous positions selected from the group consisting typically of from 20 to 600, usually about 50 to about 200, more usually about 100 to about 150 in which a sequence may be compared to a reference sequence of the same number of contiguous positions after the two sequences are optimally aligned. Methods of alignment of sequences for comparison are well-known in the art. Optimal alignment of sequences for comparison can be conducted, e.g., by the local homology algorithm of Smith & Waterman, Adv. Appl. Math. 2:482 (1981), by the homology alignment algorithm of Needleman & Wunsch, J. Mol. Biol. 48:443 (1970), by the search for similarity method of Pearson & Lipman, Proc. Nat'l. Acad. Sci. USA 85:2444 (1988), by computerized implementations of these algorithms (GAP, BESTFIT, FASTA, and TFASTA in the Wisconsin Genetics Software Package, Genetics Computer Group, 575 Science Dr., Madison, WI), or by manual alignment and visual inspection (see, e.g., Current Protocols in Molecular Biology (Ausubel et al., eds. 1995 supplement)).

Preferred examples of algorithms that are suitable for determining percent sequence identity and sequence similarity include the BLAST and BLAST 2.0 algorithms,

5

10

15

20

25

which are described in Altschul et al., Nuc. Acids Res. 25:3389-3402 (1977) and Altschul et al., J. Mol. Biol. 215:403-410 (1990). BLAST and BLAST 2.0 are used, with the parameters described herein, to determine percent sequence identity for the nucleic acids and proteins of the invention. Software for performing BLAST analyses is publicly available through the National Center for Biotechnology Information (http://www.ncbi.nlm.nih.gov/). This algorithm involves first identifying high scoring sequence pairs (HSPs) by identifying short words of length W in the query sequence, which either match or satisfy some positive-valued threshold score T when aligned with a word of the same length in a database sequence. T is referred to as the neighborhood word score threshold (Altschul et al., supra). These initial neighborhood word hits act as seeds for initiating searches to find longer HSPs containing them. The word hits are extended in both directions along each sequence for as far as the cumulative alignment score can be increased. Cumulative scores are calculated using, e.g., for nucleotide sequences, the parameters M (reward score for a pair of matching residues; always > 0) and N (penalty score for mismatching residues; always < 0). For amino acid sequences, a scoring matrix is used to calculate the cumulative score. Extension of the word hits in each direction are halted when: the cumulative alignment score falls off by the quantity X from its maximum achieved value; the cumulative score goes to zero or below, due to the accumulation of one or more negative-scoring residue alignments; or the end of either sequence is reached. The BLAST algorithm parameters W, T, and X determine the sensitivity and speed of the alignment. The BLASTN program (for nucleotide sequences) uses as defaults a wordlength (W) of 11, an expectation (E) of 10, M=5, N=-4 and a comparison of both strands. For amino acid sequences, the BLASTP program uses as defaults a wordlength of 3, and expectation (E) of 10, and the BLOSUM62 scoring matrix (see Henikoff & Henikoff, Proc. Natl. Acad. Sci. USA 89:10915 (1989)) alignments (B) of 50, expectation (E) of 10, M=5, N=-4, and a comparison of both strands.

The BLAST algorithm also performs a statistical analysis of the similarity between two sequences (see, e.g., Karlin & Altschul, Proc. Nat'l. Acad. Sci. USA 90:5873-5787 (1993)). One measure of similarity provided by the BLAST algorithm is the smallest sum probability (P(N)), which provides an indication of the probability by which a match between two nucleotide or amino acid sequences would occur by chance. For example, a

5

10

15

20

25

nucleic acid is considered similar to a reference sequence if the smallest sum probability in a comparison of the test nucleic acid to the reference nucleic acid is less than about 0.2, more preferably less than about 0.01, and most preferably less than about 0.001. Log values may be large negative numbers, e.g., 5, 10, 20, 30, 40, 40, 70, 90, 110, 150, 170, etc.

An indication that two nucleic acid sequences or polypeptides are substantially identical is that the polypeptide encoded by the first nucleic acid is immunologically cross reactive with the antibodies raised against the polypeptide encoded by the second nucleic acid, as described below. Thus, a polypeptide is typically substantially identical to a second polypeptide, e.g., where the two peptides differ only by conservative substitutions. Another indication that two nucleic acid sequences are substantially identical is that the two molecules or their complements hybridize to each other under stringent conditions, as described below. Yet another indication that two nucleic acid sequences are substantially identical is that the same primers can be used to amplify the sequences.

A "host cell" is a naturally occurring cell or a transformed cell that contains an expression vector and supports the replication or expression of the expression vector. Host cells may be cultured cells, explants, cells *in vivo*, and the like. Host cells may be prokaryotic cells such as *E. coli*, or eukaryotic cells such as yeast, insect, amphibian, or mammalian cells such as CHO, HeLa, and the like (see, e.g., the American Type Culture Collection catalog or web site, www.atcc.org).

The terms "isolated," "purified," or "biologically pure" refer to material that is substantially or essentially free from components that normally accompany it as found in its native state. Purity and homogeneity are typically determined using analytical chemistry techniques such as polyacrylamide gel electrophoresis or high performance liquid chromatography. A protein or nucleic acid that is the predominant species present in a preparation is substantially purified. In particular, an isolated nucleic acid is separated from some open reading frames that naturally flank the gene and encode proteins other than protein encoded by the gene. The term "purified" in some embodiments denotes that a nucleic acid or protein gives rise to essentially one band in an electrophoretic gel. Preferably, it means that the nucleic acid or protein is at least 85% pure, more preferably at least 95% pure, and most preferably at least 99% pure. "Purify" or "purification" in other embodiments means

5

10

15

20

25

removing at least one contaminant from the composition to be purified. In this sense, purification does not require that the purified compound be homogenous, e.g., 100% pure.

The terms "polypeptide," "peptide" and "protein" are used interchangeably herein to refer to a polymer of amino acid residues. The terms apply to amino acid polymers in which one or more amino acid residue is an artificial chemical mimetic of a corresponding naturally occurring amino acid, as well as to naturally occurring amino acid polymers, those containing modified residues, and non-naturally occurring amino acid polymer.

The term "amino acid" refers to naturally occurring and synthetic amino acids, as well as amino acid analogs and amino acid mimetics that function similarly to the naturally occurring amino acids. Naturally occurring amino acids are those encoded by the genetic code, as well as those amino acids that are later modified, e.g., hydroxyproline, γ-carboxyglutamate, and O-phosphoserine. Amino acid analogs refers to compounds that have the same basic chemical structure as a naturally occurring amino acid, e.g., an α carbon that is bound to a hydrogen, a carboxyl group, an amino group, and an R group, e.g., homoserine, norleucine, methionine sulfoxide, methionine methyl sulfonium. Such analogs may have modified R groups (e.g., norleucine) or modified peptide backbones, but retain the same basic chemical structure as a naturally occurring amino acid. Amino acid mimetics refers to chemical compounds that have a structure that is different from the general chemical structure of an amino acid, but that functions similarly to a naturally occurring amino acid.

Amino acids may be referred to herein by either their commonly known three letter symbols or by the one-letter symbols recommended by the IUPAC-IUB Biochemical Nomenclature Commission. Nucleotides, likewise, may be referred to by their commonly accepted single-letter codes.

"Conservatively modified variants" applies to both amino acid and nucleic acid sequences. With respect to particular nucleic acid sequences, conservatively modified variants refers to those nucleic acids which encode identical or essentially identical amino acid sequences, or where the nucleic acid does not encode an amino acid sequence, to essentially identical or associated, e.g., naturally contiguous, sequences. Because of the degeneracy of the genetic code, a large number of functionally identical nucleic acids encode most proteins. For instance, the codons GCA, GCC, GCG and GCU all encode the amino

5

10

15

20

25

acid alanine. Thus, at every position where an alanine is specified by a codon, the codon can be altered to another of the corresponding codons described without altering the encoded polypeptide. Such nucleic acid variations are "silent variations," which are one species of conservatively modified variations. Every nucleic acid sequence herein which encodes a polypeptide also describes silent variations of the nucleic acid. One of skill will recognize that in certain contexts each codon in a nucleic acid (except AUG, which is ordinarily the only codon for methionine, and TGG, which is ordinarily the only codon for tryptophan) can be modified to yield a functionally identical molecule. Accordingly, often silent variations of a nucleic acid which encodes a polypeptide is implicit in a described sequence with respect to the expression product, but not with respect to actual probe sequences.

As to amino acid sequences, one of skill will recognize that individual substitutions, deletions or additions to a nucleic acid, peptide, polypeptide, or protein sequence which alters, adds or deletes a single amino acid or a small percentage of amino acids in the encoded sequence is a "conservatively modified variant" where the alteration results in the substitution of an amino acid with a chemically similar amino acid.

Conservative substitution tables providing functionally similar amino acids are well known in the art. Such conservatively modified variants are in addition to and do not exclude polymorphic variants, interspecies homologs, and alleles of the invention typically conservative substitutions for one another: 1) Alanine (A), Glycine (G); 2) Aspartic acid (D), Glutamic acid (E); 3) Asparagine (N), Glutamine (Q); 4) Arginine (R), Lysine (K); 5)

Isoleucine (I), Leucine (L), Methionine (M), Valine (V); 6) Phenylalanine (F), Tyrosine (Y), Tryptophan (W); 7) Serine (S), Threonine (T); and 8) Cysteine (C), Methionine (M) (see, e.g., Creighton, Proteins (1984)).

Macromolecular structures such as polypeptide structures can be described in terms of various levels of organization. For a general discussion of this organization, see, e.g., Alberts et al., Molecular Biology of the Cell (3<sup>rd</sup> ed., 1994) and Cantor & Schimmel, Biophysical Chemistry Part I: The Conformation of Biological Macromolecules (1980). "Primary structure" refers to the amino acid sequence of a particular peptide. "Secondary structure" refers to locally ordered, three dimensional structures within a polypeptide. These structures are commonly known as domains. Domains are portions of a polypeptide that

5

10

15

20

25

often form a compact unit of the polypeptide and are typically 25 to approximately 500 amino acids long. Typical domains are made up of sections of lesser organization such as stretches of  $\beta$ -sheet and  $\alpha$ -helices. "Tertiary structure" refers to the complete three dimensional structure of a polypeptide monomer. "Quaternary structure" refers to the three dimensional structure formed, usually by the noncovalent association of independent tertiary units. Anisotropic terms are also known as energy terms.

"Nucleic acid" or "oligonucleotide" or "polynucleotide" or grammatical equivalents used herein means at least two nucleotides covalently linked together. Oligonucleotides are typically from about 5, 6, 7, 8, 9, 10, 12, 15, 25, 30, 40, 50 or more nucleotides in length, up to about 100 nucleotides in length. Nucleic acids and polynucleotides are a polymers of any length, including longer lengths, e.g., 200, 300, 500, 1000, 2000, 3000, 5000, 7000, 10,000, etc. A nucleic acid of the present invention will generally contain phosphodiester bonds, although in some cases, nucleic acid analogs are included that may have alternate backbones, comprising, e.g., phosphoramidate, phosphorothioate, phosphorodithioate, or O-methylphophoroamidite linkages (see Eckstein, Oligonucleotides and Analogues: A Practical Approach, Oxford University Press); and peptide nucleic acid backbones and linkages. Other analog nucleic acids include those with positive backbones; non-ionic backbones, and non-ribose backbones, including those described in U.S. Patent Nos. 5,235,033 and 5,034,506, and Chapters 6 and 7, ASC Symposium Series 580, Carbohydrate Modifications in Antisense Research, Sanghui & Cook, eds.. Nucleic acids containing one or more carbocyclic sugars are also included within one definition of nucleic acids. Modifications of the ribose-phosphate backbone may be done for a variety of reasons, e.g. to increase the stability and half-life of such molecules in physiological environments or as probes on a biochip. Mixtures of naturally occurring nucleic acids and analogs can be made; alternatively, mixtures of different nucleic acid analogs, and mixtures of naturally occurring nucleic acids and analogs may be made.

A variety of references disclose such nucleic acid analogs, including, for example, phosphoramidate (Beaucage et al., Tetrahedron 49(10):1925 (1993) and references therein; Letsinger, J. Org. Chem. 35:3800 (1970); Sprinzl et al., Eur. J. Biochem. 81:579 (1977); Letsinger et al., Nucl. Acids Res. 14:3487 (1986); Sawai et al, Chem. Lett. 805

5

10

15

20

25

(1984), Letsinger et al., J. Am. Chem. Soc. 110:4470 (1988); and Pauwels et al., Chemica Scripta 26:141 91986)), phosphorothioate (Mag et al., Nucleic Acids Res. 19:1437 (1991); and U.S. Patent No. 5,644,048), phosphorodithioate (Briu et al., J. Am. Chem. Soc. 111:2321 (1989), O-methylphophoroamidite linkages (see Eckstein, Oligonucleotides and Analogues: 5 A Practical Approach, Oxford University Press), and peptide nucleic acid backbones and linkages (see Egholm, J. Am. Chem. Soc. 114:1895 (1992); Meier et al., Chem. Int. Ed. Engl. 31:1008 (1992); Nielsen, Nature, 365:566 (1993); Carlsson et al., Nature 380:207 (1996), all of which are incorporated by reference). Other analog nucleic acids include those with positive backbones (Denpcy et al., Proc. Natl. Acad. Sci. USA 92:6097 (1995); non-ionic 10 backbones (U.S. Patent Nos. 5,386,023, 5,637,684, 5,602,240, 5,216,141 and 4,469,863; Kiedrowshi et al., Angew. Chem. Intl. Ed. English 30:423 (1991); Letsinger et al., J. Am. Chem. Soc. 110:4470 (1988); Letsinger et al., Nucleoside & Nucleotide 13:1597 (1994); Chapters 2 and 3, ASC Symposium Series 580, "Carbohydrate Modifications in Antisense Research", Ed. Y.S. Sanghui and P. Dan Cook; Mesmaeker et al., Bioorganic & Medicinal 15 Chem. Lett. 4:395 (1994); Jeffs et al., J. Biomolecular NMR 34:17 (1994); Tetrahedron Lett. 37:743 (1996)) and non-ribose backbones, including those described in U.S. Patent Nos. 5,235,033 and 5,034,506, and Chapters 6 and 7, ASC Symposium Series 580, "Carbohydrate Modifications in Antisense Research", Ed. Y.S. Sanghui and P. Dan Cook. Nucleic acids containing one or more carbocyclic sugars are also included within one definition of nucleic 20 acids (see Jenkins et al., Chem. Soc. Rev. (1995) pp 169-176). Several nucleic acid analogs are described in Rawls, C & E News June 2, 1997 page 35. All of these references are hereby expressly incorporated by reference.

Particularly preferred are peptide nucleic acids (PNA) which includes peptide nucleic acid analogs. These backbones are substantially non-ionic under neutral conditions, in contrast to the highly charged phosphodiester backbone of naturally occurring nucleic acids. This results in two advantages. First, the PNA backbone exhibits improved hybridization kinetics. PNAs have larger changes in the melting temperature (T<sub>m</sub>) for mismatched versus perfectly matched basepairs. DNA and RNA typically exhibit a 2-4°C drop in T<sub>m</sub> for an internal mismatch. With the non-ionic PNA backbone, the drop is closer to 7-9°C. Similarly, due to their non-ionic nature, hybridization of the bases attached to these backbones is

25

relatively insensitive to salt concentration. In addition, PNAs are not degraded by cellular enzymes, and thus can be more stable.

The nucleic acids may be single stranded or double stranded, as specified, or contain portions of both double stranded or single stranded sequence. As will be appreciated by those in the art, the depiction of a single strand also defines the sequence of the complementary strand; thus the sequences described herein also provide the complement of the sequence. The nucleic acid may be DNA, both genomic and cDNA, RNA or a hybrid, where the nucleic acid may contain combinations of deoxyribo- and ribo-nucleotides, and combinations of bases, including uracil, adenine, thymine, cytosine, guanine, inosine, xanthine hypoxanthine, isocytosine, isoguanine, etc. "Transcript" typically refers to a naturally occurring RNA, e.g., a pre-mRNA, hnRNA, or mRNA. As used herein, the term "nucleoside" includes nucleotides and nucleoside and nucleotide analogs, and modified nucleosides such as amino modified nucleosides. In addition, "nucleoside" includes non-naturally occurring analog structures. Thus, e.g. the individual units of a peptide nucleic acid, each containing a base, are referred to herein as a nucleoside.

A "label" or a "detectable moiety" is a composition detectable by spectroscopic, photochemical, biochemical, immunochemical, chemical, or other physical means. For example, useful labels include <sup>32</sup>P, fluorescent dyes, electron-dense reagents, enzymes (e.g., as commonly used in an ELISA), biotin, digoxigenin, or haptens and proteins or other entities which can be made detectable, e.g., by incorporating a radiolabel into the peptide or used to detect antibodies specifically reactive with the peptide. The labels may be incorporated into the breast cancer nucleic acids, proteins and antibodies at any position. Any method known in the art for conjugating the antibody to the label may be employed, including those methods described by Hunter et al., Nature, 144:945 (1962); David et al., Biochemistry, 13:1014 (1974); Pain et al., J. Immunol. Meth., 40:219 (1981); and Nygren, J. Histochem. and Cytochem., 30:407 (1982).

An "effector" or "effector moiety" or "effector component" is a molecule that is bound (or linked, or conjugated), either covalently, through a linker or a chemical bond, or noncovalently, through ionic, van der Waals, electrostatic, or hydrogen bonds, to an antibody. The "effector" can be a variety of molecules including, e.g., detection moieties including

5

10

15

20

25

radioactive compounds, fluorescent compounds, an enzyme or substrate, tags such as epitope tags, a toxin; activatable moieties, a chemotherapeutic agent; a lipase; an antibiotic; or a radioisotope emitting "hard" e.g., beta radiation.

A "labeled nucleic acid probe or oligonucleotide" is one that is bound, either covalently, through a linker or a chemical bond, or noncovalently, through ionic, van der Waals, electrostatic, or hydrogen bonds to a label such that the presence of the probe may be detected by detecting the presence of the label bound to the probe. Alternatively, method using high affinity interactions may achieve the same results where one of a pair of binding partners binds to the other, e.g., biotin, streptavidin.

As used herein a "nucleic acid probe or oligonucleotide" is defined as a nucleic acid capable of binding to a target nucleic acid of complementary sequence through one or more types of chemical bonds, usually through complementary base pairing, usually through hydrogen bond formation. As used herein, a probe may include natural (i.e., A, G, C, or T) or modified bases (7-deazaguanosine, inosine, etc.). In addition, the bases in a probe may be joined by a linkage other than a phosphodiester bond, so long as it does not functionally interfere with hybridization. Thus, e.g., probes may be peptide nucleic acids in which the constituent bases are joined by peptide bonds rather than phosphodiester linkages. It will be understood by one of skill in the art that probes may bind target sequences lacking complete complementarity with the probe sequence depending upon the stringency of the hybridization conditions. The probes are preferably directly labeled as with isotopes, chromophores, lumiphores, chromogens, or indirectly labeled such as with biotin to which a streptavidin complex may later bind. By assaying for the presence or absence of the probe, one can detect the presence or absence of the select sequence or subsequence. Diagnosis or prognosis may be based at the genomic level, or at the level of RNA or protein expression.

The term "recombinant" when used with reference, e.g., to a cell, or nucleic acid, protein, or vector, indicates that the cell, nucleic acid, protein or vector, has been modified by the introduction of a heterologous nucleic acid or protein or the alteration of a native nucleic acid or protein, or that the cell is derived from a cell so modified. Thus, e.g., recombinant cells express genes that are not found within the native (non-recombinant) form of the cell or express native genes that are otherwise abnormally expressed, under expressed

5

10

15

20

25

or not expressed at all. By the term "recombinant nucleic acid" herein is meant nucleic acid, originally formed *in vitro*, in general, by the manipulation of nucleic acid, e.g., using polymerases and endonucleases, in a form not normally found in nature. In this manner, operably linkage of different sequences is achieved. Thus an isolated nucleic acid, in a linear form, or an expression vector formed *in vitro* by ligating DNA molecules that are not normally joined, are both considered recombinant for the purposes of this invention. It is understood that once a recombinant nucleic acid is made and reintroduced into a host cell or organism, it will replicate non-recombinantly, i.e., using the *in vivo* cellular machinery of the host cell rather than *in vitro* manipulations; however, such nucleic acids, once produced recombinantly, although subsequently replicated non-recombinantly, are still considered recombinant for the purposes of the invention. Similarly, a "recombinant protein" is a protein made using recombinant techniques, i.e., through the expression of a recombinant nucleic acid as depicted above.

The term "heterologous" when used with reference to portions of a nucleic acid indicates that the nucleic acid comprises two or more subsequences that are not normally found in the same relationship to each other in nature. For instance, the nucleic acid is typically recombinantly produced, having two or more sequences, e.g., from unrelated genes arranged to make a new functional nucleic acid, e.g., a promoter from one source and a coding region from another source. Similarly, a heterologous protein will often refer to two or more subsequences that are not found in the same relationship to each other in nature (e.g., a fusion protein).

A "promoter" is defined as an array of nucleic acid control sequences that direct transcription of a nucleic acid. As used herein, a promoter includes necessary nucleic acid sequences near the start site of transcription, such as, in the case of a polymerase II type promoter, a TATA element. A promoter also optionally includes distal enhancer or repressor elements, which can be located as much as several thousand base pairs from the start site of transcription. A "constitutive" promoter is a promoter that is active under most environmental and developmental conditions. An "inducible" promoter is a promoter that is active under environmental or developmental regulation. The term "operably linked" refers to a functional linkage between a nucleic acid expression control sequence (such as a

5

10

15

20

25

promoter, or array of transcription factor binding sites) and a second nucleic acid sequence, wherein the expression control sequence directs transcription of the nucleic acid corresponding to the second sequence.

An "expression vector" is a nucleic acid construct, generated recombinantly or synthetically, with a series of specified nucleic acid elements that permit transcription of a particular nucleic acid in a host cell. The expression vector can be part of a plasmid, virus, or nucleic acid fragment. Typically, the expression vector includes a nucleic acid to be transcribed operably linked to a promoter.

The phrase "selectively (or specifically) hybridizes to" refers to the binding, duplexing, or hybridizing of a molecule only to a particular nucleotide sequence under stringent hybridization conditions when that sequence is present in a complex mixture (e.g., total cellular or library DNA or RNA).

The phrase "stringent hybridization conditions" refers to conditions under which a probe will hybridize to its target subsequence, typically in a complex mixture of nucleic acids, but to no other sequences. Stringent conditions are sequence-dependent and will be different in different circumstances. Longer sequences hybridize specifically at higher temperatures. An extensive guide to the hybridization of nucleic acids is found in Tijssen, Techniques in Biochemistry and Molecular Biology--Hybridization with Nucleic Probes, "Overview of principles of hybridization and the strategy of nucleic acid assays" (1993). Generally, stringent conditions are selected to be about 5-10°C lower than the thermal melting point (T<sub>m</sub>) for the specific sequence at a defined ionic strength pH. The T<sub>m</sub> is the temperature (under defined ionic strength, pH, and nucleic concentration) at which 50% of the probes complementary to the target hybridize to the target sequence at equilibrium (as the target sequences are present in excess, at T<sub>m</sub>, 50% of the probes are occupied at equilibrium). Stringent conditions will be those in which the salt concentration is less than about 1.0 M sodium ion, typically about 0.01 to 1.0 M sodium ion concentration (or other salts) at pH 7.0 to 8.3 and the temperature is at least about 30°C for short probes (e.g., 10 to 50 nucleotides) and at least about 60°C for long probes (e.g., greater than 50 nucleotides). Stringent conditions may also be achieved with the addition of destabilizing agents such as formamide. For selective or specific hybridization, a positive signal is at least two times

5

10

15

20

25

background, preferably 10 times background hybridization. Exemplary stringent hybridization conditions can be as following: 50% formamide, 5x SSC, and 1% SDS, incubating at 42°C, or, 5x SSC, 1% SDS, incubating at 65°C, with wash in 0.2x SSC, and 0.1% SDS at 65°C. For PCR, a temperature of about 36°C is typical for low stringency amplification, although annealing temperatures may vary between about 32°C and 48°C depending on primer length. For high stringency PCR amplification, a temperature of about 62°C is typical, although high stringency annealing temperatures can range from about 50°C to about 65°C, depending on the primer length and specificity. Typical cycle conditions for both high and low stringency amplifications include a denaturation phase of 90°C - 95°C for 30 sec - 2 min., an annealing phase lasting 30 sec. - 2 min., and an extension phase of about 72°C for 1 - 2 min. Protocols and guidelines for low and high stringency amplification reactions are provided, e.g., in Innis et al. (1990) PCR Protocols, A Guide to Methods and Applications, Academic Press, Inc. N.Y.).

Nucleic acids that do not hybridize to each other under stringent conditions are still substantially identical if the polypeptides which they encode are substantially identical. This occurs, e.g., when a copy of a nucleic acid is created using the maximum codon degeneracy permitted by the genetic code. In such cases, the nucleic acids typically hybridize under moderately stringent hybridization conditions. Exemplary "moderately stringent hybridization conditions" include a hybridization in a buffer of 40% formamide, 1 M NaCl, 1% SDS at 37°C, and a wash in 1X SSC at 45°C. A positive hybridization is at least twice background. Those of ordinary skill will readily recognize that alternative hybridization and wash conditions can be utilized to provide conditions of similar stringency. Additional guidelines for determining hybridization parameters are provided in numerous reference, e.g., and Current Protocols in Molecular Biology, ed. Ausubel, et al.

The phrase "functional effects" in the context of assays for testing compounds that modulate activity of a breast cancer protein includes the determination of a parameter that is indirectly or directly under the influence of the breast cancer protein or nucleic acid, e.g., a functional, physical, or chemical effect, such as the ability to decrease breast cancer. It includes ligand binding activity; cell growth on soft agar; anchorage dependence; contact

5

10

15

20

inhibition and density limitation of growth; cellular proliferation; cellular transformation; growth factor or serum dependence; tumor specific marker levels; invasiveness into Matrigel; tumor growth and metastasis *in vivo*; mRNA and protein expression in cells undergoing metastasis, and other characteristics of breast cancer cells. "Functional effects" include *in vitro*, *in vivo*, and *ex vivo* activities.

By "determining the functional effect" is meant assaying for a compound that increases or decreases a parameter that is indirectly or directly under the influence of a breast cancer protein sequence, e.g., functional, enzymatic, physical and chemical effects. Such functional effects can be measured by any means known to those skilled in the art, e.g., changes in spectroscopic characteristics (e.g., fluorescence, absorbance, refractive index), hydrodynamic (e.g., shape), chromatographic, or solubility properties for the protein, measuring inducible markers or transcriptional activation of the breast cancer protein; measuring binding activity or binding assays, e.g. binding to antibodies or other ligands, and measuring cellular proliferation. Determination of the functional effect of a compound on breast cancer can also be performed using breast cancer assays known to those of skill in the art such as an in vitro assays, e.g., cell growth on soft agar; anchorage dependence; contact inhibition and density limitation of growth; cellular proliferation; cellular transformation; growth factor or serum dependence; tumor specific marker levels; invasiveness into Matrigel; tumor growth and metastasis in vivo; mRNA and protein expression in cells undergoing metastasis, and other characteristics of breast cancer cells. The functional effects can be evaluated by many means known to those skilled in the art, e.g., microscopy for quantitative or qualitative measures of alterations in morphological features, measurement of changes in RNA or protein levels for breast cancer-associated sequences, measurement of RNA stability, identification of downstream or reporter gene expression (CAT, luciferase, B-gal, GFP and the like), e.g., via chemiluminescence, fluorescence, colorimetric reactions, antibody binding, inducible markers, and ligand binding assays.

"Inhibitors", "activators", and "modulators" of breast cancer polynucleotide and polypeptide sequences are used to refer to activating, inhibitory, or modulating molecules or compounds identified using *in vitro* and *in vivo* assays of breast cancer polynucleotide and polypeptide sequences. Inhibitors are compounds that, e.g., bind to, partially or totally block

5

10

15

20

25

activity, decrease, prevent, delay activation, inactivate, desensitize, or down regulate the activity or expression of breast cancer proteins, e.g., antagonists. Antisense nucleic acids may seem to inhibit expression and subsequent function of the protein. "Activators" are compounds that increase, open, activate, facilitate, enhance activation, sensitize, agonize, or up regulate breast cancer protein activity. Inhibitors, activators, or modulators also include genetically modified versions of breast cancer proteins, e.g., versions with altered activity, as well as naturally occurring and synthetic ligands, antagonists, agonists, antibodies, small chemical molecules and the like. Such assays for inhibitors and activators include, e.g., expressing the breast cancer protein *in vitro*, in cells, or cell membranes, applying putative modulator compounds, and then determining the functional effects on activity, as described above. Activators and inhibitors of breast cancer can also be identified by incubating breast cancer cells with the test compound and determining increases or decreases in the expression of 1 or more breast cancer proteins, e.g., 1, 2, 3, 4, 5, 10, 15, 20, 25, 30, 40, 50 or more breast cancer proteins, such as breast cancer proteins encoded by the sequences set out in Tables 1-25.

Samples or assays comprising breast cancer proteins that are treated with a potential activator, inhibitor, or modulator are compared to control samples without the inhibitor, activator, or modulator to examine the extent of inhibition. Control samples (untreated with inhibitors) are assigned a relative protein activity value of 100%. Inhibition of a polypeptide is achieved when the activity value relative to the control is about 80%, preferably 50%, more preferably 25-0%. Activation of a breast cancer polypeptide is achieved when the activity value relative to the control (untreated with activators) is 110%, more preferably 150%, more preferably 200-500% (i.e., two to five fold higher relative to the control), more preferably 1000-3000% higher.

The phrase "changes in cell growth" refers to any change in cell growth and proliferation characteristics in vitro or in vivo, such as formation of foci, anchorage independence, semi-solid or soft agar growth, changes in contact inhibition and density limitation of growth, loss of growth factor or serum requirements, changes in cell morphology, gaining or losing immortalization, gaining or losing tumor specific markers, ability to form or suppress tumors when injected into suitable animal hosts, and/or

5

10

15

20

25

immortalization of the cell. See, e.g., Freshney, Culture of Animal Cells a Manual of Basic Technique pp. 231-241 (3<sup>rd</sup> ed. 1994).

"Tumor cell" refers to precancerous, cancerous, and normal cells in a tumor.

"Cancer cells," "transformed" cells or "transformation" in tissue culture, refers to spontaneous or induced phenotypic changes that do not necessarily involve the uptake of new genetic material. Although transformation can arise from infection with a transforming virus and incorporation of new genomic DNA, or uptake of exogenous DNA, it can also arise spontaneously or following exposure to a carcinogen, thereby mutating an endogenous gene. Transformation is associated with phenotypic changes, such as immortalization of cells, aberrant growth control, nonmorphological changes, and/or malignancy (see, Freshney, Culture of Animal Cells a Manual of Basic Technique (3<sup>rd</sup> ed. 1994)).

"Antibody" refers to a polypeptide comprising a framework region from an immunoglobulin gene or fragments thereof that specifically binds and recognizes an antigen. The recognized immunoglobulin genes include the kappa, lambda, alpha, gamma, delta, epsilon, and mu constant region genes, as well as the myriad immunoglobulin variable region genes. Light chains are classified as either kappa or lambda. Heavy chains are classified as gamma, mu, alpha, delta, or epsilon, which in turn define the immunoglobulin classes, IgG, IgM, IgA, IgD and IgE, respectively. Typically, the antigen-binding region of an antibody or its functional equivalent will be most critical in specificity and affinity of binding. See Paul, Fundamental Immunology.

An exemplary immunoglobulin (antibody) structural unit comprises a tetramer. Each tetramer is composed of two identical pairs of polypeptide chains, each pair having one "light" (about 25 kD) and one "heavy" chain (about 50-70 kD). The N-terminus of each chain defines a variable region of about 100 to 110 or more amino acids primarily responsible for antigen recognition. The terms variable light chain (V<sub>L</sub>) and variable heavy chain (V<sub>H</sub>) refer to these light and heavy chains respectively.

Antibodies exist, e.g., as intact immunoglobulins or as a number of well-characterized fragments produced by digestion with various peptidases. Thus, e.g., pepsin digests an antibody below the disulfide linkages in the hinge region to produce F(ab)'<sub>2</sub>, a dimer of Fab which itself is a light chain joined to V<sub>H</sub>-C<sub>H</sub>1 by a disulfide bond. The F(ab)'<sub>2</sub>

5

10

15

20

25

may be reduced under mild conditions to break the disulfide linkage in the hinge region, thereby converting the F(ab)'<sub>2</sub> dimer into an Fab' monomer. The Fab' monomer is essentially Fab with part of the hinge region (see Fundamental Immunology (Paul ed., 3d ed. 1993). While various antibody fragments are defined in terms of the digestion of an intact antibody, one of skill will appreciate that such fragments may be synthesized de novo either chemically or by using recombinant DNA methodology. Thus, the term antibody, as used herein, also includes antibody fragments either produced by the modification of whole antibodies, or those synthesized de novo using recombinant DNA methodologies (e.g., single chain Fv) or those identified using phage display libraries (see, e.g., McCafferty et al., Nature 348:552-554 (1990))

For preparation of antibodies, e.g., recombinant, monoclonal, or polyclonal antibodies, many technique known in the art can be used (see, e.g., Kohler & Milstein, Nature 256:495-497 (1975); Kozbor et al., Immunology Today 4:72 (1983); Cole et al., pp. 77-96 in Monoclonal Antibodies and Cancer Therapy (1985); Coligan, Current Protocols in Immunology (1991); Harlow & Lane, Antibodies, A Laboratory Manual (1988); and Goding, Monoclonal Antibodies: Principles and Practice (2d ed. 1986)). Techniques for the production of single chain antibodies (U.S. Patent 4,946,778) can be adapted to produce antibodies to polypeptides of this invention. Also, transgenic mice, or other organisms such as other mammals, may be used to express humanized antibodies. Alternatively, phage display technology can be used to identify antibodies and heteromeric Fab fragments that specifically bind to selected antigens (see, e.g., McCafferty et al., Nature 348:552-554 (1990); Marks et al., Biotechnology 10:779-783 (1992)).

A "chimeric antibody" is an antibody molecule in which (a) the constant region, or a portion thereof, is altered, replaced or exchanged so that the antigen binding site (variable region) is linked to a constant region of a different or altered class, effector function and/or species, or an entirely different molecule which confers new properties to the chimeric antibody, e.g., an enzyme, toxin, hormone, growth factor, drug, etc.; or (b) the variable region, or a portion thereof, is altered, replaced or exchanged with a variable region having a different or altered antigen specificity.

30

5

10

15

20

#### Identification of breast cancer-associated sequences

In one aspect, the expression levels of genes are determined in different patient samples for which diagnosis information is desired, to provide expression profiles. An expression profile of a particular sample is essentially a "fingerprint" of the state of the sample; while two states may have any particular gene similarly expressed, the evaluation of a number of genes simultaneously allows the generation of a gene expression profile that is characteristic of the state of the cell. That is, normal tissue (e.g., normal breast or other tissue) may be distinguished from cancerous or metastatic cancerous tissue of the breast, or breast cancer tissue or metastatic breast cancerous tissue can be compared with tissue samples of breast and other tissues from surviving cancer patients. By comparing expression profiles of tissue in known different breast cancer states, information regarding which genes are important (including both up- and down-regulation of genes) in each of these states is obtained.

The identification of sequences that are differentially expressed in breast cancer versus non-breast cancer tissue allows the use of this information in a number of ways. For example, a particular treatment regime may be evaluated: does a chemotherapeutic drug act to down-regulate breast cancer, and thus tumor growth or recurrence, in a particular patient. Similarly, diagnosis and treatment outcomes may be done or confirmed by comparing patient samples with the known expression profiles. Metastatic tissue can also be analyzed to determine the stage of breast cancer in the tissue. Furthermore, these gene expression profiles (or individual genes) allow screening of drug candidates with an eye to mimicking or altering a particular expression profile; e.g., screening can be done for drugs that suppress the breast cancer expression profile. This may be done by making biochips comprising sets of the important breast cancer genes, which can then be used in these screens. These methods can also be done on the protein basis; that is, protein expression levels of the breast cancer proteins can be evaluated for diagnostic purposes or to screen candidate agents. In addition, the breast cancer nucleic acid sequences can be administered for gene therapy purposes, including the administration of antisense nucleic acids, or the breast cancer proteins (including antibodies and other modulators thereof) administered as therapeutic drugs.

5

10

15

20

Thus the present invention provides nucleic acid and protein sequences that are differentially expressed in breast cancer, herein termed "breast cancer sequences." As outlined below, breast cancer sequences include those that are up-regulated (i.e., expressed at a higher level) in breast cancer, as well as those that are down-regulated (i.e., expressed at a lower level). In a preferred embodiment, the breast cancer sequences are from humans; however, as will be appreciated by those in the art, breast cancer sequences from other organisms may be useful in animal models of disease and drug evaluation; thus, other breast cancer sequences are provided, from vertebrates, including mammals, including rodents (rats, mice, hamsters, guinea pigs, etc.), primates, farm animals (including sheep, goats, pigs, cows, horses, etc.) and pets, e.g., (dogs, cats, etc.). Breast cancer sequences from other organisms may be obtained using the techniques outlined below.

Breast cancer sequences can include both nucleic acid and amino acid sequences. As will be appreciated by those in the art and is more fully outlined below, breast cancer nucleic acid sequences are useful in a variety of applications, including diagnostic applications, which will detect naturally occurring nucleic acids, as well as screening applications; e.g., biochips comprising nucleic acid probes or PCR microtiter plates with selected probes to the breast cancer sequences can be generated.

A breast cancer sequence can be initially identified by substantial nucleic acid and/or amino acid sequence homology to the breast cancer sequences outlined herein. Such homology can be based upon the overall nucleic acid or amino acid sequence, and is generally determined as outlined below, using either homology programs or hybridization conditions.

For identifying breast cancer-associated sequences, the breast cancer screen typically includes comparing genes identified in different tissues, e.g., normal and cancerous tissues, or tumor tissue samples from patients who have metastatic disease vs. non metastatic tissue. Other suitable tissue comparisons include comparing breast cancer samples with metastatic cancer samples from other cancers, such as lung, breast, gastrointestinal cancers, ovarian, etc. Samples of different stages of breast cancer, e.g., survivor tissue, drug resistant states, and tissue undergoing metastasis, are applied to biochips comprising nucleic acid probes. The samples are first microdissected, if applicable, and treated as is known in the art

5

10

15

20

25

for the preparation of mRNA. Suitable biochips are commercially available, e.g. from Affymetrix. Gene expression profiles as described herein are generated and the data analyzed.

In one embodiment, the genes showing changes in expression as between normal and disease states are compared to genes expressed in other normal tissues, preferably normal breast, but also including, and not limited to lung, heart, brain, liver, breast, kidney, muscle, colon, small intestine, large intestine, spleen, bone and placenta. In a preferred embodiment, those genes identified during the breast cancer screen that are expressed in any significant amount in other tissues are removed from the profile, although in some embodiments, this is not necessary. That is, when screening for drugs, it is usually preferable that the target be disease specific, to minimize possible side effects.

In a preferred embodiment, breast cancer sequences are those that are upregulated in breast cancer; that is, the expression of these genes is higher in the breast cancer
tissue as compared to non-cancerous tissue. "Up-regulation" as used herein often means at
least about a two-fold change, preferably at least about a three fold change, with at least about
five-fold or higher being preferred. All unigene cluster identification numbers and accession
numbers herein are for the GenBank sequence database and the sequences of the accession
numbers are hereby expressly incorporated by reference. GenBank is known in the art, see,
e.g., Benson, DA, et al., Nucleic Acids Research 26:1-7 (1998) and

http://www.ncbi.nlm.nih.gov/. Sequences are also available in other databases, e.g., European Molecular Biology Laboratory (EMBL) and DNA Database of Japan (DDBJ). U.S. Patent Application N. 09/687,576, with the same assignee as the present application, further discloses related sequences, compositions, and methods of diagnosis and treatment of breast cancer is hereby expressly incorporated by reference.

In another preferred embodiment, breast cancer sequences are those that are down-regulated in the breast cancer; that is, the expression of these genes is lower in breast cancer tissue as compared to non-cancerous tissue (see, e.g., Tables 1,2, 3, 15, 16 etc...). "Down-regulation" as used herein often means at least about a two-fold change, preferably at least about a three fold change, with at least about five-fold or higher being preferred.

5

10

15

20

#### **Informatics**

5

. 10

15

20

25

30

The ability to identify genes that are over or under expressed in breast cancer can additionally provide high-resolution, high-sensitivity datasets which can be used in the areas of diagnostics, therapeutics, drug development, pharmacogenetics, protein structure, biosensor development, and other related areas. For example, the expression profiles can be used in diagnostic or prognostic evaluation of patients with breast cancer. Or as another example, subcellular toxicological information can be generated to better direct drug structure and activity correlation (see Anderson, Pharmaceutical Proteomics: Targets, Mechanism, and Function, paper presented at the IBC Proteomics conference, Coronado, CA (June 11-12, 1998)). Subcellular toxicological information can also be utilized in a biological sensor device to predict the likely toxicological effect of chemical exposures and likely tolerable exposure thresholds (see U.S. Patent No. 5,811,231). Similar advantages accrue from datasets relevant to other biomolecules and bioactive agents (e.g., nucleic acids, saccharides, lipids, drugs, and the like).

Thus, in another embodiment, the present invention provides a database that includes at least one set of assay data. The data contained in the database is acquired, e.g., using array analysis either singly or in a library format. The database can be in substantially any form in which data can be maintained and transmitted, but is preferably an electronic database. The electronic database of the invention can be maintained on any electronic device allowing for the storage of and access to the database, such as a personal computer, but is preferably distributed on a wide area network, such as the World Wide Web.

The focus of the present section on databases that include peptide sequence data is for clarity of illustration only. It will be apparent to those of skill in the art that similar databases can be assembled for any assay data acquired using an assay of the invention.

The compositions and methods for identifying and/or quantitating the relative and/or absolute abundance of a variety of molecular and macromolecular species from a biological sample undergoing breast cancer, i.e., the identification of breast cancer-associated sequences described herein, provide an abundance of information, which can be correlated with pathological conditions, predisposition to disease, drug testing, therapeutic monitoring,

gene-disease causal linkages, identification of correlates of immunity and physiological status, among others. Although the data generated from the assays of the invention is suited for manual review and analysis, in a preferred embodiment, prior data processing using high-speed computers is utilized.

An array of methods for indexing and retrieving biomolecular information is known in the art. For example, U.S. Patents 6,023,659 and 5,966,712 disclose a relational database system for storing biomolecular sequence information in a manner that allows sequences to be catalogued and searched according to one or more protein function hierarchies. U.S. Patent 5,953,727 discloses a relational database having sequence records containing information in a format that allows a collection of partial-length DNA sequences to be catalogued and searched according to association with one or more sequencing projects for obtaining full-length sequences from the collection of partial length sequences. U.S. Patent 5,706,498 discloses a gene database retrieval system for making a retrieval of a gene sequence similar to a sequence data item in a gene database based on the degree of similarity between a key sequence and a target sequence. U.S. Patent 5,538,897 discloses a method using mass spectroscopy fragmentation patterns of peptides to identify amino acid sequences in computer databases by comparison of predicted mass spectra with experimentally-derived mass spectra using a closeness-of-fit measure. U.S. Patent 5,926,818 discloses a multidimensional database comprising a functionality for multi-dimensional data analysis described as on-line analytical processing (OLAP), which entails the consolidation of projected and actual data according to more than one consolidation path or dimension. U.S. Patent 5,295,261 reports a hybrid database structure in which the fields of each database record are divided into two classes, navigational and informational data, with navigational fields stored in a hierarchical topological map which can be viewed as a tree structure or as the merger of two or more such tree structures.

See also Mount et al., Bioinformatics (2001); Biological Sequence Analysis:

Probabilistic Models of Proteins and Nucleic Acids (Durbin et al., eds., 1999);

Bioinformatics: A Practical Guide to the Analysis of Genes and Proteins (Baxevanis & Oeullette eds., 1998)); Rashidi & Buehler, Bioinformatics: Basic Applications in Biological Science and Medicine (1999); Introduction to Computational Molecular Biology (Setubal et

5

10

15

20

25

al., eds 1997); Bioinformatics: Methods and Protocols (Misener & Krawetz, eds, 2000); Bioinformatics: Sequence, Structure, and Databanks: A Practical Approach (Higgins & Taylor, eds., 2000); Brown, Bioinformatics: A Biologist's Guide to Biocomputing and the Internet (2001); Han & Kamber, Data Mining: Concepts and Techniques (2000); and Waterman, Introduction to Computational Biology: Maps, Sequences, and Genomes (1995).

The present invention provides a computer database comprising a computer and software for storing in computer-retrievable form assay data records cross-tabulated, e.g., with data specifying the source of the target-containing sample from which each sequence specificity record was obtained.

In an exemplary embodiment, at least one of the sources of target-containing sample is from a control tissue sample known to be free of pathological disorders. In a variation, at least one of the sources is a known pathological tissue specimen, e.g., a neoplastic lesion or another tissue specimen to be analyzed for breast cancer. In another variation, the assay records cross-tabulate one or more of the following parameters for each target species in a sample: (1) a unique identification code, which can include, e.g., a target molecular structure and/or characteristic separation coordinate (e.g., electrophoretic coordinates); (2) sample source; and (3) absolute and/or relative quantity of the target species present in the sample.

The invention also provides for the storage and retrieval of a collection of target data in a computer data storage apparatus, which can include magnetic disks, optical disks, magneto-optical disks, DRAM, SRAM, SGRAM, SDRAM, RDRAM, DDR RAM, magnetic bubble memory devices, and other data storage devices, including CPU registers and on-CPU data storage arrays. Typically, the target data records are stored as a bit pattern in an array of magnetic domains on a magnetizable medium or as an array of charge states or transistor gate states, such as an array of cells in a DRAM device (e.g., each cell comprised of a transistor and a charge storage area, which may be on the transistor). In one embodiment, the invention provides such storage devices, and computer systems built therewith, comprising a bit pattern encoding a protein expression fingerprint record comprising unique identifiers for at least 10 target data records cross-tabulated with target source.

5

10

15

20

When the target is a peptide or nucleic acid, the invention preferably provides a method for identifying related peptide or nucleic acid sequences, comprising performing a computerized comparison between a peptide or nucleic acid sequence assay record stored in or retrieved from a computer storage device or database and at least one other sequence. The comparison can include a sequence analysis or comparison algorithm or computer program embodiment thereof (e.g., FASTA, TFASTA, GAP, BESTFIT) and/or the comparison may be of the relative amount of a peptide or nucleic acid sequence in a pool of sequences determined from a polypeptide or nucleic acid sample of a specimen.

The invention also preferably provides a magnetic disk, such as an IBM-compatible (DOS, Windows, Windows95/98/2000, Windows NT, OS/2) or other format (e.g., Linux, SunOS, Solaris, AIX, SCO Unix, VMS, MV, Macintosh, etc.) floppy diskette or hard (fixed, Winchester) disk drive, comprising a bit pattern encoding data from an assay of the invention in a file format suitable for retrieval and processing in a computerized sequence analysis, comparison, or relative quantitation method.

The invention also provides a network, comprising a plurality of computing devices linked via a data link, such as an Ethernet cable (coax or 10BaseT), telephone line, ISDN line, wireless network, optical fiber, or other suitable signal transmission medium, whereby at least one network device (e.g., computer, disk array, etc.) comprises a pattern of magnetic domains (e.g., magnetic disk) and/or charge domains (e.g., an array of DRAM cells) composing a bit pattern encoding data acquired from an assay of the invention.

The invention also provides a method for transmitting assay data that includes generating an electronic signal on an electronic communications device, such as a modem, ISDN terminal adapter, DSL, cable modem, ATM switch, or the like, wherein the signal includes (in native or encrypted format) a bit pattern encoding data from an assay or a database comprising a plurality of assay results obtained by the method of the invention.

In a preferred embodiment, the invention provides a computer system for comparing a query target to a database containing an array of data structures, such as an assay result obtained by the method of the invention, and ranking database targets based on the degree of identity and gap weight to the target data. A central processor is preferably initialized to load and execute the computer program for alignment and/or comparison of the

5

10

15

20

25

assay results. Data for a query target is entered into the central processor via an I/O device. Execution of the computer program results in the central processor retrieving the assay data from the data file, which comprises a binary description of an assay result.

The target data or record and the computer program can be transferred to secondary memory, which is typically random access memory (e.g., DRAM, SRAM, SGRAM, or SDRAM). Targets are ranked according to the degree of correspondence between a selected assay characteristic (e.g., binding to a selected affinity moiety) and the same characteristic of the query target and results are output via an I/O device. For example, a central processor can be a conventional computer (e.g., Intel Pentium, PowerPC, Alpha, PA-8000, SPARC, MIPS 4400, MIPS 10000, VAX, etc.); a program can be a commercial or public domain molecular biology software package (e.g., UWGCG Sequence Analysis Software, Darwin); a data file can be an optical or magnetic disk, a data server, a memory device (e.g., DRAM, SRAM, SGRAM, SDRAM, EPROM, bubble memory, flash memory, etc.); an I/O device can be a terminal comprising a video display and a keyboard, a modem, an ISDN terminal adapter, an Ethernet port, a punched card reader, a magnetic strip reader, or other suitable I/O device.

The invention also preferably provides the use of a computer system, such as that described above, which comprises: (1) a computer; (2) a stored bit pattern encoding a collection of peptide sequence specificity records obtained by the methods of the invention, which may be stored in the computer; (3) a comparison target, such as a query target; and (4) a program for alignment and comparison, typically with rank-ordering of comparison results on the basis of computed similarity values.

#### Characteristics of breast cancer-associated proteins

Breast cancer proteins of the present invention may be classified as secreted proteins, transmembrane proteins or intracellular proteins. In one embodiment, the breast cancer protein is an intracellular protein. Intracellular proteins may be found in the cytoplasm and/or in the nucleus. Intracellular proteins are involved in all aspects of cellular function and replication (including, e.g., signaling pathways); aberrant expression of such proteins often results in unregulated or disregulated cellular processes (see, e.g., Molecular

5

10

15

20

25

Biology of the Cell (Alberts, ed., 3rd ed., 1994). For example, many intracellular proteins have enzymatic activity such as protein kinase activity, protein phosphatase activity, protease activity, nucleotide cyclase activity, polymerase activity and the like. Intracellular proteins also serve as docking proteins that are involved in organizing complexes of proteins, or targeting proteins to various subcellular localizations, and are involved in maintaining the structural integrity of organelles.

An increasingly appreciated concept in characterizing proteins is the presence in the proteins of one or more motifs for which defined functions have been attributed. In addition to the highly conserved sequences found in the enzymatic domain of proteins, highly conserved sequences have been identified in proteins that are involved in protein-protein interaction. For example, Src-homology-2 (SH2) domains bind tyrosine-phosphorylated targets in a sequence dependent manner. PTB domains, which are distinct from SH2 domains, also bind tyrosine phosphorylated targets. SH3 domains bind to proline-rich targets. In addition, PH domains, tetratricopeptide repeats and WD domains to name only a few, have been shown to mediate protein-protein interactions. Some of these may also be involved in binding to phospholipids or other second messengers. As will be appreciated by one of ordinary skill in the art, these motifs can be identified on the basis of primary sequence; thus, an analysis of the sequence of proteins may provide insight into both the enzymatic potential of the molecule and/or molecules with which the protein may associate. One useful database is Pfam (protein families), which is a large collection of multiple sequence alignments and hidden Markov models covering many common protein domains. Versions are available via the internet from Washington University in St. Louis, the Sanger Center in England, and the Karolinska Institute in Sweden (see, e.g., Bateman et al., Nuc. Acids Res. 28:263-266 (2000); Sonnhammer et al., Proteins 28:405-420 (1997); Bateman et al., Nuc. Acids Res. 27:260-262 (1999); and Sonnhammer et al., Nuc. Acids Res. 26:320-322-(1998)).

In another embodiment, the breast cancer sequences are transmembrane proteins. Transmembrane proteins are molecules that span a phospholipid bilayer of a cell. They may have an intracellular domain, an extracellular domain, or both. The intracellular domains of such proteins may have a number of functions including those already described

5

10

15

20

25

for intracellular proteins. For example, the intracellular domain may have enzymatic activity and/or may serve as a binding site for additional proteins. Frequently the intracellular domain of transmembrane proteins serves both roles. For example certain receptor tyrosine kinases have both protein kinase activity and SH2 domains. In addition, autophosphorylation of tyrosines on the receptor molecule itself, creates binding sites for additional SH2 domain containing proteins.

Transmembrane proteins may contain from one to many transmembrane domains. For example, receptor tyrosine kinases, certain cytokine receptors, receptor guanylyl cyclases and receptor serine/threonine protein kinases contain a single transmembrane domain. However, various other proteins including channels and adenylyl cyclases contain numerous transmembrane domains. Many important cell surface receptors such as G protein coupled receptors (GPCRs) are classified as "seven transmembrane domain" proteins, as they contain 7 membrane spanning regions. Characteristics of transmembrane domains include approximately 20 consecutive hydrophobic amino acids that may be followed by charged amino acids. Therefore, upon analysis of the amino acid sequence of a particular protein, the localization and number of transmembrane domains within the protein may be predicted (see, e.g. PSORT web site http://psort.nibb.ac.jp/). Important transmembrane protein receptors include, but are not limited to the insulin receptor, insulin-like growth factor receptor, human growth hormone receptor, glucose transporters, transferrin receptor, epidermal growth factor receptor, low density lipoprotein receptor, epidermal growth factor receptor, leptin receptor, interleukin receptors, e.g. IL-1 receptor, IL-2 receptor,

The extracellular domains of transmembrane proteins are diverse; however, conserved motifs are found repeatedly among various extracellular domains. Conserved structure and/or functions have been ascribed to different extracellular motifs. Many extracellular domains are involved in binding to other molecules. In one aspect, extracellular domains are found on receptors. Factors that bind the receptor domain include circulating ligands, which may be peptides, proteins, or small molecules such as adenosine and the like. For example, growth factors such as EGF, FGF and PDGF are circulating growth factors that bind to their cognate receptors to initiate a variety of cellular responses. Other factors include

5

10

15

20

25

cytokines, mitogenic factors, neurotrophic factors and the like. Extracellular domains also bind to cell-associated molecules. In this respect, they mediate cell-cell interactions. Cell-associated ligands can be tethered to the cell, e.g., via a glycosylphosphatidylinositol (GPI) anchor, or may themselves be transmembrane proteins. Extracellular domains also associate with the extracellular matrix and contribute to the maintenance of the cell structure.

Breast cancer proteins that are transmembrane are particularly preferred in the present invention as they are readily accessible targets for immunotherapeutics, as are described herein. In addition, as outlined below, transmembrane proteins can be also useful in imaging modalities. Antibodies may be used to label such readily accessible proteins in situ. Alternatively, antibodies can also label intracellular proteins, in which case samples are typically permeablized to provide access to intracellular proteins.

It will also be appreciated by those in the art that a transmembrane protein can be made soluble by removing transmembrane sequences, e.g., through recombinant methods. Furthermore, transmembrane proteins that have been made soluble can be made to be secreted through recombinant means by adding an appropriate signal sequence.

In another embodiment, the breast cancer proteins are secreted proteins; the secretion of which can be either constitutive or regulated. These proteins have a signal peptide or signal sequence that targets the molecule to the secretory pathway. Secreted proteins are involved in numerous physiological events; by virtue of their circulating nature, they serve to transmit signals to various other cell types. The secreted protein may function in an autocrine manner (acting on the cell that secreted the factor), a paracrine manner (acting on cells in close proximity to the cell that secreted the factor) or an endocrine manner (acting on cells at a distance). Thus secreted molecules find use in modulating or altering numerous aspects of physiology. Breast cancer proteins that are secreted proteins are particularly preferred in the present invention as they serve as good targets for diagnostic markers, e.g., for blood, plasma, serum, or stool tests.

# Use of breast cancer nucleic acids

As described above, breast cancer sequence is initially identified by substantial nucleic acid and/or amino acid sequence homology or linkage to the breast cancer

5

10

15

20

25

sequences outlined herein. Such homology can be based upon the overall nucleic acid or amino acid sequence, and is generally determined as outlined below, using either homology programs or hybridization conditions. Typically, linked sequences on a mRNA are found on the same molecule.

The breast cancer nucleic acid sequences of the invention, e.g., the sequences in Tables 1-25, can be fragments of larger genes, i.e., they are nucleic acid segments. "Genes" in this context includes coding regions, non-coding regions, and mixtures of coding and non-coding regions. Accordingly, as will be appreciated by those in the art, using the sequences provided herein, extended sequences, in either direction, of the breast cancer genes can be obtained, using techniques well known in the art for cloning either longer sequences or the full length sequences; see Ausubel, *et al.*, *supra*. Much can be done by informatics and many sequences can be clustered to include multiple sequences corresponding to a single gene, e.g., systems such as UniGene (see, http://www.ncbi.nlm.nih.gov/UniGene/).

Once the breast cancer nucleic acid is identified, it can be cloned and, if necessary, its constituent parts recombined to form the entire breast cancer nucleic acid coding regions or the entire mRNA sequence. Once isolated from its natural source, e.g., contained within a plasmid or other vector or excised therefrom as a linear nucleic acid segment, the recombinant breast cancer nucleic acid can be further-used as a probe to identify and isolate other breast cancer nucleic acids, e.g., extended coding regions. It can also be used as a "precursor" nucleic acid to make modified or variant breast cancer nucleic acids and proteins.

The breast cancer nucleic acids of the present invention are used in several ways. In a first embodiment, nucleic acid probes to the breast cancer nucleic acids are made and attached to biochips to be used in screening and diagnostic methods, as outlined below, or for administration, e.g., for gene therapy, vaccine, and/or antisense applications.

Alternatively, the breast cancer nucleic acids that include coding regions of breast cancer proteins can be put into expression vectors for the expression of breast cancer proteins, again for screening purposes or for administration to a patient.

In a preferred embodiment, nucleic acid probes to breast cancer nucleic acids (both the nucleic acid sequences outlined in the figures and/or the complements thereof) are

5

10

15

20

25

made. The nucleic acid probes attached to the biochip are designed to be substantially complementary to the breast cancer nucleic acids, *i.e.* the target sequence (either the target sequence of the sample or to other probe sequences, e.g., in sandwich assays), such that hybridization of the target sequence and the probes of the present invention occurs. As outlined below, this complementarity need not be perfect; there may be any number of base pair mismatches which will interfere with hybridization between the target sequence and the single stranded nucleic acids of the present invention. However, if the number of mutations is so great that no hybridization can occur under even the least stringent of hybridization conditions, the sequence is not a complementary target sequence. Thus, by "substantially complementary" herein is meant that the probes are sufficiently complementary to the target sequences to hybridize under normal reaction conditions, particularly high stringency conditions, as outlined herein.

A nucleic acid probe is generally single stranded but can be partially single and partially double stranded. The strandedness of the probe is dictated by the structure, composition, and properties of the target sequence. In general, the nucleic acid probes range from about 8 to about 100 bases long, with from about 10 to about 80 bases being preferred, and from about 30 to about 50 bases being particularly preferred. That is, generally whole genes are not used. In some embodiments, much longer nucleic acids can be used, up to hundreds of bases.

In a preferred embodiment, more than one probe per sequence is used, with either overlapping probes or probes to different sections of the target being used. That is, two, three, four or more probes, with three being preferred, are used to build in a redundancy for a particular target. The probes can be overlapping (i.e., have some sequence in common), or separate. In some cases, PCR primers may be used to amplify signal for higher sensitivity.

As will be appreciated by those in the art, nucleic acids can be attached or immobilized to a solid support in a wide variety of ways. By "immobilized" and grammatical equivalents herein is meant the association or binding between the nucleic acid probe and the solid support is sufficient to be stable under the conditions of binding, washing, analysis, and removal as outlined below. The binding can typically be covalent or non-covalent. By "non-covalent binding" and grammatical equivalents herein is meant one or more of electrostatic,

5

10

15

20

25

hydrophilic, and hydrophobic interactions. Included in non-covalent binding is the covalent attachment of a molecule, such as, streptavidin to the support and the non-covalent binding of the biotinylated probe to the streptavidin. By "covalent binding" and grammatical equivalents herein is meant that the two moieties, the solid support and the probe, are attached by at least one bond, including sigma bonds, pi bonds and coordination bonds. Covalent bonds can be formed directly between the probe and the solid support or can be formed by a cross linker or by inclusion of a specific reactive group on either the solid support or the probe or both molecules. Immobilization may also involve a combination of covalent and non-covalent interactions.

In general, the probes are attached to the biochip in a wide variety of ways, as will be appreciated by those in the art. As described herein, the nucleic acids can either be synthesized first, with subsequent attachment to the biochip, or can be directly synthesized on the biochip.

The biochip comprises a suitable solid substrate. By "substrate" or "solid support" or other grammatical equivalents herein is meant a material that can be modified to contain discrete individual sites appropriate for the attachment or association of the nucleic acid probes and is amenable to at least one detection method. As will be appreciated by those in the art, the number of possible substrates are very large, and include, but are not limited to, glass and modified or functionalized glass, plastics (including acrylics, polystyrene and copolymers of styrene and other materials, polypropylene, polyethylene, polybutylene, polyurethanes, TeflonJ, etc.), polysaccharides, nylon or nitrocellulose, resins, silica or silicabased materials including silicon and modified silicon, carbon, metals, inorganic glasses, plastics, etc. In general, the substrates allow optical detection and do not appreciably fluoresce. A preferred substrate is described in copending application entitled Reusable Low Fluorescent Plastic Biochip, U.S. Application Serial No. 09/270,214, filed March 15, 1999, herein incorporated by reference in its entirety.

Generally the substrate is planar, although as will be appreciated by those in the art, other configurations of substrates may be used as well. For example, the probes may be placed on the inside surface of a tube, for flow-through sample analysis to minimize

5

10

15

20

sample volume. Similarly, the substrate may be flexible, such as a flexible foam, including closed cell foams made of particular plastics.

In a preferred embodiment, the surface of the biochip and the probe may be derivatized with chemical functional groups for subsequent attachment of the two. Thus, e.g., the biochip is derivatized with a chemical functional group including, but not limited to, amino groups, carboxy groups, oxo groups and thiol groups, with amino groups being particularly preferred. Using these functional groups, the probes can be attached using functional groups on the probes. For example, nucleic acids containing amino groups can be attached to surfaces comprising amino groups, e.g. using linkers as are known in the art; e.g., homo-or hetero-bifunctional linkers as are well known (*see* 1994 Pierce Chemical Company catalog, technical section on cross-linkers, pages 155-200). In addition, in some cases, additional linkers, such as alkyl groups (including substituted and heteroalkyl groups) may be used.

In this embodiment, oligonucleotides are synthesized as is known in the art, and then attached to the surface of the solid support. As will be appreciated by those skilled in the art, either the 5' or 3' terminus may be attached to the solid support, or attachment may be via an internal nucleoside.

In another embodiment, the immobilization to the solid support may be very strong, yet non-covalent. For example, biotinylated oligonucleotides can be made, which bind to surfaces covalently coated with streptavidin, resulting in attachment.

Alternatively, the oligonucleotides may be synthesized on the surface, as is known in the art. For example, photoactivation techniques utilizing photopolymerization compounds and techniques are used. In a preferred embodiment, the nucleic acids can be synthesized in situ, using well known photolithographic techniques, such as those described in WO 95/25116; WO 95/35505; U.S. Patent Nos. 5,700,637 and 5,445,934; and references cited within, all of which are expressly incorporated by reference; these methods of attachment form the basis of the Affimetrix GeneChip<sup>TM</sup> technology.

Often, amplification-based assays are performed to measure the expression level of breast cancer-associated sequences. These assays are typically performed in conjunction with reverse transcription. In such assays, a breast cancer-associated nucleic acid

5

10

15

20

25

sequence acts as a template in an amplification reaction (e.g., Polymerase Chain Reaction, or PCR). In a quantitative amplification, the amount of amplification product will be proportional to the amount of template in the original sample. Comparison to appropriate controls provides a measure of the amount of breast cancer-associated RNA. Methods of quantitative amplification are well known to those of skill in the art. Detailed protocols for quantitative PCR are provided, e.g., in Innis et al., PCR Protocols, A Guide to Methods and Applications (1990).

In some embodiments, a TaqMan based assay is used to measure expression. TaqMan based assays use a fluorogenic oligonucleotide probe that contains a 5' fluorescent dye and a 3' quenching agent. The probe hybridizes to a PCR product, but cannot itself be extended due to a blocking agent at the 3' end. When the PCR product is amplified in subsequent cycles, the 5' nuclease activity of the polymerase, e.g., AmpliTaq, results in the cleavage of the TaqMan probe. This cleavage separates the 5' fluorescent dye and the 3' quenching agent, thereby resulting in an increase in fluorescence as a function of amplification (see, e.g., literature provided by Perkin-Elmer, e.g., www2.perkin-elmer.com).

Other suitable amplification methods include, but are not limited to, ligase chain reaction (LCR) (see Wu & Wallace, Genomics 4:560 (1989), Landegren et al., Science 241:1077 (1988), and Barringer et al., Gene 89:117 (1990)), transcription amplification (Kwoh et al., Proc. Natl. Acad. Sci. USA 86:1173 (1989)), self-sustained sequence replication (Guatelli et al., Proc. Nat. Acad. Sci. USA 87:1874 (1990)), dot PCR, and linker adapter PCR, etc.

# Expression of breast cancer proteins from nucleic acids

In a preferred embodiment, breast cancer nucleic acids, e.g., encoding breast cancer proteins are used to make a variety of expression vectors to express breast cancer proteins which can then be used in screening assays, as described below. Expression vectors and recombinant DNA technology are well known to those of skill in the art (see, e.g., Ausubel, supra, and Gene Expression Systems (Fernandez & Hoeffler, eds, 1999)) and are used to express proteins. The expression vectors may be either self-replicating extrachromosomal vectors or vectors which integrate into a host genome. Generally, these

5

10

15

20

25

expression vectors include transcriptional and translational regulatory nucleic acid operably linked to the nucleic acid encoding the breast cancer protein. The term "control sequences" refers to DNA sequences used for the expression of an operably linked coding sequence in a particular host organism. Control sequences that are suitable for prokaryotes, e.g., include a promoter, optionally an operator sequence, and a ribosome binding site. Eukaryotic cells are known to utilize promoters, polyadenylation signals, and enhancers.

Nucleic acid is "operably linked" when it is placed into a functional relationship with another nucleic acid sequence. For example, DNA for a presequence or secretory leader is operably linked to DNA for a polypeptide if it is expressed as a preprotein that participates in the secretion of the polypeptide; a promoter or enhancer is operably linked to a coding sequence if it affects the transcription of the sequence; or a ribosome binding site is operably linked to a coding sequence if it is positioned so as to facilitate translation.

Generally, "operably linked" means that the DNA sequences being linked are contiguous, and, in the case of a secretory leader, contiguous and in reading phase. However, enhancers do not have to be contiguous. Linking is typically accomplished by ligation at convenient restriction sites. If such sites do not exist, synthetic oligonucleotide adaptors or linkers are used in accordance with conventional practice. Transcriptional and translational regulatory nucleic acid will generally be appropriate to the host cell used to express the breast cancer protein. Numerous types of appropriate expression vectors, and suitable regulatory sequences are known in the art for a variety of host cells.

In general, transcriptional and translational regulatory sequences may include, but are not limited to, promoter sequences, ribosomal binding sites, transcriptional start and stop sequences, translational start and stop sequences, and enhancer or activator sequences. In a preferred embodiment, the regulatory sequences include a promoter and transcriptional start and stop sequences.

Promoter sequences encode either constitutive or inducible promoters. The promoters may be either naturally occurring promoters or hybrid promoters. Hybrid promoters, which combine elements of more than one promoter, are also known in the art, and are useful in the present invention.

5

10

15

20

In addition, an expression vector may comprise additional elements. For example, the expression vector may have two replication systems, thus allowing it to be maintained in two organisms, e.g. in mammalian or insect cells for expression and in a procaryotic host for cloning and amplification. Furthermore, for integrating expression vectors, the expression vector contains at least one sequence homologous to the host cell genome, and preferably two homologous sequences which flank the expression construct. The integrating vector may be directed to a specific locus in the host cell by selecting the appropriate homologous sequence for inclusion in the vector. Constructs for integrating vectors are well known in the art (e.g., Fernandez & Hoeffler, supra).

In addition, in a preferred embodiment, the expression vector contains a selectable marker gene to allow the selection of transformed host cells. Selection genes are well known in the art and will vary with the host cell used.

The breast cancer proteins of the present invention are produced by culturing a host cell transformed with an expression vector containing nucleic acid encoding a breast cancer protein, under the appropriate conditions to induce or cause expression of the breast cancer protein. Conditions appropriate for breast cancer protein expression will vary with the choice of the expression vector and the host cell, and will be easily ascertained by one skilled in the art through routine experimentation or optimization. For example, the use of constitutive promoters in the expression vector will require optimizing the growth and proliferation of the host cell, while the use of an inducible promoter requires the appropriate growth conditions for induction. In addition, in some embodiments, the timing of the harvest is important. For example, the baculoviral systems used in insect cell expression are lytic viruses, and thus harvest time selection can be crucial for product yield.

Appropriate host cells include yeast, bacteria, archaebacteria, fungi, and insect and animal cells, including mammalian cells. Of particular interest are *Saccharomyces cerevisiae* and other yeasts, *E. coli, Bacillus subtilis*, Sf9 cells, C129 cells, 293 cells, *Neurospora*, BHK, CHO, COS, HeLa cells, HUVEC (human umbilical vein endothelial cells), THP1 cells (a macrophage cell line) and various other human cells and cell lines.

In a preferred embodiment, the breast cancer proteins are expressed in mammalian cells. Mammalian expression systems are also known in the art, and include

5

10

15

20

25

retroviral and adenoviral systems. One expression vector system is a retroviral vector system such as is generally described in PCT/US97/01019 and PCT/US97/01048, both of which are hereby expressly incorporated by reference. Of particular use as mammalian promoters are the promoters from mammalian viral genes, since the viral genes are often highly expressed and have a broad host range. Examples include the SV40 early promoter, mouse mammary tumor virus LTR promoter, adenovirus major late promoter, herpes simplex virus promoter, and the CMV promoter (see, e.g., Fernandez & Hoeffler, supra). Typically, transcription termination and polyadenylation sequences recognized by mammalian cells are regulatory regions located 3' to the translation stop codon and thus, together with the promoter elements, flank the coding sequence. Examples of transcription terminator and polyadenlyation signals include those derived form SV40.

The methods of introducing exogenous nucleic acid into mammalian hosts, as well as other hosts, is well known in the art, and will vary with the host cell used.

Techniques include dextran-mediated transfection, calcium phosphate precipitation, polybrene mediated transfection, protoplast fusion, electroporation, viral infection, encapsulation of the polynucleotide(s) in liposomes, and direct microinjection of the DNA into nuclei.

In a preferred embodiment, breast cancer proteins are expressed in bacterial systems. Bacterial expression systems are well known in the art. Promoters from bacteriophage may also be used and are known in the art. In addition, synthetic promoters and hybrid promoters are also useful; e.g., the tac promoter is a hybrid of the trp and lac promoter sequences. Furthermore, a bacterial promoter can include naturally occurring promoters of non-bacterial origin that have the ability to bind bacterial RNA polymerase and initiate transcription. In addition to a functioning promoter sequence, an efficient ribosome binding site is desirable. The expression vector may also include a signal peptide sequence that provides for secretion of the breast cancer protein in bacteria. The protein is either secreted into the growth media (gram-positive bacteria) or into the periplasmic space, located between the inner and outer membrane of the cell (gram-negative bacteria). The bacterial expression vector may also include a selectable marker gene to allow for the selection of bacterial strains that have been transformed. Suitable selection genes include genes which

5

10

15

20

25

render the bacteria resistant to drugs such as ampicillin, chloramphenicol, erythromycin, kanamycin, neomycin and tetracycline. Selectable markers also include biosynthetic genes, such as those in the histidine, tryptophan and leucine biosynthetic pathways. These components are assembled into expression vectors. Expression vectors for bacteria are well known in the art, and include vectors for *Bacillus subtilis*, *E. coli*, *Streptococcus cremoris*, and *Streptococcus lividans*, among others (e.g., Fernandez & Hoeffler, *supra*). The bacterial expression vectors are transformed into bacterial host cells using techniques well known in the art, such as calcium chloride treatment, electroporation, and others.

In one embodiment, breast cancer proteins are produced in insect cells.

Expression vectors for the transformation of insect cells, and in particular, baculovirus-based expression vectors, are well known in the art.

In a preferred embodiment, breast cancer protein is produced in yeast cells. Yeast expression systems are well known in the art, and include expression vectors for Saccharomyces cerevisiae, Candida albicans and C. maltosa, Hansenula polymorpha, Kluyveromyces fragilis and K. lactis, Pichia guillerimondii and P. pastoris, Schizosaccharomyces pombe, and Yarrowia lipolytica.

The breast cancer protein may also be made as a fusion protein, using techniques well known in the art. Thus, e.g., for the creation of monoclonal antibodies, if the desired epitope is small, the breast cancer protein may be fused to a carrier protein to form an immunogen. Alternatively, the breast cancer protein may be made as a fusion protein to increase expression, or for other reasons. For example, when the breast cancer protein is a breast cancer peptide, the nucleic acid encoding the peptide may be linked to other nucleic acid for expression purposes.

In a preferred embodiment, the breast cancer protein is purified or isolated after expression. Breast cancer proteins may be isolated or purified in a variety of ways known to those skilled in the art depending on what other components are present in the sample. Standard purification methods include electrophoretic, molecular, immunological and chromatographic techniques, including ion exchange, hydrophobic, affinity, and reverse-phase HPLC chromatography, and chromatofocusing. For example, the breast cancer protein may be purified using a standard anti-breast cancer protein antibody column. Ultrafiltration

5

10

15

20

25

and diafiltration techniques, in conjunction with protein concentration, are also useful. For general guidance in suitable purification techniques, see Scopes, *Protein Purification* (1982). The degree of purification necessary will vary depending on the use of the breast cancer protein. In some instances no purification will be necessary.

Once expressed and purified if necessary, the breast cancer proteins and nucleic acids are useful in a number of applications. They may be used as immunoselection reagents, as vaccine reagents, as screening agents, etc.

# Variants of breast cancer proteins

5

10

15

20

25

30

In one embodiment, the breast cancer proteins are derivative or variant breast cancer proteins as compared to the wild-type sequence. That is, as outlined more fully below, the derivative breast cancer peptide will often contain at least one amino acid substitution, deletion or insertion, with amino acid substitutions being particularly preferred. The amino acid substitution, insertion or deletion may occur at any residue within the breast cancer peptide.

Also included within one embodiment of breast cancer proteins of the present invention are amino acid sequence variants. These variants typically fall into one or more of three classes: substitutional, insertional or deletional variants. These variants ordinarily are prepared by site specific mutagenesis of nucleotides in the DNA encoding the breast cancer protein, using cassette or PCR mutagenesis or other techniques well known in the art, to produce DNA encoding the variant, and thereafter expressing the DNA in recombinant cell culture as outlined above. However, variant breast cancer protein fragments having up to about 100-150 residues may be prepared by in vitro synthesis using established techniques. Amino acid sequence variants are characterized by the predetermined nature of the variation, a feature that sets them apart from naturally occurring allelic or interspecies variation of the breast cancer protein amino acid sequence. The variants typically exhibit the same qualitative biological activity as the naturally occurring analogue, although variants can also be selected which have modified characteristics as will be more fully outlined below.

While the site or region for introducing an amino acid sequence variation is predetermined, the mutation per se need not be predetermined. For example, in order to

optimize the performance of a mutation at a given site, random mutagenesis may be conducted at the target codon or region and the expressed breast cancer variants screened for the optimal combination of desired activity. Techniques for making substitution mutations at predetermined sites in DNA having a known sequence are well known, e.g., M13 primer mutagenesis and PCR mutagenesis. Screening of the mutants is done using assays of breast cancer protein activities.

Amino acid substitutions are typically of single residues; insertions usually will be on the order of from about 1 to 20 amino acids, although considerably larger insertions may be tolerated. Deletions range from about 1 to about 20 residues, although in some cases deletions may be much larger.

Substitutions, deletions, insertions or any combination thereof may be used to arrive at a final derivative. Generally these changes are done on a few amino acids to minimize the alteration of the molecule. However, larger changes may be tolerated in certain circumstances. When small alterations in the characteristics of the breast cancer protein are desired, substitutions are generally made in accordance with the amino acid substitution relationships provided in the definition section.

The variants typically exhibit the same qualitative biological activity and will elicit the same immune response as the naturally-occurring analog, although variants also are selected to modify the characteristics of the breast cancer proteins as needed. Alternatively, the variant may be designed such that the biological activity of the breast cancer protein is altered. For example, glycosylation sites may be altered or removed.

Substantial changes in function or immunological identity are made by selecting substitutions that are less conservative than those described above. For example, substitutions may be made which more significantly affect: the structure of the polypeptide backbone in the area of the alteration, for example the alpha-helical or beta-sheet structure; the charge or hydrophobicity of the molecule at the target site; or the bulk of the side chain. The substitutions which in general are expected to produce the greatest changes in the polypeptide's properties are those in which (a) a hydrophilic residue, e.g. seryl or threonyl is substituted for (or by) a hydrophobic residue, e.g. leucyl, isoleucyl, phenylalanyl, valyl or alanyl; (b) a cysteine or proline is substituted for (or by) any other residue; (c) a residue

5

10

15

20

25

having an electropositive side chain, e.g. lysyl, arginyl, or histidyl, is substituted for (or by) an electronegative residue, e.g. glutamyl or aspartyl; or (d) a residue having a bulky side chain, e.g. phenylalanine, is substituted for (or by) one not having a side chain, e.g. glycine.

Covalent modifications of breast cancer polypeptides are included within the scope of this invention. One type of covalent modification includes reacting targeted amino acid residues of a breast cancer polypeptide with an organic derivatizing agent that is capable of reacting with selected side chains or the N-or C-terminal residues of a breast cancer polypeptide. Derivatization with bifunctional agents is useful, for instance, for crosslinking breast cancer polypeptides to a water-insoluble support matrix or surface for use in the method for purifying anti-breast cancer polypeptide antibodies or screening assays, as is more fully described below. Commonly used crosslinking agents include, e.g., 1,1-bis(diazoacetyl)-2-phenylethane, glutaraldehyde, N-hydroxysuccinimide esters, e.g., esters with 4-azidosalicylic acid, homobifunctional imidoesters, including disuccinimidyl esters such as 3,3'-dithiobis(succinimidylpropionate), bifunctional maleimides such as bis-N-maleimido-1,8-octane and agents such as methyl-3-((p-azidophenyl)dithio)propioimidate.

Other modifications include deamidation of glutaminyl and asparaginyl residues to the corresponding glutamyl and aspartyl residues, respectively, hydroxylation of proline and lysine, phosphorylation of hydroxyl groups of seryl, threonyl or tyrosyl residues, methylation of the amino groups of the lysine, arginine, and histidine side chains (Creighton, *Proteins: Structure and Molecular Properties*, pp. 79-86 (1983)), acetylation of the N-terminal amine, and amidation of any C-terminal carboxyl group.

Another type of covalent modification of the breast cancer polypeptide included within the scope of this invention comprises altering the native glycosylation pattern of the polypeptide. "Altering the native glycosylation pattern" is intended for purposes herein to mean deleting one or more carbohydrate moieties found in native sequence breast cancer polypeptide, and/or adding one or more glycosylation sites that are not present in the native sequence breast cancer polypeptide. Glycosylation patterns can be altered in many ways. For example the use of different cell types to express breast cancer-associated sequences can result in different glycosylation patterns.

5

10

15

20

Addition of glycosylation sites to breast cancer polypeptides may also be accomplished by altering the amino acid sequence thereof. The alteration may be made, e.g., by the addition of, or substitution by, one or more serine or threonine residues to the native sequence breast cancer polypeptide (for O-linked glycosylation sites). The breast cancer amino acid sequence may optionally be altered through changes at the DNA level, particularly by mutating the DNA encoding the breast cancer polypeptide at preselected bases such that codons are generated that will translate into the desired amino acids.

Another means of increasing the number of carbohydrate moieties on the breast cancer polypeptide is by chemical or enzymatic coupling of glycosides to the polypeptide. Such methods are described in the art, e.g., in WO 87/05330, and in Aplin & Wriston, CRC Crit. Rev. Biochem., pp. 259-306 (1981).

Removal of carbohydrate moieties present on the breast cancer polypeptide may be accomplished chemically or enzymatically or by mutational substitution of codons encoding for amino acid residues that serve as targets for glycosylation. Chemical deglycosylation techniques are known in the art and described, for instance, by Hakimuddin, et al., Arch. Biochem. Biophys., 259:52 (1987) and by Edge et al., Anal. Biochem., 118:131 (1981). Enzymatic cleavage of carbohydrate moieties on polypeptides can be achieved by the use of a variety of endo-and exo-glycosidases as described by Thotakura et al., Meth. Enzymol., 138:350 (1987).

Another type of covalent modification of breast cancer comprises linking the breast cancer polypeptide to one of a variety of nonproteinaceous polymers, e.g., polyethylene glycol, polypropylene glycol, or polyoxyalkylenes, in the manner set forth in U.S. Patent Nos. 4,640,835; 4,496,689; 4,301,144; 4,670,417; 4,791,192 or 4,179,337.

Breast cancer polypeptides of the present invention may also be modified in a way to form chimeric molecules comprising a breast cancer polypeptide fused to another, heterologous polypeptide or amino acid sequence. In one embodiment, such a chimeric molecule comprises a fusion of a breast cancer polypeptide with a tag polypeptide which provides an epitope to which an anti-tag antibody can selectively bind. The epitope tag is generally placed at the amino-or carboxyl-terminus of the breast cancer polypeptide. The presence of such epitope-tagged forms of a breast cancer polypeptide can be detected using

5

10

15

20

25

10

15

20

25

30

an antibody against the tag polypeptide. Also, provision of the epitope tag enables the breast cancer polypeptide to be readily purified by affinity purification using an anti-tag antibody or another type of affinity matrix that binds to the epitope tag. In an alternative embodiment, the chimeric molecule may comprise a fusion of a breast cancer polypeptide with an immunoglobulin or a particular region of an immunoglobulin. For a bivalent form of the chimeric molecule, such a fusion could be to the Fc region of an IgG molecule.

Various tag polypeptides and their respective antibodies are well known in the art. Examples include poly-histidine (poly-his) or poly-histidine-glycine (poly-his-gly) tags; HIS6 and metal chelation tags, the flu HA tag polypeptide and its antibody 12CA5 (Field et al., Mol. Cell. Biol. 8:2159-2165 (1988)); the c-myc tag and the 8F9, 3C7, 6E10, G4, B7 and 9E10 antibodies thereto (Evan et al., Molecular and Cellular Biology 5:3610-3616 (1985)); and the Herpes Simplex virus glycoprotein D (gD) tag and its antibody (Paborsky et al., Protein Engineering 3(6):547-553 (1990)). Other tag polypeptides include the Flag-peptide (Hopp et al., BioTechnology 6:1204-1210 (1988)); the KT3 epitope peptide (Martin et al., Science 255:192-194 (1992)); tubulin epitope peptide (Skinner et al., J. Biol. Chem. 266:15163-15166 (1991)); and the T7 gene 10 protein peptide tag (Lutz-Freyermuth et al., Proc. Natl. Acad. Sci. USA 87:6393-6397 (1990)).

Also included are other breast cancer proteins of the breast cancer family, and breast cancer proteins from other organisms, which are cloned and expressed as outlined below. Thus, probe or degenerate polymerase chain reaction (PCR) primer sequences may be used to find other related breast cancer proteins from humans or other organisms. As will be appreciated by those in the art, particularly useful probe and/or PCR primer sequences include the unique areas of the breast cancer nucleic acid sequence. As is generally known in the art, preferred PCR primers are from about 15 to about 35 nucleotides in length, with from about 20 to about 30 being preferred, and may contain inosine as needed. The conditions for the PCR reaction are well known in the art (e.g., Innis, PCR Protocols, *supra*).

### Antibodies to breast cancer proteins

In a preferred embodiment, when the breast cancer protein is to be used to generate antibodies, e.g., for immunotherapy or immunodiagnosis, the breast cancer protein

should share at least one epitope or determinant with the full length protein. By "epitope" or "determinant" herein is typically meant a portion of a protein which will generate and/or bind an antibody or T-cell receptor in the context of MHC. Thus, in most instances, antibodies made to a smaller breast cancer protein will be able to bind to the full-length protein, particularly linear epitopes. In a preferred embodiment, the epitope is unique; that is, antibodies generated to a unique epitope show little or no cross-reactivity.

Methods of preparing polyclonal antibodies are known to the skilled artisan (e.g., Coligan, supra; and Harlow & Lane, supra). Polyclonal antibodies can be raised in a mammal, e.g., by one or more injections of an immunizing agent and, if desired, an adjuvant. Typically, the immunizing agent and/or adjuvant will be injected in the mammal by multiple subcutaneous or intraperitoneal injections. The immunizing agent may include a protein encoded by a nucleic acid of the figures or fragment thereof or a fusion protein thereof. It may be useful to conjugate the immunizing agent to a protein known to be immunogenic in the mammal being immunized. Examples of such immunogenic proteins include but are not limited to keyhole limpet hemocyanin, serum albumin, bovine thyroglobulin, and soybean trypsin inhibitor. Examples of adjuvants which may be employed include Freund's complete adjuvant and MPL-TDM adjuvant (monophosphoryl Lipid A, synthetic trehalose dicorynomycolate). The immunization protocol may be selected by one skilled in the art without undue experimentation.

The antibodies may, alternatively, be monoclonal antibodies. Monoclonal antibodies may be prepared using hybridoma methods, such as those described by Kohler & Milstein, *Nature* 256:495 (1975). In a hybridoma method, a mouse, hamster, or other appropriate host animal, is typically immunized with an immunizing agent to elicit lymphocytes that produce or are capable of producing antibodies that will specifically bind to the immunizing agent. Alternatively, the lymphocytes may be immunized in vitro. The immunizing agent will typically include a polypeptide encoded by a nucleic acid of Tables 1-25 or fragment thereof, or a fusion protein thereof. Generally, either peripheral blood lymphocytes ("PBLs") are used if cells of human origin are desired, or spleen cells or lymph node cells are used if non-human mammalian sources are desired. The lymphocytes are then fused with an immortalized cell line using a suitable fusing agent, such as polyethylene

5

10

15

20

25

glycol, to form a hybridoma cell (Goding, Monoclonal Antibodies: Principles and Practice, pp. 59-103 (1986)). Immortalized cell lines are usually transformed mammalian cells, particularly myeloma cells of rodent, bovine and human origin. Usually, rat or mouse myeloma cell lines are employed. The hybridoma cells may be cultured in a suitable culture medium that preferably contains one or more substances that inhibit the growth or survival of the unfused, immortalized cells. For example, if the parental cells lack the enzyme hypoxanthine guanine phosphoribosyl transferase (HGPRT or HPRT), the culture medium for the hybridomas typically will include hypoxanthine, aminopterin, and thymidine ("HAT medium"), which substances prevent the growth of HGPRT-deficient cells.

In one embodiment, the antibodies are bispecific antibodies. Bispecific antibodies are monoclonal, preferably human or humanized, antibodies that have binding specificities for at least two different antigens or that have binding specificities for two epitopes on the same antigen. In one embodiment, one of the binding specificities is for a protein encoded by a nucleic acid Tables 1-25 or a fragment thereof, the other one is for any other antigen, and preferably for a cell-surface protein or receptor or receptor subunit, preferably one that is tumor specific. Alternatively, tetramer-type technology may create multivalent reagents.

In a preferred embodiment, the antibodies to breast cancer protein are capable of reducing or eliminating a biological function of a breast cancer protein, as is described below. That is, the addition of anti-breast cancer protein antibodies (either polyclonal or preferably monoclonal) to breast cancer tissue (or cells containing breast cancer) may reduce or eliminate the breast cancer. Generally, at least a 25% decrease in activity, growth, size or the like is preferred, with at least about 50% being particularly preferred and about a 95-100% decrease being especially preferred.

In a preferred embodiment the antibodies to the breast cancer proteins are humanized antibodies (e.g., Xenerex Biosciences, Mederex, Inc., Abgenix, Inc., Protein Design Labs, Inc.) Humanized forms of non-human (e.g., murine) antibodies are chimeric molecules of immunoglobulins, immunoglobulin chains or fragments thereof (such as Fv, Fab, Fab', F(ab')2 or other antigen-binding subsequences of antibodies) which contain minimal sequence derived from non-human immunoglobulin. Humanized antibodies include

5

10

15

20

25

10

15

20

25

30

human immunoglobulins (recipient antibody) in which residues from a complementary determining region (CDR) of the recipient are replaced by residues from a CDR of a nonhuman species (donor antibody) such as mouse, rat or rabbit having the desired specificity, affinity and capacity. In some instances, Fv framework residues of the human immunoglobulin are replaced by corresponding non-human residues. Humanized antibodies may also comprise residues which are found neither in the recipient antibody nor in the imported CDR or framework sequences. In general, a humanized antibody will comprise substantially all of at least one, and typically two, variable domains, in which all or substantially all of the CDR regions correspond to those of a non-human immunoglobulin and all or substantially all of the framework (FR) regions are those of a human immunoglobulin consensus sequence. The humanized antibody optimally also will comprise at least a portion of an immunoglobulin constant region (Fc), typically that of a human immunoglobulin (Jones et al., Nature 321:522-525 (1986); Riechmann et al., Nature 332:323-329 (1988); and Presta, Curr. Op. Struct. Biol. 2:593-596 (1992)). Humanization can be essentially performed following the method of Winter and co-workers (Jones et al., Nature 321:522-525 (1986); Riechmann et al., Nature 332:323-327 (1988); Verhoeyen et al., Science 239:1534-1536 (1988)), by substituting rodent CDRs or CDR sequences for the corresponding sequences of a human antibody. Accordingly, such humanized antibodies are chimeric antibodies (U.S. Patent No. 4,816,567), wherein substantially less than an intact human variable domain has been substituted by the corresponding sequence from a nonhuman species.

Human antibodies can also be produced using various techniques known in the art, including phage display libraries (Hoogenboom & Winter, J. Mol. Biol. 227:381 (1991); Marks et al., J. Mol. Biol. 222:581 (1991)). The techniques of Cole et al. and Boerner et al. are also available for the preparation of human monoclonal antibodies (Cole et al., Monoclonal Antibodies and Cancer Therapy, p. 77 (1985) and Boerner et al., J. Immunol. 147(1):86-95 (1991)). Similarly, human antibodies can be made by introducing of human immunoglobulin loci into transgenic animals, e.g., mice in which the endogenous immunoglobulin genes have been partially or completely inactivated. Upon challenge, human antibody production is observed, which closely resembles that seen in humans in all

10

15

20

25

30

respects, including gene rearrangement, assembly, and antibody repertoire. This approach is described, e.g., in U.S. Patent Nos. 5,545,807; 5,545,806; 5,569,825; 5,625,126; 5,633,425; 5,661,016, and in the following scientific publications: Marks et al., Bio/Technology 10:779-783 (1992); Lonberg et al., Nature 368:856-859 (1994); Morrison, Nature 368:812-13 (1994); Fishwild et al., Nature Biotechnology 14:845-51 (1996); Neuberger, Nature Biotechnology 14:826 (1996); Lonberg & Huszar, Intern. Rev. Immunol. 13:65-93 (1995).

By immunotherapy is meant treatment of breast cancer with an antibody raised against breast cancer proteins. As used herein, immunotherapy can be passive or active. Passive immunotherapy as defined herein is the passive transfer of antibody to a recipient (patient). Active immunization is the induction of antibody and/or T-cell responses in a recipient (patient). Induction of an immune response is the result of providing the recipient with an antigen to which antibodies are raised. As appreciated by one of ordinary skill in the art, the antigen may be provided by injecting a polypeptide against which antibodies are desired to be raised into a recipient, or contacting the recipient with a nucleic acid capable of expressing the antigen and under conditions for expression of the antigen, leading to an immune response.

In a preferred embodiment the breast cancer proteins against which antibodies are raised are secreted proteins as described above. Without being bound by theory, antibodies used for treatment, bind and prevent the secreted protein from binding to its receptor, thereby inactivating the secreted breast cancer protein.

In another preferred embodiment, the breast cancer protein to which antibodies are raised is a transmembrane protein. Without being bound by theory, antibodies used for treatment, bind the extracellular domain of the breast cancer protein and prevent it from binding to other proteins, such as circulating ligands or cell-associated molecules. The antibody may cause down-regulation of the transmembrane breast cancer protein. As will be appreciated by one of ordinary skill in the art, the antibody may be a competitive, non-competitive or uncompetitive inhibitor of protein binding to the extracellular domain of the breast cancer protein. The antibody is also an antagonist of the breast cancer protein. Further, the antibody prevents activation of the transmembrane breast cancer protein. In one aspect, when the antibody prevents the binding of other molecules to the breast cancer

10

15

20

25

30

protein, the antibody prevents growth of the cell. The antibody may also be used to target or sensitize the cell to cytotoxic agents, including, but not limited to TNF-α, TNF-β, IL-1, INF-γ and IL-2, or chemotherapeutic agents including 5FU, vinblastine, actinomycin D, cisplatin, methotrexate, and the like. In some instances the antibody belongs to a sub-type that activates serum complement when complexed with the transmembrane protein thereby mediating cytotoxicity or antigen-dependent cytotoxicity (ADCC). Thus, breast cancer is treated by administering to a patient antibodies directed against the transmembrane breast cancer protein. Antibody-labeling may activate a co-toxin, localize a toxin payload, or otherwise provide means to locally ablate cells.

In another preferred embodiment, the antibody is conjugated to an effector moiety. The effector moiety can be any number of molecules, including labelling moieties such as radioactive labels or fluorescent labels, or can be a therapeutic moiety. In one aspect the therapeutic moiety is a small molecule that modulates the activity of the breast cancer protein. In another aspect the therapeutic moiety modulates the activity of molecules associated with or in close proximity to the breast cancer protein. The therapeutic moiety may inhibit enzymatic activity such as protease or collagenase or protein kinase activity associated with breast cancer.

In a preferred embodiment, the therapeutic moiety can also be a cytotoxic agent. In this method, targeting the cytotoxic agent to breast cancer tissue or cells, results in a reduction in the number of afflicted cells, thereby reducing symptoms associated with breast cancer. Cytotoxic agents are numerous and varied and include, but are not limited to, cytotoxic drugs or toxins or active fragments of such toxins. Suitable toxins and their corresponding fragments include diphtheria A chain, exotoxin A chain, ricin A chain, abrin A chain, curcin, crotin, phenomycin, enomycin and the like. Cytotoxic agents also include radiochemicals made by conjugating radioisotopes to antibodies raised against breast cancer proteins, or binding of a radionuclide to a chelating agent that has been covalently attached to the antibody. Targeting the therapeutic moiety to transmembrane breast cancer proteins not only serves to increase the local concentration of therapeutic moiety in the breast cancer afflicted area, but also serves to reduce deleterious side effects that may be associated with the therapeutic moiety.

10

15

20

25

30

In another preferred embodiment, the breast cancer protein against which the antibodies are raised is an intracellular protein. In this case, the antibody may be conjugated to a protein which facilitates entry into the cell. In one case, the antibody enters the cell by endocytosis. In another embodiment, a nucleic acid encoding the antibody is administered to the individual or cell. Moreover, wherein the breast cancer protein can be targeted within a cell, i.e., the nucleus, an antibody thereto contains a signal for that target localization, i.e., a nuclear localization signal.

The breast cancer antibodies of the invention specifically bind to breast cancer proteins. By "specifically bind" herein is meant that the antibodies bind to the protein with a  $K_d$  of at least about 0.1 mM, more usually at least about 1  $\mu$ M, preferably at least about 0.1  $\mu$ M or better, and most preferably, 0.01  $\mu$ M or better. Selectivity of binding is also important.

# Detection of breast cancer sequence for diagnostic and therapeutic applications

In one aspect, the RNA expression levels of genes are determined for different cellular states in the breast cancer phenotype. Expression levels of genes in normal tissue (i.e., not undergoing breast cancer) and in breast cancer tissue (and in some cases, for varying severities of breast cancer that relate to prognosis, as outlined below) are evaluated to provide expression profiles. An expression profile of a particular cell state or point of development is essentially a "fingerprint" of the state. While two states may have any particular gene similarly expressed, the evaluation of a number of genes simultaneously allows the generation of a gene expression profile that is reflective of the state of the cell. By comparing expression profiles of cells in different states, information regarding which genes are important (including both up- and down-regulation of genes) in each of these states is obtained. Then, diagnosis may be performed or confirmed to determine whether a tissue sample has the gene expression profile of normal or cancerous tissue. This will provide for molecular diagnosis of related conditions.

"Differential expression," or grammatical equivalents as used herein, refers to qualitative or quantitative differences in the temporal and/or cellular gene expression patterns within and among cells and tissue. Thus, a differentially expressed gene can

10

15

20

25

qualitatively have its expression altered, including an activation or inactivation, in, e.g., normal versus breast cancer tissue. Genes may be turned on or turned off in a particular state, relative to another state thus permitting comparison of two or more states. A qualitatively regulated gene will exhibit an expression pattern within a state or cell type which is detectable by standard techniques. Some genes will be expressed in one state or cell type, but not in both. Alternatively, the difference in expression may be quantitative, e.g., in that expression is increased or decreased; i.e., gene expression is either upregulated, resulting in an increased amount of transcript, or downregulated, resulting in a decreased amount of transcript. The degree to which expression differs need only be large enough to quantify via standard characterization techniques as outlined below, such as by use of Affymetrix GeneChip™ expression arrays, Lockhart, Nature Biotechnology 14:1675-1680 (1996), hereby expressly incorporated by reference. Other techniques include, but are not limited to, quantitative reverse transcriptase PCR, northern analysis and RNase protection. As outlined above, preferably the change in expression (i.e., upregulation or downregulation) is at least about 50%, more preferably at least about 100%, more preferably at least about 150%, more preferably at least about 200%, with from 300 to at least 1000% being especially preferred.

Evaluation may be at the gene transcript, or the protein level. The amount of gene expression may be monitored using nucleic acid probes to the DNA or RNA equivalent of the gene transcript, and the quantification of gene expression levels, or, alternatively, the final gene product itself (protein) can be monitored, e.g., with antibodies to the breast cancer protein and standard immunoassays (ELISAs, etc.) or other techniques, including mass spectroscopy assays, 2D gel electrophoresis assays, etc. Proteins corresponding to breast cancer genes, i.e., those identified as being important in a breast cancer phenotype, can be evaluated in a breast cancer diagnostic test.

In a preferred embodiment, gene expression monitoring is performed simultaneously on a number of genes. Multiple protein expression monitoring can be performed as well. Similarly, these assays may be performed on an individual basis as well.

In this embodiment, the breast cancer nucleic acid probes are attached to biochips as outlined herein for the detection and quantification of breast cancer sequences in

a particular cell. The assays are further described below in the example. PCR techniques can be used to provide greater sensitivity.

In a preferred embodiment nucleic acids encoding the breast cancer protein are detected. Although DNA or RNA encoding the breast cancer protein may be detected, of particular interest are methods wherein an mRNA encoding a breast cancer protein is detected. Probes to detect mRNA can be a nucleotide/deoxynucleotide probe that is complementary to and hybridizes with the mRNA and includes, but is not limited to, oligonucleotides, cDNA or RNA. Probes also should contain a detectable label, as defined herein. In one method the mRNA is detected after immobilizing the nucleic acid to be examined on a solid support such as nylon membranes and hybridizing the probe with the sample. Following washing to remove the non-specifically bound probe, the label is detected. In another method detection of the mRNA is performed in situ. In this method permeabilized cells or tissue samples are contacted with a detectably labeled nucleic acid probe for sufficient time to allow the probe to hybridize with the target mRNA. Following washing to remove the non-specifically bound probe, the label is detected. For example a digoxygenin labeled riboprobe (RNA probe) that is complementary to the mRNA encoding a breast cancer protein is detected by binding the digoxygenin with an anti-digoxygenin secondary antibody and developed with nitro blue tetrazolium and 5-bromo-4-chloro-3indoyl phosphate.

In a preferred embodiment, various proteins from the three classes of proteins as described herein (secreted, transmembrane or intracellular proteins) are used in diagnostic assays. The breast cancer proteins, antibodies, nucleic acids, modified proteins and cells containing breast cancer sequences are used in diagnostic assays. This can be performed on an individual gene or corresponding polypeptide level. In a preferred embodiment, the expression profiles are used, preferably in conjunction with high throughput screening techniques to allow monitoring for expression profile genes and/or corresponding polypeptides.

As described and defined herein, breast cancer proteins, including intracellular, transmembrane or secreted proteins, find use as markers of breast cancer.

Detection of these proteins in putative breast cancer tissue allows for detection or diagnosis

5

10

15

20

25

of breast cancer. In one embodiment, antibodies are used to detect breast cancer proteins. A preferred method separates proteins from a sample by electrophoresis on a gel (typically a denaturing and reducing protein gel, but may be another type of gel, including isoelectric focusing gels and the like). Following separation of proteins, the breast cancer protein is detected, e.g., by immunoblotting with antibodies raised against the breast cancer protein. Methods of immunoblotting are well known to those of ordinary skill in the art.

In another preferred method, antibodies to the breast cancer protein find use in in situ imaging techniques, e.g., in histology (e.g., Methods in Cell Biology: Antibodies in Cell Biology, volume 37 (Asai, ed. 1993)). In this method cells are contacted with from one to many antibodies to the breast cancer protein(s). Following washing to remove non-specific antibody binding, the presence of the antibody or antibodies is detected. In one embodiment the antibody is detected by incubating with a secondary antibody that contains a detectable label. In another method the primary antibody to the breast cancer protein(s) contains a detectable label, e.g. an enzyme marker that can act on a substrate. In another preferred embodiment each one of multiple primary antibodies contains a distinct and detectable label. This method finds particular use in simultaneous screening for a plurality of breast cancer proteins. As will be appreciated by one of ordinary skill in the art, many other histological imaging techniques are also provided by the invention.

In a preferred embodiment the label is detected in a fluorometer which has the ability to detect and distinguish emissions of different wavelengths. In addition, a fluorescence activated cell sorter (FACS) can be used in the method.

In another preferred embodiment, antibodies find use in diagnosing breast cancer from blood, serum, plasma, stool, and other samples. Such samples, therefore, are useful as samples to be probed or tested for the presence of breast cancer proteins.

Antibodies can be used to detect a breast cancer protein by previously described immunoassay techniques including ELISA, immunoblotting (western blotting),

immunoassay techniques including ELISA, immunoblotting (western blotting), immunoprecipitation, BIACORE technology and the like. Conversely, the presence of antibodies may indicate an immune response against an endogenous breast cancer protein.

In a preferred embodiment, in situ hybridization of labeled breast cancer nucleic acid probes to tissue arrays is done. For example, arrays of tissue samples, including

5

10

15

20

25

breast cancer tissue and/or normal tissue, are made. In situ hybridization (see, e.g., Ausubel, supra) is then performed. When comparing the fingerprints between an individual and a standard, the skilled artisan can make a diagnosis, a prognosis, or a prediction based on the findings. It is further understood that the genes which indicate the diagnosis may differ from those which indicate the prognosis and molecular profiling of the condition of the cells may lead to distinctions between responsive or refractory conditions or may be predictive of outcomes.

In a preferred embodiment, the breast cancer proteins, antibodies, nucleic acids, modified proteins and cells containing breast cancer sequences are used in prognosis assays. As above, gene expression profiles can be generated that correlate to breast cancer, in terms of long term prognosis. Again, this may be done on either a protein or gene level, with the use of genes being preferred. As above, breast cancer probes may be attached to biochips for the detection and quantification of breast cancer sequences in a tissue or patient. The assays proceed as outlined above for diagnosis. PCR method may provide more sensitive and accurate quantification.

#### Assays for therapeutic compounds

In a preferred embodiment members of the proteins, nucleic acids, and antibodies as described herein are used in drug screening assays. The breast cancer proteins, antibodies, nucleic acids, modified proteins and cells containing breast cancer sequences are used in drug screening assays or by evaluating the effect of drug candidates on a "gene expression profile" or expression profile of polypeptides. In a preferred embodiment, the expression profiles are used, preferably in conjunction with high throughput screening techniques to allow monitoring for expression profile genes after treatment with a candidate agent (e.g., Zlokarnik, et al., Science 279:84-8 (1998); Heid, Genome Res 6:986-94, 1996).

In a preferred embodiment, the breast cancer proteins, antibodies, nucleic acids, modified proteins and cells containing the native or modified breast cancer proteins are used in screening assays. That is, the present invention provides novel methods for screening for compositions which modulate the breast cancer phenotype or an identified physiological function of a breast cancer protein. As above, this can be done on an individual gene level or

5

10

15

20

25

by evaluating the effect of drug candidates on a "gene expression profile". In a preferred embodiment, the expression profiles are used, preferably in conjunction with high throughput screening techniques to allow monitoring for expression profile genes after treatment with a candidate agent, see Zlokarnik, *supra*.

Having identified the differentially expressed genes herein, a variety of assays may be executed. In a preferred embodiment, assays may be run on an individual gene or protein level. That is, having identified a particular gene as up regulated in breast cancer, test compounds can be screened for the ability to modulate gene expression or for binding to the breast cancer protein. "Modulation" thus includes both an increase and a decrease in gene expression. The preferred amount of modulation will depend on the original change of the gene expression in normal versus tissue undergoing breast cancer, with changes of at least 10%, preferably 50%, more preferably 100-300%, and in some embodiments 300-1000% or greater. Thus, if a gene exhibits a 4-fold increase in breast cancer tissue compared to normal tissue, a decrease of about four-fold is often desired; similarly, a 10-fold decrease in breast cancer tissue compared to normal tissue often provides a target value of a 10-fold increase in expression to be induced by the test compound.

The amount of gene expression may be monitored using nucleic acid probes and the quantification of gene expression levels, or, alternatively, the gene product itself can be monitored, e.g., through the use of antibodies to the breast cancer protein and standard immunoassays. Proteomics and separation techniques may also allow quantification of expression.

In a preferred embodiment, gene expression or protein monitoring of a number of entities, i.e., an expression profile, is monitored simultaneously. Such profiles will typically involve a plurality of those entities described herein.

In this embodiment, the breast cancer nucleic acid probes are attached to biochips as outlined herein for the detection and quantification of breast cancer sequences in a particular cell. Alternatively, PCR may be used. Thus, a series, e.g., of microtiter plate, may be used with dispensed primers in desired wells. A PCR reaction can then be performed and analyzed for each well.

5

10

15

20

Expression monitoring can be performed to identify compounds that modify the expression of one or more breast cancer-associated sequences, e.g., a polynucleotide sequence set out inTable 17. Generally, in a preferred embodiment, a test modulator is added to the cells prior to analysis. Moreover, screens are also provided to identify agents that modulate breast cancer, modulate breast cancer proteins, bind to a breast cancer protein, or interfere with the binding of a breast cancer protein and an antibody or other binding partner.

The term "test compound" or "drug candidate" or "modulator" or grammatical equivalents as used herein describes any molecule, e.g., protein, oligopeptide, small organic molecule, polysaccharide, polynucleotide, etc., to be tested for the capacity to directly or indirectly alter the breast cancer phenotype or the expression of a breast cancer sequence, e.g., a nucleic acid or protein sequence. In preferred embodiments, modulators alter expression profiles, or expression profile nucleic acids or proteins provided herein. In one embodiment, the modulator suppresses a breast cancer phenotype, e.g. to a normal tissue fingerprint. In another embodiment, a modulator induced a breast cancer phenotype. Generally, a plurality of assay mixtures are run in parallel with different agent concentrations to obtain a differential response to the various concentrations. Typically, one of these concentrations serves as a negative control, i.e., at zero concentration or below the level of detection.

Drug candidates encompass numerous chemical classes, though typically they are organic molecules, preferably small organic compounds having a molecular weight of more than 100 and less than about 2,500 daltons. Preferred small molecules are less than 2000, or less than 1500 or less than 1000 or less than 500 D. Candidate agents comprise functional groups necessary for structural interaction with proteins, particularly hydrogen bonding, and typically include at least an amine, carbonyl, hydroxyl or carboxyl group, preferably at least two of the functional chemical groups. The candidate agents often comprise cyclical carbon or heterocyclic structures and/or aromatic or polyaromatic structures substituted with one or more of the above functional groups. Candidate agents are also found among biomolecules including peptides, saccharides, fatty acids, steroids, purines, pyrimidines, derivatives, structural analogs or combinations thereof. Particularly preferred are peptides.

5

10

15

20

25

In one aspect, a modulator will neutralize the effect of a breast cancer protein. By "neutralize" is meant that activity of a protein is inhibited or blocked and the consequent effect on the cell.

In certain embodiments, combinatorial libraries of potential modulators will be screened for an ability to bind to a breast cancer polypeptide or to modulate activity. Conventionally, new chemical entities with useful properties are generated by identifying a chemical compound (called a "lead compound") with some desirable property or activity, e.g., inhibiting activity, creating variants of the lead compound, and evaluating the property and activity of those variant compounds. Often, high throughput screening (HTS) methods are employed for such an analysis.

In one preferred embodiment, high throughput screening methods involve providing a library containing a large number of potential therapeutic compounds (candidate compounds). Such "combinatorial chemical libraries" are then screened in one or more assays to identify those library members (particular chemical species or subclasses) that display a desired characteristic activity. The compounds thus identified can serve as conventional "lead compounds" or can themselves be used as potential or actual therapeutics.

A combinatorial chemical library is a collection of diverse chemical compounds generated by either chemical synthesis or biological synthesis by combining a number of chemical "building blocks" such as reagents. For example, a linear combinatorial chemical library, such as a polypeptide (e.g., mutein) library, is formed by combining a set of chemical building blocks called amino acids in every possible way for a given compound length (i.e., the number of amino acids in a polypeptide compound). Millions of chemical compounds can be synthesized through such combinatorial mixing of chemical building blocks (Gallop *et al.*, *J. Med. Chem.* 37(9):1233-1251 (1994)).

Preparation and screening of combinatorial chemical libraries is well known to those of skill in the art. Such combinatorial chemical libraries include, but are not limited to, peptide libraries (see, e.g., U.S. Patent No. 5,010,175, Furka, Pept. Prot. Res. 37:487-493 (1991), Houghton et al., Nature, 354:84-88 (1991)), peptoids (PCT Publication No WO 91/19735), encoded peptides (PCT Publication WO 93/20242), random bio-oligomers (PCT Publication WO 92/00091), benzodiazepines (U.S. Pat. No. 5,288,514), diversomers such as

5

10

15

20

25

hydantoins, benzodiazepines and dipeptides (Hobbs et al., Proc. Nat. Acad. Sci. USA 90:6909-6913 (1993)), vinylogous polypeptides (Hagihara et al., J. Amer. Chem. Soc. 114:6568 (1992)), nonpeptidal peptidomimetics with a Beta-D-Glucose scaffolding (Hirschmann et al., J. Amer. Chem. Soc. 114:9217-9218 (1992)), analogous organic syntheses of small compound libraries (Chen et al., J. Amer. Chem. Soc. 116:2661 (1994)), oligocarbamates (Cho, et al., Science 261:1303 (1993)), and/or peptidyl phosphonates (Campbell et al., J. Org. Chem. 59:658 (1994)). See, generally, Gordon et al., J. Med. Chem. 37:1385 (1994), nucleic acid libraries (see, e.g., Strategene, Corp.), peptide nucleic acid libraries (see, e.g., U.S. Patent 5,539,083), antibody libraries (see, e.g., Vaughn et al., Nature Biotechnology 14(3):309-314 (1996), and PCT/US96/10287), carbohydrate libraries (see, e.g., Liang et al., Science 274:1520-1522 (1996), and U.S. Patent No. 5,593,853), and small organic molecule libraries (see, e.g., benzodiazepines, Baum, C&EN, Jan 18, page 33 (1993); isoprenoids, U.S. Patent No. 5,569,588; thiazolidinones and metathiazanones, U.S. Patent No. 5,549,974; pyrrolidines, U.S. Patent Nos. 5,525,735 and 5,519,134; morpholino compounds, U.S. Patent No. 5,506,337; benzodiazepines, U.S. Patent No. 5,288,514; and the like).

Devices for the preparation of combinatorial libraries are commercially available (see, e.g., 357 MPS, 390 MPS, Advanced Chem Tech, Louisville KY, Symphony, Rainin, Woburn, MA, 433A Applied Biosystems, Foster City, CA, 9050 Plus, Millipore, Bedford, MA).

A number of well known robotic systems have also been developed for solution phase chemistries. These systems include automated workstations like the automated synthesis apparatus developed by Takeda Chemical Industries, LTD. (Osaka, Japan) and many robotic systems utilizing robotic arms (Zymate II, Zymark Corporation, Hopkinton, Mass.; Orca, Hewlett-Packard, Palo Alto, Calif.), which mimic the manual synthetic operations performed by a chemist. Any of the above devices are suitable for use with the present invention. The nature and implementation of modifications to these devices (if any) so that they can operate as discussed herein will be apparent to persons skilled in the relevant art. In addition, numerous combinatorial libraries are themselves commercially available (see, e.g., ComGenex, Princeton, N.J., Asinex, Moscow, Ru, Tripos, Inc., St. Louis,

5

10

15

20

MO, ChemStar, Ltd, Moscow, RU, 3D Pharmaceuticals, Exton, PA, Martek Biosciences, Columbia, MD, etc.).

The assays to identify modulators are amenable to high throughput screening. Preferred assays thus detect enhancement or inhibition of breast cancer gene transcription, inhibition or enhancement of polypeptide expression, and inhibition or enhancement of polypeptide activity.

High throughput assays for the presence, absence, quantification, or other properties of particular nucleic acids or protein products are well known to those of skill in the art. Similarly, binding assays and reporter gene assays are similarly well known. Thus, e.g., U.S. Patent No. 5,559,410 discloses high throughput screening methods for proteins, U.S. Patent No. 5,585,639 discloses high throughput screening methods for nucleic acid binding (i.e., in arrays), while U.S. Patent Nos. 5,576,220 and 5,541,061 disclose high throughput methods of screening for ligand/antibody binding.

In addition, high throughput screening systems are commercially available (see, e.g., Zymark Corp., Hopkinton, MA; Air Technical Industries, Mentor, OH; Beckman Instruments, Inc. Fullerton, CA; Precision Systems, Inc., Natick, MA, etc.). These systems typically automate entire procedures, including all sample and reagent pipetting, liquid dispensing, timed incubations, and final readings of the microplate in detector(s) appropriate for the assay. These configurable systems provide high throughput and rapid start up as well as a high degree of flexibility and customization. The manufacturers of such systems provide detailed protocols for various high throughput systems. Thus, e.g., Zymark Corp. provides technical bulletins describing screening systems for detecting the modulation of gene transcription, ligand binding, and the like.

In one embodiment, modulators are proteins, often naturally occurring proteins or fragments of naturally occurring proteins. Thus, e.g., cellular extracts containing proteins, or random or directed digests of proteinaceous cellular extracts, may be used. In this way libraries of proteins may be made for screening in the methods of the invention. Particularly preferred in this embodiment are libraries of bacterial, fungal, viral, and mammalian proteins, with the latter being preferred, and human proteins being especially

5

10

15

20

preferred. Particularly useful test compound will be directed to the class of proteins to which the target belongs, e.g., substrates for enzymes or ligands and receptors.

In a preferred embodiment, modulators are peptides of from about 5 to about 30 amino acids, with from about 5 to about 20 amino acids being preferred, and from about 7 to about 15 being particularly preferred. The peptides may be digests of naturally occurring proteins as is outlined above, random peptides, or "biased" random peptides. By "randomized" or grammatical equivalents herein is meant that each nucleic acid and peptide consists of essentially random nucleotides and amino acids, respectively. Since generally these random peptides (or nucleic acids, discussed below) are chemically synthesized, they may incorporate any nucleotide or amino acid at any position. The synthetic process can be designed to generate randomized proteins or nucleic acids, to allow the formation of all or most of the possible combinations over the length of the sequence, thus forming a library of randomized candidate bioactive proteinaceous agents.

In one embodiment, the library is fully randomized, with no sequence preferences or constants at any position. In a preferred embodiment, the library is biased. That is, some positions within the sequence are either held constant, or are selected from a limited number of possibilities. For example, in a preferred embodiment, the nucleotides or amino acid residues are randomized within a defined class, e.g., of hydrophobic amino acids, hydrophilic residues, sterically biased (either small or large) residues, towards the creation of nucleic acid binding domains, the creation of cysteines, for cross-linking, prolines for SH-3 domains, serines, threonines, tyrosines or histidines for phosphorylation sites, etc., or to purines, etc.

Modulators of breast cancer can also be nucleic acids, as defined above.

As described above generally for proteins, nucleic acid modulating agents may be naturally occurring nucleic acids, random nucleic acids, or "biased" random nucleic acids. For example, digests of procaryotic or eucaryotic genomes may be used as is outlined above for proteins.

In a preferred embodiment, the candidate compounds are organic chemical moieties, a wide variety of which are available in the literature.

5

10

15

20

After the candidate agent has been added and the cells allowed to incubate for some period of time, the sample containing a target sequence to be analyzed is added to the biochip. If required, the target sequence is prepared using known techniques. For example, the sample may be treated to lyse the cells, using known lysis buffers, electroporation, etc., with purification and/or amplification such as PCR performed as appropriate. For example, an *in vitro* transcription with labels covalently attached to the nucleotides is performed. Generally, the nucleic acids are labeled with biotin-FITC or PE, or with cy3 or cy5.

In a preferred embodiment, the target sequence is labeled with, e.g., a fluorescent, a chemiluminescent, a chemical, or a radioactive signal, to provide a means of detecting the target sequence's specific binding to a probe. The label also can be an enzyme, such as, alkaline phosphatase or horseradish peroxidase, which when provided with an appropriate substrate produces a product that can be detected. Alternatively, the label can be a labeled compound or small molecule, such as an enzyme inhibitor, that binds but is not catalyzed or altered by the enzyme. The label also can be a moiety or compound, such as, an epitope tag or biotin which specifically binds to streptavidin. For the example of biotin, the streptavidin is labeled as described above, thereby, providing a detectable signal for the bound target sequence. Unbound labeled streptavidin is typically removed prior to analysis.

As will be appreciated by those in the art, these assays can be direct hybridization assays or can comprise "sandwich assays", which include the use of multiple probes, as is generally outlined in U.S. Patent Nos. 5,681,702, 5,597,909, 5,545,730, 5,594,117, 5,591,584, 5,571,670, 5,580,731, 5,571,670, 5,591,584, 5,624,802, 5,635,352, 5,594,118, 5,359,100, 5,124,246 and 5,681,697, all of which are hereby incorporated by reference. In this embodiment, in general, the target nucleic acid is prepared as outlined above, and then added to the biochip comprising a plurality of nucleic acid probes, under conditions that allow the formation of a hybridization complex.

A variety of hybridization conditions may be used in the present invention, including high, moderate and low stringency conditions as outlined above. The assays are generally run under stringency conditions which allows formation of the label probe hybridization complex only in the presence of target. Stringency can be controlled by altering a step parameter that is a thermodynamic variable, including, but not limited to,

5

10

15

20

25

temperature, formamide concentration, salt concentration, chaotropic salt concentration pH, organic solvent concentration, etc.

These parameters may also be used to control non-specific binding, as is generally outlined in U.S. Patent No. 5,681,697. Thus it may be desirable to perform certain steps at higher stringency conditions to reduce non-specific binding.

The reactions outlined herein may be accomplished in a variety of ways. Components of the reaction may be added simultaneously, or sequentially, in different orders, with preferred embodiments outlined below. In addition, the reaction may include a variety of other reagents. These include salts, buffers, neutral proteins, e.g. albumin, detergents, etc. which may be used to facilitate optimal hybridization and detection, and/or reduce non-specific or background interactions. Reagents that otherwise improve the efficiency of the assay, such as protease inhibitors, nuclease inhibitors, anti-microbial agents, etc., may also be used as appropriate, depending on the sample preparation methods and purity of the target.

The assay data are analyzed to determine the expression levels, and changes in expression levels as between states, of individual genes, forming a gene expression profile.

Screens are performed to identify modulators of the breast cancer phenotype. In one embodiment, screening is performed to identify modulators that can induce or suppress a particular expression profile, thus preferably generating the associated phenotype. In another embodiment, e.g., for diagnostic applications, having identified differentially expressed genes important in a particular state, screens can be performed to identify modulators that alter expression of individual genes. In an another embodiment, screening is performed to identify modulators that alter a biological function of the expression product of a differentially expressed gene. Again, having identified the importance of a gene in a particular state, screens are performed to identify agents that bind and/or modulate the biological activity of the gene product.

In addition screens can be done for genes that are induced in response to a candidate agent. After identifying a modulator based upon its ability to suppress a breast cancer expression pattern leading to a normal expression pattern, or to modulate a single breast cancer gene expression profile so as to mimic the expression of the gene from normal tissue, a screen as described above can be performed to identify genes that are specifically

5

10

15

20

25

modulated in response to the agent. Comparing expression profiles between normal tissue and agent treated breast cancer tissue reveals genes that are not expressed in normal tissue or breast cancer tissue, but are expressed in agent treated tissue. These agent-specific sequences can be identified and used by methods described herein for breast cancer genes or proteins. In particular these sequences and the proteins they encode find use in marking or identifying agent treated cells. In addition, antibodies can be raised against the agent induced proteins and used to target novel therapeutics to the treated breast cancer tissue sample.

Thus, in one embodiment, a test compound is administered to a population of breast cancer cells, that have an associated breast cancer expression profile. By "administration" or "contacting" herein is meant that the candidate agent is added to the cells in such a manner as to allow the agent to act upon the cell, whether by uptake and intracellular action, or by action at the cell surface. In some embodiments, nucleic acid encoding a proteinaceous candidate agent (i.e., a peptide) may be put into a viral construct such as an adenoviral or retroviral construct, and added to the cell, such that expression of the peptide agent is accomplished, e.g., PCT US97/01019. Regulatable gene therapy systems can also be used.

Once the test compound has been administered to the cells, the cells can be washed if desired and are allowed to incubate under preferably physiological conditions for some period of time. The cells are then harvested and a new gene expression profile is generated, as outlined herein.

Thus, e.g., breast cancer tissue may be screened for agents that modulate, e.g., induce or suppress the breast cancer phenotype. A change in at least one gene, preferably many, of the expression profile indicates that the agent has an effect on breast cancer activity. By defining such a signature for the breast cancer phenotype, screens for new drugs that alter the phenotype can be devised. With this approach, the drug target need not be known and need not be represented in the original expression screening platform, nor does the level of transcript for the target protein need to change.

In a preferred embodiment, as outlined above, screens may be done on individual genes and gene products (proteins). That is, having identified a particular differentially expressed gene as important in a particular state, screening of modulators of

5

10

15

20

25

either the expression of the gene or the gene product itself can be done. The gene products of differentially expressed genes are sometimes referred to herein as "breast cancer proteins" or a "breast cancer modulatory protein". The breast cancer modulatory protein may be a fragment, or alternatively, be the full length protein to the fragment encoded by the nucleic acids of the Tables. Preferably, the breast cancer modulatory protein is a fragment. In a preferred embodiment, the breast cancer amino acid sequence which is used to determine sequence identity or similarity is encoded by a nucleic acid of Table 25. In another embodiment, the sequences are naturally occurring allelic variants of a protein encoded by a nucleic acid of Table 25. In another embodiment, the sequences are sequence variants as further described herein.

Preferably, the breast cancer modulatory protein is a fragment of approximately 14 to 24 amino acids long. More preferably the fragment is a soluble fragment. Preferably, the fragment includes a non-transmembrane region. In a preferred embodiment, the fragment has an N-terminal Cys to aid in solubility. In one embodiment, the C-terminus of the fragment is kept as a free acid and the N-terminus is a free amine to aid in coupling, i.e., to cysteine.

In one embodiment the breast cancer proteins are conjugated to an immunogenic agent as discussed herein. In one embodiment the breast cancer protein is conjugated to BSA.

Measurements of breast cancer polypeptide activity, or of breast cancer or the breast cancer phenotype can be performed using a variety of assays. For example, the effects of the test compounds upon the function of the breast cancer polypeptides can be measured by examining parameters described above. A suitable physiological change that affects activity can be used to assess the influence of a test compound on the polypeptides of this invention. When the functional consequences are determined using intact cells or animals, one can also measure a variety of effects such as, in the case of breast cancer associated with tumors, tumor growth, tumor metastasis, neovascularization, hormone release, transcriptional changes to both known and uncharacterized genetic markers (e.g., northern blots), changes in cell metabolism such as cell growth or pH changes, and changes in intracellular second

5

10

15

20

messengers such as cGMP. In the assays of the invention, mammalian breast cancer polypeptide is typically used, e.g., mouse, preferably human.

Assays to identify compounds with modulating activity can be performed in vitro. For example, a breast cancer polypeptide is first contacted with a potential modulator and incubated for a suitable amount of time, e.g., from 0.5 to 48 hours. In one embodiment, the breast cancer polypeptide levels are determined in vitro by measuring the level of protein or mRNA. The level of protein is measured using immunoassays such as western blotting, ELISA and the like with an antibody that selectively binds to the breast cancer polypeptide or a fragment thereof. For measurement of mRNA, amplification, e.g., using PCR, LCR, or hybridization assays, e.g., northern hybridization, RNAse protection, dot blotting, are preferred. The level of protein or mRNA is detected using directly or indirectly labeled detection agents, e.g., fluorescently or radioactively labeled nucleic acids, radioactively or enzymatically labeled antibodies, and the like, as described herein.

Alternatively, a reporter gene system can be devised using the breast cancer protein promoter operably linked to a reporter gene such as luciferase, green fluorescent protein, CAT, or  $\beta$ -gal. The reporter construct is typically transfected into a cell. After treatment with a potential modulator, the amount of reporter gene transcription, translation, or activity is measured according to standard techniques known to those of skill in the art.

In a preferred embodiment, as outlined above, screens may be done on individual genes and gene products (proteins). That is, having identified a particular differentially expressed gene as important in a particular state, screening of modulators of the expression of the gene or the gene product itself can be done. The gene products of differentially expressed genes are sometimes referred to herein as "breast cancer proteins." The breast cancer protein may be a fragment, or alternatively, be the full length protein to a fragment shown herein.

In one embodiment, screening for modulators of expression of specific genes is performed. Typically, the expression of only one or a few genes are evaluated. In another embodiment, screens are designed to first find compounds that bind to differentially expressed proteins. These compounds are then evaluated for the ability to modulate

5

10

15

20

differentially expressed activity. Moreover, once initial candidate compounds are identified, variants can be further screened to better evaluate structure activity relationships.

In a preferred embodiment, binding assays are done. In general, purified or isolated gene product is used; that is, the gene products of one or more differentially expressed nucleic acids are made. For example, antibodies are generated to the protein gene products, and standard immunoassays are run to determine the amount of protein present. Alternatively, cells comprising the breast cancer proteins can be used in the assays.

Thus, in a preferred embodiment, the methods comprise combining a breast cancer protein and a candidate compound, and determining the binding of the compound to the breast cancer protein. Preferred embodiments utilize the human breast cancer protein, although other mammalian proteins may also be used, e.g. for the development of animal models of human disease. In some embodiments, as outlined herein, variant or derivative breast cancer proteins may be used.

Generally, in a preferred embodiment of the methods herein, the breast cancer protein or the candidate agent is non-diffusably bound to an insoluble support having isolated sample receiving areas (e.g. a microtiter plate, an array, etc.). The insoluble supports may be made of any composition to which the compositions can be bound, is readily separated from soluble material, and is otherwise compatible with the overall method of screening. The surface of such supports may be solid or porous and of any convenient shape. Examples of suitable insoluble supports include microtiter plates, arrays, membranes and beads. These are typically made of glass, plastic (e.g., polystyrene), polysaccharides, nylon or nitrocellulose, teflon<sup>TM</sup>, etc. Microtiter plates and arrays are especially convenient because a large number of assays can be carried out simultaneously, using small amounts of reagents and samples. The particular manner of binding of the composition is not crucial so long as it is compatible with the reagents and overall methods of the invention, maintains the activity of the composition and is nondiffusable. Preferred methods of binding include the use of antibodies (which do not sterically block either the ligand binding site or activation sequence when the protein is bound to the support), direct binding to "sticky" or ionic supports, chemical crosslinking, the synthesis of the protein or agent on the surface, etc. Following binding of the protein or agent, excess unbound material is removed by washing. The sample receiving

5

10

15

20

25

areas may then be blocked through incubation with bovine serum albumin (BSA), casein or other innocuous protein or other moiety.

In a preferred embodiment, the breast cancer protein is bound to the support, and a test compound is added to the assay. Alternatively, the candidate agent is bound to the support and the breast cancer protein is added. Novel binding agents include specific antibodies, non-natural binding agents identified in screens of chemical libraries, peptide analogs, etc. Of particular interest are screening assays for agents that have a low toxicity for human cells. A wide variety of assays may be used for this purpose, including labeled in vitro protein-protein binding assays, electrophoretic mobility shift assays, immunoassays for protein binding, functional assays (phosphorylation assays, etc.) and the like.

The determination of the binding of the test modulating compound to the breast cancer protein may be done in a number of ways. In a preferred embodiment, the compound is labeled, and binding determined directly, e.g., by attaching all or a portion of the breast cancer protein to a solid support, adding a labeled candidate agent (e.g., a fluorescent label), washing off excess reagent, and determining whether the label is present on the solid support. Various blocking and washing steps may be utilized as appropriate.

In some embodiments, only one of the components is labeled, e.g., the proteins (or proteinaceous candidate compounds) can be labeled. Alternatively, more than one component can be labeled with different labels, e.g., <sup>125</sup>I for the proteins and a fluorophor for the compound. Proximity reagents, e.g., quenching or energy transfer reagents are also useful.

In one embodiment, the binding of the test compound is determined by competitive binding assay. The competitor is a binding moiety known to bind to the target molecule (i.e., a breast cancer protein), such as an antibody, peptide, binding partner, ligand, etc. Under certain circumstances, there may be competitive binding between the compound and the binding moiety, with the binding moiety displacing the compound. In one embodiment, the test compound is labeled. Either the compound, or the competitor, or both, is added first to the protein for a time sufficient to allow binding, if present. Incubations may be performed at a temperature which facilitates optimal activity, typically between 4 and 40°C. Incubation periods are typically optimized, e.g., to facilitate rapid high throughput

5

10

15

20

25

screening. Typically between 0.1 and 1 hour will be sufficient. Excess reagent is generally removed or washed away. The second component is then added, and the presence or absence of the labeled component is followed, to indicate binding.

In a preferred embodiment, the competitor is added first, followed by the test compound. Displacement of the competitor is an indication that the test compound is binding to the breast cancer protein and thus is capable of binding to, and potentially modulating, the activity of the breast cancer protein. In this embodiment, either component can be labeled. Thus, e.g., if the competitor is labeled, the presence of label in the wash solution indicates displacement by the agent. Alternatively, if the test compound is labeled, the presence of the label on the support indicates displacement.

In an alternative embodiment, the test compound is added first, with incubation and washing, followed by the competitor. The absence of binding by the competitor may indicate that the test compound is bound to the breast cancer protein with a higher affinity. Thus, if the test compound is labeled, the presence of the label on the support, coupled with a lack of competitor binding, may indicate that the test compound is capable of binding to the breast cancer protein.

In a preferred embodiment, the methods comprise differential screening to identity agents that are capable of modulating the activity of the breast cancer proteins. In this embodiment, the methods comprise combining a breast cancer protein and a competitor in a first sample. A second sample comprises a test compound, a breast cancer protein, and a competitor. The binding of the competitor is determined for both samples, and a change, or difference in binding between the two samples indicates the presence of an agent capable of binding to the breast cancer protein and potentially modulating its activity. That is, if the binding of the competitor is different in the second sample relative to the first sample, the agent is capable of binding to the breast cancer protein.

Alternatively, differential screening is used to identify drug candidates that bind to the native breast cancer protein, but cannot bind to modified breast cancer proteins. The structure of the breast cancer protein may be modeled, and used in rational drug design to synthesize agents that interact with that site. Drug candidates that affect the activity of a

5

10

15

20

breast cancer protein are also identified by screening drugs for the ability to either enhance or reduce the activity of the protein.

Positive controls and negative controls may be used in the assays. Preferably control and test samples are performed in at least triplicate to obtain statistically significant results. Incubation of all samples is for a time sufficient for the binding of the agent to the protein. Following incubation, samples are washed free of non-specifically bound material and the amount of bound, generally labeled agent determined. For example, where a radiolabel is employed, the samples may be counted in a scintillation counter to determine the amount of bound compound.

A variety of other reagents may be included in the screening assays. These include reagents like salts, neutral proteins, e.g. albumin, detergents, etc. which may be used to facilitate optimal protein-protein binding and/or reduce non-specific or background interactions. Also reagents that otherwise improve the efficiency of the assay, such as protease inhibitors, nuclease inhibitors, anti-microbial agents, etc., may be used. The mixture of components may be added in an order that provides for the requisite binding.

In a preferred embodiment, the invention provides methods for screening for a compound capable of modulating the activity of a breast cancer protein. The methods comprise adding a test compound, as defined above, to a cell comprising breast cancer proteins. Preferred cell types include almost any cell. The cells contain a recombinant nucleic acid that encodes a breast cancer protein. In a preferred embodiment, a library of candidate agents are tested on a plurality of cells.

In one aspect, the assays are evaluated in the presence or absence or previous or subsequent exposure of physiological signals, e.g. hormones, antibodies, peptides, antigens, cytokines, growth factors, action potentials, pharmacological agents including chemotherapeutics, radiation, carcinogenics, or other cells (i.e. cell-cell contacts). In another example, the determinations are determined at different stages of the cell cycle process.

In this way, compounds that modulate breast cancer agents are identified.

Compounds with pharmacological activity are able to enhance or interfere with the activity of the breast cancer protein. Once identified, similar structures are evaluated to identify critical structural feature of the compound.

5

10

15

20

25

In one embodiment, a method of inhibiting breast cancer cell division is provided. The method comprises administration of a breast cancer inhibitor. In another embodiment, a method of inhibiting breast cancer is provided. The method comprises administration of a breast cancer inhibitor. In a further embodiment, methods of treating cells or individuals with breast cancer are provided. The method comprises administration of a breast cancer inhibitor.

In one embodiment, a breast cancer inhibitor is an antibody as discussed above. In another embodiment, the breast cancer inhibitor is an antisense molecule.

A variety of cell growth, proliferation, and metastasis assays are known to those of skill in the art, as described below.

Soft agar growth or colony formation in suspension

Normal cells require a solid substrate to attach and grow. When the cells are transformed, they lose this phenotype and grow detached from the substrate. For example, transformed cells can grow in stirred suspension culture or suspended in semi-solid media, such as semi-solid or soft agar. The transformed cells, when transfected with tumor suppressor genes, regenerate normal phenotype and require a solid substrate to attach and grow. Soft agar growth or colony formation in suspension assays can be used to identify modulators of breast cancer sequences, which when expressed in host cells, inhibit abnormal cellular proliferation and transformation. A therapeutic compound would reduce or eliminate the host cells' ability to grow in stirred suspension culture or suspended in semi-solid media, such as semi-solid or soft.

Techniques for soft agar growth or colony formation in suspension assays are described in Freshney, *Culture of Animal Cells a Manual of Basic Technique* (3<sup>rd</sup> ed., 1994), herein incorporated by reference. *See also*, the methods section of Garkavtsev *et al.* (1996), *supra*, herein incorporated by reference.

Contact inhibition and density limitation of growth

Normal cells typically grow in a flat and organized pattern in a petri dish until they touch other cells. When the cells touch one another, they are contact inhibited and stop growing. When cells are transformed, however, the cells are not contact inhibited and continue to grow to high densities in disorganized foci. Thus, the transformed cells grow to a

5

10

15

20

25

higher saturation density than normal cells. This can be detected morphologically by the formation of a disoriented monolayer of cells or rounded cells in foci within the regular pattern of normal surrounding cells. Alternatively, labeling index with (<sup>3</sup>H)-thymidine at saturation density can be used to measure density limitation of growth. See Freshney (1994), supra. The transformed cells, when transfected with tumor suppressor genes, regenerate a normal phenotype and become contact inhibited and would grow to a lower density.

In this assay, labeling index with (<sup>3</sup>H)-thymidine at saturation density is a preferred method of measuring density limitation of growth. Transformed host cells are transfected with a breast cancer-associated sequence and are grown for 24 hours at saturation density in non-limiting medium conditions. The percentage of cells labeling with (<sup>3</sup>H)-thymidine is determined autoradiographically. *See*, Freshney (1994), *supra*.

## Growth factor or serum dependence

Transformed cells have a lower serum dependence than their normal counterparts (see, e.g., Temin, J. Natl. Cancer Insti. 37:167-175 (1966); Eagle et al., J. Exp. Med. 131:836-879 (1970)); Freshney, supra. This is in part due to release of various growth factors by the transformed cells. Growth factor or serum dependence of transformed host cells can be compared with that of control.

# Tumor specific markers levels

Tumor cells release an increased amount of certain factors (hereinafter "tumor specific markers") than their normal counterparts. For example, plasminogen activator (PA) is released from human glioma at a higher level than from normal brain cells (see, e.g., Gullino, Angiogenesis, tumor vascularization, and potential interference with tumor growth. in Biological Responses in Cancer, pp. 178-184 (Mihich (ed.) 1985)). Similarly, Tumor angiogenesis factor (TAF) is released at a higher level in tumor cells than their normal counterparts. See, e.g., Folkman, Angiogenesis and Cancer, Sem Cancer Biol. (1992)).

Various techniques which measure the release of these factors are described in Freshney (1994), *supra*. Also, *see*, Unkless *et al.*, *J. Biol. Chem.* 249:4295-4305 (1974); Strickland & Beers, *J. Biol. Chem.* 251:5694-5702 (1976); Whur *et al.*, *Br. J. Cancer* 42:305-

5

10

15

20

25

312 (1980); Gullino, Angiogenesis, tumor vascularization, and potential interference with tumor growth. in Biological Responses in Cancer, pp. 178-184 (Mihich (ed.) 1985); Freshney Anticancer Res. 5:111-130 (1985).

## Invasiveness into Matrigel

The degree of invasiveness into Matrigel or some other extracellular matrix constituent can be used as an assay to identify compounds that modulate breast cancer-associated sequences. Tumor cells exhibit a good correlation between malignancy and invasiveness of cells into Matrigel or some other extracellular matrix constituent. In this assay, tumorigenic cells are typically used as host cells. Expression of a tumor suppressor gene in these host cells would decrease invasiveness of the host cells.

Techniques described in Freshney (1994), *supra*, can be used. Briefly, the level of invasion of host cells can be measured by using filters coated with Matrigel or some other extracellular matrix constituent. Penetration into the gel, or through to the distal side of the filter, is rated as invasiveness, and rated histologically by number of cells and distance moved, or by prelabeling the cells with <sup>125</sup>I and counting the radioactivity on the distal side of the filter or bottom of the dish. *See, e.g.*, Freshney (1984), *supra*.

## Tumor growth in vivo

Effects of breast cancer-associated sequences on cell growth can be tested in transgenic or immune-suppressed mice. Knock-out transgenic mice can be made, in which the breast cancer gene is disrupted or in which a breast cancer gene is inserted. Knock-out transgenic mice can be made by insertion of a marker gene or other heterologous gene into the endogenous breast cancer gene site in the mouse genome via homologous recombination.

Such mice can also be made by substituting the endogenous breast cancer gene with a mutated version of the breast cancer gene, or by mutating the endogenous breast cancer gene, e.g., by exposure to carcinogens.

A DNA construct is introduced into the nuclei of embryonic stem cells. Cells containing the newly engineered genetic lesion are injected into a host mouse embryo, which is re-implanted into a recipient female. Some of these embryos develop into chimeric mice

30

5

10

that possess germ cells partially derived from the mutant cell line. Therefore, by breeding the chimeric mice it is possible to obtain a new line of mice containing the introduced genetic lesion (see, e.g., Capecchi et al., Science 244:1288 (1989)). Chimeric targeted mice can be derived according to Hogan et al., Manipulating the Mouse Embryo: A Laboratory Manual, Cold Spring Harbor Laboratory (1988) and Teratocarcinomas and Embryonic Stem Cells: A Practical Approach, Robertson, ed., IRL Press, Washington, D.C., (1987).

Alternatively, various immune-suppressed or immune-deficient host animals can be used. For example, genetically athymic "nude" mouse (see, e.g., Giovanella et al., J. Natl. Cancer Inst. 52:921 (1974)), a SCID mouse, a thymectomized mouse, or an irradiated mouse (see, e.g., Bradley et al., Br. J. Cancer 38:263 (1978); Selby et al., Br. J. Cancer 41:52 (1980)) can be used as a host. Transplantable tumor cells (typically about 10<sup>6</sup> cells) injected into isogenic hosts will produce invasive tumors in a high proportions of cases, while normal cells of similar origin will not. In hosts which developed invasive tumors, cells expressing a breast cancer-associated sequences are injected subcutaneously. After a suitable length of time, preferably 4-8 weeks, tumor growth is measured (e.g., by volume or by its two largest dimensions) and compared to the control. Tumors that have statistically significant reduction (using, e.g., Student's T test) are said to have inhibited growth.

# Polynucleotide modulators of breast cancer

Antisense Polynucleotides

In certain embodiments, the activity of a breast cancer-associated protein is down-regulated, or entirely inhibited, by the use of antisense polynucleotide, *i.e.*, a nucleic acid complementary to, and which can preferably hybridize specifically to, a coding mRNA nucleic acid sequence, e.g., a breast cancer protein mRNA, or a subsequence thereof. Binding of the antisense polynucleotide to the mRNA reduces the translation and/or stability of the mRNA.

In the context of this invention, antisense polynucleotides can comprise naturally-occurring nucleotides, or synthetic species formed from naturally-occurring subunits or their close homologs. Antisense polynucleotides may also have altered sugar moieties or inter-sugar linkages. Exemplary among these are the phosphorothioate and other

5

10

15

20

25

sulfur containing species which are known for use in the art. Analogs are comprehended by this invention so long as they function effectively to hybridize with the breast cancer protein mRNA. See, e.g., Isis Pharmaceuticals, Carlsbad, CA; Sequitor, Inc., Natick, MA.

Such antisense polynucleotides can readily be synthesized using recombinant means, or can be synthesized *in vitro*. Equipment for such synthesis is sold by several vendors, including Applied Biosystems. The preparation of other oligonucleotides such as phosphorothioates and alkylated derivatives is also well known to those of skill in the art.

Antisense molecules as used herein include antisense or sense oligonucleotides. Sense oligonucleotides can, e.g., be employed to block transcription by binding to the anti-sense strand. The antisense and sense oligonucleotide comprise a single-stranded nucleic acid sequence (either RNA or DNA) capable of binding to target mRNA (sense) or DNA (antisense) sequences for breast cancer molecules. A preferred antisense molecule is for a breast cancer sequences in Tables 1-25, or for a ligand or activator thereof. Antisense or sense oligonucleotides, according to the present invention, comprise a fragment generally at least about 14 nucleotides, preferably from about 14 to 30 nucleotides. The ability to derive an antisense or a sense oligonucleotide, based upon a cDNA sequence encoding a given protein is described in, e.g., Stein & Cohen (Cancer Res. 48:2659 (1988 and van der Krol et al. (BioTechniques 6:958 (1988)).

### 20 Ribozymes

5

10

15

25

30

In addition to antisense polynucleotides, ribozymes can be used to target and inhibit transcription of breast cancer-associated nucleotide sequences. A ribozyme is an RNA molecule that catalytically cleaves other RNA molecules. Different kinds of ribozymes have been described, including group I ribozymes, hammerhead ribozymes, hairpin ribozymes, RNase P, and axhead ribozymes (see, e.g., Castanotto et al., Adv. in Pharmacology 25: 289-317 (1994) for a general review of the properties of different ribozymes).

The general features of hairpin ribozymes are described, e.g., in Hampel et al., Nucl. Acids Res. 18:299-304 (1990); European Patent Publication No. 0 360 257; U.S. Patent No. 5,254,678. Methods of preparing are well known to those of skill in the art (see, e.g.,

WO 94/26877; Ojwang et al., Proc. Natl. Acad. Sci. USA 90:6340-6344 (1993); Yamada et al., Human Gene Therapy 1:39-45 (1994); Leavitt et al., Proc. Natl. Acad. Sci. USA 92:699-703 (1995); Leavitt et al., Human Gene Therapy 5:1151-120 (1994); and Yamada et al., Virology 205: 121-126 (1994)).

Polynucleotide modulators of breast cancer may be introduced into a cell containing the target nucleotide sequence by formation of a conjugate with a ligand binding molecule, as described in WO 91/04753. Suitable ligand binding molecules include, but are not limited to, cell surface receptors, growth factors, other cytokines, or other ligands that bind to cell surface receptors. Preferably, conjugation of the ligand binding molecule does not substantially interfere with the ability of the ligand binding molecule to bind to its corresponding molecule or receptor, or block entry of the sense or antisense oligonucleotide or its conjugated version into the cell. Alternatively, a polynucleotide modulator of breast cancer may be introduced into a cell containing the target nucleic acid sequence, e.g., by formation of an polynucleotide-lipid complex, as described in WO 90/10448. It is understood that the use of antisense molecules or knock out and knock in models may also be used in screening assays as discussed above, in addition to methods of treatment.

Thus, in one embodiment, methods of modulating breast cancer in cells or organisms are provided. In one embodiment, the methods comprise administering to a cell an anti-breast cancer antibody that reduces or eliminates the biological activity of an endogenous breast cancer protein. Alternatively, the methods comprise administering to a cell or organism a recombinant nucleic acid encoding a breast cancer protein. This may be accomplished in any number of ways. In a preferred embodiment, e.g. when the breast cancer sequence is down-regulated in breast cancer, such state may be reversed by increasing the amount of breast cancer gene product in the cell. This can be accomplished, e.g., by overexpressing the endogenous breast cancer gene or administering a gene encoding the breast cancer sequence, using known gene-therapy techniques, e.g.. In a preferred embodiment, the gene therapy techniques include the incorporation of the exogenous gene using enhanced homologous recombination (EHR), e.g. as described in PCT/US93/03868, hereby incorporated by reference in its entirety. Alternatively, e.g. when the breast cancer

5

10

15

20

sequence is up-regulated in breast cancer, the activity of the endogenous breast cancer gene is decreased, e.g. by the administration of a breast cancer antisense nucleic acid.

In one embodiment, the breast cancer proteins of the present invention may be used to generate polyclonal and monoclonal antibodies to breast cancer proteins. Similarly, the breast cancer proteins can be coupled, using standard technology, to affinity chromatography columns. These columns may then be used to purify breast cancer antibodies useful for production, diagnostic, or therapeutic purposes. In a preferred embodiment, the antibodies are generated to epitopes unique to a breast cancer protein; that is, the antibodies show little or no cross-reactivity to other proteins. The breast cancer antibodies may be coupled to standard affinity chromatography columns and used to purify breast cancer proteins. The antibodies may also be used as blocking polypeptides, as outlined above, since they will specifically bind to the breast cancer protein.

## Methods of identifying variant breast cancer-associated sequences

Without being bound by theory, expression of various breast cancer sequences is correlated with breast cancer. Accordingly, disorders based on mutant or variant breast cancer genes may be determined. In one embodiment, the invention provides methods for identifying cells containing variant breast cancer genes, e.g., determining all or part of the sequence of at least one endogenous breast cancer genes in a cell. This may be accomplished using any number of sequencing techniques. In a preferred embodiment, the invention provides methods of identifying the breast cancer genotype of an individual, e.g., determining all or part of the sequence of at least one breast cancer gene of the individual. This is generally done in at least one tissue of the individual, and may include the evaluation of a number of tissues or different samples of the same tissue. The method may include comparing the sequence of the sequenced breast cancer gene to a known breast cancer gene, i.e., a wild-type gene.

The sequence of all or part of the breast cancer gene can then be compared to the sequence of a known breast cancer gene to determine if any differences exist. This can be done using any number of known homology programs, such as Bestfit, etc. In a preferred embodiment, the presence of a difference in the sequence between the breast cancer gene of

5

10

15

20

25

the patient and the known breast cancer gene correlates with a disease state or a propensity for a disease state, as outlined herein.

In a preferred embodiment, the breast cancer genes are used as probes to determine the number of copies of the breast cancer gene in the genome.

In another preferred embodiment, the breast cancer genes are used as probes to determine the chromosomal localization of the breast cancer genes. Information such as chromosomal localization finds use in providing a diagnosis or prognosis in particular when chromosomal abnormalities such as translocations, and the like are identified in the breast cancer gene locus.

10

15

20

25

30

5

# Administration of pharmaceutical and vaccine compositions

In one embodiment, a therapeutically effective dose of a breast cancer protein or modulator thereof, is administered to a patient. By "therapeutically effective dose" herein is meant a dose that produces effects for which it is administered. The exact dose will depend on the purpose of the treatment, and will be ascertainable by one skilled in the art using known techniques (e.g., Ansel et al., Pharmaceutical Dosage Forms and Drug Delivery; Lieberman, Pharmaceutical Dosage Forms (vols. 1-3, 1992), Dekker, ISBN 0824770846, 082476918X, 0824712692, 0824716981; Lloyd, The Art, Science and Technology of Pharmaceutical Compounding (1999); and Pickar, Dosage Calculations (1999)). As is known in the art, adjustments for breast cancer degradation, systemic versus localized delivery, and rate of new protease synthesis, as well as the age, body weight, general health, sex, diet, time of administration, drug interaction and the severity of the condition may be necessary, and will be ascertainable with routine experimentation by those skilled in the art. U.S. Patent Application N. 09/687,576, further discloses the use of compositions and methods of diagnosis and treatment in breast cancer is hereby expressly incorporated by reference.

A "patient" for the purposes of the present invention includes both humans and other animals, particularly mammals. Thus the methods are applicable to both human therapy and veterinary applications. In the preferred embodiment the patient is a mammal, preferably a primate, and in the most preferred embodiment the patient is human.

The administration of the breast cancer proteins and modulators thereof of the present invention can be done in a variety of ways as discussed above, including, but not limited to, orally, subcutaneously, intravenously, intranasally, transdermally, intraperitoneally, intranuscularly, intrapulmonary, vaginally, rectally, or intraocularly. In some instances, e.g., in the treatment of wounds and inflammation, the breast cancer proteins and modulators may be directly applied as a solution or spray.

The pharmaceutical compositions of the present invention comprise a breast cancer protein in a form suitable for administration to a patient. In the preferred embodiment, the pharmaceutical compositions are in a water soluble form, such as being present as pharmaceutically acceptable salts, which is meant to include both acid and base addition salts. "Pharmaceutically acceptable acid addition salt" refers to those salts that retain the biological effectiveness of the free bases and that are not biologically or otherwise undesirable, formed with inorganic acids such as hydrochloric acid, hydrobromic acid, sulfuric acid, nitric acid, phosphoric acid and the like, and organic acids such as acetic acid, propionic acid, glycolic acid, pyruvic acid, oxalic acid, maleic acid, malonic acid, succinic acid, fumaric acid, tartaric acid, citric acid, benzoic acid, cinnamic acid, mandelic acid, methanesulfonic acid, ethanesulfonic acid, p-toluenesulfonic acid, salicylic acid and the like. "Pharmaceutically acceptable base addition salts" include those derived from inorganic bases such as sodium, potassium, lithium, ammonium, calcium, magnesium, iron, zinc, copper, manganese, aluminum salts and the like. Particularly preferred are the ammonium, potassium, sodium, calcium, and magnesium salts. Salts derived from pharmaceutically acceptable organic non-toxic bases include salts of primary, secondary, and tertiary amines, substituted amines including naturally occurring substituted amines, cyclic amines and basic ion exchange resins, such as isopropylamine, trimethylamine, diethylamine, triethylamine, tripropylamine, and ethanolamine.

The pharmaceutical compositions may also include one or more of the following: carrier proteins such as serum albumin; buffers; fillers such as microcrystalline cellulose, lactose, corn and other starches; binding agents; sweeteners and other flavoring agents; coloring agents; and polyethylene glycol.

5

10

15

20

The pharmaceutical compositions can be administered in a variety of unit dosage forms depending upon the method of administration. For example, unit dosage forms suitable for oral administration include, but are not limited to, powder, tablets, pills, capsules and lozenges. It is recognized that breast cancer protein modulators (e.g., antibodies, antisense constructs, ribozymes, small organic molecules, etc.) when administered orally, should be protected from digestion. This is typically accomplished either by complexing the molecule(s) with a composition to render it resistant to acidic and enzymatic hydrolysis, or by packaging the molecule(s) in an appropriately resistant carrier, such as a liposome or a protection barrier. Means of protecting agents from digestion are well known in the art.

The compositions for administration will commonly comprise a breast cancer protein modulator dissolved in a pharmaceutically acceptable carrier, preferably an aqueous carrier. A variety of aqueous carriers can be used, e.g., buffered saline and the like. These solutions are sterile and generally free of undesirable matter. These compositions may be sterilized by conventional, well known sterilization techniques. The compositions may contain pharmaceutically acceptable auxiliary substances as required to approximate physiological conditions such as pH adjusting and buffering agents, toxicity adjusting agents and the like, e.g., sodium acetate, sodium chloride, potassium chloride, calcium chloride, sodium lactate and the like. The concentration of active agent in these formulations can vary widely, and will be selected primarily based on fluid volumes, viscosities, body weight and the like in accordance with the particular mode of administration selected and the patient's needs (e.g., Remington's Pharmaceutical Science (15th ed., 1980) and Goodman & Gillman, The Pharmacologial Basis of Therapeutics (Hardman et al.,eds., 1996)).

Thus, a typical pharmaceutical composition for intravenous administration would be about 0.1 to 10 mg per patient per day. Dosages from 0.1 up to about 100 mg per patient per day may be used, particularly when the drug is administered to a secluded site and not into the blood stream, such as into a body cavity or into a lumen of an organ. Substantially higher dosages are possible in topical administration. Actual methods for preparing parenterally administrable compositions will be known or apparent to those skilled in the art, e.g., Remington's Pharmaceutical Science and Goodman and Gillman, The Pharmacologial Basis of Therapeutics, supra.

5

10

15

20

25

The compositions containing modulators of breast cancer proteins can be administered for therapeutic or prophylactic treatments. In therapeutic applications, compositions are administered to a patient suffering from a disease (e.g., a cancer) in an amount sufficient to cure or at least partially arrest the disease and its complications. An amount adequate to accomplish this is defined as a "therapeutically effective dose." Amounts effective for this use will depend upon the severity of the disease and the general state of the patient's health. Single or multiple administrations of the compositions may be administered depending on the dosage and frequency as required and tolerated by the patient. In any event, the composition should provide a sufficient quantity of the agents of this invention to effectively treat the patient. An amount of modulator that is capable of preventing or slowing the development of cancer in a mammal is referred to as a "prophylactically effective dose." The particular dose required for a prophylactic treatment will depend upon the medical condition and history of the mammal, the particular cancer being prevented, as well as other factors such as age, weight, gender, administration route, efficiency, etc. Such prophylactic treatments may be used, e.g., in a mammal who has previously had cancer to prevent a recurrence of the cancer, or in a mammal who is suspected of having a significant likelihood of developing cancer.

It will be appreciated that the present breast cancer protein-modulating compounds can be administered alone or in combination with additional breast cancer modulating compounds or with other therapeutic agent, e.g., other anti-cancer agents or treatments.

In numerous embodiments, one or more nucleic acids, e.g., polynucleotides comprising nucleic acid sequences set forth in Tables 1-25, such as antisense polynucleotides or ribozymes, will be introduced into cells, in vitro or in vivo. The present invention provides methods, reagents, vectors, and cells useful for expression of breast cancer-associated polypeptides and nucleic acids using in vitro (cell-free), ex vivo or in vivo (cell or organism-based) recombinant expression systems.

The particular procedure used to introduce the nucleic acids into a host cell for expression of a protein or nucleic acid is application specific. Many procedures for introducing foreign nucleotide sequences into host cells may be used. These include the use

5

10

15

20

25

of calcium phosphate transfection, spheroplasts, electroporation, liposomes, microinjection, plasma vectors, viral vectors and any of the other well known methods for introducing cloned genomic DNA, cDNA, synthetic DNA or other foreign genetic material into a host cell (see, e.g., Berger & Kimmel, Guide to Molecular Cloning Techniques, Methods in Enzymology volume 152 (Berger), Ausubel et al., eds., Current Protocols (supplemented through 1999), and Sambrook et al., Molecular Cloning - A Laboratory Manual (2nd ed., Vol. 1-3, 1989.

In a preferred embodiment, breast cancer proteins and modulators are administered as therapeutic agents, and can be formulated as outlined above. Similarly, breast cancer genes (including both the full-length sequence, partial sequences, or regulatory sequences of the breast cancer coding regions) can be administered in a gene therapy application. These breast cancer genes can include antisense applications, either as gene therapy (i.e. for incorporation into the genome) or as antisense compositions, as will be appreciated by those in the art.

Breast cancer polypeptides and polynucleotides can also be administered as vaccine compositions to stimulate HTL, CTL and antibody responses.. Such vaccine compositions can include, e.g., lipidated peptides (see, e.g., Vitiello, A. et al., J. Clin. Invest. 95:341 (1995)), peptide compositions encapsulated in poly(DL-lactide-co-glycolide) ("PLG") microspheres (see, e.g., Eldridge, et al., Molec. Immunol. 28:287-294, (1991); Alonso et al., Vaccine 12:299-306 (1994); Jones et al., Vaccine 13:675-681 (1995)), peptide compositions contained in immune stimulating complexes (ISCOMS) (see, e.g., Takahashi et al., Nature 344:873-875 (1990); Hu et al., Clin Exp Immunol. 113:235-243 (1998)), multiple antigen peptide systems (MAPs) (see, e.g., Tam, Proc. Natl. Acad. Sci. U.S.A. 85:5409-5413 (1988); Tam, J. Immunol. Methods 196:17-32 (1996)), peptides formulated as multivalent peptides; peptides for use in ballistic delivery systems, typically crystallized peptides, viral delivery vectors (Perkus, et al., In: Concepts in vaccine development (Kaufmann, ed., p. 379, 1996); Chakrabarti, et al., Nature 320:535 (1986); Hu et al., Nature 320:537 (1986); Kieny, et al., AIDS Bio/Technology 4:790 (1986); Top et al., J. Infect. Dis. 124:148 (1971); Chanda et al., Virology 175:535 (1990)), particles of viral or synthetic origin (see, e.g., Kofler et al., J. Immunol, Methods. 192:25 (1996); Eldridge et al., Sem. Hematol. 30:16 (1993); Falo et al., Nature Med. 7:649 (1995)), adjuvants (Warren et al., Annu. Rev. Immunol. 4:369 (1986);

5

10

15

20

25

Gupta et al., Vaccine 11:293 (1993)), liposomes (Reddy et al., J. Immunol. 148:1585 (1992); Rock, Immunol. Today 17:131 (1996)), or, naked or particle absorbed cDNA (Ulmer, et al., Science 259:1745 (1993); Robinson et al., Vaccine 11:957 (1993); Shiver et al., In: Concepts in vaccine development (Kaufmann, ed., p. 423, 1996); Cease & Berzofsky, Annu. Rev. Immunol. 12:923 (1994) and Eldridge et al., Sem. Hematol. 30:16 (1993)). Toxin-targeted delivery technologies, also known as receptor mediated targeting, such as those of Avant Immunotherapeutics, Inc. (Needham, Massachusetts) may also be used.

Vaccine compositions often include adjuvants. Many adjuvants contain a substance designed to protect the antigen from rapid catabolism, such as aluminum hydroxide or mineral oil, and a stimulator of immune responses, such as lipid A, *Bortadella pertussis* or *Mycobacterium tuberculosis* derived proteins. Certain adjuvants are commercially available as, e.g., Freund's Incomplete Adjuvant and Complete Adjuvant (Difco Laboratories, Detroit, MI); Merck Adjuvant 65 (Merck and Company, Inc., Rahway, NJ); AS-2 (SmithKline Beecham, Philadelphia, PA); aluminum salts such as aluminum hydroxide gel (alum) or aluminum phosphate; salts of calcium, iron or zinc; an insoluble suspension of acylated tyrosine; acylated sugars; cationically or anionically derivatized polysaccharides; polyphosphazenes; biodegradable microspheres; monophosphoryl lipid A and quil A. Cytokines, such as GM-CSF, interleukin-2, -7, -12, and other like growth factors, may also be used as adjuvants.

Vaccines can be administered as nucleic acid compositions wherein DNA or RNA encoding one or more of the polypeptides, or a fragment thereof, is administered to a patient. This approach is described, for instance, in Wolff et. al., Science 247:1465 (1990) as well as U.S. Patent Nos. 5,580,859; 5,589,466; 5,804,566; 5,739,118; 5,736,524; 5,679,647; WO 98/04720; and in more detail below. Examples of DNA-based delivery technologies include "naked DNA", facilitated (bupivicaine, polymers, peptide-mediated) delivery, cationic lipid complexes, and particle-mediated ("gene gun") or pressure-mediated delivery (see, e.g., U.S. Patent No. 5,922,687).

For therapeutic or prophylactic immunization purposes, the peptides of the invention can be expressed by viral or bacterial vectors. Examples of expression vectors include attenuated viral hosts, such as vaccinia or fowlpox. This approach involves the use of

5

10

15

20

25

vaccinia virus, e.g., as a vector to express nucleotide sequences that encode breast cancer polypeptides or polypeptide fragments. Upon introduction into a host, the recombinant vaccinia virus expresses the immunogenic peptide, and thereby elicits an immune response. Vaccinia vectors and methods useful in immunization protocols are described in, e.g., U.S.

Patent No. 4,722,848. Another vector is BCG (Bacille Calmette Guerin). BCG vectors are described in Stover et al., Nature 351:456-460 (1991). A wide variety of other vectors useful for therapeutic administration or immunization e.g. adeno and adeno-associated virus vectors, retroviral vectors, Salmonella typhi vectors, detoxified anthrax toxin vectors, and the like, will be apparent to those skilled in the art from the description herein (see, e.g., Shata et al., Mol Med Today 6:66-71 (2000); Shedlock et al., J Leukoc Biol 68:793-806 (2000); Hipp et al., In Vivo 14:571-85 (2000)).

Methods for the use of genes as DNA vaccines are well known, and include placing a breast cancer gene or portion of a breast cancer gene under the control of a regulatable promoter or a tissue-specific promoter for expression in a breast cancer patient. The breast cancer gene used for DNA vaccines can encode full-length breast cancer proteins, but more preferably encodes portions of the breast cancer proteins including peptides derived from the breast cancer protein. In one embodiment, a patient is immunized with a DNA vaccine comprising a plurality of nucleotide sequences derived from a breast cancer gene. For example, breast cancer-associated genes or sequence encoding subfragments of a breast cancer protein are introduced into expression vectors and tested for their immunogenicity in the context of Class I MHC and an ability to generate cytotoxic T cell responses. This procedure provides for production of cytotoxic T cell responses against cells which present antigen, including intracellular epitopes.

In a preferred embodiment, the DNA vaccines include a gene encoding an adjuvant molecule with the DNA vaccine. Such adjuvant molecules include cytokines that increase the immunogenic response to the breast cancer polypeptide encoded by the DNA vaccine. Additional or alternative adjuvants are available.

In another preferred embodiment breast cancer genes find use in generating animal models of breast cancer. When the breast cancer gene identified is repressed or diminished in cancer tissue, gene therapy technology, e.g., wherein antisense RNA directed

15

20

25

to the breast cancer gene will also diminish or repress expression of the gene. Animal models of breast cancer find use in screening for modulators of a breast cancer-associated sequence or modulators of breast cancer. Similarly, transgenic animal technology including gene knockout technology, e.g. as a result of homologous recombination with an appropriate gene targeting vector, will result in the absence or increased expression of the breast cancer protein. When desired, tissue-specific expression or knockout of the breast cancer protein may be necessary.

It is also possible that the breast cancer protein is overexpressed in breast cancer. As such, transgenic animals can be generated that overexpress the breast cancer protein. Depending on the desired expression level, promoters of various strengths can be employed to express the transgene. Also, the number of copies of the integrated transgene can be determined and compared for a determination of the expression level of the transgene. Animals generated by such methods find use as animal models of breast cancer and are additionally useful in screening for modulators to treat breast cancer.

15

20

25.

10

5

### Kits for Use in Diagnostic and/or Prognostic Applications

For use in diagnostic, research, and therapeutic applications suggested above, kits are also provided by the invention. In the diagnostic and research applications such kits may include any or all of the following: assay reagents, buffers, breast cancer-specific nucleic acids or antibodies, hybridization probes and/or primers, antisense polynucleotides, ribozymes, dominant negative breast cancer polypeptides or polynucleotides, small molecules inhibitors of breast cancer-associated sequences *etc*. A therapeutic product may include sterile saline or another pharmaceutically acceptable emulsion and suspension base.

In addition, the kits may include instructional materials containing directions (i.e., protocols) for the practice of the methods of this invention. While the instructional materials typically comprise written or printed materials they are not limited to such. Any medium capable of storing such instructions and communicating them to an end user is contemplated by this invention. Such media include, but are not limited to electronic storage media (e.g., magnetic discs, tapes, cartridges, chips), optical media (e.g., CD ROM), and the

like. Such media may include addresses to internet sites that provide such instructional materials.

The present invention also provides for kits for screening for modulators of breast cancer-associated sequences. Such kits can be prepared from readily available materials and reagents. For example, such kits can comprise one or more of the following materials: a breast cancer-associated polypeptide or polynucleotide, reaction tubes, and instructions for testing breast cancer-associated activity. Optionally, the kit contains biologically active breast cancer protein. A wide variety of kits and components can be prepared according to the present invention, depending upon the intended user of the kit and the particular needs of the user. Diagnosis would typically involve evaluation of a plurality of genes or products. The genes will be selected based on correlations with important parameters in disease which may be identified in historical or outcome data.

15 EXAMPLES

## Example 1: Tissue Preparation, Labeling Chips, and Fingerprints

# Purifying total RNA from tissue sample using TRIzol Reagent

The sample weight is first estimated. The tissue samples are homogenized in 1 ml of TRIzol per 50 mg of tissue using a homogenizer (e.g., Polytron 3100). The size of the generator/probe used depends upon the sample amount. A generator that is too large for the amount of tissue to be homogenized will cause a loss of sample and lower RNA yield. A larger generator (e.g., 20 mm) is suitable for tissue samples weighing more than 0.6 g. Fill tubes should not be overfilled. If the working volume is greater than 2 ml and no greater than 10 ml, a 15 ml polypropylene tube (Falcon 2059) is suitable for homogenization.

Tissues should be kept frozen until homogenized. The TRIzol is added directly to the frozen tissue before homogenization. Following homogenization, the insoluble material is removed from the homogenate by centrifugation at 7500 x g for 15 min. in a Sorvall superspeed or 12,000 x g for 10 min. in an Eppendorf centrifuge at 4°C. The cleared

5

10

20

25

homogenate is then transferred to a new tube(s). Samples may be frozen and stored at -60 to -70°C for at least one month or else continue with the purification.

The next process is phase separation. The homogenized samples are incubated for 5 minutes at room temperature. Then, 0.2 ml of chloroform per 1ml of TRIzol reagent is added to the homogenization mixture. The tubes are securely capped and shaken vigorously by hand (do not vortex) for 15 seconds. The samples are then incubated at room temp. for 2-3 minutes and next centrifuged at 6500 rpm in a Sorvall superspeed for 30 min. at 4oC.

The next process is RNA Precipitation. The aqueous phase is transferred to a fresh tube. The organic phase can be saved if isolation of DNA or protein is desired. Then 0.5 ml of isopropyl alcohol is added per 1ml of TRIzol reagent used in the original homogenization. Then, the tubes are securely capped and inverted to mix. The samples are then incubated at room temp. for 10 minutes an centrifuged at 6500 rpm in Sorvall for 20 min. at 4°C.

The RNA is then washed. The supernatant is poured off and the pellet washed with cold 75% ethanol. 1 ml of 75% ethanol is used per 1 ml of the TRIzol reagent used in the initial homogenization. The tubes are capped securely and inverted several times to loosen pellet without vortexing. They are next centrifuged at <8000 rpm (<7500 x g) for 5 minutes at 4°C.

The RNA wash is decanted. The pellet is carefully transferred to an Eppendorf tube (sliding down the tube into the new tube by use of a pipet tip to help guide it in if necessary). Tube(s) sizes for precipitating the RNA depending on the working volumes. Larger tubes may take too long to dry. Dry pellet. The RNA is then resuspended in an appropriate volume (e.g., 2 -5 ug/ul) of DEPC H<sub>2</sub>0. The absorbance is then measured.

The poly A+ mRNA may next be purified from total RNA by other methods such as Qiagen's RNeasy kit. The poly A + mRNA is purified from total RNA by adding the oligotex suspension which has been heated to 37°C and mixing prior to adding to RNA.

The Elution Buffer is incubated at 70°C. If there is precipitate in the buffer, warm up the 2 x Binding Buffer at 65°C. The the total RNA is mixed with DEPC-treated water, 2 x Binding

5

10

15

20

Buffer, and Oligotex according to Table 2 on page 16 of the Oligotex Handbook and next incubated for 3 minutes at 65°C and 10 minutes at room temperature.

The preparation is centrifuged for 2 minutes at 14,000 to 18,000 g, preferably, at a "soft setting," The supernatant is removed without disturbing Oligotex pellet. A little bit of solution can be left behind to reduce the loss of Oligotex. The supernatant is saved until satisfactory binding and elution of poly A<sup>+</sup> mRNA has been found.

Then, the preparation is gently resuspended in Wash Buffer OW2 and pipetted onto the spin column and centrifuged at full speed (soft setting if possible) for 1 minute.

Next, the spin column is transferred to a new collection tube and gently resuspended in Wash Buffer OW2 and centrifuged as described herein.

Then, the spin column is transferred to a new tube and eluted with 20 to 100 ul of preheated (70°C) Elution Buffer. The Oligotex resin is gently resuspended by pipetting up and down. The centrifugation is repeated as above and the elution repeated with fresh elution buffer or first eluate to keep the elution volume low.

The absorbance is next read to determine the yield, using diluted Elution Buffer as the blank.

Before proceeding with cDNA synthesis, the mRNA is precipitated before proceeding with cDNA synthesis, as components leftover or in the Elution Buffer from the Oligotex purification procedure will inhibit downstream enzymatic reactions of the mRNA. 0.4 vol. of 7.5 M NH4OAc + 2.5 vol. of cold 100% ethanol is added and the preparation precipitated at -20°C 1 hour to overnight (or 20-30 min. at -70°C), and centrifuged at 14,000-16,000 x g for 30 minutes at 4°C. Next, the pellet is washed with 0.5 ml of 80% ethanol (-20°C) and then centrifuged at 14,000-16,000 x g for 5 minutes at room temperature. The 80% ethanol wash is then repeated. The last bit of ethanol from the pellet is then dried without use of a speed vacuum and the pellet is then resuspended in DEPC H<sub>2</sub>0 at 1 ug/ul concentration.

Alternatively the RNA may be purified using other methods (e.g., Qiagen's RNeasy kit).

5

10

15

20

No more than 100 ug is added to the RNeasy column. The sample volume is adjusted to 100 ul with RNase-free water. 350 ul Buffer RLT and then 250 ul ethanol (100%) are added to the sample. The preparation is then mixed by pipetting and applied to an RNeasy mini spin column for centrifugation (15 sec at >10,000 rpm). If yield is low, reapply the flowthrough to the column and centrifuge again.

Then, transfer column to a new 2 ml collection tube and add 500 ul Buffer RPE and centrifuge for 15 sec at >10,000 rpm. The flowthrough is discarded. 500 ul Buffer RPE and is then added and the preparation is centriuged for 15 sec at >10,000 rpm. The flowthrough is discarded. and the column membrane dried by centrifuging for 2 min at maximum speed. The column is transferred to a new 1.5-ml collection tube. 30-50 ul of RNase-free water is applied directly onto column membrane. The column is then centrifuged for 1 min at >10,000 rpm and the elution step repeated.

The absorbance is then read to determine yield. If necessary, the material may be ethanol precipitated with ammonium acetate and 2.5X volume 100% ethanol.

15

20

25

30

5

10

### First Strand cDNA Synthesis

The first strand can be make using using Gibco's "SuperScript Choice System for cDNA Synthesis" kit. The starting material is 5 ug of total RNA or 1 ug of polyA+ mRNAl. For total RNA, 2 ul of SuperScript RT is used; for polyA+ mRNA, 1 ul of SuperScript RT is used. The final volume of first strand synthesis mix is 20 ul. The RNA should be in a volume no greater than 10 ul. The RNA is incubated with 1 ul of 100 pmol T7-T24 oligo for 10 min at 70°C followed by addition on ice of 7 ul of: 4ul 5X 1st Strand Buffer, 2 ul of 0.1M DTT, and 1 ul of 10mM dNTP mix. The preparation is then incubated at 37°C for 2 min before addition of the SuperScript RT followed by incubation at 37°C for 1 hour.

### Second Strand Synthesis

For the second strand synthesis, place 1st strand reactions on ice and add: 91 ul DEPC H<sub>2</sub>0; 30 ul 5X 2nd Strand Buffer; 3 ul 10mM dNTP mix; 1 ul 10 U/ul E.coli DNA Ligase; 4 ul 10 U/ul E.coli DNA Polymerase; and 1 ul 2 U/ul RNase H. Mix and incubate 2

hours at 16°C. Add 2 ul T4 DNA Polymerase. Incubate 5 min at 16°C. Add 10 ul of 0.5M EDTA.

# Cleaning up cDNA

The cDNA is purified using Phenol:Chloroform:Isoamyl Alcohol (25:24:1) and Phase-Lock gel tubes. The PLG tubes are centrifuged for 30 sec at maximum speed. The cDNA mix is then transferred to PLG tube. An equal volume of phenol:chloroform:isamyl alcohol is then added, the preparation shaken vigorously (no vortexing), and centrifuged for 5 minutes at maximum speed. The top aqueous solution is transferred to a new tube and ethanol precipitated by adding 7.5X 5M NH4OAc and 2.5X volume of 100% ethanol. Next, it is centrifuged immediately at room temperature for 20 min, maximum speed. The supernatant is removed, and the pellet washed with 2X with cold 80% ethanol. As much ethanol wash as possible should be removed before air drying the pellet: and resuspending it in 3 ul RNase-free water.

15

20

25

30

10

5

### In vitro Transcription (IVT) and labeling with biotin

In vitro Transcription (IVT) and labeling with biotin is performed as follows: Pipet 1.5 ul of cDNA into a thin-wall PCR tube. Make NTP labeling mix by combining 2 ul T7 10xATP (75 mM) (Ambion); 2 ul T7 10xGTP (75 mM) (Ambion); 1.5 ul T7 10xCTP (75 mM) (Ambion); 1.5 ul T7 10xUTP (75 mM) (Ambion); 3.75 ul 10 mM Bio-11-UTP (Boehringer-Mannheim/Roche or Enzo); 3.75 ul 10 mM Bio-16-CTP (Enzo); 2 ul 10x T7 transcription buffer (Ambion); and 2 ul 10x T7 enzyme mix (Ambion). The final volume is 20 ul. Incubate 6 hours at 37°C in a PCR machine. The RNA can be furthered cleaned. Clean-up follows the previous instructions for RNeasy columns or Qiagen's RNeasy protocol handbook. The cRNA often needs to be ethanol precipitated by resuspension in a volume compatible with the fragmentation step.

Fragmentation is performed as follows. 15 ug of labeled RNA is usually fragmented. Try to minimize the fragmentation reaction volume; a 10 ul volume is recommended but 20 ul is all right. Do not go higher than 20 ul because the magnesium in the fragmentation buffer contributes to precipitation in the hybridization buffer. Fragment

RNA by incubation at 94 C for 35 minutes in 1 x Fragmentation buffer (5 x Fragmentation buffer is 200 mM Tris-acetate, pH 8.1; 500 mM KOAc; 150 mM MgOAc). The labeled RNA transcript can be analyzed before and after fragmentation. Samples can be heated to 65°C for 15 minutes and electrophoresed on 1% agarose/TBE gels to get an approximate idea of the transcript size range

For hybridization, 200 ul (10 ug cRNA) of a hybridization mix is put on the chip. If multiple hybridizations are to be done (such as cycling through a 5 chip set), then it is recommended that an initial hybridization mix of 300 ul or more be made. The hybridization mix is: fragment labeled RNA (50 ng/ul final conc.); 50 pM 948-b control oligo; 1.5 pM BioB; 5 pM BioC; 25 pM BioD; 100 pM CRE; 0.1 mg/ml herring sperm DNA; 0.5 mg/ml acetylated BSA; and 300 ul with 1xMES hyb buffer.

The hybridization reaction is conducted with non-biotinylated IVT (purified by RNeasy columns) (see example 1 for steps from tissue to IVT): The following mixture is prepared:

15 IVT antisense RNA; 4 μg: μl
Random Hexamers (1 μg/μl): 4 μl
H<sub>2</sub>O: μl
14 μl

Incubate the above 14 µl mixture at 70°C for 10 min.; then put on ice.

The Reverse transcription procedure uses the following mixture:

 0.1 M DTT:  $3 \mu l$  

 50X dNTP mix:  $0.6 \mu l$ 
 $H_2O:$   $2.4 \mu l$  

 Cy3 or Cy5 dUTP (1mM):
  $3 \mu l$  

 SS RT II (BRL):
  $1 \mu l$ 

16 µl

The above solution is added to the hybridization reaction and incubated for 30 min., 42°C. Then, 1 µl SSII is added and incubated for another hour before being placed on ice.

25

5

The 50X dNTP mix contains 25mM of cold dATP, dCTP, and dGTP, 10mM of dTTP and is made by adding 25  $\mu$ l each of 100mM dATP, dCTP, and dGTP; 10  $\mu$ l of 100mM dTTP to 15  $\mu$ l H<sub>2</sub>O. ]

RNA degradation is performed as follows. Add 86 µl H<sub>2</sub>O, 1.5 µl 1M NaOH/2 mM EDTA and incubate at 65°C, 10 min.. For U-Con 30, 500 µl TE/sample spin at 7000 g for 10 min, save flow through for purification. For Qiagen purification, suspend u-con recovered material in 500 µl buffer PB and proceed using Qiagen protocol. For DNAse digestion, add 1 ul of 1/100 dilution of DNAse/30 ul Rx and incubate at 37°C for 15 min. Incubate at 5 min 95°C to denature the DNAse.

10

15

5

## Sample preparation

For sample preparation, add Cot-1 DNA, 10 μl; 50X dNTPs, 1 μl; 20X SSC, 2.3 μl; Na pyro phosphate, 7.5 μl; 10 mg/ml Herring sperm DNA; 1 ul of 1/10 dilution to 21.8 final vol. Dry in speed vac. Resuspend in 15 μl H<sub>2</sub>0. Add 0.38 μl 10% SDS. Heat 95°C, 2 min and slow cool at room temp. for 20 min. Put on slide and hybridize overnight at 64°C. Washing after the hybridization: 3X SSC/0.03% SDS: 2 min., 37.5 ml 20X SSC+0.75ml 10% SDS in 250ml H<sub>2</sub>O; 1X SSC: 5 min., 12.5 ml 20X SSC in 250ml H<sub>2</sub>O; 0.2X SSC: 5 min., 2.5 ml 20X SSC in 250ml H<sub>2</sub>O. Dry slides and scan at appropriate PMT's and channels.

# TABLE 1: Figure 1 from BRCA 001 US

Table 1 shows genes, (incorporated in their entirety here and throughout the application where primekeys are provided), downregulated in tumor tissue compared to normal breast tissue.

10								
	Pkey:		Unique Eos probeset identifier number					
	ExAccn:		Exempla	r Accessi	on number, Genbank accession number			
	Unigene		Unigene					
15	Unigene	Title:	Unigene					
13	R1:		Ratio of r	normai br	east tissue to tumor			
					5			
	Pkey	ExAccn	Un	igenelD	UnigeneTitle	R1		
20	100472	D90084	Hs	.1023	pyruvate dehydrogenase (lipoamide) alpha	5		
	100499	T51986	Hs	.283108	hemoglobin, gamma G	10		
		M55405			gb:Homo sapiens mucin (MUC-3) mRNA, part	5		
		BE14201			Homo sapiens cDNA FLJ11572 fis, clone HE	10		
25		X52078			transcription factor 3 (E2A immunoglobul	5		
25		BE25903			Ewing sarcoma breakpoint region 1	5		
		X16841	HS	.167988	neural cell adhesion molecule 1	5		
		A03758			NM_000477*:Homo sapiens albumin (ALB), m	10		
	100702		11.	040000	gb:Human neurofibromatosis 2 (NF2) mRNA,	5 5		
30		M60832 BE37972		.83213	collagen, type VIII, alpha 2	10		
50		AJ25056		3.82749	fatty acid binding protein 4, adipocyte transmembrane 4 superfamily member 2	. 5		
		M90424	_	.2099	lipocalin 1 (protein migrating faster th	5		
		NM_001		.460	activating transcription factor 3	10		
		NM_006		.75678	FBJ murine osteosarcoma viral oncogene h	10		
35		X03350	Hs		alcohol dehydrogenase 1B (class I), beta	10		
		M21305			gb:Human alpha satellite and satellite 3	10		
	101461	N98569		.76422	phospholipase A2, group IIA (platelets,	10		
		M27826	Hs	.267319	endogenous retrovirai protease	10		
		AV65026		.75765	GRO2 oncogene	5		
40		M74447	Hs	.502	transporter 2, ATP-binding cassette, sub	10		
		U22961			gb:Human mRNA clone with similarity to L	10		
		NM_001			G protein-coupled receptor 9	5		
		U48251		3.75871		10 10		
45		U89337 U60115			tenascin XB	5		
73		AA31353		.235009	four and a half LIM domains 1 gb:EST185419 Colon carcinoma (HCC) cell	10		
		NM_006		s.76461	retinol-binding protein 4, interstitial	10		
		AA82928			serum amyloid A1	10		
		X98085		5.54433	tenascin R (restrictin, janusin)	5		
50		AA08199			gb:zn26d06.r1 Stratagene neuroepithelium	10		
		AA12612			gb:zm78c07.r1 Stratagene neuroepithelium	5		
	103812	AA13710	07 Hs	3.326391	Homo sapiens, clone MGC:16638, mRNA, com	10		
	103851	AA3262	16 Hs	s.8719	hypothetical protein MGC1136	5		
	104080	AB0410	36 Hs	s.57771	kallikrein 11 (KLK11; TLSP; PRSS20; hipp	5		
55		R50727		s.336970		10		
		AA4221			gb:zv26h12.r1 Soares_NhHMPu_S1 Homo sapi	5		
		AL35395			hypothetical protein DKFZp434P0531	10		
		F06638		s.12440	Homo sapiens clone 24734 mRNA sequence	10		
60		AA42618		. 04005	gb:zw11e09.r1 Soares_NhHMPu_S1 Homo sapi	5		
60		N73185		s.94285 s.109650		10 10		
		N91071 N99542		s. 109000 s.572	orosomucoid 1	5		
		Al49876			hypothetical protein FLJ12748	10		
	10-7-0-2				,p			

					_
	104536	R24024	Hs.158101	Homo sapiens cDNA FLJ14673 fis, clone NT	5
	104572	Y11312		phosphoinositide-3-kinase, class 2, beta	5
	104659	AW969769	Hs.105201		5
_	104677	AA009764	Hs.190380		10
5	104711	AA017245	Hs.32794	ESTs	10
	104731	AA019300		ESTs, Moderately similar to I54374 gene	10
	104764	AI039243	Hs.278585		5
	105005	Al298208	Hs.28805	ESTs	. 10
	105036	AA130390	Hs.25549	hypothetical protein FLJ20898	10
10	105105	R61532		hypothetical protein FLJ22938	5
	105231	AW970043		hypothetical protein FLJ11090	5
	105239	AA221036		gb:zr03f12.r1 Stratagene NT2 neuronal pr	10
	105921	AA421973		ESTs, Weakly similar to T25731 hypotheti	5
	105957	BE242857		hypothetical protein FLJ11159	5
15	106052	N79885	Hs.6382	ESTs, Highly similar to T00391 hypotheti	10
	106119	AL359624		KIAA1453 protein	5
	106181	A1803651	Hs.191608	ESTs	10
	106194	AW976171	Hs.286194	hypothetical protein FLJ22233	5
	106283	A1085846		KIAA1808 protein	10
20	106379	AL042069		DKFZP434N061 protein	10
	106451	AW235928	Hs.313182		10
	106491	AA135688	Hs.10083	Homo sapiens, clone IMAGE:4139786, mRNA,	10
	106700	AA906434	Hs.3776	zinc finger protein 216	5
	106782	AW054886	Hs.25682	Homo saplens mRNA for KIAA1863 protein,	10
25	106851	Al458623		gb:tk04g09.x1 NCI_CGAP_Lu24 Homo sapiens	5
	106870	Al983730	Hs.26530	serum deprivation response (phosphatidy)	5
	106892	A1347578		hypothetical protein MGC2605	5
		AF128847		indolethylamine N-methyltransferase	5
		AJ223811	Hs.30127	hypothetical protein	5
30		A1446183	Hs.9572	ESTs, Highly similar to CYA5_HUMAN ADENY	5
		AB006532	Hs.31442		10
		A1005036		GS1999full	10
		AF127026	Hs.5394	myosin IA	10 10
0.5		AB020672		KIAA0865 protein	10
35		A1905985	Hs.111805	ESTS	5
		U51704		ESTs, Moderately similar to ALU8_HUMAN A	5
		W26652	Hs.6163	PTEN induced putative kinase 1	10
		W28516	Hs.19210	hypothetical protein MGC11308	10
40		AL042425		hypthetical protein PRO2389	5
40		AI092790	HS.3347U3	hypothetical protein FLJ14529	10
		W38002	Un 47000	Empirically selected from AFFX single pr	10
		N53167	Hs.47623		10
		W96141	Hs.220687 Hs.269244		10
45		AA017462	NS.203244	hypothetical protein FLJ12387 similar to	10
43		BE621721	Hs.61246		10
		AA025060 BE271708	Hs.95110	ESTs, Weakly similar to A55943 1-phospha	10
			Hs.191637		5
		AA025836 AL049176	Hs.82223	chordin-like	10
50		ALU49170 AA043675	Hs.62633	ESTs .	10
30			Hs.28578	muscleblind (Drosophila)-like	5
	400442	AA093668 AA012881	Hs.72531	hypothetical protein FLJ11838	10
	100113	AA059473	Hs.66783	EST	10
	100230	AA677927	Hs.144269		5
55		AA070500	113.144203	gb:zm70h03.s1 Stratagene neuroepithelium	5
33		AA071193		gb:zf79b12.s1 Soares_pineal_gland_N3HPG	10
	10033	NM_006770	Hs.67726	macrophage receptor with collagenous str	5
	100304	AA075124	113.07720	gb:zm86a01.s1 Stratagene ovarian cancer	10
	400334	AA079079		gb:zm97c09.s1 Stratagene colon HT29 (937	10
60		AA085383		gb:zn13g03.s1 Stratagene hNT neuron (937	10
UU	400440	7 AA074897		gb:zm85a05.r1 Stratagene ovarian cancer	10
	10043	AA074637 AA934589	Hs.49696	ESTs	5
	10000	2 AF117646	Hs.156637	Cas-Br-M (murine) ectropic retroviral tr	5
	100004	AA121820	Hs.74569		10
65	10070	3 AA126583	Hs.158725	•	10
UJ	10000	7 Al273692	Hs.110470		10
	10002	3 Al028376	Hs.73232		10
	10912	AIULUUIU	02.02	<del></del>	

	109389	AA101325	Hs.86154	hypothetical protein FLJ12457	10
	109546	F01449	Hs.26954	Homo sapiens mRNA; cDNA DKFZp762G123 (fr	5
		R40604		ESTs, Weakly similar to MCAT_HUMAN MITOC	10
_		A1094674	Hs.30524	ring finger protein 24	10
5		H46749	Hs.31540	ESTs	10
		W22165	Hs.22586	ESTs	5
		AW294162		UDP-N-acetyl-alpha-D-galactosamine:polyp	10
		H51276	Hs.13526	hypothetical protein FLJ12688	10
10		H52576	11- 407000	gb:yt85e08.r1 Soares_pineal_gland_N3HPG	5
10		H72639	Hs.167608		5
		H60593 AL044174	Hs.124990		10
			Hs.26034	patched (Drosophila) homolog	10
		AI753316 N66616		ESTs H.sapiens mRNA for subtelomeric repeat s	5 5
15		Al798376	115.130025	gb:tr34b07.x1 NCI_CGAP_Ov23 Homo sapiens	10
13		AJ224864	Hs.9688	leukocyte membrane antigen	5
		AA641636	Hs.37477	ESTs, Weakly similar to T46908 hypotheti	5
		R00144	Hs.189771		10
		Al168511	110.100777	gb:ow90h09.s1 Soares_fetal_liver_spleen_	10
20		R16733	Hs.20499	ESTs	10
	111738	R26065		gb:yh39d03.s1 Soares placenta Nb2HP Homo	5
		AA593731	Hs.325823	ESTs, Moderately similar to ALU5_HUMAN A	10
	111995	R42333	Hs.302292		10
	112071	AL117490	Hs.47225		10
25	112204	NM_006668	Hs.25121	cytochrome P450, subfamily 46 (cholester	10
	112258	R51889	Hs.24990	ESTs	5
	112490	R31094	Hs.24378	ESTs	10
	112588	R77302		gb:yi75h08.s1 Soares placenta Nb2HP Homo	10
20		BE618629	Hs.268809		5
30		T98628	Hs.191290		5
		AI057205	Hs.14584		5
		AA581428	Hs.5021	EST	10
		T16837	Hs.4241	ESTs	5
35		T51588	11- 204755	gb:yb27e06.s1 Stratagene fetal spieen (9	10
23		T54659 AA743563		Homo sapiens cDNA FLJ11465 fis, clone HE	5
		AW207424	Hs.10305 Hs.332594		5 10
		N92359		ESTs, Moderately similar to A48752 B-cel	10
		R16763	Hs.268679		5
40		AA913635		Homo sapiens cDNA FLJ20812 fis, clone AD	10
. •		R06874		ESTs, Moderately similar to ALU1_HUMAN A	5
	113776	AI791905	Hs.95549	hypothetical protein	10
	113790	Al244311	Hs.26912	ESTs	10
	113807	W07586	Hs.8045	ESTs	3
45		W86195		gb:zh54e05.s1 Soares_fetal_liver_spleen_	· 10
		Z39319	Hs.27347	EST	10
		AB018263		tumor necrosis factor receptor superfami	5
		AA745978	Hs.28273	ESTs	5
50		AA020736	11. 00=0.10	gb:ze63b11.s1 Soares retina N2b4HR Homo	5
50		AA034378	Hs.267319	endogenous retroviral protease	5
		AA065096		gb:zm50a02.s1 Stratagene fibroblast (937	5
		AA081507	Un 07200	gb:zn05b10.r1 Stratagene hNT neuron (937	5
		AA234826 AA234462	Hs.87386 Hs.87350	EST ESTs	5 5
55		AK000725	Hs.50579	hypothetical protein FLJ20718	3
55		AF173081		Vertebrate LIN7 homolog 1, Tax interacti	5
		AB020649	Hs.74569	KIAA0842 protein	5
		AA398841	Hs.39850	hypothetical protein FLJ20517	10
		AI478427	Hs.43125	esophageal cancer related gene 4 protein	10
60		AL133916		hypothetical protein FLJ20093	10
		AA463902	Hs.13522	ESTs, Weakly similar to I38022 hypotheti	5
		AW968703	Hs.30085	hypothetical protein FLJ23186	5
		AW410377	Hs.41502	hypothetical protein FLJ21276	5
		AW194253	Hs.68607	ESTs	10
65		BE314852		Homo sapiens clone 23763 unknown mRNA, p	5
		F10528	Hs.70001	ESTs, Moderately similar to JC6169 nucle	5
	117058	AW801806		gb:IL5-UM0070-110400-062-g07 UM0070 Homo	5

	117151	A1803656	Hs.42373	ESTs	5
	117226	N20468		gb:yx39b10.s1 Soares melanocyte 2NbHM Ho	10
	117323	AI472863	Hs.43387	ESTs	5
_	117571	N34417	Hs.44584	ESTs	3
5		N26627	Hs.82364	ESTs, Weakly similar to JC4124 pregnancy	5
		N40551		Homo sapiens Ets-1 binding protein (E1B)	10
		N49285	Hs.182391		10
		AW263476	Hs.44268	myelin gene expression factor 2	10
10		BE222341	Hs.279472		5
10		N53145		gb:yv55f09.s1 Soares fetal liver spleen	3
		AW955696	Hs.90960	ESTs .	10
		A1078236	Hs.49688	ESTs	5
		N70907	Hs.230619		10
15		AL122040		Homo sapiens mRNA; cDNA DKFZp434G1972 (f	3 5
15		AA993527		hypothetical protein FLJ23403	3
		AI160570 AF142419	Hs.15020	pregnancy specific beta-1-glycoprotein 6 homolog of mouse quaking QKI (KH domain	5
		AA514422	Hs.221849		5
		AK002001	Hs.51305	v-maf musculoaponeurotic fibrosarcoma (a	10
20		T77892	110.01000	gb:yd20f04.s1 Soares fetal liver spleen	5
20		T81824	Hs.90949	EST	5
		W38051	1,0,000	Empirically selected from AFFX single pr	10
		AL049798	Hs.80552	dermatopontin	3
		AF086332	Hs.58314	ESTs	10
25		AF088061	Hs.159690	ESTs	5
	119835	AF086429	Hs.58429	ESTs	5
	119923	AW803308	Hs.62954	ferritin, heavy polypeptide 1	5
	119961	U34249	Hs.337461	Human putative zinc finger protein (ZNFB	5
	120379	AL042725		gb:DKFZp434B1822_r1 434 (synonym: htes3)	10
30		AW136934	Hs.97162	ESTs	5 5
		AA907743	Hs.142373		5
		AA401695	Hs.97334		5
		AA405763		Homo sapiens cDNA FLJ20470 fis, clone KA	5
25		AA421452		ESTs, Weakly similar to KIAA0926 protein	5
35		AK000229	Hs.98017	Homo sapiens cDNA FLJ20222 fis, clone CO	10
		AA447555	Hs.99116	EST	10 10
		AA458945 AW135093	Hs.95898 Hs.97282	ESTS Himble similar to C100 Lil MAN 110 K	5
		AA609122		ESTs, Highly similar to G100_HUMAN 110 K Homo sapiens mRNA; cDNA DKFZp434D2472 (f	5
40		AI024595	Hs.97508	a disintegrin and metalloproteinase doma	5
40		AA621529	113.57 500	gb:af47a02.s1 Soares_total_fetus_Nb2HF8_	10
		H62570		gb:yr44a01.r1 Soares fetal liver spleen	5
		H83465		gb:ys91a11.s1 Soares retina N2b5HR Homo	5
		AK001527	Hs.163953	hypothetical protein FLJ10665	5
45	125099	NM_014312		cortic al thymocyte receptor (X. laevis	10
		T98199	Hs.48403	hypothetical protein FLJ10847	10
	125188	BE299567	Hs.271749	ESTs, Moderately similar to ALU8_HUMAN A	5
	125284	NM_002666	Hs.103253		10
		BE256206	Hs.17775	p75NTR-associated cell death executor; o	5
50		AA485421		ESTs, Weakly similar to ALU7_HUMAN ALU S	10
	128511	NM_002250	Hs.10082	potassium intermediate/small conductance	10
		R44214	Hs.101189		5
		C16161		hypothetical protein PRO2543	5
55		AA193106		chromosome 11 open reading frame 23	10 10
55		H39537	Hs.75309	eukaryotic translation elongation factor	10
		AW150717		STAT induced STAT inhibitor 3 Homo sapiens cDNA FLJ12965 fis, clone NT	10
		N62889		BPOZ protein	5
		AA443323 AA056483		Human Chromosome 16 BAC clone CIT987SK-A	5
60		NM_013403	Hs.108665		10
OO		AL117472		SH3-domain protein 5 (ponsin)	5
		A1146494		ESTs, Weakly similar to IRX2_HUMAN IROQU	3
		U40714		tyrosyl-tRNA synthetase	3 5
		AA530892		dual specificity phosphatase 1	5
65		BE617015		ESTs, Moderately similar to T17372 plasm	10
~~		AF110141		WAS protein family, member 2	10
		NM_003877		STAT induced STAT inhibitor-2	5
		_			

	129371	X06828	Hs.110802	von Willebrand factor	5
	129381	AW245805	Hs.110903	claudin 5 (transmembrane protein deleted	10
	129440	W37944	Hs.4007	Sarcolemmal-associated protein	5
_		BE061069	Hs.301943	KIAA0467 protein	10
5	129516	AF020038	Hs.11223	isocitrate dehydrogenase 1 (NADP+), solu	10
	129554	BE222078	Hs.113069		10
	129684	BE622468	Hs.11924	ESTs, Weakly similar to I38022 hypotheti	5
	129702	Al304966	Hs.12035	ESTs, Weakly similar to I38022 hypotheti	5
	129778	AK001676	Hs.12457	hypothetical protein FLJ10814	10
10		AK000956	Hs.13209	hypothetical protein FLJ10094	5
	129928	Al338993	Hs.134535		5
	129973	AJ251760	Hs.273385	guanine nucleotide binding protein (G pr	5
	129977	NM_000399	Hs.1395	early growth response 2 (Krox-20 (Drosop	5
	130014	NM_001158	Hs.143102	amine oxidase, copper containing 2 (reti	5
15	130085	M62402	Hs.274313	insulin-like growth factor binding prote	10
	130089	AA452006	Hs.333199	ESTs	5
		W80711	Hs.319946	Homo saplens mRNA for KIAA1727 protein,	5
	130243	D88435		cyclin G associated kinase	10
	130315	AJ241084	Hs.154353	nonselective sodium potassium/proton exc	5
20		AA435746		gb:zt79e03.s1 Soares_testis_NHT Homo sap	5
		V00517	Hs.283108	hemoglobin, gamma G	10
		NM_001928	Hs.155597	D component of complement (adipsin)	10
		X72308	Hs.251526	small inducible cytokine A7 (monocyte ch	5
~ -	130480	BE222978	Hs.15760	MYG1 protein	10
25		AW390834	Hs.75874	pregnancy-associated plasma protein A	5
	130563	BE270472	Hs.279900	HSPC015 protein	10
		AL110226	Hs.16441	DKFZP434H204 protein	10
		Al652143		hypothetical protein FLJ13111	5
20		AI769067		ESTs, Weakly similar to T28770 hypotheti	3
30		AA993269	Hs.17872	Homo sapiens, clone IMAGE:3875012, mRNA	10
		NM_006691	Hs.17917	extracellular link domain-containing 1	10
		AA232075	Hs.18259	XPA binding protein 1; putative ATP(GTP)	5
		AF263462	Hs.18376	KIAA1319 protein	10
25		N41322	Hs.18441	ESTs	5
35		M81349	Hs.1955	serum amyloid A4, constitutive	10
		BE048821	Hs.20144	small inducible cytokine subfamily A (Cy	10
		AB040935	Hs.23954	cerebral cell adhesion molecule	10
		AA360419		inositol(myo)-1(or 4)-monophosphatase 1	10
40		X03350	Hs.4	alcohol dehydrogenase 1B (class I), beta	10
40		AW939251	Hs.25647	v-fos FBJ murine osteosarcoma viral onco	10
		AK000393	Hs.25817	BTB (POZ) domain containing 2	5
		AF110908		TNF receptor-associated factor 3	5
		H83294		Wnt inhibitory factor-1	5
45		BE394648	Hs.27414	hypothetical protein	5
45		AW966881 BE559681	Hs.41639	programmed cell death 2	10
		AA829286	Hs.30736	KIAA0124 protein	5
		AA443966	Hs.31595	serum amyloid A1 ESTs	10 10
		H69342	Hs.26320	TRABID protein	10
50		AA021258	Hs.32753	ESTs ESTS	5
50		BE244961		FE65-LIKE 2	5
		AJ000263		keratin, hair, basic, 6 (monilethrix)	10
		AW294659	Hs.34054	Homo sapiens cDNA: FLJ22488 fis, clone H	5
		AJ003112	Hs.34780	doublecortex; lissencephaly, X-linked (d	5
55		AK000010		hypothetical protein FLJ20003	10
55		H81604		KIAA0798 gene product	5
		X80818		glutamate receptor, metabotropic 4	5
		AA467752	Hs.195161		5
		AW118072	Hs.89981	diacylglycerol kinase, zeta (104kD)	10
60	132420	S68874		prostaglandin E receptor 3 (subtype EP3)	5
30	132875	Al291496	Hs.5476	Homo sapiens, clone IMAGE:3530123, mRNA,	10
		NM_006283		transforming, acidic coiled-coil contain	10
	132730	W28548	Hs.224829	ESTs	10
	132030	NM_004235	Hs.7934	Kruppel-like factor 4 (gut)	10
65		BE175645		LBP protein 32	5
00		BE563966	Hs.6529	ESTs, Weakly similar to 178885 serine/th	5
		NM_003278	Hs.65424	tetranectin (plasminogen-binding protein	10
	100120		. 10.00727	Contraction (plasminogen-billiang protein	10

	133139	AF052138	Hs.6580	Homo sapiens cDNA: FLJ23227 fis, clone C	5
	133163	AA668224	Hs.6634	Homo sapiens cDNA: FLJ22547 fis, clone H	5
	133268	AW956781	Hs.293937	ESTs, Weakly similar to FXD2_HUMAN FORKH	5
	133272	NM_002776		kallikrein 10 (KLK10) (PRSSL1) (nes1)	5
5		AA207059		gb:zq80h09.s1 Stratagene hNT neuron (937	5
		AF017987	Hs.7306	secreted frizzled-related protein 1	5
	133552		Hs.7471	BBP-like protein 1	5
	133702			glutathlone S-transferase M5	5
		H26904	Hs.75736	apolipoprotein D	5
10		N71725		hemoglobin, alpha 2	10
	133789		Hs.76239	hypothetical protein FLJ20608	5
		AF072441	Hs.7840	calcineurin binding protein 1	10
		D86062		ES1 (zebrafish) protein, human homolog o	10
		Al372588	Hs.8022	TU3A protein	10
15		AA081846	Hs.7921	Homo sapiens mRNA; cDNA DKFZp566E183 (fr	10
		BE243319	Hs.79672	KIAA0652 gene product	5
		AW905827	Hs.81454	ketohexokinase (fructokinase)	10
		BE549343	Hs.82208	acyl-Coenzyme A dehydrogenase, very long	5
		AF207664	Hs.8230	a disintegrin-like and metalloprotease (	5
20		L34155	Hs.83450	taminin, alpha 3 (nicein (150kD), kalini	5
		Al190413	Hs.8373	ESTs	10
		M64936	113.0010	gb:Homo sapiens retinoic acid-inducible	10
		NM_002757	Hs 250870	mitogen-activated protein kinase kinase	10
		M26315	Hs.85258	CD8 antigen, alpha polypeptide (p32)	10
25		BE244323	Hs.85951	exportin, tRNA (nuclear export receptor	5
		U73394		killer cell immunoglobulin-like receptor	5
		AL008583		dynein, axonemal, light polypeptide 4	5
•		D10216	Hs.89394	POU domain, class 1, transcription facto	5
		NM_000078	Hs.89538	cholesteryl ester transfer protein, plas	10
30		T29618	Hs.89640	TEK tyrosine kinase, endothelial (venous	10
		T87521	Hs.261457		5
	-	NM_003394	Hs.91985	wingless-type MMTV integration site fami	10
		H22570		hypothetical protein FLJ20093	5
		AA302517	Hs.92732		5
35	135066	X04430	Hs.93913	interleukin 6 (interferon, beta 2)	10
	135173	AL036557	Hs.95910	putative lymphocyte G0/G1 switch gene	10
	135197	U76456	Hs.190787	tissue inhibitor of metalloproteinase 4	5
	135219	AB002361	Hs.96633	KIAA0363 protein	5
		U83171	Hs.97203	small inducible cytokine subfamily A (Cy	.5 5 5
40	135304	AA416829	Hs.191597	ESTs	5
	135337	AA905406	Hs.9905	ESTs, Weakly similar to unnamed protein	3
	135417	X55019	Hs.99975	cholinergic receptor, nicotinic, delta p	10
	101367	X03350	Hs.4	alcohol dehydrogenase 1B (class I), beta	5 ·
	128870	H39537	Hs.75309	eukaryotic translation elongation factor	5
45		AW245805	Hs.110903	claudin 5 (transmembrane protein deleted	5
	130085	M62402		insulin-like growth factor binding prote	5
		NM_006691	Hs.17917	extracellular link domain-containing 1	10
		NM_003278	Hs.65424	tetranectin (plasminogen-binding protein	3
		AF017987	Hs.7306	secreted frizzled-related protein 1	5
50		N71725		hemoglobin, alpha 2	5
		AF207664	Hs.8230	a disintegrin-like and metalloprotease (	5
		X04430	Hs.93913	interleukin 6 (interferon, beta 2)	10
		AL036557	Hs.95910	putative lymphocyte G0/G1 switch gene	5
		AK001852	Hs.274151		5
55		AW580227	Hs.47860	neurotrophic tyrosine kinase, receptor, type 2	10
		AW377752	Hs.83341	AXL receptor tyrosine kinase	5
		BE208364	Hs.29283	ESTs, Weakly similar to LKHU proteoglycan link	5
		AA563892	HS.300000	solute carrier family 4 (anion exchanger), memb	10 5
60	449826	U85642	Hs.138506		_
60		RC_H15814_	o .4	Human apM1 mRNA for GS3109 (novel adipose specific C	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

## **TABLE 1A**

Table 1 A shows the accession numbers for those pkeys lacking unigeneID's for Table 1. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10		_		Fools (DoubleTwist, Oakland California). The Genbank accession mprising each cluster are listed in the "Accession" column.			
15	CAT number: Gene cl		Gene ch	Eos probeset identifier number ister number ister number is accession numbers			
	Pkey	CAT	Number	Accessions			
20	108446 108497	1122 1100		AA085383 AA126091 AA074174 AA075373 AA079120 AA070831 AA075978 AA075372 AA128503 AA074897 AA113914 AA064871 AA079329 AA071309 AA084710 AA129030 AA075042 AA074794 AA07 AA148628 AA122204 AA074159 AA126185 AA079117 AA127089 AA070912 AA079280 AA131372 AA07 AA076131 AA071047 AA079401 AA083070 AA102076 AA115163 AA074198 AA134725 AA113889 AA12			

20	108446	112224_1	AA085383 AA126091 AA074174 AA075373 AA079120 AA070831 AA075978 AA075372 AA128503
20	108497	110079_2	AA074897 AA113914 AA064871 AA079329 AA071309 AA084710 AA129030 AA075042 AA074794 AA071453 AA078803
			AA148628 AA122204 AA074159 AA126185 AA079117 AA127089 AA070912 AA079280 AA131372 AA078833 AA071087
			AA076131 AA071047 AA079401 AA083070 AA102076 AA115163 AA074198 AA134725 AA113889 AA121103 AA075041
			AA065148 AA071310 AA101144 AA079659 AA078931 AA079209 AA070928 AA068994 AA069817 AA076187 AA069053
			AA131489 AA071308 AA063317 AA070156 AA071430 AA076056 AA075684 AA070053 AA126283 AA126078 AA075895
25			AA079208 AA074583 AA071086 AA079623 AA070627 AA078802 AA076622 AA065051 AA079143 AA071110 AA079434
			AA148748 AA079230 AA085188 AA074485 AA070580 AA076151 AA083166 AA085118 AA079450 AA085044 AA120938
			AA079200 AA100188 AA081472 AA122355 AA129031 AA085362 AA069220 AA070940 AA075968 AA074563 AA084027
			AA115929
	124215	1597154_1	H62570 H59063
30	117058	1219924_1	AW801806 H90434 BE086530
	110455	46874_1	H52576 AF085971 H52172
	111168	38585_1	AI798376 S46400 AW811617 AW811616 W00557 BE142245 AW858232 AW861851 AW858362 AA232351 AA218567
			AA055556 AW858231 AW857541 AW814172 H66214 AW814398 AF134164 AA243093 AA173345 AA199942 AA223384
			AA227092 AA227080 T12379 AA092174 T61139 AA149776 AA699829 AW879188 AW813567 AW813538 Al267168
35			AA157718 AA157719 AA100472 AA100774 AA130756 AA157705 AA157730 AA157715 AA053524 AW849581 AW854566
			C05254 AW882836 T92637 AW812621 AA206583 AA209204 BE156909 AA226824 AI829309 AW991957 N66951 AA527374
			H66215 AA045564 Al694265 H60808 AA149726 AW195620 BE081333 BE073424 AW817662 AW817705 AW817703
			AW817659 BE081531 H59570
	111498	411008_1	Al168511 Al022712 AA700366 R07371 R07324
40	104340	46289_10	AA426189 F15201
	103747	117944_1	AA081995 AA101099
	134496	46501_1	M64936 Al025512 Al382987 BE061777 AA089966 BE169930 T41176 AW594624 BE502415 AA121893 Al269283 T40311
	A1684569	AA257011	
			Al079277 Al241318 BE327710 AW975215 AW896268 AA884990 BE327514
45	103750	118365_1	AA126129 AA126033 AA082561
	105239	34624_1	AA221036 R87170 BE537068 BE544757 C18935 AW812058 T92565 AA227415 AA233942 AA223237 AA668403 AA601627
			AW869639 BE061833 BE000620 AW961170 AW847519 AA308542 AW821833 AW945688 C04699 AA205504 AA377241
			AW821667 AA055720 AW817981 AW856468 AA155719 AA179928 T03007 AW754298 AA227407 AA113928 AA307904
			C16859
50	120379	34624_3	AL042725 BE063316 AW975610 AA457591 BE062092 AI655202 AA714296 AI267264 AI075321 AA223286 AA071122
			AA227849 AA216700 Al696002 AA101867 AA099426 AA135997 AL041698 T02815 T51824 AA207189 T59230 T51868
			AA663341 BE165757 AW818104 AW392886 AA584918 AA099408 AW856396 AW861859 AA053045
	114624	111686_1	AA081507 AA070071 AA070840 AA084362
	106851	322947_1	Al458623 AA639708 AA485409 R22065 AA485570
55	108392	113549_1	AA075124 AA075208
	100545	22955_11	M55405 AW752552
	100654	tigr_HT2969	A03758 A06977 A15293 D17029 D17107 D17171 L00132 L00133 M12523 M13075 M13076 M92816 U22951 V00494 V00495
			X51363 X51364 X51365
	100702	tigr HT3413	L27065

U22961 AA203623 AA503337 AI174733 AI192802 C06092 AA035357 AI190619 AI199244 AI828450 AA602296 AI378195 AI209170 AI186653 AI127795 AI183846 H77389 AI589465 AA629390 H94306 AI018388 R68584 AA027196 AI745413

AI685092 AI093426 AI623873 AI074570 N50096 AA047486 N25060 AA327614 AI042512 AI383957 AA156873 AI333101

102208

6735\_9

60

N70806 Al141254 Al383191 Al401237 Al080709 Al093400 W84549 T90806 R00012 W01413 AA630557 Al378348 Al559265 AA877103 W84464 AA625146 R68379 AI133207 AI132980 AI133214 AI064826 AI061615 AI133473 AI174852 AI133404 AI133272 V00494 M12523 M12523 AI207526 AI133120 AI064802 AI174993 AI114729 AI061645 AI064716 AI064959 H77388 T85706 AF075298 AI110799 D17107 NM\_000477 AF190168 R50724 AI248416 AI207432 AI133684 AI133345 AI174710 Al133290 Al133304 Al174948 Al207484 Al110717 AF074624 Al114515 AF063516 Al110642 Al114559 Al114498 Al114759 5 Al207568 Al064960 Al174753 Al114666 R69184 R00011 Al064997 T60501 Al207701 T71735 AA385318 H73569 T60496 H94399 Al133158 T74675 AA484750 T73413 T55909 R50261 T72061 N80533 T51189 T74936 Al207490 Al132925 Al064701 A1174748 A1114663 A1133104 A1132999 A1133100 A1064925 A1064979 A1133063 AA343347 T69091 AA233989 T39772 AI444620 T52290 D16931 T40012 T48403 T58926 T69195 AI133061 T50850 AI400677 AI091136 AA334608 T57411 Z20979 N56507 T87485 Al133622 AA343370 T40075 T69671 T53849 T74820 AF075316 Al110818 T40121 T57381 Al114468 10 AA332728 T51362 Al114589 R06691 Al110629 AF063503 Al140543 AA334661 AA332720 AA343262 T73513 T86549 Al114840 T57284 T39981 T61407 T72757 T51749 T56630 AA343125 T72126 R94135 T83028 T39972 T39896 Al174786 Al132926 R09237 Al064838 Al133660 T60398 T88753 T55930 T92126 Al444602 T60996 Al114792 H93911 Al133106 R10779 Al065020 T90925 T50889 D17029 Al133703 AA333805 Al133040 Al133017 Al064857 Al110730 AF074637 Al207567 H71080 T73217 AA343950 Al174743 AA334224 AA334281 R06692 T64739 T40163 T60628 T81661 T73179 R01842 15 AA501730 T39931 T39662 T40136 AA334904 T71425 H77784 R00874 Al065049 T84512 T55918 Al207595 T39951 AA005016 T60361 T69176 T73356 T58795 T61233 T39955 T60612 AI114676 AI064778 AA035710 W52763 AI114786 T83564 AA341859 T81684 T55769 AI114710 T51776 AA343213 AI114714 T58102 AI110809 R28984 AI174854 AA305675 AA343592 T53836 T46869 T64721 T55508 W05241 T54019 T57945 T60513 T48364 AF075308 W86731 T82851 T48269 H54053 T73211 Al114590 T48317 T55965 T74857 R84226 T56552 T52231 T74946 T76976 R02576 T95666 Al203974 20 AI189471 AA005147 AI478102 AI207662 AI192792 AI768421 AI064737 AW051713 AA936693 AI133117 AI766232 AI913646 T83962 AI065112 AI207689 AI174684 AI207702 T81475 AI133325 AI032512 AA701169 AI936354 AI114720 AI433289 AA046980 AI823482 AI114536 AA860651 AW242644 R07469 AW300438 AI133416 AW271670 AI991363 T78943 AI823481 AA845518 AA719124 AA883454 T68850 T69115 A1935509 A1150977 T62890 T71374 T68294 A1174774 T67411 T68318 Al064689 T56624 T69010 T68982 T68302 Al332829 T72908 Al064819 Al205880 T62895 T69430 T95111 AA025050 T73330 W52657 T71984 T69118 W92684 Al114860 T62093 T61797 Al522333 T73322 H92981 T56018 T61811 T57232 Al336158 25 T61821 T69457 T62900 T62912 T72917 T46885 AI702448 T57212 T57203 R94581 T71311 T61819 T89358 T67708 T70918 T59166 Al187111 T64308 T62071 T69427 Al114750 T60430 R09734 T69033 T69141 T69453 T67908 R16809 T69394 Al207729 T55839 T90273 T73339 AW194909 T75486 T71850 T71305 T71287 T53877 T73452 T68852 N75290 Al312890 30 T67751 Al174983 T51679 T54851 H69880 N73734 AA443453 T73466 H69672 N53869 T68447 D11809 D12412 T64300 T28321 T55864 AA621529 123941 genbank\_AA621529 118049 genbank\_N53145 N53145 14782\_20 102800 AA313538 U88895 U88902 35 AA422123\_i\_atAA422123\_i 104106 genbank\_R26065 111738 R26065 113149 genbank\_T51588 T51588 genbank\_W86195 W86195 113958 AA070500 108335 genbank\_AA070500 40 genbank\_AA071193 AA071193 108351 108441 genbank\_AA079079 AA079079 H83465 124276 genbank\_H83465 101447 entrez\_M21305 M21305 117226 genbank\_N20468 N20468 45 genbank\_AA207059 AA207059,AA207241 133379 **T77892** 119366 genbank\_T77892 119528 NOT\_FOUND\_entrez\_W38051 W38051 112588 genbank\_R77302 R77302 genbank\_AA020736 AA020736 114449 50 114576 genbank\_AA065096 AA065096 W38002\_s\_at W38002\_s 107459 genbank AA435746 AA435746 130339

# TABLE 2: Figure 2 from BRCA 001 US

5 Table 2 shows genes downregulated in tumor tissue compared to normal breast tissue.

Pkey: Unique Eos probeset identifier number

ExAccn: Exemplar Accession number, Genbank accession number
UnigenelD: Unigene number
Unigene Title: Unigene gene title
R1: Ratio of normal breast tissue to tumor

15	Pkey	ExAccn	UnigenelD	Unigene Tittle	R1
	100499	T51986	Hs.283108	hemoglobin, gamma G	10
	100549	BE142019	Hs.222056	Homo sapiens cDNA FLJ11572 fis, clone HE	10
	100654	A03758		NM_000477*:Homo sapiens albumin (ALB), m	10
20	100971	BE379727	Hs.83213	fatty acid binding protein 4, adipocyte	10
	101184	NM_001674	Hs.460	activating transcription factor 3	10
	101336	NM_006732	Hs.75678	FBJ murine osteosarcoma viral oncogene h	10
	101367	X03350	Hs.4	alcohol dehydrogenase 1B (class I), beta	10
	101447	M21305		gb:Human alpha satellite and satellite 3	10
25		N98569	Hs.76422	phospholipase A2, group IIA (platelets,	10
	101511	M27826	Hs.267319	endogenous retroviral protease	10
		M74447	Hs.502	transporter 2, ATP-binding cassette, sub-famil	10
		U22961		gb:Human mRNA clone with similarity to L	10
20		U48251	Hs.75871	protein kinase C binding protein 1	10
30		AA313538		gb:EST185419 Colon carcinoma (HCC) cell	10
		NM_006744	Hs.76461	retinol-binding protein 4, interstitial	10
		AA829286	Hs.332053	serum amyloid A1	10
		AA081995		gb:zn26d06.r1 Stratagene neuroepithelium	10
25		AA137107	Hs.326391	Homo sapiens, clone MGC:16638, mRNA, com	10
35		R50727	Hs.336970	ESTs	10
		AL353957	Hs.284181	hypothetical protein DKFZp434P0531	10
		F06638	Hs.12440	Homo sapiens clone 24734 mRNA sequence	10
		N73185	Hs.94285	EST	10
40		N91071	Hs.109650	ESTs	10
40		A1498763	Hs.203013	hypothetical protein FLJ12748 ESTs	10
		AA009764 AA017245	Hs.190380 Hs.32794	ESTs	10 10
		AA017245 AA019300	Hs.125070	ESTs, Moderately similar to 154374 gene	10
		AI298208	Hs.28805	ESTs Woderatery similar to 154574 gene	10
45		AA130390	Hs.25549	hypothetical protein FLJ20898	10
73		AA221036	N3.23343	qb:zr03f12.r1 Stratagene NT2 neuronal pr	10
		N79885	Hs.6382	ESTs. Highly similar to T00391 hypotheti	10
		Al803651	Hs.191608	ESTs	10
		AI085846	Hs.25522	KIAA1808 protein	10
50		AL042069	Hs.119021	DKFZP434N061 protein	10
30		AW235928	Hs.313182	ESTs	10
		AA135688	Hs.10083	Homo sapiens, clone IMAGE:4139786, mRNA,	10
		AW054886	Hs.25682	Homo sapiens mRNA for KIAA1863 protein,	10
		AB006532	Hs.31442	RecQ protein-like 4	10
55		AI005036	Hs.334305	GS1999full	10
		AF127026	Hs.5394	myosin IA	10
		AB020672	Hs.175411	KIAA0865 protein	10
		AI905985	Hs.111805	ESTs	10
		W28516	Hs.19210	hypothetical protein MGC11308	10
60	107451	AL042425	Hs.283976	hypthetical protein PRO2389	10
	107872	BE271708	Hs.95110	ESTs, Weakly similar to A55943 1-phospha	10
	108351	AA071193		gb:zf79b12.s1 Soares_pineal_gland_N3HPG	10
	109546	F01449	Hs.26954	Homo sapiens mRNA; cDNA DKFZp762G123 (fr	10
	110433	AW294162	Hs.301062	UDP-N-acetyl-alpha-D-galactosamine:potyp	10
65	110976	AL044174	Hs.159526	patched (Drosophila) homolog	5
				-	

	111168	AI798376		gb:tr34b07.x1 NCI_CGAP_Ov23 Homo sapiens	10
	111651	R16733	Hs.20499	ESTs	10
	111803	AA593731	Hs.325823	ESTs, Moderately similar to ALU5_HUMAN A	10
	114484	AA034378	Hs.267319	endogenous retroviral protease	10
5		NM_002666	Hs.103253	perilipin	10
		AA193106	Hs.180817	chromosome 11 open reading frame 23	5
	128903	AW150717	Hs.296176	STAT induced STAT inhibitor 3	10
	129346	AF110141	Hs.288908	WAS protein family, member 2	10
	129381	AW245805	Hs.110903	claudin 5 (transmembrane protein deleted	10
10	129516	AF020038	Hs.11223	isocitrate dehydrogenase 1 (NADP+), solu	10
	129554	BE222078	Hs.113069	ESTs	10
	130085	M62402	Hs.274313	insulin-like growth factor binding prote	10
	130243	D88435	Hs.153227	cyclin G associated kinase	10
	130400	V00517	Hs.283108	hemoglobin, gamma G	10
15	130436	NM_001928	Hs.155597	D component of complement (adipsin)	10
	130563	BE270472	Hs.279900	HSPC015 protein	10
	130589	AL110226	Hs.16441	DKFZP434H204 protein	10
	130683	AA993269	Hs.17872	Homo sapiens, clone IMAGE:3875012, mRNA	10
		NM_006691	Hs.17917	extracellular link domain-containing 1	10
20		AA046747	Hs.17917	extracellular link domain-containing 1	10
		N70196	Hs.18376	KIAA1319 protein	10
		M81349	Hs.1955	serum amyloid A4, constitutive	10
		BE048821	Hs.20144	small inducible cytokine subfamily A (Cy	10
25		AB040935	Hs.23954	cerebral cell adhesion molecule	10
25		X03350	Hs.4	alcohol dehydrogenase 1B (class I), beta	10
		AW939251	Hs.25647	v-fos FBJ murine osteosarcoma viral onco	10
		AW966881	Hs.41639	programmed cell death 2	10
		AA829286	Hs.332053	serum amyloid A1	10
30		H69342	Hs.26320	TRABID protein	10 10
30		AJ000263	Hs.278658	keratin, hair, basic, 6 (monilethrix)	10
		AW118072	Hs.89981	diacylglycerol kinase, zeta (104kD)	10
		AI291496 W28548	Hs.5476 Hs.224829	Homo sapiens, clone IMAGE:3530123, mRNA, ESTs	10
		NM_004235	Hs.7934	Kruppel-like factor 4 (gut)	10
35		NM_003278	Hs.65424	tetranectin (plasminogen-binding protein	10
55		AF017987	Hs.7306	secreted frizzled-related protein 1	10
		H26904	Hs.75736	apolipoprotein D	10
		AF072441	Hs.7840	calcineurin binding protein 1	10
		D86062	Hs.182423	ES1 (zebrafish) protein, human homolog o	10
40		Al372588	Hs.8022	TU3A protein	5
		AA081846	Hs.7921	Homo sapiens mRNA; cDNA DKFZp566E183 (fr	5
		BE243319	Hs.79672	KIAA0652 gene product	10
		AF207664	Hs.8230	a disintegrin-like and metalloprotease (	10
		M64936		gb:Homo sapiens retinoic acid-inducible	10
45	134510	NM_002757	Hs.250870	mitogen-activated protein kinase kinase	10
		M26315	Hs.85258	CD8 antigen, alpha polypeptide (p32)	5
		NM_000078	Hs.89538	cholesteryl ester transfer protein, plas	5
		NM_003394	Hs.91985	wingless-type MMTV integration site famil	10
		X04430	Hs.93913	Interleukin 6 (interferon, beta 2)	10
50	408790	AW580227	Hs.47860	neurotrophic tyrosine kinase, receptor, type 2	10
	446674	AA563892	Hs.306000	solute carrier family 4 (anion exchanger), memb	10

#### TABLE 2A

Table 2A shows the accession numbers for those pkeys lacking unigeneID's for Table 2. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

	and mRNAs. These sequences were clustered based on sequence similarity using Cluand Alignment Tools (DoubleTwist, Oakland California). The Genbank accession nut for sequences comprising each cluster are listed in the "Accession" column.					
10	Pkey: CAT number: Accession:	Unique Eos probeset identifier number Gene cluster number Genbank accession numbers				
15	Pkey CA	T number Accessions				

15	Pkey	CAT number	Accessions
20	111168		Al798376 S46400 AW811617 AW811616 W00557 BE142245 AW858232 AW861851 AW858362 AA232351 AA218567 AA055556 AW858231 AW857541 AW814172 H66214 AW814398 AF134164 AA243093 AA173345 AA199942 AA223384 AA227092 AA227080 T12379 AA092174 T61139 AA149776 AA699829 AW879188 AW813567 AW813538 Al267168 AA157718 AA157719 AA100472 AA100774 AA130756 AA157705 AA157730 AA157715 AA053524 AW849581 AW854566 C05254 AW882836 T92637 AW812621 AA206583 AA209204 BE156909 AA226824 Al829309 AW991957 N66951 AA527374 H66215 AA045564 Al694265 H60808 AA149726 AW195620 BE081333 BE073424 AW817662 AW817705 AW817703 AW817659 BE081531 H59570
25	103747 134496	117944_1 46501_1	AA081995 AA101099 M64936 AI025512 AI382987 BE061777 AA089966 BE169930 T41176 AW594624 BE502415 AA121893 AI269283 T40311 AI684569 AA257011 AI079277 AI241318 BE327710 AW975215 AW896268 AA884990 BE327514
30	105239	34624_1	AA221036 R87170 BE537068 BE544757 C18935 AW812058 T92565 AA227415 AA233942 AA223237 AA668403 AA601627 AW869639 BE061833 BE000620 AW961170 AW847519 AA308542 AW821833 AW945688 C04699 AA205504 AA377241 AW821667 AA055720 AW817981 AW856468 AA155719 AA179928 T03007 AW754298 AA227407 AA113928 AA307904 C16859
	100654	-	A03758 A06977 A15293 D17029 D17107 D17171 L00132 L00133 M12523 M13075 M13076 M92816 U22961 V00494 V00495 X51363 X51364 X51365
35	102208	6735_9	U22961 AA203623 AA503337 Al174733 Al192802 C06092 AA035357 Al190619 Al199244 Al828450 AA602296 Al378195 Al209170 Al186653 Al127795 Al183846 H77389 Al589465 AA629390 H94306 Al018388 R68584 AA027196 Al745413 Al685092 Al093426 Al623873 Al074570 N50096 AA047486 N25060 AA327614 Al042512 Al383957 AA156873 Al333101 N70806 Al141254 Al383191 Al401237 Al080709 Al093400 W84549 T90806 R00012 W01413 AA630557 Al378348 Al559265 AA877103 W84464 AA625146 R68379 Al133207 Al132980 Al133214 Al064826 Al061615 Al133473 Al174852 Al133404
40			Al133272 V00494 M12523 M12523 Al207526 Al133120 Al064802 Al174993 Al114729 Al061645 Al064716 Al064959 H77388 T85706 AF075298 Al110799 D17107 NM_000477 AF190168 R50724 Al248416 Al207432 Al133684 Al133345 Al174710 Al133290 Al133304 Al174948 Al207484 Al110717 AF074624 Al114515 AF063516 Al110642 Al114559 Al114498 Al114759 Al207568 Al064960 Al174753 Al114666 R69184 R00011 Al064997 T60501 Al207701 T71735 AA385318 H73569 T60496 H94399 Al133158 T74675 AA484750 T73413 T55909 R50261 T72061 N80533 T51189 T74936 Al207490 Al132925 Al064701
45			Al174748 Al114663 Al133104 Al132999 Al133100 Al064925 Al064979 Al133063 AA343347 T69091 AA233989 T39772 Al444620 T52290 Dl6931 T40012 T48403 T58926 T69195 Al133061 T50850 Al400677 Al091136 AA334608 T57411 Z20979 N56507 T87485 Al133622 AA343370 T40075 T69671 T53849 T74820 AF075316 Al110818 T40121 T57381 Al114468 AA332728 T51362 Al114589 R06691 Al110629 AF063503 Al140543 AA334661 AA332720 AA343262 T73513 T86549 Al114840 T57284 T39981 T61407 T72757 T51749 T56630 AA343125 T72126 R94135 T83028 T39972 T39896 Al174786 Al132926 R09237 Al064838 Al133660 T60398 T88753 T55930 T92126 Al444602 T60996 Al114792 H93911 Al133106
50			R10779 Al065020 T90925 T50889 D17029 Al133703 AA333805 Al133040 Al033017 Al064857 Al110730 AF074637 Al207567 H71080 T73217 AA343950 Al174743 AA334224 AA334281 R06692 T64739 T40163 T60628 T81661 T73179 R01842 AA501730 T39931 T39662 T40136 AA334904 T71425 H77784 R00874 Al065049 T84512 T55918 Al207595 T39951 AA005016 T60361 T69176 T73356 T58795 T61233 T39955 T60612 Al114676 Al064778 AA035710 W52763 Al114786 T83564 AA341859 T81684 T55769 Al114710 T51776 AA343213 Al114714 T58102 Al110809 R28984 Al174854 AA305675
55			AA343592 T53836 T46869 T64721 T55508 W05241 T54019 T57945 T60513 T48364 AF075308 W86731 T82851 T48269 H54053 T73211 Al114590 T48317 T55985 T74857 R84226 T55552 T52231 T74946 T76976 R02576 T95666 Al203974 Al189471 AA005147 Al478102 Al207662 Al192792 Al768421 Al064737 AW051713 AA936693 Al133117 Al766232 Al913646 T83962 Al065112 Al207689 Al174684 Al207702 T81475 Al133325 Al032512 AA701169 Al936354 Al114720 Al433289 AA046980 Al823482 Al114536 AA860651 AW242644 R07469 AW300438 Al133416 AW271670 Al991363 T78943 Al823481
60			AA845518 AA719124 AA883454 T68850 T69115 Al935509 Al150977 T62890 T71374 T68294 Al174774 T67411 T68318 Al064689 T56624 T69010 T68982 T68302 Al332829 T72908 Al064819 Al205880 T62895 T69430 T95111 AA025050 T73330 W52657 T71984 T69118 W92684 Al114860 T62093 T61797 Al522333 T73322 H92981 T56018 T61811 T57232 Al336158

5

T61821 T69457 T62900 T62912 T72917 T46885 Al702448 T57212 T57203 R94581 T71311 T61819 T89358 T67708 T70918 T59166 Al187111 T64308 T62071 T69427 Al114750 T60430 R09734 T69033 T69141 T69453 T67908 R16809 T69394 Al207729 T55839 T90273 T73339 AW194909 T75486 T71850 T71305 T71287 T53877 T73452 T68852 N75290 Al312890 T67751 Al174983 T51679 T54851 H69880 N73734 AA443453 T73466 H69672 N53869 T68447 D11809 D12412 T64300 T28321 T55864

5

102800 14782\_20 AA313538 U88895 U88902 108351 genbank\_AA071193 AA071193 101447 entrez\_M21305 M21305

#### TABLE 3: Figure 3 from BRCA 001 US

Table 3 shows genes downregulated in tumor tissue compared to normal breast tissue.

5

Unique Eos probeset identifier number Exemplar Accession number, Genbank accession number Unigene number Unigene gene title Ratio of normal breast tissue to tumor

Pkey: ExAccn: UnigenelD: Unigene Title: R1: 10.

15					
	Pkey	ExAccn	UnigenelD	UnigeneTitle	R1
	101336		Hs.75678	FBJ murine osteosarcoma viral oncogene h	10.0
•	102208	U22961		gb:Human mRNA clone with similarity to L	10.0
20	102990	AA829286	Hs.332053	serum amyloid A1	10.0
	111168	A1798376		gb:tr34b07.x1 NCI_CGAP_Ov23 Homo sapiens	10.0
	111803	AA593731	Hs.325823	ESTs, Moderately similar to ALU5_HUMAN A	10.0
	130085	M62402	Hs.274313	insulin-like growth factor binding prote	10.0
	130840	BE048821	Hs.20144	small inducible cytokine subfamily A (Cy	10.0
25	131543	AW966881	Hs.41639	programmed cell death 2	10.0
	133120	NM_003278	Hs.65424	tetranectin (plasminogen-binding protein	10.0
	134758	_	Hs.89538	cholesteryl ester transfer protein, plas	10.0

#### TABLE 3A

Table 3A shows the accession numbers for those pkeys lacking unigeneID's for Table 3. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10	Pkey:	Unique Eos probeset identifier number
	CAT number:	Gene cluster number
	Accession:	Genbank accession numbers

5

15	Pkey	CAT number	Accessions
20	111168	38585_1	AI798376 S46400 AW811617 AW811616 W00557 BE142245 AW858232 AW861851 AW858362 AA232351 AA218567 AA055556 AW858231 AW857541 AW814172 H66214 AW814398 AF134164 AA243093 AA173345 AA199942 AA223384 AA227092 AA227080 T12379 AA092174 T61139 AA149776 AA699829 AW879188 AW813567 AW813538 AI267168 AA157718 AA157719 AA100472 AA100774 AA130756 AA157705 AA157730 AA157715 AA053524 AW849581 AW854566 C05254 AW882836 T92637 AW812621 AA206583 AA209204 BE156909 AA226824 AI829309 AW991957 N66951 AA527374 H66215 AA045564 AI694265 H60808 AA149726 AW195620 BE081333 BE073424 AW817662 AW817705 AW817703 AW817659 BE081531 H59570
25	10220	96735_9	U22961 AA203623 AA503337 AI174733 AI192802 C06092 AA035357 AI190619 AI199244 AI828450 AA602296 AI378195 AI209170 AI186653 AI127795 AI183846 H77389 AI589465 AA629390 H94306 AI018388 R68584 AA027196 AI745413 AI685092 AI093426 AI623873 AI074570 N50096 AA047486 N25060 AA327614 AI042512 AI383957 AA156873 AI333101 N70806 AI141254 AI383191 AI401237 AI080709 AI093400 W84549 T90806 R00012 W01413 AA630557 AI378348 AI559265 AA877103 W84464 AA625146 R68379 AI133207 AI132980 AI133214 AI064826 AI061615 AI137474 AI774852 AI133404 AI133272 V00449 M12523
30			M12523 AI207526 AI133120 AI064802 AI174993 AI114729 AI061645 AI064716 AI064959 H77388 T85706 AF075298 AI110799 D17107 NM_000477 AF190168 R50724 AI248416 AI207432 AI133684 AI133345 AI174710 AI133290 AI133304 AI174948 AI207484 AI110717 AF074624 AI114515 AF063516 AI10642 AI114559 AI114498 AI114759 AI207568 AI064960 AI174753 AI114666 R69184 R00011 AI064997 T60501 AI207701 T71735 AA385318 H73569 T60496 H94399 AI133158 T74675 AA484750 T73413 T55909 R50261 T72061 N80533 T51189 T74936 AI207490 AI132925 AI064701 AI174748 AI114663 AI133104 AI132999 AI133100 AI064925 AI064979 AI133063 AA343347 T69091 AA233989 T39772 AI444620 T52290 D16931 T40012 T48403
35			T58926 T69195 Al133061 T50850 Al400677 Al091136 AA334608 T57411 Z20979 N56507 T87485 Al133622 AA343370 T40075 T69671 T53849 T74820 AF075316 Al110818 T40121 T57381 Al114468 AA332728 T51362 Al114589 R06691 Al110629 AF063503 Al140543 AA334661 AA332720 AA343262 T73513 T86549 Al114840 T57284 T39981 T61407 T72757 T51749 T56630 AA343125 T72126 R94135 T83028 T39972 T39896 Al174786 Al132926 R09237 Al064838 Al133660 T60398 T88753 T55930 T92126 Al444602 T60996 Al114792 H93911 Al133106 R10779 Al065020 T90925 T50889 D17029 Al133703 AA333805
40			A1133040 A1133017 A1064857 A1110730 AF074637 AI207567 H71080 T73217 AA343950 A1174743 AA334224 AA334281 R06692 T64739 T40163 T60628 T81661 T73179 R01842 AA501730 T39931 T39662 T40136 AA334904 T71425 H77784 R00874 AI065049 T84512 T55918 AI207595 T39951 AA005016 T60361 T69176 T73356 T58795 T61233 T39955 T60612 A1114676 AI064778 AA035710 W52763 A1114786 T83564 AA341859 T81684 T55769 A1114710 T51776 AA343213 A1114714 T58102 A1110809 R28984 A1174854 AA305675 AA343592 T53836 T46869 T64721 T55508 W05241 T54019 T57945 T60513 T48364
45			AF075308 W86731 T82851 T48269 H54053 T73211 Al114590 T48317 T55965 T74857 R84226 T56552 T52231 T74946 T76976 R02576 T95666 Al203974 Al189471 AA005147 Al478102 Al207662 Al192792 Al768421 Al064737 AW051713 AA936693 Al133117 Al766232 Al913646 T83962 Al065112 Al207689 Al174684 Al207702 T81475 Al133325 Al032512 AA701169 Al936354 Al114720 Al433289 AA046980 Al823482 Al114536 AA860651 AW242644 R07469 AW300438 Al133416 AW271670 Al991363 T78943 Al823481 AA845518 AA719124 AA883454 T68850 T69115 Al935509 Al150977 T62890 T71374 T68294 Al174774
50		•	T67411 T68318 Al064689 T56624 T69010 T68982 T68302 Al332829 T72908 Al064819 Al205880 T62895 T69430 T95111 AA025050 T73330 W52657 T71984 T69118 W92684 Al114860 T62093 T61797 Al522333 T73322 H92981 T56018 T61811 T57232 Al336158 T61821 T69457 T62900 T62912 T72917 T46885 Al702448 T57212 T57203 R94581 T71311 T61819 T89358 T67708 T70918 T59166 Al187111 T64308 T62071 T69427 Al114750 T60430 R09734 T69033 T69141 T69453 T67908 R16809 T69394 Al207729 T55839 T90273 T73339 AW194909 T75486 T71850 T71305 T71287 T53877 T73452 T68852 N75290
55			Al312890 T67751 Al174983 T51679 T54851 H69880 N73734 AA443453 T73466 H69672 N53869 T68447 D11809 D12412 T64300 T28321 T55864

# TABLE 4: Figure 4 from BRCA 001 US

# 5 Table 4 shows genes upregulated in tumor tissue compared to normal breast tissue.

10	ExAccn: UnigenelD: Unigene Title: R1:	Exemplar Accountingene numburingene gene		
15	Pkey ExAcc	n UnigenelD	Unigene Title	
•	100113 NM_00	1269Hs.84746	chromosome condensation 1	

15	Pkey	ExAccn	UnigenelD	Unigene Title	R1
•	100113	NM_001269	Hs.84746	chromosome condensation 1	2.3
	100114	X02308	Hs.82962	thymidylate synthetase	2.9
	100131	D12485	Hs.11951	ectonucleotide pyrophosphatase/phosphodiesterase 1	1.9
20	100146	BE185499	Hs.2471	KIAA0020 gene product	1.9
	100147	D13666	Hs.136348	osteoblast specific factor 2 (fasciclin Hike) (periostin)	7.5
	100154	H60720	Hs.81892	KIAA0101 gene product	9.2
		W44671	Hs.124	gene predicted from cDNA with a complete coding sequence	1.6
			Hs.217493		2.0
25	100265	D38521	Hs.112396	KIAA0077 protein	1.5
	100271	BE160081		S100 calcium-binding protein A11 (calgizzarin)	13.5
				KIAA0090 protein	5.1
		D50920		KIAA0130 gene product	1.9
	100335	AW247529		platelet-activating factor acetylhydrolase, isoform lb, gamma subunit (29kD)	2.7
30	100364	NM 00434	1Hs.154868	carbamoyl-phosphate synthetase 2, aspartate transcarbamylase, and dihydroorotase	2.0
				KIAA0175 gene product	2.6
		D84145	Hs.39913	novel RGD-containing protein	3.2
		AW954324		phosphatidylinositol glycan, class C	1.5
		D86978		KIAA0225 protein	2.0
35	100482	M65028	Hs.81361	heterogeneous nuclear ribonucleoprotein A/B	2.9
		NM_00441	5Hs.74316	desmoplakin (DPI, DPII)	1.9
	100666	L05424	Hs.169610	CD44 antigen (homing function and Indian blood group system)	5.7
	100667	L05424	Hs.169610	CD44 antigen (homing function and Indian blood group system)	9.0
	100668	L05424	Hs.169610	CD44 antigen (homing function and Indian blood group system)	7.6
40	100678	AW502935	Hs.740	PTK2 protein tyrosine kinase 2	53.2
	100685	AA328229	Hs.184582	ribosomal protein L24	1.8
	100690	AA383256	Hs.1657	estrogen receptor 1	1.6
	100783	AF078847	Hs.191356	general transcription factor IIH, polypeptide 2 (44kD subunit)	5.9
	100850	AA836472	Hs.297939	cathepsin B	1.7
45	100892	BE245294	Hs.180789	S164 protein	1.7
	100945	AF002225	Hs.180686	ubiquitin protein ligase E3A (human papilloma virus E6-associated protein, Angelman syndrome)	1.5
	100969	AA157634	Hs.79172	solute carrier family 25 (mitochondrial carrier; adenine nucleotide translocator), member 5	6.3
	100988	AK000405	Hs.76480	ubiquitin-like 4	11.4
		H38765	Hs.80706	diaphorase (NADH/NADPH) (cytochrome b-5 reductase)	1.6
50	101031	J05070	Hs.151738	matrix metalloproteinase 9 (gelatinase B, 92kD gelatinase, 92kD type IV collagenase)	8.2
	101045	J05614		gb:Human proliferating cell nuclear antigen (PCNA) gene, promoter region.	5.0
	101077	N99692	Hs.75227	Empirically selected from AFFX single probeset	2.6
	101093	L06419	Hs.75093	procollagen-lysine, 2-oxoglutarate 5-dioxygenase (lysine hydroxylase, Ehlers-Danlos syndrome ty	
		NM_00626		peripherin	16.9
55				· core-binding factor, beta subunit	2.0
		AA284166		cyclin-dependent kinase inhibitor 3 (CDK2-associated dual specificity phosphatase)	1.8
	101228	AA333387	Hs.82916	chaperonin containing TCP1, subunit 6A (zeta 1)	1.7
	101247	AA132666		glycogen synthase kinase 3 beta	1.9
	101249	L18964	Hs.1904	protein kinase C, iota	1.5
60	101332	J04088	Hs.156346	topoisomerase (DNA) II alpha (170kD)	5.2
	101332	J04088		topoisomerase (DNA) II alpha (170kD)	3.4
	101352	Al494299	Hs.16297	COX17 (yeast) homolog, cytochrome c oxidase assembly protein	6.3
	101396	BE267931	Hs.78996	proliferating cell nuclear antigen	4.2
	101445	M21259		gb:Human Alu repeats in the region 5' to the small nuclear rib	1.9
65	101470	NM_00054	6Hs.1846	tumor protein p53 (LI-Fraumeni syndrome)	1.6

	101478	NM_002890	Hs.758		2.5
	101483	M24486	Hs.76768	procollagen-proline, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxylase), alpha polypeptide l	5.5
	101540		Hs.84981	X-ray repair complementing defective repair in Chinese hamster cells 5 (double-strand-break rejoining	ng 2.1
_		AW248421		protococino (presente) mestepant, est	1.6
5		NM_012151		Condition in more than an annual by	5.7
		AF064853		Samuel Annual Control of the Control	1.8
		AF064853		Section transcours - man Spiritary (- b.	5.6 2.4
	101621	BE391804	HS.62661		2. <del>4</del> 1.3
10		AW504089	HS.1/95/4		7.5 2.1
10		M74099	HS. 147049		5.0
				carboxypeptidase B1 (tissue)	14.4
		AA306495			5.2
		AW409747			8.6
15				S100 calcium-binding protein A7 (psoriasin 1)	8.9
-0	101810	NM 000318	3Hs.180612	peroxisomal membrane protein 3 (35kD, Zellweger syndrome)	3.2
				nuclear autoantigenic sperm protein (histone-binding)	1.6
	101911	AA441787	Hs.119689		31.3
	101920	AF182645	Hs.8024		1.8
20			Hs.80120	UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminyltransferase 1 (GalNAc-T1	2.4
		AI904232		promoter	8.4
		BE245149		proton tyroon o micro	1.3 2.0
		BE250127		OB OLO (Golf division of the Lot, of the resident)	2.0 1.6
25		T35901	Hs.75117	Interroperary contained barrens factor at terro	1.3
25		T35901	Hs.75117		1.4
		NM_001809			1.8
					4.6
		AW950852			4.3
30		AA829978			6.7
-		U24389	Hs.65436	lysosomal	4.3
	102234	AW163390	Hs.278554	heterochromatin-like protein 1	1.9
	102260	AL039104	Hs.159557		4.4
		AA306342			2.7
35		BE298063		disconstanting ( forestime in ) and	1.5
		BE378432		of our copulation and the	2.3
		U37519	Hs.87539	alderiyas deriyasaganda a rammiy, manuas ==	2.0 3.2
				Date of the control o	3.2 2.0
40		U39840 U33635	Hs.90572		6.2
40		AA296874		1 11th proton tyroonto innoco i	1.5
		U48705	Hs.75562	400A) B B G 100 III - II	6.9
		NM_001359			1.8
		U50939	Hs.61828		1.5
45		AL080116		origin recognition complex, subunit 3 (yeast homolog)-like	3.3
_		A1188137		COP9 homolog	2.1
		AF217197		oran parend brotom 11. 2. mereon 3. channel and 2. channel	3.2
					2.8
<b>5</b> 0		AF040253			5.7
50	102564	U59423	Hs.79067	the factoring address and a second a second and a second	2.3 5.3
		W81489	MS.223025		2.1
	102580	U60808	HS. 152981	CDP-diacylglycerol synthase (phosphatidate cytidylyltransferase) 1 enhancer of zeste (Drosophila) homolog 2	1.6
		AU077228 U61232	Hs.32675	tubulin-specific chaperone e	2.1
55	102002	ΔW161453	He 108767	COP9 (constitutive photomorphogenic, Arabidopsis, homolog) subunit 5	1.8
<i>JJ</i>	102017	AL037672	Hs 81071	extracellular matrix protein 1	5.8
	102010	AL 021918	Hs.158174	zinc finger protein 184 (Kruppel-like)	1.3
				karyopherin (importin) beta 2	1.8
		BE262989		putative protein	2.3
60	102687	NM_007019	9Hs.93002	ubiquitin carrier protein E2-C	4.3
- <del>-</del>	102689	U96132	Hs.171280	hydroxyacyl-Coenzyme A dehydrogenase, type II	6.0
	102696	BE540274	Hs.239	forkhead box M1	4.2
	102704	AU077058		BRCA1 associated RING domain 1	1.9
	102705	T97490	Hs.50002	small inducible cytokine subfamily A (Cys-Cys), member 19	2.3
65	102750	AB014460	Hs.66196	nth (E.coli endonuclease III)-like 1	1.2
	102801	BE252241	Hs.38041	pyridoxal (pyridoxine, vitamin B6) kinase	6.4
	102812	U90549	ns.236774	high-mobility group (nonhistone chromosomal) protein 17-like 3	1.6

		BE244588		chaperonin containing TCP1, subunit 2 (beta)	5.6
		AA262170		adaptor-related protein complex 3, sigma 1 subunit	2.0
		AV653790		WW domain-containing protein 1	1.3
_		X02419	Hs.77274	plasminogen activator, urokinase	4.4
5		BE440142		signal recognition particle 19kD	1.9
		BE561850		small nuclear ribonucleoprotein polypeptide A'	2.4
				methylene tetrahydrofolate dehydrogenase (NAD+ dependent), methenyltetrahydrofolate cyclohyd	
				non-metastatic cells 1, protein (NM23A) expressed in	3.1
10			Hs.2707	G1 to S phase transition 1	5.2
10	103023	AW500470	HS.11/950	multifunctional polypeptide similar to SAICAR synthetase and AIR carboxylase	1.6
				CDC28 protein kinase 1	
				matrix metalloproteinase 11 (MMP11; stromelysin 3)	
		AU077231		cyclin D1 (PRAD1: parainyroid adenomatosis 1)	
15					
13		BE244377			
				hypothetical protein FLJ10849 1.8 Homo sapiens mRNA; cDNA DKFZp586l2022 (from clone DKFZp586l2022) 1.3 hypothetical 43.2 Kd protein 7.5 Homo sapiens BTB domain protein (BDPL) mRNA, partial cds 1.2 hyb:zn04d03.r1 Stratagene hNT neuron (937233) Homo sapiens cDNA clone 5' similar 1.5	
		NM_001777			•
		X69636			
20		NM_006825			
20		AA401039			
		NM_004766			
		NM_004939 X72755	Hs.77367		
		BE275607			
25		X75962			
23		Al369285			
		NM_00154			
		AI803447			
		X89059	113.77430		
30			Hs 323378		
		X94453			
		X94563			
		BE564090	Hs.20716		
35		AL031224		transcription factor AP-2 beta (activating enhancer-binding protein 2 beta)	
-				professome (prosome, macropain) subunit, beta type, 8 (large multifunctional professe 7)	
		NM_006218			
		NM_000346			
40	103622	AA609685	Hs.278672	membrane component, chromosome 11, surface marker 1	2.3
				growth factor receptor-bound protein 2	
	103749	AL135301	Hs.8768	hypothetical protein FLJ10849	1.8
	103754	Al015709	Hs.172089	Homo sapiens mRNA; cDNA DKFZp586l2022 (from clone DKFZp586l2022)	1.3
	103780			hypothetical 43.2 Kd protein	7.5
45	103795	H26531	Hs.7367	Homo sapiens BTB domain protein (BDPL) mRNA, partial cds	
		AA080912		gb:zn04d03.r1 Stratagene hNT neuron (937233) Homo saplens cDNA clone 5' similar	
				CGI-120 protein	
		W02363		hypothetical protein FLJ10330	
<b>50</b>				hypothetical protein FLJ10416 similar to constitutive photomorphogenic protein 1	
50		NM_00240		mammaglobin 2	2.5 4.5 3.1 2.4 3.5 9.9 1.3 2.0 1.6 2.5 2.2 6.3 8.8 3.0 1.8 5.6 1.9 2.5 1.6 1.8 2.3 4.0 1.3 5.6 5.1 9.7 2.0 sal) 1.3 2.0 2.3 1.3 1.8 1.3 7.5 1.2
		AA251242			
		AA478984		PRO0659 protein	
		AB002343	Hs.98938	protocadherin alpha 9	
<i>5 5</i>				GCN5 (general control of amino-acid synthesis, yeast, homolog)-like 2	
55				polymerase (RNA) II (DNA directed) polypeptide K (7.0kD)	
		AA324597		Homo sapiens cDNA FLJ12900 fis, clone NT2RP2004321	
	104423	R83113	Hs.1432	protein kinase C substrate 80K-H	
		AB037762		myelin gene expression factor 2	
60	104532	A)498763	HS.203013	hypothetical protein FLJ12748  DKE7D424E1795 protein	
60				DKFZP434F1735 protein	
		AI239923	Hs.30098	ESTs	
		A1694413		olfactory receptor, family 2, subfamily I, member 6	
	104804	AI858702	Hs.31803	ESTs, Weakly similar to N-WASP [H.sapiens] KIAA0958 protein	
65	104806	AB023175	175.2250Z	PRP4/STK/WD splicing factor	
65		AW052006	Hs.32478	ESTs	
	104846	Al250789		3-phosphoinositide dependent protein kinase-1	
	104004	MMU41210	715. 1047 ZB	o-buoshiouositina nabatinatir hiotati viitase-t	12.3

	104867	AA278898	Hs.225979	hypothetical protein similar to small G proteins, especially RAP-2A	2.0
	104871		Hs.28893	Homo sapiens mRNA; cDNA DKFZp564O2364 (from clone DKFZp564O2364)	1.3
	104896	AW015318	Hs.23165	ESTs	17.7
	104909	AW408164	Hs.249184	transcription factor 19 (SC1)	5.0
5	104916	AW958157	Hs.155489	NS1-associated protein 1	1.7
	104919	AA026880	Hs.25252	prolactin receptor	1.4
	104930	AF043467	Hs.32893	neurexophilin 2	2.2
	104973	NM_015310	Hs.6763	KIAA0942 protein	5.0
	104974			bromodomain-containing 4	1.4
10		AL136877		SMC4 (structural maintenance of chromosomes 4, yeast)-like 1	2.4
		AL136877		SMC4 (structural maintenance of chromoso	2.3
		AI199268		Homo sapiens, Similar to RIKEN cDNA 2010317E24 gene, clone IMAGE:3502019, mRNA, partial	cds 7.2
			Hs.321062		1.3
		Al499930		mitochondrial GTP binding protein	3.5
15		BE379584		dolichyl-diphosphooligosaccharide-protein glycosyltransferase	5.5
10		AF098158		chromosome 20 open reading frame 1	3.3
	_	AI050715	Hs.2331	E2F transcription factor 5, p130-binding	2.2
		AA127818	13,2001	gb:zl12a02.s1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:501674 3'	6.8
		AA907305	He 36475	ESTs	2.5
20		AB037716		KIAA1295 protein	2.2
20				speckle-type POZ protein	3.8
		AA151342		CGI-147 protein	9.5
		AA147884		Homo saplens cDNA FLJ14388 fis, clone HEMBA1002716	5.6
			Hs.35156	Homo sapiens cDNA FLJ11027 fis, clone PLACE1004114	2.2
25		H58589		vesicle transport-related protein	2.2
23		Z78407		KIAA1160 protein	1.6
		BE387350		·	6.3
		AW975433		ESTs	2.1
	105127	AAU45648	MS.301957	nudix (nucleoside diphosphate linked moiety X)-type motif 5	2.7
20	105141	AA16468/	HS.1//5/6	mannosyl (alpha-1,3-)-glycoprotein beta-1,4-N-acetylglucosaminyltransferase, isoenzyme A	1.9
30				hypothetical protein NUF2R	1.7
				S164 protein	4.8
		AA191512		Homo sapiens cDNA FLJ11309 fis, clone PLACE1010076	1.9
		AA071276		KIAA0859 protein	2.8
25		AA263143		RAD51-Interacting protein	1.9
35		N99673	Hs.3585	ESTs, Weakly similar to AF126743 1 DNAJ domain-containing protein MCJ [H.sapiens]	8.0
	105302	AA700122	Hs.3355	sentrin-specific protease	1.8
				KIAA0779 protein	8.2
		NM_01601		CGI-68 protein	5.0
40				hypothetical protein FLJ21918	2.5
40		AW887701		hypothetical protein FLJ20628	
				hypothetical protein FLJ10326	2.2
				membrane protein CH1	2.3
				interleukin enhancer binding factor 3, 90kD	5.4
				Npw38-binding protein NpwBP	1.6
45	105400	AF198620	Hs.65648	RNA binding motif protein 8A	1.6
	105445	AA252395	•	gb:zs12g10.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:685026 3', mRNA sequence	œ. 5.0
	105507	BE268348	Hs.226318	CCR4-NOT transcription complex, subunit 7	1.6
			Hs.32471		1.3
		AB023179		KIAA0962 protein	3.4
50	105547	AA262640	Hs.27445	unknown	9.3
	105564	BE616694	Hs.288042	hypothetical protein FLJ14299	1.4
	105596	AA579535	Hs.18490	hypothetical protein FLJ20452	10.9
	105597	AF054284	Hs.334826	splicing factor 3b, subunit 1, 155kD	2.9
	105608	AI808201	Hs.287863	hypothetical protein FLJ12475	1.7
55	105610	AA280072	Hs.99872	fetal Alzheimer antigen	1.4
		AK000892		glucocorticoid modulatory element binding protein 1	1.7
	105620	AW302245	Hs.181390	casein kinase 1, gamma 2	5.5
	105658	AA985190	Hs.246875	hypothetical protein FLJ20059	9.4
	105697	AW499988	Hs.27801	zinc finger protein 278	2.0
60	105708	R26944	Hs.180777	Homo sapiens mRNA: cDNA DKFZp564M0264 (from clone DKFZp564M0264)	1.7
55	105743	BE246502	Hs.9598	sema domain, immunoglobulin domain (Ig), transmembrane domain (TM) and short	2.6
	105746	AW151952	Hs.46679	hypothetical protein FLJ20739	1.5
	105750	AI123118	Hs.15159	chemokine-like factor, alternatively spliced	1.3
	105775	A1267720	Hs.153221	synovial sarcoma, translocated to X chromosome	1.6
65	105771	AA741336		transcriptional unit N143	2.2
<del>5</del> 5	105020	AAA78756	Hs 194477	E3 ubiquitin ligase SMURF2	1.3
	105020	Δ126210s	Hs. 12653	FSTs	2.4
	103030	~12V21VU			

					2.9
	105875	AK001708	Hs.32271	hypothetical protein FLJ10846	1.4
	105930	AF016371	Hs.9880	peptidyl prolyl isomerase H (cyclophilin H) 5	5.2
	106000	AW194426	Hs.20726	ESTs	1.7
5		AW081202		Homo sapiens, clone IMAGE:2989556, mRNA, partial cds	2.8
•		AA477956			1.4
		AL157441			1.4
		AA130158		ESTs, Moderately similar to ALU8_HUMAN ALU SUBFAMILY SX SEQUENCE CONTAMINATION :	
		AA533491			3.8
10					
10		AB006624			1.6
				Homo sapiens, Similar to RIKEN cDNA 5430429M05 gene, clone MGC:13155, mRNA, complete cd	
		AB037742			1.3
	106300				3.6
		AL043114			5.4
15	106350	AK001404	Hs.194698	cyclin B2	5.7
	106359	AW390282	Hs.31130	transmembrane 7 superfamily member 2	6.3
	106381	AB040916	Hs.24106	KIAA1483 protein	6.5
		AW748420		Homo sapiens cDNA: FLJ21487 fis, clone COL05419	2.2
		AF119256			2.7
20					2.3
		AA454036			1.6
		AA243837		•	1.6
					2.4
		AK000933			
25		AA458882			7.9
25		NM_003595		3 3	7.7
		AL049951			1.8
	106669	AV657117	Hs.184164	ESTs, Moderately similar to S65657 alpha-1C-adrenergic receptor splice form 2 [H.sapiens]	1.3
	106713	BE614802	Hs.184352		4.5
	106717	AA600357	Hs.239489	TIA1 cytotoxic granule-associated RNA-binding protein	1.3
30		BE388094			1.6
	106795	AF174487	Hs.293753		5.7
		AW959893			16.2
					1.5
					2.2
35					1.3
55					16.8
		N49809	Hs.11197		1.5
		W79171	Hs.9567	•	
					2.2
40					3.3
40		AK000511		.,,,,,	6.8
		BE156256		· //	6.6
	106977	AL043152	Hs.50421		4.8
	106978	AW631480	Hs.8688	ESTs	6.0
	107004	AA146872	Hs.300700	hypothetical protein FLJ20727	1.3
45	107029	AF264750	Hs.288971	myeloid/lymphoid or mixed-lineage leukemia 3	1.8
		AW385224			1.7
		AK000733			2.5
		AK000512			1.7
		AV661958			4.6
50					3.3
<b>J</b> 0		AV661958			2.0
		AK001455			
		AW378065			6.3
		AW391927			33.5
		BE122762			5.2
55	107197	W15477	Hs.64639		6.1
	107221	AW888411	Hs.81915	leukemia-associated phosphoprotein p18 (stathmin)	17.4
	107243	BE219716	Hs.34727	ESTs, Moderately similar to 138759 zinc finger/leucine zipper protein [H.sapiens]	7.4
	107248	AW263124	Hs.315111	nuclear receptor co-repressor/HDAC3 complex subunit	1.8
		D60341	Hs.21198		6.6
60		BE379594		ESTs, Moderately similar to ALU7_HUMAN ALU SUBFAMILY SQ SEQUENCE CONTAMINATION	
50		N95657	Hs.6820		2.5 2.5
		N95657	Hs.6820		1.7
		BE277457			3.2
		T63174			2.0
65	107354	NM_00629	9HS.96448	zinc finger protein 193	5.0
	107392	AW299900	Hs.267632	TATA element modulatory factor 1	1.2
	107481	AA307703	Hs.279766	kinesin family member 4Å	1.6

	107529	BE515065	Hs.296585		3.0	
	107554	AA001386	Hs.59844	ESTs	1.3	
	107681	BE379594	Hs.49136	ESTs. Moderately similar to ALU7_HUMAN ALU SUBFAMILY SQ SEQUENCE CONTAMINATION:	2.2	
	107772	AA018587	Hs.303055	ESTs, Weakly similar to ALU1_HUMAN ALU SUBFAMILY J SEQUENCE CONTAMINATION	2.1	
5			Hs.47584	potassium voltage-gated channel, delayed-rectifier, subfamily S, member 3	8.4	
•	107901		Hs.335952	keratin 6B	2.5	
	107901	L42612	Hs.335952		1.6	
		BE153855		lg superfamily receptor LNIR	2.2	
	107074	AMORE 103	He 61712	nyawate dehydronenase kinase isoenzyme 1	6.7	
10	108040	AL121031		countries the first countries and the dependent regulator of observation outstamily by recomber 1	1.5	
	108230	AA054224	Hs.59847	ESTS	1.3	
	108274	AF129535	Hs 272027	F-box only protein 5	7.1	
	108296	N31256	Hs.161623	FSTs	2.5	
			Hs.339659	ESTs	3.5	
15			Hs.69476	SWI/SNF related, matrix associated, actin dependent regulator of chromatility by member ESTs F-box only protein 5 ESTs ESTs Homo sapiens cDNA FLJ12758 fis, clone NT2RP2001328 ESTs ESTs ESTs homeo box C10	3.4	
			Hs.182685	ESTs	1.6	
	108634	AW022410	Hs.69507	ESTs	1.7	
	108647	BF546947	Hs.44276	homeo box C10	9.8	
		AB029000	Hs.70823	KIAA1077 protein	7.2	
20			Hs.70811	hypothetical protein FLJ20516	1.3	
20		A1089575	Hs 9071	progesterone membrane binding protein	2.7	
	108828	AK001693	Hs.273344	DKFZP564O0463 protein	1.8	
	108859	Al 121500	Hs.178904	FSTs	1.5	
		H06720	Hs 111680	endosulfine alpha	2.1	
25	108891	AIR01235	Hs.48480	FSTs	5.3	
2.5	108894	AK001431	Hs 5105	hypothetical protein FLJ10569	4.0	
	100034	ΔΔ1/1975/	He 195155	Homo sapiens amino acid transport system N2 (SN2) mRNA, complete cds	5.6	
	100333	AA151708	Hs 171980	homeo box (expressed in ES cells) 1	1.6	
	100302	ΔΔ152178	Hs 23467	hypothetical protein FLJ10633	6.2	
30			Hs.72134		1.7	
50			Hs.72127	FSTs	1.4	
		AA157811	1.0 2.2.	gb:zo35d07.s1 Stratagene colon (937204) Homo sapiens cDNA clone 3' similar to contains Alu rep	etitive	5.3
			Hs.72545	ESTs	2.9	
			Hs.52184		1.6	
35				hypothetical protein FLJ13782	3.2	
55				hypothetical protein FLJ22104	1.7	
			Hs.59757		2.6	
	109166	AA219691	Hs.73625	RAB6 Interacting, kinesin-like (rabkinesin 6)	2.9	
			Hs.58169	highly expressed in cancer, rich in leucine heptad repeats	2.0	
40			3Hs.82035	potential nuclear protein C5ORF5; GAP-like protein	5.3	
. •	109220	AW958181	Hs.189998		5.7	
	109233	AU077281	Hs.170285	nucleoporin 214kD (CAIN)	5.3	
	109270	N99673	Hs.3585	ESTs. Weakly similar to AF126743 1 DNAJ domain-containing protein MCJ [H.sapiens]	1.4	
	109273	AA375752	Hs.82719	Homo sapiens mRNA; cDNA DKFZp586F1822 (from clone DKFZp586F1822)	2.9	
45	109313	AF153201	Hs.86276	C2H2 (Kruppel-type) zinc finger protein	1.3	
			Hs.115099		2.9	
	109391	A1 096858	Hs.184245	KIAA0929 protein Msx2 interacting nuclear target (MINT) homolog	1.5	
	109420	H83603	Hs.40408	homeo box C9	2.2	
		N30531	Hs.42215	protein phosphatase 1, regulatory subunit 6	3.0	
50	109429	AI160029	Hs.61438		1.9	
50	109445	AA232103	Hs.189915	ESTs	1.8	
	109450	AR032969	Hs.173042	KIAA1143 protein	3.7	
		NM_01531		KIAA0942 protein	3.2	
	109478	AW074143	Hs.87134		2.0	
55		L40027	Hs.118890	glycogen synthase kinase 3 alpha	2.1	
33		F02614	Hs.27319		1.4	
		R71264	Hs.16798		1.3	
		H11938	Hs.21907		2.0	
	110055	AA503041		matrix Gla protein	2.5	
60	110000	AAROSRAO	Hs.29956	KIAA0460 protein	1.7	
50	110110	T07353	Hs 7948	ESTs	2.9	
		R51853	Hs.226429	ESTs, Weakly similar to ALU1_HUMAN ALU SUBFAMILY J SEQUENCE CONTAMINATION	1.7	
	110123	NM 0145	114s.17667	SH3-domain binding protein 4	4.2	
	110134	AI668594	Hs. 176588	ESTs, Weakly similar to CP4Y_HUMAN CYTOCHROME P450 4A11 PRECURSOR [H.saplens]	4.2	
65	110240	N41744	Hs.19978	CGI-30 protein	1.3	
UJ.	440250	H28428	Hs.32406		2.2	
	140242	RESERVE	Hs.11896	hypothetical protein FLJ12089	2.1	
	110012			** · · · · · · · · · · · · · · · · · ·		

	110330	Al288666	Hs.16621	DKFZP434I116 protein	6.2
		H55748	•	gb:yq94a01.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:203400 3'	6.1
		H55915		hypothetical protein FLJ11016	6.1
5		H57330	Hs.37430	EST	6.3
5	110568	AK001160	Hs.18090	hypothetical protein FLJ10298 ESTs	1.3
		AB007902		KIAA0442 protein	1.8 1.6
		AW190338		hypothetical protein MGC11256	7.6
		AL138077		hypothetical protein FLJ12707	2.5
10	110762	BE044245	Hs.30011	hypothetical protein MGC2963	9.3
		AK000322		hypothetical protein FLJ20315	5.5
		BE000831		Homo sapiens cDNA FLJ11812 fis, clone HEMBA1006364	2.1
			HS.323401	dpy-30-like protein	1.5
15	110805	AA767373	Hs.24048	FK506 binding protein precursor ESTs, Moderately similar to ALU1_HUMAN ALU SUBFAMILY J SEQUENCE CONTAMINATION	6.6 5.7
10		R33261	Hs.6614	ESTs, Weakly similar to A43932 mucin 2 precursor, intestinal [H.sapiens]	3.4
		N31598	Hs.12727	hypothetical protein FLJ21610	1.7
	110844	AI740792	Hs.167531	methylcrotonoyi-Coenzyme A carboxylase 2 (beta)	1.7
••	110854	BE612992	Hs.27931	hypothetical protein FLJ10607 similar to glucosamine-phosphate N-acetyltransferase	4.7
20		AA992380		gb:ot37g06.s1 Soares_testis_NHT Homo sapiens cDNA clone 3' similar to contains element	2.3
		BE384447		hypothetical protein MGC13186	3.5
		AL117430 BE092285		DKFZP434D156 protein hypothetical protein FLJ13187	2.2
		H04360	Hs.24283	ESTs, Moderately similar to reduced expression in cancer [H.sapiens]	2.6 · 1.9
<b>25</b> .		NM_005864		signal transduction protein (SH3 containing)	6.7
		AK002180		DKFZP564O123 protein	2.0
	110981	AK001980	Hs.24284	ADP-ribosyltransferase (NAD+; poly(ADP-ribose) polymerase)-like 2	1.3
		AW613287		UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminyltransferase 1 (GalNAc-T	1) 1.8
20		N63823	Hs.269115	ESTs, Moderately similar to Z195_HUMAN ZINC FINGER PROTEIN 195 [H.sapiens]	3.6
30		AB037807			2.1
		N46180 R67419		Homo sapiens cDNA FLJ13289 fis, clone OVARC1001170 Homo sapiens cDNA FLJ12900 fis, clone NT2RP2004321	2.3 3.7
		AL050166		Homo sapiens colva PES 12500 ils, cione N12NP2004321 Homo sapiens mRNA; cDNA DKFZp586D1122 (from clone DKFZp586D1122)	7.5
		AK000136		asporin (LRR dass 1)	7.1
35		AI815486		Homo sapiens cDNA FLJ20738 fis, clone HEP08257	6.7
	111184	Al815486	Hs.243901	Homo sapiens cDNA FLJ20738 fis, clone HE	3.3
		N67603		ESTs, Weakly similar to S65824 reverse transcriptase homolog [H.sapiens]	3.6
		AW139408			1.5
40				KIAA1361 protein KIAA1866 protein	2.6
70		N90956		hypothetical protein FLJ22087	4.6 7.9
		AA778711		eukaryotic translation initiation factor 1A	6.9
		AB033091		KIAA1265 protein	5.0
	111312	A1523913		ESTs	3.8
45	111318	T99755	Hs.334728		1.2
	111337	AA837396		LIS1-interacting protein NUDE1, rat homolog	5.1
		H58589 Al478658	Hs.35156		2.2
		N94606	Hs.94631	brefeldin A-inhibited guanine nucleotide-exchange protein 1 HSCARG protein	2.8 2.2
50				oxidation resistance 1	2.2
				sialyltransferase 9 (CMP-NeuAc:lactosylceramide alpha-2,3-sialyltransferase; GM3 synthase)	5.1
	111392	W46342	Hs.325081	Homo sapiens, clone IMAGE:3659680, mRNA, partial cds	8.4
		R02354	Hs.15999		2.7
<i></i>	111486	Al051194	Hs.227978		6.5
55		W90638	Hs.20321	ESTs, Moderately similar to ZRF1_HUMAN ZUOTIN RELATED FACTOR-1 (M-PHASE	1.4
		R10720 R52656	Hs.20670 Hs.21691	EST ESTs	1.6
		AB037834		Homo sapiens mRNA for KIAA1413 protein, partial cds	1.6 2.4
		BE298665		Homo sapiens mRNA; cDNA DKFZp564D016 (from clone DKFZp564D016)	10.6
60	111944	AW083791	Hs.21263	suppressor of potassium transport defect 3	6.6
	111987	NM_015310	OHs.6763	KIAA0942 protein	5.1
		R41823	Hs.7413	ESTs; calsyntenin-2	2.8
		AB029000	Hs.70823	KIAA1077 protein	14.6
65		R46071	HS.3U1693	Homo sapiens, clone IMAGE:3638994, mRNA, partial cds	9.0
U.S	112400	AW007287	ンロシ、とうとひ/り Hs 28538	A kinase (PRKA) anchor protein 11 Homo sapiens cDNA: FLJ21086 fis, clone CAS03272	1.4
		AI742756		ESTs	1.4 3.2

		R68425	Hs.13809	hypothetical protein FLJ10648	2.0	
	112752	AK001635	Hs.14838	nypoulous protein as to the	1.8	
	112884	AK000004	Hs.5013	Homo sapiens mRNA for FLJ00004 protein, partial cds	6.6	
_	112923	T10258	Hs.5037	EST	1.5	
5	112936	AW970826	Hs.6185	KIAA1557 protein	3.2	
	112958	R61388	Hs.6724	ESTs	6.0	
		Z44718		glucocorticoid receptor DNA binding factor 1	6.4	
	112978	AK000272	Hs.7099	hypothetical protein FLJ20265	1.2	
		AA737033		ESTs, Moderately similar to 2115357A TYKI protein [M.musculus]	5.6	
10	112996	BE276112	Hs.7165	zinc finger protein 259	2.0	
		Al571940		ESTs	1.9	
		AW965190		Homo sapiens mRNA for KIAA1729 protein, partial cds	2.4	
		T40707	Hs.270862	ESTs	1.3	
		T57317		gb:yb51a03.s1 Stratagene fetal spleen (937205) Homo sapiens cDNA clone IMAGE:74668 3';	1.7	
15		T63857		gb:yc16e01.s1 Stratagene lung (937210) Homo sapiens cDNA clone 3', mRNA sequence	2.8	
		AK002180	Hs.11449	DKFZP564O123 protein	1.3	
			Hs.11774	protein (peptidyl-prolyl cis/trans isomerase) NIMA-interacting, 4 (parvulin)	3.2	
			Hs.179808		1.2	
		AI467908		ESTs	5.9	
20		H59588	Hs.15233	ESTs	2.0	
20			Hs.142442		3.6	
	113647	AAR13887	Hs 188173	Homo sapiens cDNA FLJ12187 fis, clone MAMMA1000831	1.3	
		T97307	110.100110	gb:ye53h05.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:121497 3',	4.4	
			Hs.184411		1.3	
25		AW499665		SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily a, member	5 1.2	
23		BE266947		zinc finger protein 313	13.4	
		AL359588		hypothetical protein DKFZp762B226	1.7	
				chitobiase, di-N-acetyl-	1.3	
		W44735	Hs.9286	Homo sapiens cDNA: FLJ21278 fis, done COL01832	3.3	
30		BE207480		Homo sapiens cDNA: FLJ22044 fis, clone HEP09141	3.1	
50		H13325		hypothetical protein DKFZp761O17121	3.2	
			Hs.24809	hypothetical protein FLJ10826	2.3	
		T26483	Hs.6059	EGF-containing fibulin-like extracellular matrix protein 2	11.3	
		W57902	Hs.90744	proteasome (prosome, macropain) 26S subunit, non-ATPase, 11	2.7	
35		AL079314		hypothetical protein, similar to (U06944) PRAJA1	6.1	
55		AW959486		ESTS	6.6	
		AW953484		hypothetical protein FLJ22041 similar to FK506 binding proteins	1.9	
		W87544	Hs.268828		1.2	
		AI539519		Homo sapiens cDNA FLJ11562 fis, clone HEMBA1003197	5.4	•
40	114022	VI002012	He 16//79	hypothetical protein FLJ21939 similar to 5-azacytidine induced gene 2	9.4	
40	114000	AB029551	He 7010	RING1 and YY1 binding protein	1.8	
				fucose-1-phosphate guanylyltransferase	1.5	
		AB028968		KIAA1045 protein	1.8	
				Homo sapiens, Similar to zinc finger protein 136 (clone pHZ-20), clone MGC:10647, mRNA, comp		2.3
45		BE149866 AL117518		KIAA0978 protein	1.4	
43				KIAA0306 protein	15.8	
				fatty acid desaturase 2	1.9	
					2.4	
	114309	AA332433	Hs.20824	ESTs, Weakly similar to A28996 proline-rich protein M14 precursor - mouse [M.musculus]	1.8	
50	114392	MAZ49090	Un 100740	Homo sapiens mRNA; cDNA DKFZp434B0425 (from clone DKFZp434B0425)	1.2	
50			Un 274646	ESTs, Weakly similar to ALU8_HUMAN ALU SUBFAMILY SX SEQUENCE	5.5	
		H37908			5.2	
	114463	AL12024/	HS.40109	KIAA0872 protein Homo saplens, Similar to RIKEN cDNA 1110012M11 gene, clone IMAGE:3688605, mRNA, partial	rds12	
	114464	A1091713	NS. 100097	Holio Sapreira, Similar to Rinera Cora Fi Too 12/9/11 gene, Giorie Image. Goodoo, Initiata, parada	1.8	
<i>E E</i>	1144/1	AAU28U/4	MS. 104613	RP42 homolog UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminyltransferase 6 (GalNAc-1		
55	114480	RE000/18	HS. 1516/6	DDF-14-acetyl-alpha-D-gatactosamine.polypepilde 14-acetylgatactosaminytidansiciase o (GantiAcet	1.9	
	1146/1	AA/66268	HS.2002/3	hypothetical protein FLJ13346	3.5	
	114698	AA4/6966	HS.110857	polymerase (RNA) III (DNA directed) polypeptide K (12.3 kDa)	3.8	
	114730	A13/3544	HS.331328	Intermediate filament protein syncollin		
<b>C</b> C	114767	A1859865	ris.154443	minichromosome maintenance deficient (S. cerevisiae) 4	1.6	
60	114774	AV656017	HS.184325	CGI-76 protein	3.1	
	114798	AA159181	Hs.54900	serologically defined colon cancer antigen 1	3.5	
	114860	AL157545	Hs.42179	bromodomain and PHD finger containing, 3	4.3	
	114895	AA236177	Hs.76591	KIAA0887 protein	7.1 1.3	
	114896	BE539101	HS.5324	hypothetical protein		1.5
65	114911	AA236672		gb:zt29f02.s1 Soares ovary tumor NbHOT Homo sapiens cDNA clone IMAGE:723771 3', mRNA s		1.3
	114930	AA237022	Hs.188717	E018	2.0	
	444038	AA242834	Hs 58384	E018	2.9	

		A1733881		BMP-R1B	2.3
		AF102546		dachshund (Drosophila) homolog	1.3
		AA252360		toll-like receptor 9 Homo sapiens mRNA full length insert cDNA clone EUROIMAGE 1913076	1.6 11.8
5		A1751438		LIM protein (similar to rat protein kina	1.5
,		A1670847		hypothetical protein	1.5
		Al634549		ESTs	2.8
		AW183695			2.5
		AW365434		hypothetical protein FLJ10116	1.5
10		BE251328		hypothetical protein FLJ10881	1.3
				ESTs, Moderately similar to ALU1_HUMAN ALU SUBFAMILY J SEQUENCE	1.4
	115278	AK002163	Hs.301724	hypothetical protein FLJ11301	1.5
		AW972872			2.4
1.5				hypothetical protein FLJ10461	6.2
15		AI215069		ESTs	6.6
		AA314349 AK001376		tumor antigen SLP-8p	7.4 1.4
				hypothetical protein FLJ10514 ESTs, Moderately similar to I54374 gene NF2 protein [H.sapiens]	4.0
		AW247593		eukaryotic translation initiation factor 4E binding protein 1	16.3
20		Y14443	Hs.88219	zinc finger protein 200	5.0
		AJ275986		transcription factor (SMIF gene)	2.5
		A!540842			6.1
	115587	BE081342	Hs.283037	HSPC039 protein	2.9
25				7-60 protein	5.3
25		N36110		solute carrier family 2 (facilitated glucose transporter), member 10	4.7
		BE093589		hypothetical protein FLJ23468	10.6 12.7
		AL048269 Al138785		Homo sapiens, clone MGC:16063, mRNA, complete cds ESTs	2.0
		AA953006		ESTs	3.0
30		AA625132		hypothetical protein FLJ21615	1.7
		AF231023		cadherin, EGF LAG seven-pass G-type receptor 3, flamingo (Drosophila) homolog	6.8
		BE395161		proteasome (prosome, macropain) subunit, beta type, 2	1.7
		Al950339		ESTs	2.6
2.5		NM_01543		DKFZP434B168 protein	2.1
35		A1732742		ESTs	2.1
		AI675217			1.3 4.4
		AW062629		hypothetical protein MGC5370 KIAA0867 protein	7.2
		N55669		mitochondrial ribosomal protein L13	1.2
40		AI867451			5.5
		AB037753			9.8
	116003	BE275469	Hs.66493	Down syndrome critical region gene 5	1.4
		AL359053		Homo sapiens mRNA full length insert cDNA clone EUROIMAGE 2005735	2.4
4.5		AA770688		H2A histone family, member L	1.8
45		BE243834		CGI-04 protein	1.4
		N35719	Hs.44749	• • • • • • • • • • • • • • • • • • • •	1.2 2.1
		AW821113 AV660717			1.7
				baculoviral IAP repeat-containing 6	1.7
50		AI936442			1.7
•		AI955411			1.9
		AF097645		deleted in cancer 1; RNA helicase HDB/DICE1	4.9
		Al472106		Homo sapiens cDNA FLJ11663 fis, clone HEMBA1004631	1.4
	116336	AL133033	Hs.4084	KIAA1025 protein	1.9
55	116339	AK000290	HS.44033	dipeptidyl peptidase 8	1.5
		AA497129 Al149586		nuclear factor I/C (CCAAT-binding transcription factor) interferon-induced protein 75, 52kD	1.9 1.9
	116356	N50174	Hs.46765	ESTs	6.1
	116368	N90466	Hs.71109		1.6
60	116417	AW499664		Human clone 23826 mRNA sequence	7.4
	116436	AA161411	Hs.58668	chromosome 21 open reading frame 57	2.1
	116462	AF218313	Hs.236828	putative helicase RUVBL	1.5
	116470	Al272141	Hs.83484	SRY (sex determining region Y)-box 4	2.1
<i>-</i> -	116470	A1272141	Hs.83484	SRY (sex determining region Y)-box 4	1.2
65	116575	AA312572	MS.0241	phosphoinositide-3-kinase, regulatory subunit, polypeptide 1 (p85 alpha) integrin-linked kinase-associated serine/threonine phosphatase 2C	1.5 2.7
		AK001043 X89984		Integrin-linked kinase-associated semie/uneonine prospinatase 20  B-cell CLL/lymphoma 7A	2.7
	1 10040	, AU3304	113.2.11303		2.0
				122	

	116700	AI800202	Hs.317589	hypothetical protein MGC10765	1.4	
				hypothetical protein FLJ14566	3.4	
	116732	AW152225	Hs.165909	ESTs, Weakly similar to I38022 hypothetical protein [H.sapiens]	2.9	
		AW068115		biglycan	8.3	
5	116926	H73608	Hs.290830		1.7	
	117034			7 7 7 400 40 40 40 40 40 40 40 40 40 40 40 40	3.4	
			Hs.42315		5.2	
	117247			gb:yx46f06.s1 Soares melanocyte 2NbHM Homo sapiens cDNA clone IMAGE:264803 3', mRNA se	quence.	5.5
- ^	117276	N71183	Hs.121806		1.5	
10				, tomo capiono con in the recording control in the	2.0	
		AI041793	Hs.42502		2.0 2.1	
				title good to be greatered decrease from the section of	2.1 2.7	
		AF150275	HS.401/3	20,0	1.4	
15	117412			dotate daniel manny to (monocoloxy) as also surrepensely, member a	3.4	
13	117588		Hs.44648	Gioridami.	3.4	
					3.0	•
				COI 12 proton	1.9	
	117879			chromosome 11 open reading frame 24	1.8	
20	117881	AF161470		butyrate induced transcript 1	5.7	
				hypothetical protein MGC5370	5. <del>9</del>	
				hypothetical protein FLJ13912	1.7	
	117933			hypothetical protein FLJ20048	1.7	
				KIAA1785 protein	5.4	
25	118078		Hs.47790	EST	5.2	
			Hs.293264	2010	2.6	
				of common o oxidado casarin via	2.5	
	118472	AL157545		DIGITION CITALLINGS CONTENT STA	4.1	
			Hs.50102	iupa = (iupa gorio)	1.2	
30		N22617		Tions appoint and the contract of the contract	1.5 7.4	
			Hs.49397	2010	2.5	
	118656	A1458020	Hs.293287	20.0	1.2	
	118670	AR032043	MS. 132010	KIAA1287 protein	2.1	•
35		AA199686	HS.5010/	gb:zq75g09.r1 Stratagene hNT neuron (937233) Homo sapiens cDNA clone IMAGE:647488 5'	5.2	
55		N92293	He 206832	ESTs, Moderately similar to ALU8_HUMAN ALU SUBFAMILY SX SEQUENCE CONTAMINATION		
	11808/	AI668709	He 240722	ESTs, Moderately similar to ALU8_HUMAN ALU SUBFAMILY SX SEQUENCE CONTAMINATION	3.6	
				bladder cancer overexpressed protein	4.8	
		W24781		KIAA1710 protein	1.7	
40		AW453069		activity-dependent neuroprotective protein	2.2	
		AW453069		activity-dependent neuroprotective prote	1.6	
	119265	BE539706	Hs.285363	ESTs	1.4	
		N57568	Hs.48028		25.1	
	119298	NM_00124	1Hs.155478	cyclin T2	1.6	
45				ESTs, Weakly similar to A47582 B-cell growth factor precursor [H.sapiens]	1.3	
		T65004	Hs.163561		8.4	
				nucleolar protein NOP5/NOP58	6.7	
	119478	A1624342	Hs.170042	ESTS	2.4 2.1	
50			Hs.55513	ES18	1.9	
50	119513	W37933	11- 04004	Empirically selected from AFFX single probeset	3.7	
	119601	AKUUU155	MS.91004	Homo sapiens mRNA; cDNA DKFZp6671103 (from clone DKFZp6671103)	3.0	
				hypothetical protein FLJ11350	1.4	
			Hs.57787 Hs.57811		1.2	
55		AB032977		KIAA1151 protein	1.8	
55				hypothetical protein	3.1	
			Hs.50915		9.2	
			Hs.43213		3.6	
				hypothetical protein FLJ11101	2.5	
60	119863	AA081218	Hs.58608	Homo sapiens cDNA FLJ14206 fis. clone NT2RP3003157	2.7	
•	119905	AW449064	Hs.119571	collagen, type III, alpha 1 (Ehlers-Danlos syndrome type IV, autosomal dominant)	2.6	
			Hs.58963		2.7	
		W57554		lymphoid nuclear protein (LAF-4) mRNA	1.2	
		H26735		Homo sapiens clone PP1498 unknown mRNA	45.7	
65	120248	A1924294	Hs.173259	uncharacterized bone marrow protein BM033	1.2	
	120253	AA131376	Hs.326401	fibroblast growth factor 12B	38.9	
	120269	AW131940	Hs.104030	ESIS	9.6	

	4000-				
	120274	AA177051		gb:nc02a02.s1 NCI_CGAP_Pr3 Homo sapiens cDNA clone IMAGE:194 similar to contains Alu	4.6
	120280	AA190577		gb:zp52g02.s1 Stratagene HeLa cell s3 937216 Homo sapiens cDNA clone 3', mRNA sequence	2.0
			He 200883	hypothetical protein FLJ23399	1.8
_	120297	AA191384	HS.1U4U/2	ESTs, Weakly similar to Z195_HUMAN ZINC FINGER PROTEIN 195 [H.sapiens]	15.2
5	120324	AA195517	Hs.191643	ESTs	5.5
	120325	AA195651	Hs.104106	ESTs	6.4
				hypothetical protein FLJ20285	16.1
		N85785	HS. 10 1 100	eukaryotic translation elongation factor 1 alpha 1	2.9
	120342	AW450669	Hs.45068	hypothetical protein DKFZp434I143	5.7
10	120345	AA210722	Hs.104158	ESTs	4.5
		AW969481			16.8
			115.55165	TOTA Manufacture to 100000 home that the bounds of bounds of	
		R06859	MS.1931/2		5.0
					28.1
	120371	AA219305	Hs.104196	EST	12.4
15		AA228026			4.0
10					9.7
				FSH primary response (LRPR1, rat) homolog 1	
				hypothetical protein DKFZp434D0127	32.6
	120388	AA232874	Hs.104245	ESTs	3.1
				ESTs, Moderately similar to ALU7_HUMAN ALU SUBFAMILY SQ SEQUENCE CONTAMINATION	21.7
20		AA134006			12.5
20					
	120404	AB023230	Hs.96427	KIAA1013 protein	7.2
	120418	AW966893	Hs.26613	Homo sapiens mRNA; cDNA DKFZp586F1323 (from clone DKFZp586F1323)	11.4
		AA236453		Homo sapiens cDNA: FLJ22822 fis, clone KAIA3968	1.9
			113.100.0		19.4
25		Al950087		gb:wq05c02.x1 NCI_CGAP_Kid12 Homo sapiens cDNA clone 3', mRNA sequence	
25		AA251973			5.4
	120484	AA253170	Hs.96473	EST	10.4
		AA256837		gb:zr84d10.s1 Soares_NhHMPu_S1 Homo sapiens cDNA clone IMAGE:682387 3', mRNA sequen	ce 39
		BE047718	Un OCEAE	gona de la contra del la contra della contra	9.4
~ ~		AA258601			2.4
30	120535	BE350244	Hs.96547	ESTs	2.5
	120551	AA279160	Hs.111407	Homo sapiens, clone IMAGE:3613029, mRNA, partial cds	5.2
	120570	A A 290670	Un 271445	ESTs, Weakly similar to ALU1_HUMAN ALU SUBFAMILY J SEQUENCE CONTAMINATION	14.4
	1205/0	AA200019	115.27 1445	ESTS, WEARY SIMILATION ALD I_HOWARD ALD SUBPAINIET I SEQUENCE CONTAININATION	
	120582	BE244830	Hs.284228	ZNF135-like protein	10.2
	120590	AW372799	Hs.125790	leucine-rich repeat-containing 2	2.1
35				N-acetylglucosamine-phosphate mutase	7.5
		AW965339			2.5
			HS. 1/3010	M-phase phosphoprotein homolog	52.0
	120639	AA286942		gb:zs56f05.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:701505 3' similar to contains	Alu2.4
	120648	AA287095	Hs.140309	Homo sapiens, clone IMAGE:3677194, mRNA, partial cds	5.0
40		AW063659			2.2
••	120000	VIVIOCOCOO	Un 112219	6.2 kd protein	2.2
		BE536739	Hs.109909	ESTS	1.9
	120695	AA976503		gb:oq30a04.s1 NCI_CGAP_GC4 Homo sapiens cDNA clone 3' similar to contains PTR7.t1 PTR7	46.8
		AI821539	Hs 97249	ESTs	2.5
45		AW449855		Homo sapiens cDNA FLJ12727 fis, clone NT2RP2000027	5.9
43					
		AA292747		ESTs	2.9
	120750	Al191410	Hs.96693	ESTs, Moderately similar to 2109260A B cell growth factor [H.saplens]	7.0
	120774	AI608909	Hs.193985	ESTs	7.8
		AA346385		SH3-containing protein SH3GLB2; KIAA1848 protein	6.8
50			113.30002		
50		AA346495		gb:EST52657 Fetal heart II Homo sapiens cDNA 3' end similar to EST containing O family repeat,	
		AA386260			4.4
	120977	AA398155	Hs.97600	ESTs	4.4
		BE262951		ESTs	5.6
				ESTs	1.2
<i></i>		Al219896	Hs.97592		
55		AA398360	Hs.97608	EST	3.1
	121026	Al439713	Hs.165295	ESTs	3.5
•				ESTs, Highly similar to 137550 mismatch repair protein MSH2 [H.sapiens]	5.4
		AA363307			3.7
	121176	AL121523	Hs.97774	ESTs	1.7
60		Al002110		ESTs, Weakly similar to dJ667H12.2.1 [H.sapiens]	2.9
		AA403008			1.9
		AW956981		Homo sapiens cDNA FLJ13383 fis, clone PLACE1001024	3.5
	121408	AA406137	Hs.98019	EST	6.0
	121439	AA410190	Hs.98076	ESTs, Weakly similar to A47582 B-cell growth factor precursor [H.sapiens]	7.4
65	121450	AA406430	Hs.105362	Homo sapiens, clone MGC:18257, mRNA, complete cds	6.9
55		AW971063			
					1.8
	121455	H58306	MS.15765	retinoic acid induced 14	10.5

					0.4
	121457	W07404	Hs.144502	hypothetical protein FLJ22055	3.4
			Hs.97900		14.4
	121505	AA494172	Hs.194417	ESTs	13.1
			Hs.97887		28.0
5			Hs.181510		6.2
,			113.101310	gb:zt69b02.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:727563 3', mRNA sequence	
		AA412112			7.4
	121549	AA412477	Hs.98142	EST	
	121558	AA412497		gb:zt95g12.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:730150 3' similar to contain	S2.8
	121577	AA411970	Hs.98096	EST	3.5
10 '		AA416568		gb:zu05c10.s1 Soares_testis_NHT Homo sapiens cDNA clone 3', mRNA sequence	6.1
- 0			Hs.89718	spermine synthase	3.9
			Hs.98247		2.2
					4.2
	121622	AA416931	Hs.126065	ESIS TO THE TOTAL PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE	
				Homo sapiens mRNA; cDNA DKFZp434B1023 (from clone DKFZp434B1023)	7.8
15	121682	AA418160	Hs.86043	Homo sapiens cDNA FLJ13558 fis, clone PLACE1007743	2.0
	121690	AV660305	Hs.110286	ESTs	4.7
		U55184		hypothetical protein FLJ11585	12.7
	121714	A A 410225	He 09260	Homo sapiens cDNA FLJ11953 fis, clone HEMBB1000883	8.1
	424700	A1040507	113.30203	Tromb sapietis CDAA 1 EU 17555 iis, distic 11Embb 1666666	1.8
20	121729	A1949597	Hs.98325	ESTs	4.0
20			Hs.180744		
			Hs.97514		7.1
	121748	BE536911	Hs.234545	hypothetical protein NUF2R	19.5
				KIAA1196 protein	7.9
			Hs.161008		1.7
25				hypothetical protein FLJ22501	6.6
25					10.5
			Hs.98376		5.8
	121832	AW340/9/	Hs.98434	ES18	
			Hs.218289		3.8
	121839	AA425691	Hs.191606	ESTs, Highly similar to KIAA1048 protein [H.sapiens]	5.0
30	121842	AF027406	Hs.104865	serine/threonine kinase 23	2.7
		AA446628		cartilage linking protein 1	2.3
			Hs.293044		2.9
			Hs.98459		5.0
			HS.30433	EXTS	7.2
2.5	121911	AA427950		gb:zw50f02.s1 Soares_total_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:773499 3'	
35	121915	AA428179	Hs.223405	ESTs, Moderately similar to A46010 X-linked retinopathy protein [H.sapiens]	2.5
	121935	AA428647	Hs.98611	EST	2.3
	121983	AA298760	Hs.180191	hypothetical protein FLJ14904	3.4
				Homo sapiens, clone IMAGE:2822295, mRNA, partial cds	11.4
		AA210863		nemo-like kinase	3.8
40					6.4
40			Hs.98668		2.2
				Homo sapiens cDNA: FLJ20863 fis, clone ADKA01804	
	122013	AA431085	Hs.98706	ESTS	6.5
	122036	W92142	Hs.271963	ESTs, Weakly similar to ALU5_HUMAN ALU SUBFAMILY SC SEQUENCE CONTAMINATION	13.1
	122050	A1453076	Hs.166109	ELAV (embryonic lethal, abnormal vision, Drosophila)-like 2	9.1
45			Hs.98750		13.1
			Hs.104921		1.5
		AA398838	113.10-1021	gb:zt80d01.r1 Soares_testis_NHT Homo sapiens cDNA clone 5', mRNA sequence	3.3
			U= 00042		5.6
		AA435936		EST CONTRACTOR OF THE CONTRACT	
		AA329550		HCF-binding transcription factor Zhangfei	5.1
50	122257	AA436819	Hs.98899	ESTS	5.6
	122302	AA441801	Hs.104947	ESTs	5.8
		AW601969		hypothetical protein FLJ22263 similar to nuclear receptor-binding SET-domain protein 1	2.0
			Hs.98390		7.3
	122350	4 A A A 2 O S E	Hs.303222	ESTe	12.2
55	122309	AADCOEEE	Ha 470222	5 E013	5.0
55	1223/1	CCCGGGAA	Hs.178222	E E O I S	7.6
	122372	AA446008	Hs.336677	ESI	
	122378	AB032948	Hs.21356	hypothetical protein DKFZp762K2015	2.5
	122405	AA446572	Hs.303223	S EST	2.8
	122412	AA446869	Hs.119316	ESTs ·	7.3
60	122415	AA446918	Hs.99088	EST	1.9
55	122410	AA446966	Hs 99090	ESTs, Moderately similar to similar to KIAA0766 [H.sapiens]	6.8
	122410	AW505139	He 0460	Homo sapiens mRNA; cDNA DKFZp547C244 (from clone DKFZp547C244)	2.6
	122440	A447000	Un 00400		1.8
	122446	AA447603	HS.39123	EST	
	122448	AA447626	Hs.99127	EST	3.5
65	122458	A1266159	Hs.104980	) ESTS	1.5
	122460	AW418788	3 Hs.99148	ESTs, Weakly similar to S43569 R01H10.6 protein - Caenorhabditis elegans [C.elegans]	9.7
	122464	AA448158	Hs.99152	EST	4.8

	122490	AA448349	Hs.238151	EST	6.1	
		AA448417			5.4	
	122502	AA204969	Hs.234863	Homo sapiens cDNA FLJ12082 fis, clone HEMBB1002492	1.3	•
_		AA449232		ESTs	11.2	
5		AW959741		adaptor-related protein complex 1, sigma 2 subunit	10.1	
		AA779725			2.5	
		AA194055			1.9	
		AA452578			9.5	
• •		AA452601			11.0	
10				Homo sapiens cDNA FLJ11048 fis, clone PLACE1004516	3.4	
		AB040893		KIAA1460 protein	2.0	
		AI028173			1.7	
				hypothetical protein FLJ23588	4.4	
		AA411925			4.6	
15		AA453518			61.5	
		AA453630			10.7	
		AA453638			107.3	
			Hs.148135	serine/threonine kinase 33	121.4	
20		AA453641		gb:zx48e06.s1 Soares_testis_NHT Homo sapiens cDNA clone 3', mRNA sequence	31.1	
20		AA453987			5.6	
		AA456859			8.5	
	122762	A1376875	Hs.105119	ESTS	10.4	
	122829	AW204530	Hs.99500	ESTS Homo sapiens cDNA FLJ10658 fis, clone NT2RP2006052 ESTs	81.8	
25	122834	AA461492	HS.99545	Homo sapiens CUNA FLUTU658 its, cione NT2KP2U00U52	3.6	
25	122836	AA460581	Hs.290996	ESIS	4.5 2.7	
				ESTs, Weakly similar to putative p150 [H.sapiens]	75.3	
		AA460584			75.3 7.7	
		AA600235		NIMA (never in mitosis gene a)-related kinase 6	7.7 5.8	
30		AI929374 AA335721		Src-like-adapter	1.3	
30					4.1	
		BE539656			5.3	
	122868	AFUU5216	HS.110041	Janus kinase 2 (a protein tyrosine kinase) Homo sapiens cDNA: FLJ21766 fis, clone COLF7179	9.9	
		AW081394			5.3	
35		AA769410			13.9	
<i>J J</i>		AA470074			11.5	
		AA470140		20.0	1.7	
		AA478951			5.0	
					15.4	
40	123016	AW338067	He 323231	ESTs Homo sapiens cDNA FLJ11946 fis, clone HEMBB1000709 ninein (GSK3B Interacting protein) ESTs, Weakly similar to KIAA1395 protein [H.sapiens] ESTs	2.8	
	123034	Al 359571	Hs 44054	ninein (GSK3B interacting protein)	8.7	
	123072	A1382600	Hs 104308	FSTs. Weakly similar to KIAA1395 protein [H saniens]	8.8	
	123082	AA485360	Hs 105661	FSTs	3.9	
		Al343652			3.8	
45		AA486256			7.4	
				myomegalin	2.8	
		T52027		ESTs, Weakly similar to I38022 hypothetical protein [H.sapiens]	2.4	
				Homo sapiens cDNA FLJ12371 fis, clone MAMMA1002434	15.6	
		AW451999			5.1	
50		Al734179			23.8	
		AW601773			5.2	
	123258	AA490929	Hs.105274	ESTs, Weakly similar to RMS1_HUMAN REGULATOR OF MITOTIC SPINDLE ASSEMBLY 1 [H.	sapiens]	9.3
	123315	AA496369		gb:zv37d10.s1 Soares ovary tumor NbHOT Homo sapiens cDNA clone IMAGE:755827 3' similar	to4.1	
		AA504757	Hs.105738		6.9	
55	123394	AA731404	Hs.105510	ESTs	3.6	
	123433	AW450922	Hs.112478	ESTs	3.7	
		AA599042			7.4	
	123470	AW303285	Hs.303632	Human DNA sequence from clone RP11-110H4 on chromosome 5 Contains a pseudogene simila	arto 3.5	
				zinc finger protein 14 (KOX 6)	5.2	
60	123475	BE439553		Homo sapiens, clone IMAGE:4098694, mRNA, partial cds	1.7	
		N95059	Hs.55098		1.6	
	123486	BE019072	Hs.334802	Homo sapiens cDNA FLJ14680 fis, clone NT2RP2004242, weakly similar to	2.4	
	123508	AW380388	3 Hs.155546	KIAA1080 protein; Golgi-associated, gamma-adaptin ear containing, ARF-binding protein 2	2.2	
	123615	AA609170	ı	gb:af12a12.s1 Soares_testis_NHT Homo sapiens cDNA clone 3', mRNA sequence	7.8	
65		AA602964		qb:no97c02.s1 NCI_CGAP_Pr2 Homo sapiens cDNA clone, mRNA sequence	2.8	
	123658	AA609364		gb:zu71d09.s1 Soares_testis_NHT Homo saplens cDNA clone IMAGE:743441 3' similar to conta		1.
	123674	A1269609	Hs.105187	kinesin protein 9 gene	5.7	

	123735	NM_013241	IHs.95231	FH1/FH2 domain-containing protein	10.0	
	123738	AA609891	Hs.112777	EST	5.2	
	123753	AA609955	Hs.234961	Huntingtin interacting protein E	30.6	
	123804	AA620464	Hs.261915	EST, Weakly similar to S65657 alpha-1C-adrenergic receptor splice form 2 [H.sapiens]	2.1	
5	123811	AA620586		gb:ae60g05.s1 Stratagene lung carcinoma 937218 Homo sapiens cDNA clone IMAGE:951320 3'	2.7	
	123951	AB012922	Hs.173043	metastasis-associated 1-like 1	6.2	
				choline dehydrogenase .	4.4	
				ralA binding protein 1	7.0	
		Al147155			8.1	
10				HIV-1 rev binding protein 2	3.7	
•				topoisomerase-related function protein 4-2	1.2	
				putative G protein-coupled receptor	3.1	
	124710	A A 272706	He 260330	ESTs, Weakly similar to AF161356 1 HSPC093 [H.sapiens]	5.7	
		AA640891			3.1	
15				· ·	3.5	
13		D87454 AI267847	ns. 192900	KIAA0265 protein	57.1	
			11- 7505	gb:aq49a10.x1 Stanley Frontal NB pool 2 Homo sapiens cDNA clone similar to contains	2.8	
		AA317338		COBW-like protein		
			HS.279780	NY-REN-18 antigen	7.1	
20		N34059		gb:yv28h09.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone 3' similar to contains A		
20		H13540		ribosomal protein L17	2.9	
	124440	AA532519	Hs.129043	Human DNA sequence from clone 989H11 on chromosome 22q13.1-13.2. Contains part of a	7.8	
	124466	R10084	Hs.113319	kinesin heavy chain member 2	2.6	
	124482	N53935		gb:yv59d09.s1 Soares fetal liver spieen 1NFLS Homo sapiens cDNA clone 3', mRNA sequence	7.9	
	124498	H79433	Hs.268997	ESTs	7.8	
25	124515	AA669097	Hs.109370	ESTs	3.3	
				ESTs, Weakly similar to neuronal thread protein AD7c-NTP [H.sapiens]	4.5	
				FLVCR protein	3.2	
				Homo sapiens cDNA FLJ13533 fis, clone PLACE1006371	5.8	
				hypothetical protein	9.3	
30				sorting nexin 17	3.5	
-		N92593	Hs.313054		6.1	
		AW297702			8.3	
		R48170	Hs.78436		5.6	
	124601	AA281661	He 110979	ESTs, Weakly similar to M3K9_HUMAN MITOGEN-ACTIVATED PROTEIN KINASE KINASE	7.9	
35					5.7	
55		R09166 R22952	Hs.191148 Hs.268685		11.3	
					9.0	
				Homo sapiens mRNA for KIAA1771 protein, partial cds	8.1	
		AW368528			4.9	
40		R41772	Hs.100878	EDIS		
40		R41933	HS.14U23/	ESTs, Weakly similar to ALU1_HUMAN ALU SUBFAMILY J SEQUENCE Homo saplens cDNA: FLJ22726 fis, clone HSI15005	2.8	
					5.1	
				Homo sapiens EST from clone 35214, full insert	4.2	
		R46068		hypothetical protein FLJ22604	14.2	
4 -		R47948	Hs.188732	ESIS	7.9	
45				Homo sapiens cDNA FLJ13558 fis, clone PLACE1007743	6.6	
		AA501669			2.3	
		AW975868	Hs.294100	ESTs	2.7	
	124857	R63652	Hs.137190	ESTs	2.3	
	124860	R65763	Hs.101477		23.9	
50	124863	Al382555	Hs.127950	bromodomain-containing 1	2.0	
	124876	AF135422	Hs.27059	GDP-mannose pyrophosphorylase A	4.4	
	124878	BE397530	Hs.288057	hypothetical protein FLJ22242	2.7	
	124902	H37941	Hs.101883	ESTs	5.7	
		AW296713	Hs.221441	ESTs	32.4	
55		AI076343		ESTs, Weakly similar to ALUB_HUMAN IIII ALU CLASS B WARNING ENTRY III [H.sapiens]	22.8	
		R99978		ESTs, Moderately similar to B34087 hypothetical protein [H.sapiens]	6.1	
		A1078645	Hs.431	murine leukemia viral (bmi-1) oncogene homolog	1.9	
		T40841	Hs.98681		4.5	
		T59338		ESTs, Weakly similar to ALU1_HUMAN ALU SUBFAMILY J SEQUENCE CONTAMINATION	4.9	
60		T79815	Hs.279793		5.0	
50	12504/	T79956	Hs.100588		135.3	
		T81310	Hs.100592		5.4	
				KIAA1856 protein	5.6	
		A1472068	173.4004J0	ECTS Missible similar to ATHE HIMAM BU ATH OLASS E MADAIMS ENTRY III FU socional		
65		T96595	178.3022/0	ESTs, Weakly similar to ALUF_HUMAN !!!! ALU CLASS F WARNING ENTRY !!! [H.sapiens] qb:ye57e05.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:121856 3' similar to ALUF_HUMAN !!!! ALU CLASS F WARNING ENTRY !!! [H.sapiens]	1.8	0
65		T97341	11- 040707			9.
		Al222382	ms.24U/6/	Human DNA sequence from clone RP1-12G14 on chromosome 6q24.1-25.2. Contains the 5' end		1.
	125147	W38150		Empirically selected from AFFX single probeset	1.7	

	125161	W44657	Hs.144232	EST	10.7
				ESTs, Moderately similar to ALUB_HUMAN !!!! ALU CLASS B WARNING ENTRY !!! [H.sapiens]	1.3
				timeless (Drosophila) homolog	9.4
		AW401809		KIAA1150 protein	1.5
5			Hs.106932		8.0
,	125200	AMINTOEAN	He 200000	Homo sapiens cDNA: FLJ21814 fis, clone HEP01068	1.5
	120230	AVV912342	H5.203000		
		AW292171		scaffold attachment factor B	5.9
		NM_003403		YY1 transcription factor	1.2
10		U29589	Hs.7138	cholinergic receptor, muscarinic 3	6.4
10		AW409701		baculoviral IAP repeat-containing 5 (survivin)	14.3
				vacuolar proton pump delta polypeptide	2.4
	126695	AA643322	Hs.172028	a disIntegrin and metalloproteinase domain 10	9.1
				CGI-89 protein	17.0
	127274	AW966158	Hs.58582	Homo sapiens cDNA FLJ12789 fis, clone NT2RP2001947	12.8
15			Hs.161623		7.3
	128493	D87466	Hs.240112	KIAA0276 protein	3.1
,	128493	D87466		KIAA0276 protein	1.3
				putative nucleolar RNA helicase	9.4
				transcription factor 3 (E2A immunoglobulin enhancer binding factors E12/E47)	1.5
20		R39234		ESTs, Weakly similar to IDN4-GGTR14 [H.sapiens]	2.8
		U31875		short-chain alcohol dehydrogenase family member	12.1
				Rho GTPase activating protein 8	2.3
				GIOT-3 for gonadotropin inducible transcription repressor-3	1.3
					7.1
25				zinc finger protein	
25				hypothetical protein ASH1	1.3
				DKFZP434A043 protein	3.2
				CGI-47 protein	2.0
				coatomer protein complex, subunit epsilon	1.4
20				coatomer protein complex, subunit epsilo	1.3
30				diptheria toxin resistance protein required for diphthamide biosynthesis (Saccharomyces)-like 2	2.4
				Homo sapiens, Similar to RIKEN cDNA 1700010L19 gene, clone MGC:16214, mRNA, complete c	
		W27939	Hs.103834	hypothetical protein MGC5576	7.7
	128696	BE081143		nuclear receptor coactivator 3	3.8
	128700	Y15221	Hs.103982	small inducible cytokine subfamily B (Cys-X-Cys), member 11	1.6
35	128714	T85231	Hs.179661	tubulin, beta 5	7.6
	128717	AK001564	Hs.104222	hypothetical protein FLJ10702	5.5
	128733	BE147740	Hs.104558	ESTs, Moderately similar to I38022 hypothetical protein [H.sapiens]	2.7
	128737	AF292100	Hs.104613	RP42 homolog	2.8
				proteasome (prosome, macropaln) subunit, alpha type, 4	4.4
40				actin related protein 2/3 complex, subunit 4 (20 kD)	2.2
	128747	AB027249	Hs.104741	PDZ-binding kinase; T-cell originated protein kinase	2.8
				thymidine kinase 1, soluble	5.3
		N71826		small nuclear ribonucleoprotein polypeptide F	53.9
			113.105405 5We 105027	stem cell growth factor, lymphocyte secreted C-type lectin	13.3
45				RD RNA-binding protein	2.6
73					2.0
				nuclear prelamin A recognition factor	
				valosin-containing protein	5.9
				Homo sapiens mRNA; cDNA DKFZp586H0924 (from clone DKFZp586H0924)	1.6
50	128854	BE159181	MS.168232	hypothetical protein FLJ13855	2.2
50				hypothetical protein FLJ13855	1.9
	128868	AA419008	Hs.106/30	chromosome 22 open reading frame 3	3.0
				chromosome 22 open reading frame 3	2.2
				ATPase, Ca++ transporting, type 2C, member 1	1.5
	128891	F34856		Homo sapiens, clone MGC:16362, mRNA, complete cds	13.3
55		R57988		epithelial protein lost in neoplasm beta	4.7
	128920	AA622037	Hs.166468	programmed cell death 5	1.4
	128925	R67419	Hs.21851	Homo sapiens cDNA FLJ12900 fis, done NT2RP2004321	1.9
	128946	Y13153	Hs.107318	kynurenine 3-monooxygenase (kynurenine 3-hydroxylase)	7.2
		AA009647	Hs.8850	a disintegrin and metalloproteinase domain 12 (meltrin alpha) (ADAM-12)	2.4
60				hypothetical protein DKFZp434N035	1.3
				hypothetical protein FLJ11200	10.9
	128965	AW150697	Hs.107418	ESTs	1.4
	128970	Al375672	Hs.165028	ESTs	1.3
				NICE-5 protein	14.0
65				Homo sapiens cDNA FLJ14028 fis, clone HEMBA1003838	1.6
33	120005	A1816224	Hs 1077/7	DKFZP566C243 protein	1.9
		A1950087	. 10. 101 141	gbwg05c02 x1 NCL CGAP, Kid12 Homo saniens cDNA done 3', mRNA sequence	2.9

	129021	AL044675	Hs.173081	KIAA0530 protein	3.8
				KIAA0530 protein	2.5
	129032	R80088	Hs.108104	ubiquitin-conjugating enzyme E2L 3	3.4
	129076	AW296806	Hs.326234	ESTs, Highly similar to T46422 hypothetical protein DKFZp434M2023.1 [H.sapiens]	5.0
5		AI351010			2.1
		AA744610			17.1
	129095			thrombospondin 2	2.7
			Hs.288906	WW Domain-Containing Gene	20.9
				zinc finger protein 22 (KOX 15)	3.0
10	129099	AF146074	Hs.108660	ATP-binding cassette, sub-family C (CFTR/MRP), member 5	5.8
		W93048	Hs.250723	hypothetical protein MGC2747	5.9
				KIAA0050 gene product	6.3
				hypothetical protein PRO2577	1.8
	129192	AA286914	Hs.183299	ESTs	2.1
15				latexin protein	3.2
	129198	N57532	Hs.109315	KIAA1415 protein	5.8
				osteoglycin (osteoinductive factor, mimecan)	8.0
		U40714		tyrosyl-tRNA synthetase	2.9
				polyadenylate binding protein-interacting protein 1	3.2
20		AA252468		DKFZp434J1813 protein	2.6
			Hs.109804	H1 histone family, member X	7.3
		W26392	Hs.110080	ESTs, Weakly similar to S13495 pregnancy zone protein [H.sapiens]	9.6
	129296	AI051967	Hs.110122	ESTs	1.2
		AA287239		Homo sapiens cDNA FLJ11311 fis, clone PLACE1010102	5.1
25	129340	H75334	Hs.11050	F-box only protein 9	4.6
	129347	BE614192	Hs.279869	melanoma-associated antigen recognised by cytotoxic T lymphocytes	7.6
	129362	U30246	Hs.110736	solute carrier family 12 (sodium/potassium/chloride transporters), member 2	6.7
	129366	BE220806	Hs.184697	Homo sapiens clone 23785 mRNA sequence	. 8.6
	129370	A1686379	Hs.110796	SAR1 protein	1.4
30	129372	NM_01603	9Hs.110803	CGI-99 protein	2.0
	129403	AF149785	Hs.111126	pituitary tumor-transforming 1 interacting protein	7.4
		AI267700			5.0
	129404	AI267700	Hs.317584	ESTs	2.5
				hypothetical protein FLJ20647	10.2
35	129449	A1096988	Hs.111554	ADP-ribosylation factor-like 7	8.0
	129453	AW974265	Hs.111632	Lsm3 protein	3.2
	129482	AA188185	Hs.289043	spindlin	6.7
		AA188185			3.6
				hypothetical protein AL110115	7.1
40				membrane-associated nucleic acid binding protein	2.5
	129527	AA769221		delta-tubulin	3.2
		W01296		hypothetical protein FLJ14784	7.5
		AA317841		hypothetical protein MGC2752	6.8
	129570	A1923097		chromosome 1 open reading frame 8	2.0
45	129575	F08282	Hs.278428	progestin induced protein	1.6
		H14718		Human clone 23589 mRNA sequence	6.8
				postmeiotic segregation increased 2-like 9	1.4
		N57423		HSPC055 protein	7.3
	129594	AW403724	Hs.36989	coagulation factor VII (serum prothrombin conversion accelerator)	9.0
50	129596	AF035537	Hs.115521	REV3 (yeast homolog)-like, catalytic subunit of DNA polymerase zeta	1.6
	129628	U38945	Hs.1174	cyclin-dependent kinase inhibitor 2A (melanoma, p16, inhibits CDK4)	2.2
	129628	U38945	Hs.1174	cyclin-dependent kinase inhibitor 2A (me	1.4
		AK000398		hypothetical protein FLJ20391	3.8
·	129649	AD000092	Hs.16488	calreticulin	3.3
55	129675	NM_01555	i6Hs.172180	KIAA0440 protein	13.4
	129680	U03749		gb:Human chromogranin A (CHGA) gene, promoter an	14.1
				B7 homolog 3	2.6
		A1304966			7.4
	129720	AA156214	Hs.12152	APMCF1 protein	2.0
60	129721	NM_00141		eukaryotic translation initiation factor 2, subunit 3 (gamma, 52kD)	1.7
	129726	H15474		fatty acid desaturase 1	8.3
	129778	AK001676	Hs.12457	hypothetical protein FLJ10814	1.8
	129779	AA394090	Hs.12460		5.4
	129800	AF052112	Hs.12540	lysosomal	1.7
65				3 KIAA0931 protein	1.2
	129815	BE565817	HS.26498	hypothetical protein FLJ21657	3.1
	129840	NM_00659	30HS.12820	SnRNP assembly defective 1 homolog	1.8

			Hs.85963	DKF2P564M182 protein	2.2
			Hs.129914	runt-related transcription factor 1 (acute myeloid leukemia 1; aml1 oncogene)	1.7
	129869	AI222069	Hs.13015	hypothetical protein similar to mouse Dnajl1	2.7
_	129922	AF042379	Hs.13386	gamma-tubulin complex protein 2	4.5
5	129945	BE514376	Hs.165998	PAI-1 mRNA-binding protein	1.8
	129953	AA412195	Hs.13740	ESTs	2.5
					1.8
	129983				1.3
					4.0
					1.6
		AA287325			4.0
		S73265	Hs.1473	gastrin-releasing peptide	1.8
		AL046962			2.8
1 -		AL135561			2.3
15	130111				2.3
	130112	AA916785	Hs.180610	splicing factor proline/glutamine rich (polypyrimidine tract-binding protein-associated)	3.0
	130112	AA916785	Hs.180610	splicing factor proline/glutamine rich (	2.1
	130128	L76937	Hs.150477	Werner syndrome	1.8
	130135	AA311426	Hs.21635	tubulin, gamma 1	6.1
20				ESTs, Moderately similar to CEGT_HUMAN CERAMIDE GLUCOSYLTRANSFERASE [H.sapiens]	1.6
		D80001		KIAA0179 protein	1.3
		R85367	Hs.51957	splicing factor, arginine/serine-rich 2, interacting protein	2.0
				MyoD family inhibitor	3.2
		X79201		synovial sarcoma, translocated to X chromosome	5.4
25		D81983			
25			115.322032	GAS2-related on chromosome 22	4.8
				NIMA (never in mitosis gene a)-related kinase 2	1.4
				tumor suppressing subtransferable candidate 3	2.6
					6.3
20		Z19084			6.2
30				nuclear receptor interacting protein 1	2.4
				putative methyltransferase	3.4
	130359	NM_013449	3Hs.277401	bromodomain adjacent to zinc finger domain, 2A	8.5
	130367	AL135301	Hs.8768	hypothetical protein FLJ10849	1.4
	130372	Al077464	Hs.5011	RNA binding motif protein 9	3.3
35		N89487		KIAA0005 gene product	1.8
				hypothetical protein MGC2840 similar to a putative glucosyltransferase	3.4
				hypothetical protein MGC3017	2.3
				BCL2-interacting killer (apoptosis-inducing)	2.7
				NS1-associated protein 1	1.8
40		U63630		protein kinase, DNA-activated, catalytic polypeptide	2.3
70				PPAR binding protein	3.9
		D90041		N-acetyltransferase 1 (arylamine N-acetyltransferase)	33.6
		D90041		N-acetyltransferase 1 (arylamine N-acety	4.6
15				adducin 1 (alpha)	2.7
45				H2B histone family, member B	5.0
		U49844		ataxia telangiectasia and Rad3 related	4.3
		L38951		karyopherin (importin) beta 1	1.6
			Hs.295112	KIAA0618 gene product	16.1
	130511	L32137	Hs.1584	cartilage oligomeric matrix protein (pseudoachondroplasia, epiphyseal dysplasia 1, multiple)	6.1
50	130511	L32137	Hs.1584	cartilage oligomeric matrix protein (pse	5.3
	130526	AW876523	Hs.15929	hypothetical protein FLJ12910	2.1
		U64675		RAN binding protein 2-like 1	7.8
		AA321238		eukaryotic translation initiation factor 1A	1.5
			Hs.252587		14.4
55		AI907018		Empirically selected from AFFX single probeset	4.7
55		AA383092		replication protein A3 (14kD)	7.9
		AA232119		putative G-protein coupled receptor	3.3
		AF083208		apoptosis antagonizing transcription factor	1.2
<b>C</b> O		AB007891		KIAA0431 protein	5.6
60		AL042210		hypothetical protein DKFZp762N2316; KIAA1803 protein	1.4
		AA609738		ESTs	1.5
		AI354355		down-regulator of transcription 1, TBP-binding (negative cofactor 2)	1.3
		M90516	Hs.1674	glutamine-fructose-6-phosphate transaminase 1	12.1
_		M90516	Hs.1674	glutamine-fructose-6-phosphate transamin	2.4
65		AA383439		Spir-1 protein	15.9
		BE246961		Homo sapiens ubiquitin protein ligase (UBE3B) mRNA, partial cds	13.9
			Hs.194019	attractin	1.5

	130675	AA442233	Hs.17731	hypothetical protein FLJ12892	5.4
		AA652501		hypothetical protein MGC4692	5.0
		R68537	Hs.17962	ESTs	2.0
					1.8
_				bromodomain-containing 7	2.0
5		Al348274		DNA segment on chromosome X (unique) 9879 expressed sequence	
		AB007920		KIAA0451 gene product	3.7
	130744	H59696	Hs.18747	POP7 (processing of precursor, S. cerevisiae) homolog	3.1
	130751	AF052105	Hs.18879	chromosome 12 open reading frame	1.4
	130757	AL036067	Hs.18925	protein x 0001	5.7
10				ATP-binding cassette, sub-family A (ABC1), member 1	5.1
10	130700	AK000355	Hc 9900	sirtuin (silent mating type information regulation 2, S.cerevisiae, homolog) 5	5.2
				SEC24 (S. cerevisiae) related gene family, member D	1.5
		AB018298			
		J05068	Hs.2012	transcobalamin I (vitamin B12 binding protein, R binder family)	15.7
	130841	AL157468	Hs.325825	Homo sapiens cDNA FLJ20848 fis, done ADKA01732	2.8
15	130843	AA447492	Hs.20183	ESTs, Weakly similar to AF164793 1 protein x 013 [H.sapiens]	1.5
	130844	U76248	Hs.20191	seven in absentia (Drosophila) homolog 2	3.4
•				putative DNA/chromatin binding motif	1.7
				HBV pX associated protein-8	1.9
				zinc finger protein 7 (KOX 4, clone HF.16)	1.4
20		NM_00341			2.1
20		BE514434		kinesin-like 2	2.4
		AL120837		high-glucose-regulated protein 8	
				sphingosine-1-phosphate lyase 1	1.7
	130911	BE409769	Hs.21189		1.8
	130919	N79110	Hs.21276	collagen, type IV, alpha 3 (Goodpasture antigen) binding protein	2.3
25		BE382657	Hs.21486	signal transducer and activator of transcription 1, 91kD	5.4
		N39842	Hs.301444		2.2
			Hs.74316	desmoplakin (DPI, DPII)	1.8
		T97401	Hs.21929	ESTs	1.6
					1.6
20		AV658308		thyroid hormone receptor interactor 3	1.2
30		A1879165	Hs.2227	CCAAT/enhancer binding protein (C/EBP), gamma	
		AI826288		hypothetical protein MGC2628	1.6
		AA321649		small inducible cytokine subfamily B (Cys-X-Cys), member 10	7.4
	131046	AA321649	Hs.2248	small inducible cytokine subfamily B (Cy	3.0
		H23230	Hs.22481	ESTs, Moderately similar to A46010 X-linked retinopathy protein [H.sapiens]	1.7
35		AA194422		myosin VI	5.1
55		AA194422		myosin VI	2.5
			Hs.22607	ESTs	7.1
		N53344		dolichyl-phosphate (UDP-N-acetylglucosamine) N-acetylglucosaminephosphotransferase 1 (	2.0
		AA749230			1.9
40	131076	AA749230	Hs.26433	dolichyl-phosphate (UDP-N-acetylglucosam	
40	131099	AL133353	Hs.226581	COX15 (yeast) homolog, cytochrome c oxidase assembly protein	7.0
	131174	NM_00654	0Hs.29131	nuclear receptor coactivator 2	1.9
	131185	BE280074	Hs.23960	cyclin B1	5.8
		AW138839		ESTs	2.0
		AA885699		CGI-26 protein	7.0
45		H62087	Hs.31659	thyroid hormone receptor-associated protein, 95-kD subunit	7.5
77					2.9
		N47468	Hs.59757		3.5
		D89053		fatty-acid-Coenzyme A ligase, long-chain 3	2.8
	131243	AW383256	HS.24/52	spectrin SH3 domain binding protein 1	
	131245	AL080080	Hs.24766	thioredoxin domain-containing	2.8
50				fatty acid amide hydrolase	5.6
	131281	AA251716	Hs.25227	ESTs	5.7
	131283	X80038	Hs.339713	Homo sapiens clone F19374 APO E-C2 gene cluster	1.3
	131305	AV656017	Hs.184325	CGI-76 protein	5.0
	131320	AA505691	Hs 145696	splicing factor (CC1.3)	1.8
55	404000	A EDEBEOR	He 25812	Nijmegen breakage syndrome 1 (nibrin)	2.6
55	404000	WL020030	He 25012	Nijmegen breakage syndrome 1 (nibrin)	2.6
	131339	AFU30030	713.23012 - 115.440404	renteger breakage syndiome i (ilibiii)	5.4
	131375	AW293163	Hs.143134	ESIS	
	131390	BE269388	HS.182698	mitochondrial ribosomal protein L20	5.3
	131410	BE259110	Hs.279836	HSPC166 protein	2.2
60	131412	NM_01224	17Hs.124027	SELENOPHOSPHATE SYNTHETASE; Human selenium donor protein	2.0
	131429	AL046302	Hs.26750	hypothetical protein FLJ21908	1.4
	131458	BE297567	Hs.27047		1.7
	131475	AA992841	Hs.27263	KIAA1458 protein	2.0
	494504	AV661958	He 8207	GK001 protein	2.6
65	101001	AV661958	He 2207	GK001 protein	1.6
65	131501	AV001330	110.0207		2.0
	131511	AA132133	Hs.27865	LIDD above debudences	1.6
	131528	AUU/6408	ms.20309	UDP-glucose dehydrogenase	1.0

	131332	BE200210		nypometical protein wiGC2592	7.4
	131543	AW966881	Hs.41639	programmed cell death 2	2.2
		AL355715		programmed cell death 9 (PDCD9)	2.1
					1.7
~		NM_003512		H2A histone family, member L	
5	131564	T93500	Hs.28792	Homo sapiens cDNA FLJ11041 fis, clone PLACE1004405	5.1
	131564	T93500	Hs.28792	Homo sapiens cDNA FLJ11041 fis, clone PL	1.8
	131569	AL 389951	Hs 271623	nucleoporin 50kD	5.0
		BE393822	Un 2064E	Homo sapiens mRNA; cDNA DKFZp761C029 (from clone DKFZp761C029); partial cds	1.8
	131622	R78195	Hs.29692	Homo sapiens cDNA FLJ11436 fis, clone HEMBA1001213	1.3
10	131623	AB037791	Hs.29716	hypothetical protein FLJ10980	2.2
		AB037791		hypothetical protein FLJ10980	1.9
					2.9
		AW410601		HSPC182 protein	
	131653	AW960597	Hs.30164	ESTs	1.3
	131656	Al218918	Hs.30209	KIAA0854 protein	2.8
15	131669	X52486	Hs.3041	uracil-DNA glycosylase 2	2.8
		BE559681		KIAA0124 protein	5.6
					2.9
		AA642831		putative DNA binding protein	
	131722	D13757	Hs.311	phosphoribosyl pyrophosphate amidotransferase	3.4
	131737	AK001641	Hs.31323	inhibitor of kappa light polypeptide gene enhancer in B-cells, kinase complex-associated protein	3.8
20	131760		Hs.3164	nucleobindin 2	2.9
20					2.8
	131760		Hs.3164	nucleobindin 2	
			Hs.317	topoisomerase (DNA) I	3.4
	131772	AA382590	Hs.170980	KIAA0948 protein	25.5
				DKFZP586J0119 protein	5.5
25				KIAA0240 protein	2.4
23					
				Homo sapiens cDNA FLJ14656 fis, clone NT2RP2002439	7.9
	131795	BE501849	Hs.32317	high-mobility group 20B	1.4
	131798	X86098	Hs 301449	adenovirus 5 E1A binding protein	4.1
		U20536	Hs.3280	caspase 6, apoptosis-related cysteine protease	4.2
30			115.5200		3.5
30		U28838		TATA box binding protein (TBP)-associated factor, RNA polymerase III, GTF3B subunit 2	
	131850	Al251317	Hs.33184	ESTs	5.1
	131878	AA083764	Hs.6101	hypothetical protein MGC3178	5.8
		BE502341		ESTs	13.7
		BE502341		ESTs	2.4
25			H5.3402	CONTINUE related matrix approximated gatin dependent regulator of absorption subfamily a mamber	
35		W17064		SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily e, member	3.4
	131900	AA099014	Hs.231029	Homo sapiens, clone MGC:15961, mRNA, complete cds	8.7
	131900	AA099014	Hs.231029	Homo sapiens, clone MGC:15961, mRNA, com	2.0
				Homo sapiens cDNA: FLJ22993 fis, clone KAT11914	5.5
					11.3
40		AA179298		stomatin-like 2	
40				degenerative spermatocyte (homolog Drosophila; lipid desaturase)	1.7
	131916	AA025976	Hs.34569	ESTs	5.2
	131925	AF151048	Hs.183180	anaphase promoting complex subunit 11 (yeast APC11 homolog)	2.7
		BE541211			5.3
					2.3
15		BE252983		ubiquitin specific protease 1	
45		AA355113			1.5
	131962	AK000046	Hs.267448	hypothetical protein FLJ20039	2.3
		W79283	Hs.35962		1.4
				hypothetical protein MDS025	3.5
				inypouleural protein (viologo)	
		U90441	Hs.3622	procollagen-proline, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxylase), alpha polypeptide II	6.5
50	131985	AA503020	Hs.36563	hypothetical protein FLJ22418	2.4
	131991	AF053306	Hs.36708	budding uninhibited by benzimidazoles 1 (yeast homolog), beta	2.1
		H56995		Homo sapiens DNA binding peptide mRNA, partial cds	3.2
	132013	A 5402044			
		AF193844		COP9 complex subunit 7a	5.8
	132062	BE266155	Hs.3832	clathrin-associated protein AP47	1.5
55		NM_00226		karyopherin alpha 3 (importin alpha 4)	3.7
-		BE171921		ESTs	1.4
					5.8
	132105	AV646076	ms.39939	ESTs	
	132116	AW960474	Hs.40289	ESTs	1.7
	132176	AA857025	Hs.8878	kinesin-like 1	3.3
60		NM_00446		fibroblast activation protein, alpha	14.7
- ·	1.32 100				
	132100	AA206153	He 4200	mitochondrial ribosomal protein 1 37	55
	132192	AA206153	Hs.4209	mitochondrial ribosomal protein L37	5.5
	132192 132194	AA206153 R42432	Hs.4209 Hs.4212	ESTs .	4.4
	132192 132194 132203	AA206153 R42432 NM_00478	Hs.4209 Hs.4212 2Hs.194714		
	132192 132194 132203	AA206153 R42432 NM_00478	Hs.4209 Hs.4212 2Hs.194714	ESTs synaptosomal-associated protein, 29kD	4.4
65	132192 132194 132203 132207	AA206153 R42432 NM_00478 BE206939	Hs.4209 Hs.4212 2Hs.194714 Hs.42287	ESTs synaptosomal-associated protein, 29kD E2F transcription factor 6	4.4 2.2 2.2
65	132192 132194 132203 132207 132235	AA206153 R42432 NM_00478 BE206939 AV658411	Hs.4209 Hs.4212 2Hs.194714 Hs.42287 Hs.42656	ESTs synaptosomal-associated protein, 29kD E2F transcription factor 6 KIAA1681 protein	4.4 2.2 2.2 7.8
65	132192 132194 132203 132207 132235 132240	AA206153 R42432 NM_00478 BE206939 AV658411 AB018324	Hs.4209 Hs.4212 2Hs.194714 Hs.42287 Hs.42656 Hs.42676	ESTs synaptosomal-associated protein, 29kD E2F transcription factor 6	4.4 2.2 2.2

		AA301228		hypothetical protein FLJ12890	5.7
		AA227710			4.2
			Hs.285711	hypothetical protein FLJ13089	2.1
_		N36110		solute carrier family 2 (facilitated glucose transporter), member 10	1.5
5		AB023191		KIAA0974 protein	10.0
		NM_015980		cytokine receptor-like molecule 9	1.9
		AW405882	Hs.44205	cortistatin	9.2
		N37065	Hs.44856	hypothetical protein FLJ12116	2.0
	132348	AW067708	Hs.170311	heterogeneous nuclear ribonucleoprotein D-like	6.5
10		AW572805		ESTs	3.8
		AF155582		core1 UDP-galactose:N-acetylgalactosamine-alpha-R beta 1,3-galactosyltransferase	1.5
		Al279892		sorting nexin 14	12.5
		AA312135		HSPCO34 protein	28.3
		AL135094			1.9
15		AA100012		••	1.9
				mitochondrial ribosomal protein S14	6.1
				KIAA0512 gene product; ALEX2	1.7
		AW169847		KIAA1634 protein	8.6
20		Al224456		H.sapiens polyA site DNA	5.2
20		X16660		RAB4, member RAS oncogene family	1.4
		AW885606		ESTs	6.1
		T78736	Hs.50758	SMC4 (structural maintenance of chromosomes 4, yeast)-like 1	3.3
		AA306105		SEC22, vesicle trafficking protein (S. cerevisiae)-like 1	2.0
25		AA454132		mitochondrial ribosomal protein L16	2.9
25		BE388673		hypothetical protein MGC10433	2.2
		BE568452		protein regulator of cytokinesis 1	7.3
		AW674699		suppressor of G2 allele of SKP1, S. cerevisiae, homolog of	1.7
		AW631437		TH1 drosophila homolog	7.1
20		AK001484		CGI-45 protein	2.2
30		AA345547		hypothetical protein FLJ13287	. 2.2
		H12751	Hs.5327	PRO1914 protein	6.8
				hypothetical protein PRO1855	14.0
		A1796870		DNA segment on chromosome X (unique) 9928 expressed sequence	11.4
35		U51127	Hs.54434	hypothetical protein MGC1715	1.9
33	132000	AB018319	HS.5400	KIAA0776 protein	2.6 2.0
		F11875		collagen, type VIII, alpha 2	1.5
		NM_00460	Hs.5534	Homo sapiens cDNA FLJ12961 fis, clone NT2RP2005645	3.0
		Al142265		Sjogren syndrome antigen A2 (60kD, ribonucleoprotein autoantigen SS-A/Ro)	2.4
40				geranylgeranyl diphosphate synthase 1 hypothetical protein MGC4840	12.4
70		AA010233			14.6
		AA125985			2.7
		Y10275	Hs.56407	phosphoserine phosphatase	3.0
				KIAA0493 protein	2.3
45		Al142133		GDP dissociation Inhibitor 2	1.8
		AI026701	Hs.5716	KIAA0310 gene product	3.7
		U07418		mutL (E. coli) homolog 1 (colon cancer, nonpolyposis type 2)	1.8
		AB007944		KIAA0475 gene product	5.9
				solute carrier family 11 (proton-coupled divalent metal ion transporters), member 2	8.7
50		AI815189	Hs.57475	sex comb on midleg homolog 1	6.4
		N27852	Hs.57553		3.6
				CD44 antigen (homing function and Indian blood group system)	2.8
	132833	U78525	Hs.57783	eukaryotic translation initiation factor 3, subunit 9 (eta, 116kD)	14.6
				Homo sapiens clone PP1596 unknown mRNA	1.6
55		F12200	Hs.5811	chromosome 21 open reading frame 59	2.5
	132851	U09716		lectin, mannose-binding, 1	1.4
	132863	BE268048	Hs.236494	RAB10, member RAS oncogene family	4.2
	132869	AW963217	Hs.203961	ESTs, Moderately similar to AF116721 89 PRO2168 [H.sapiens]	2.8
		AW007683		KIAA1266 protein	2.0
60		NM_004850		Rho-associated, coiled-coil containing protein kinase 2	1.6
	132891	BE267143	Hs.59271	U2(RNU2) small nuclear RNA auxillary factor 1 (non-standard symbol)	1.4
	132897	AW503667	Hs.59545	ring finger protein 15	5.4
		A1936442		hypothetical protein FLJ10808	6.1
	132912	AW732760		Homo sapiens cDNA FLJ11095 fis, clone PLACE1005374	7.1
65	132913	W78714	Hs.60257		2.8
		T79136		Homo sapiens mRNA for KIAA1724 protein, partial cds	6.1
	132941	AI817165	Hs.6120	hypothetical protein FLJ13222	10.3

	132942	AA554458	Hs.197751	KIAA0666 protein	1.8
	132952	A1658580	Hs.61426	Homo sapiens mesenchymal stem cell protein DSC96 mRNA, partial cds	2.2
		AA576635		CGI-48 protein	4.9
				Homo sapiens cDNA FLJ11392 fis, clone HEMBA1000575	2.7
5			Hs.323277		5.3
•				RNA binding motif protein 3	3.2
				ESTs	1.3
				clone HQ0310 PRO0310p1	3.0
		AA847843		Homo sapiens, clone IMAGE:3351295, mRNA	10.3
10				UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminyltransferase 7 (GalNAc-T	
10					1.3
		Al439688 Al065016		hypothetical protein FLJ20886	6.0
				Homo sapiens clone FLB3344 PRO0845 mRNA, complete cds	
		AW500374		PRO0149 protein	5.3
15		BE247441		protein with polyglutamine repeat; calcium (ca2+) homeostasis endoplasmic reticulum protein	4.9
13		AK001628		KIAA0483 protein	3.5
		AA808177		ESTs	13.1
		AF198620		RNA binding motif protein 8A	1.3
		H94227	Hs.6592	Homo sapiens, clone IMAGE:2961368, mRNA, partial cds	2.2
20		Z11695		mitogen-activated protein kinase 1	1.3
20	133174	AA431620	Hs.324178	hypothetical protein MGC2745	17.1
				ESTs, Weakly similar to S19560 proline-rich protein MP4 - mouse [M.musculus]	1.8
		X97795		RAD54 (S.cerevislae)-like	4.9
				hypothetical protein FLJ20671	3.1
~ -			Hs.6774	ESTs	4.4
25	133226	AW954569	Hs.296287	Homo sapiens, Similar to bromodomain-containing 4, clone IMAGE:3542455, mRNA, partial cds	1.7
				golgi phosphoprotein 1	6.0
				ADP-ribosylation factor-likė 1	1.5
	133254	AI567421	Hs.273330	Homo sapiens, clone IMAGE:3544662, mRNA, partial cds	1.4
30	133266	AI160873	Hs.69233	zinc finger protein	5.6
	133268	AW956781		ESTs, Weakly similar to FXD2_HUMAN FORKHEAD BOX PROTEIN D2 [H.sapiens]	1.9
	133285	M76477	Hs.289082	GM2 ganglioside activator protein	4.7
	133291	BE297855	Hs.69855	NRAS-related gene	5.0
	133314	AA102670	Hs.70725	gamma-aminobutyric acid (GABA) A receptor, pi	2.7
	133321	T79526	Hs.179516	integral type I protein	9.3
35	133327	AL390127	Hs.7104	Kruppel-like factor 13	4.4
	133347	BE257758	Hs.71475	acid cluster protein 33	1.8
	133360	Al016521	Hs.71816	v-akt murine thymoma viral oncogene homolog 1	5.5
	133366	AA292811	Hs.72050	non-metastatic cells 5, protein expressed in (nucleoside-diphosphate kinase)	2.7
	133367	AF231919	Hs.18759	KIAA0539 gene product	1.7
40	133370	AF245505	Hs.72157	DKFZP564I1922 protein	1.8
	133383	BE313555	Hs.7252	KIAA1224 protein	1.7
	133390	AI950382	Hs.72660	phosphatidylserine receptor	1.3
	133391	AW103364	Hs.727	Inhibin, beta A (activin A, activin AB alpha polypeptide)	16.1
	133394	AA305127	Hs.237225	hypothetical protein HT023	12.2
45	133437	AL031591	Hs.7370	phosphotidylinositol transfer protein, beta	10.4
	133452	NM_00275	9Hs.274382	protein kinase, interferon-inducible double stranded RNA dependent	1.2
	133453	AI659306	Hs.73826	protein tyrosine phosphatase, non-receptor type 4 (megakaryocyte)	1.7
	133500	AW964804		hypothetical protein FLJ22237	11.1
	133529	W45623	Hs.74571	-ADP-ribosylation factor 1	2.8
50	133540	AL037159	Hs.74619		2.9
	133543	AU077073	Hs.108327	damage-specific DNA binding protein 1 (127kD)	2.5
	133578	AU077050	Hs.75066	translin	1.5
		X75346	Hs.75074	mitogen-activated protein kinase-activated protein kinase 2	2.1
	133582	BE391579	Hs.75087	Fas-activated serine/threonine kinase	1.3
55	133594	AW160781	Hs.172589	nuclear phosphoprotein similar to S. cerevislae PWP1	2.2
		AA393273		transcription factor 6-like 1 (mitochondrial transcription factor 1-like)	1.5
		NM_00288		RAP1, GTPase activating protein 1	5.7
		NM_00489		H2A histone family, member Y	25.5
		NM_00204		glycyl-tRNA synthetase	15.8
60		NM_00040		exostoses (multiple) 2	3.3
•		U25849	Hs.75393	acid phosphatase 1, soluble	1.6
	133690	AV661185		mitochondrial ribosomal protein L19	4.1
		L27841	Hs.75737	pericentriolar material 1	1.5
	133722	AW969976		matrix Gla protein	6.3
65	133751	AW402048	. Hs.334787	Homo sapiens, Similar to likely ortholog of yeast ARV1, clone IMAGE:3506392, mRNA	3.9
55		T52946		RAE1 (RNA export 1, S.pombe) homolog	1.7
	133760	BE271766	Hs. 181357	laminin receptor 1 (67kD, ribosomal protein SA)	1.8
	100100	, ,,,,,,			

	133765	M62194	Hs.75929	cadherin 11, type 2, OB-cadherin (osteoblast)	1.5
	133780	AA557660	Hs.76152	decorin	3.5
			Hs.301064		6.8
_		M34338	Hs.76244	spermidine synthase	2.6
5		AL133921		retinoblastoma-binding protein 2	1.4
		D50525	Hs.699	peptidylprolyl Isomerase B (cyclophilin B)	8.0
				putative human HLA class II associated protein I	13.5
		AA147026		ESTs	2.2
10		W29092	Hs.7678	cellular retinoic acid-binding protein 1	1.8
10		U86782		26S proteasome-associated pad1 homolog	2.0 2.8
				discs, large (Drosophila) homolog 5	2.6 6.7
				KIAA0097 gene product	2.5
			Hs.183874		3.0
15		U30872	Hs.77204	centromere protein F (350/400kD, mltosin)	1.4
13		U30825	Hs.77608		5.4
		D86326		vesicle docking protein p115	4.9
				SMC1 (structural maintenance of chromosomes 1, yeast)-like 1	3.7
		L17128	Hs.77719		3.7 12.1
20		BE244332		adaptor-related protein complex 3, mu 2 subunit	9.7
20		X81789	Hs.77897	splicing factor 3a, subunit 3, 60kD GATA-binding protein 3 (T-cell receptor gene activator)	3.1
					1.3
			Hs.78202 Hs.78281	regulator of G-protein signalling 12	9.7
	13/010	ARD16002	He 10711A	RNA binding protein; AT-rich element binding factor	2.4
25		D31764		sorting nexin 17	2.5
23		NM_00359		cullin 3	1.3
		U41060	Hs.79136	LIV-1 protein, estrogen regulated	4.2
			2Hs.79305		2.2
		H86504		protein phosphatase 2, regulatory subunit B (B56), epsilon isoform	5.0
30				KIAA0160 protein	3.2
-		AF107463		splicing factor 30, survival of motor neuron-related	2.5
		NM_00028		peroxisomal biogenesis factor 7	2.1
		NM_00040		glucose-6-phosphate dehydrogenase	9.1
		BE300078		Homo sapiens, clone IMAGE:3535294, mRNA, partial cds	2.8
35		Al878910		cisplatin resistance-associated overexpressed protein	1.8
		AI906291		immunoglobulin superfamily, member 3	2.0
		AW502505		Homo sapiens cDNA: FLJ21927 fis, clone HEP04178, highly similar to HSU90909	2.5
	134305	U61397	Hs.81424	ubiquitin-like 1 (sentrin)	2.8
				KIAA1100 protein	10.4
40	134326	AW903838	Hs.81800	chondroitin sulfate proteoglycan 2 (versican)	1.9
		N92036	Hs.81848	RAD21 (S. pombe) homolog	2.6
		NM_00492		SEC24 (S. cerevisiae) related gene family, member C	2.3
		AW291946		interleukin 6 signal transducer (gp130, oncostatin M receptor)	13.0
4 ~		AA339449		phosphoribosylglycinamide formyltransferase, phosphoribosylglycinamide synthetase,	8.8
45		X06560	Hs.82396	2',5'-oilgoadenylate synthetase 1 (40-46 kD)	1.5
				hypothetical protein MGC3222	8.1
		AI589941		Homo saplens, Similar to tumor differentially expressed 1, clone IMAGE:3639252, mRNA, par	
		AA417383		integrin, beta-like 1 (with EGF-like repeat domains)	4.1
50		AA456539		lysosomal	1.7
50		AA334551		sperm specific antigen 2	2.6
			Hs.82772		1.3
				reticulocalbin 1, EF-hand calcium binding domain	3.2
		A1750762		protein tyrosine phosphatase type IVA, member 2	1.9 10.3
55		AU077196		collagen, type V, alpha 2	2.4
23	134424	Z44190	Hs.83023	peroxisomal biogenesis factor 11B	1.2
		AA112036	Hs.83428	KIAA0252 protein nuclear factor of kappa light polypeptide gene enhancer in B-cells 1 (p105)	1.6
		M58603 X54942	Hs.83758	CDC28 protein kinase 2	2.1
	134470	NM_00500		Empirically selected from AFFX single probeset	5.3
60		X82153	Hs.83942	cathepsin K (pycnodysostosis)	2.5
JU	134400	AW246273		threonyl-tRNA synthetase	2.1
	134430	AA425473	Hs 84429	KIAA0971 protein	3.8
	12/516	AK001571	Hs.273357	hypothetical protein FLJ10709	2.4
	134520	BE091005	Hs.74861	activated RNA polymerase II transcription cofactor 4	6.7
65	134520	AW411479	Hs.848	FK506-binding protein 4 (59kD)	2.3
55	134577	BE244323	Hs.85951	exportin, tRNA (nuclear export receptor for tRNAs)	5.5
	134582	AA927177	Hs.86041	CGG triplet repeat binding protein 1	5.8

	134612	AW068223	Hs.171581	ubiquitin C-terminal hydrolase UCH37	2.2
	134624	AF035119	Hs.8700	deleted in liver cancer 1	2.0
				chloride channel 3	2.3
_	134654	AK001741	Hs.8739	hypothetical protein FLJ10879	1.4
5	134664	AA256106	Hs.87507	ESTs ·	72.9
	134666	BE391929	Hs.8752	transmembrane protein 4	8.5
			Hs.88251	arylsulfatase A	6.0
		NM_003474		a disintegrin and metalloproteinase domain 12 (meltrin alpha)	4.3
		BE161887	Hs.88799	anaphase-promoting complex subunit 10	2.3
10			Hs.890	lysosomal	6.7
		AA852985		chromobox homolog 5 (Drosophila HP1 alpha)	2.3
				F-box only protein 6	2.9
				ring finger protein 22	6.6
1.5	134746			CD2 antigen (p50), sheep red blood cell receptor	2.3
15		AW630803		lamin B1	6.2
				integral membrane protein 1	1.9
		AD001528		spermine synthase	1.8 1.4
		AW451370		adaptor-related protein complex 1, gamma 2 subunit	1.4
20		Al701162		hypothetical protein MGC11138	5.6
20		BE268326		5-aminoimidazole-4-carboxamide ribonucleotide formyltransferase/IMP cyclohydrolase	2.8
		D26488	Hs.90315	KIAA0007 protein	1.7
		AI879195 AA532963		15 kDa selenoprotein Homo sapiens cDNA FLJ13100 fis, clone NT2RP3002255	1.7
		AW885909		PRO1073 protein	2.1
25		AW401361			1.3
23				phosphoserine aminotransferase	2.1
			Hs.92186	Leman coiled-coil protein	2.3
		AB037835			1.6
		NM_000408			3.9
30				hypothetical protein FLJ12619	6.2
50		AW503733		KIAA1488 protein	2.0
		AB036063			1.3
•		AF027219		zinc finger protein 202	7.1
				zinc finger protein 36 (KOX 18)	3.2
35	135153	AI093155	Hs.95420	JM27 protein	2.5
	135181	BE250865	Hs.279529	px19-like protein	1.4
	135199	AA477514	Hs.96247	translin-associated factor X	5.0
		N26427	Hs.9634	ESTs, Highly similar to C10_HUMAN PUTATIVE C10 PROTEIN [H.sapiens]	6.1
40		T78802	Hs.96560		4.6
40		BE463721			5.6
		A1028767			3.5
		AW291023		ESTs, Weakly similar to A46010 X-linked retinopathy protein [H.sapiens]	1.2
		A1088775		geranylgeranyl diphosphate synthase 1	2.6 5.3
15		AA448460			9.1
45		AA150320		protein kinase Njmu-R1	2.4
		A1090838			13.3
		AI743770 AI652069			2.6
				ribosome binding protein 1 (dog 180kD homolog) cell division cycle 2-like 1 (PITSLRE proteins)	8.3
50				Homo sapiens cDNA FLJ10174 fis, clone HEMBA1003959	1.5
50		U05237	Hs.99872		4.9
		X78592	Hs.99915	androgen receptor (dihydrotestosterone receptor; testicular feminization; spinal and bulbar	2.0
		R50333	Hs.92186	Leman coiled-coil protein	2.6
		AB037835		KIAA1414 protein	1.4
55		NM_00040		glycerol-3-phosphate dehydrogenase 2 (mi	1.6
				hypothetical protein FLJ12619	1.4
		AW503733		KIAA1488 protein	1.8
		AB036063		p53-inducible ribonucleotide reductase s	2.5
	135095	AF027219	Hs.9443	zinc finger protein 202	1.5
60	135096	AA081258	Hs.132390		2.1
- 1		Al093155		JM27 protein	4.4
	135181	BE250865	Hs.279529		14.9
	135199	AA477514		transfin-associated factor X	1.3
	135207	N26427	Hs.9634	ESTs, Highly similar to C10_HUMAN PUTATI	1.7
65		T78802	Hs.96560	hypothetical protein FLJ11656	6.1
		BE463721		putative G protein-coupled receptor	2.7
	4 25 24 5	AINORTET	Me 757501	CHSIC	12.2

	135257	AW291023	Hs.97255	ESTs, Weakly similar to A46010 X-linked	7.	
			Hs.55498	geranylgeranyl diphosphate synthase 1	1.	
	135274	AA448460			4.	
		AA150320		protein kinase Njmu-R1	1.	
5	135295	A1090838		ESTs	4.	
	135307	A1743770		ESTs, Weakly similar to KIAA0822 protein	5.	
	135321		Hs.98614	ribosome binding protein 1 (dog 180kD ho		2.3
	135354	AA456454	Hs.183418	cell division cycle 2-like 1 (PITSLRE pr	5.7	
• •				Homo sapiens cDNA FLJ10174 fis, clone HE	1.	9.
10				fetal Alzheimer antigen		.ə 3.9
	135400	X78592	HS.99915	androgen receptor (dihydrotestosterone r	5.	
	302256	AA85/131	HS.1/1595	HIV TAT specific factor 1 HER2 receptor tyrosine kinase (c-erb-b2,	2.	
						4
15	303686	AV000744	Hs.2/94/4	HSPC070 protein MSTP033 protein		2
13		R43191	He 101248	Homo sapiens clone IMAGE:32553, mRNA seq		.3
		AA808229				8.
	317781	NM 00705	7Hs.42650	ZW10 interactor	2.	.0
	320836	AI268997	Hs.197289	rab3 GTPase-activating protein, non-cata		.5
20			Hs.78979	Golgi apparatus protein 1		.4
-		N24236	Hs.179662	nucleosome assembly protein 1-like 1		.3
	322474	AF118083	Hs.29494	PRO1912 protein		.9
				hypothetical protein		.6
	323541	AF292100	Hs.104613	RP42 homolog		.8 .6
25				BUB3 (budding uninhibited by benzimidazo		.o .1
		AL034548		SRY (sex determining region Y)-box 22		. i .6
			Hs.48295			.6
		R73727		ESTs, Weakly similar to T32527 hypotheti		.4
30		AB000115 Al267592		hypothetical protein, expressed in osteo SFRS protein kinase 1		.5
30		AW304454		UBX domain-containing 1		.2
		AA381133	Hs 80684	high-mobility group (nonhistone chromoso		3.6
		R57256	Hs.82037	TATA box binding protein (TBP)-associate		.8
		S79895		cathepsin K (pycnodysostosis)		.3
35		NM_00691		retinoblastoma-binding protein 6		.6
		U72937	Hs.96264	alpha thalassemia/mental retardation syn		.3
		U22376	Hs.1334	v-myb avian myeloblastosis viral oncogen		.6
	421225	AA463798	Hs.102696	MCT-1 protein	3	.5
4.0	421642	AF172066	Hs.106346	retinoic acid repressible protein		.9 .1
40	421828	AW891965	Hs.279789	histone deacetylase 3		.9
				peptidylprolyl isomerase C (cyclophilin		.4
	422052	AA302744	HS.104518	ESIS		1.1
				putative heme-binding protein		o
45		W67883	He 137/76	prefoldin 2 paternaliy expressed 10 (PEG10; KIAA105		1.9
43	424001	AE0/1003	He 155040	zinc finger protein 217		3.4
	425284	AF155568	Hs.155489	NS1-associated protein 1	2	2.1
	426372	BE304680	Hs.169531	DEAD/H (Asp-Glu-Ala-Asp/His) box polypep		<b>7.5</b>
	428049	AW183765	Hs.182238	GW128 protein		1.7
50	428477	AW500533	3 Hs.11482	splicing factor, arginine/serine-rich 11		2.4
		AB001636		DEAD/H (Asp-Glu-Ala-Asp/His) box polypep		3.8
		AK001333	Hs.6216	Homo sapiens hepatocellular carcinoma-as		5.6
		F13386	Hs.7888	Homo sapiens clone 23736 mRNA sequence		2.0 7.5
	445580	AF167572	Hs.12912	skb1 (S. pombe) homolog		2.2
55				hypothetical protein MGC4485		2.8
		AI017574		cysteine-rich protein 1 (intestinal) ESTs, Weakly similar to S16506 hypotheti		1.7
		BE620592		density-regulated protein		5.9
		NM_00367	7 ∏3,∠∠J33 He 331399	intermediate filament protein syncollin		5.6
60		W68520 H39960	He 288467	Homo saplens cDNA FLJ12280 fis, done MA		1.4
00	450701 450701	AA011202	Hs.184771	nuclear factor I/C (CCAAT-binding transc		4.7
	452461	N78223	Hs.108108	S transcription factor	2	2.9
	452511	BE408178	Hs.285165	Homo saplens cDNA FLJ20845 fis, clone AD		12.1
	453157	AF077036	Hs.31989	DKFZP586G1722 protein		4.7
65	453658	BE541906	Hs.87819	Homo sapiens, clone MGC:2492, mRNA, comp		1.3
	100833	AF135168	Hs.108802	N-ethylmalelmide-sensitive factor		3.2
		U50360		gb:Human calcium, calmodulin-dependent p	•	6.2

	102827	BE244588	Hs.6456	chaperonin containing TCP1, subunit 2 (b	7	7.9
	103549	BE270465	Hs.78793	protein kinase C, zeta	2	2.0
	104331	AB040450	Hs.279862	cdk inhibitor p21 binding protein	5	5.3
	110018	AW579842	Hs.104557	hypothetical protein FLJ10697	2	2.0
5	115008	AK001827	Hs.87889	helicase-mol	5	5.7
	119075	M10905	Hs.287820	fibronectin 1	1	1.3
	119615	AL034423	Hs.75875	ubiquitin-conjugating enzyme E2 variant	2	2.9
	125006	BE065136	Hs.145696	splicing factor (CC1.3)	1	1.7
	127609	X80031	Hs.530	collagen, type IV, alpha 3 (Goodpasture	2	2.4
10	129209	R62676	Hs.17820	Rho-associated, coiled-coil containing p	5	5.2
	129917	M30773	Hs.278540	protein phosphatase 3 (formerly 2B), reg	4	4.5
	130182	BE267033	Hs.192853	ubiquitin-conjugating enzyme E2G 2 (homo	1	11.0
	130365	W56119	Hs.155103	eukaryotic translation initiation factor	3	3.3
	131135	NM_016569	9Hs.267182	TBX3-iso protein	1	1.3
15	131853	Al681917	Hs.3321	ESTs, Highly similar to IRX1_HUMAN IROQU		3.2
	131881	AW361018	Hs.3383	upstream regulatory element binding prot	1	14.3
	132726	N52298	Hs.55608	hypothetical protein MGC955		3.0
	135193	X95525	Hs.96103	TATA box binding protein (TBP)-associate		2.7
	409487	H19886		gb:yn57a05.r1 Soares adult brain N2b5H	2	2.3
20	416040	AW819158	Hs.289044	Homo sapiens cDNA FLJ12048 fis, clone HE	7	7.4

#### **TABLE 4A**

Table 4A shows the accession numbers for those pkeys lacking unigeneID's for Table 4. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10	seque	ences con	onsing each cluster are listed in the Accession column.	
10	, Diam	11-1-	For exploration (Control of the Control of the Cont	
	Pkey: CAT nun		Eos probeset identifier number luster number	
	Accessio		nk accession numbers	
	Accessic	/ii. Gerii	in decession manuers	
15	•	•		
	Pkev	CAT number	ccessions	
	123615	3068615	va609170	
	123619	371681_1	va602964 aa609200	
20	101445	16505	<i>1</i> 21259	
•		656394_1	N267847 N27351	
	124417	1642364_1	134059 N46979	
		1657509_1	I53935 N53950	
~ ~		3128128	J50360	
25		110522	(89059	
	110856	19346_14 .	VA992380 N33063 N21418 H79958 R21911 H79957 3797 109699_1 AA080912 AA075318 AA083403 AA076594 AA078992 AA084926 AA081881 AA113913 AA1138	02
			3797	JZ
	400000			
30		160212_1	\A190577 AA181657 F63857 AW971220 AA493469 T63699	
30		328626_1 44573_2	N950087 N70208 R97040 N36809 Al308119 AW967677 N35320 Al251473 H59397 AW971573 R97278 W01059 AW967	671
	120412	44373_2	A908598 AA251875 AI820501 AI820532 W87891 T85904 U71456 T82391 BE328571 T75102 R34725 AA884922 BE328	8517
			N219788 AA884444 N92578 F13493 AA927794 AI560251 AW874068 AL134043 AW235363 AA663345 AW008282 AA48	38964
			A283144 A1890387 A1950344 A1741346 A1689062 AA282915 AW102898 A1872193 A1763273 AW173586 AW150329 A18	653832
35			AI76268B AA988777 AA488892 AI356394 AW103813 AI539642 AA642789 AA856975 AW505512 AI961530 AW629970	
			3F612881 AW276997 AW513601 AW512843 AA044209 AW856538 AA180009 AA337499 AW961101 AA251669 AA251	874
			AIB19225 AW205862 AI683338 AI858509 AW276905 AI633006 AA972584 AA908741 AW072629 AW513996 AA293273	
			157332 Algeria	4269
			F00531 H83488 W37181 W78802 R66056 A1002839 R67840 AA300207 AW959581 T63226 F04005	
40	129019	44573_2	N950087 N70208 R97040 N36809 Al308119 AW967677 N35320 Al251473 H59397 AW971573 R97278 W01059 AW967	671
			A908598 AA251875 AI820501 AI820532 W87891 T85904 U71456 T82391 BE328571 T75102 R34725 AA884922 BE32	851/
			A1219788 AA884444 N92578 F13493 AA927794 A1560251 AW874068 AL134043 AW235363 AA663345 AW008282 AA4	88964 653833
			A283144 AI890387 AI950344 AI741346 AI689062 AA282915 AW102898 AI872193 AI763273 AW173586 AW150329 AI	000002
45			NT62688 AA988777 AA488892 AI356394 AW103813 AI539642 AA642789 AA856975 AW505512 AI961530 AW629970 BE612881 AW276997 AW513601 AW512843 AA044209 AW856538 AA180009 AA337499 AW961101 AA251669 AA251	974
45			3E612881 AW276997 AW313601 AW312643 AA044209 AW636336 AA160009 AA337499 AW381101 AA231609 AA231 A 819225 AW205862 A 683338 A 858509 AW276905 A 633006 AA972584 AA908741 AW072629 AW513996 AA293273	5/4
			AB19225 AW203662 A1683336 A1636309 AW276905 A1633006 AA972364 AA960741 AW072625 AW713336 AA233273 AA969759 N75628 N22388 H84729 H60052 T92487 A1022058 AA780419 AA551005 W80701 AW613456 A1373032 A156	4269
			4A969759 N73828 N22388 N64725 1180032 192487 A1822038 AA780418 AA331888 W37181 W78802 R66056 A1802839 R67840 AA300207 AW959581 T63226 F04005	7200
•	120605	9683_3	AA976503 AI917802 AA953664 AA404613 AA428771 BE280542 AW194691 AI927301 AI740458 AI796100 AI935603 AW	V052210
50	120033	3000_3	AA970201 AI633384 AA425910 AI017004 AI241295 AA402816 AA291468	
50	122188	275673_1	NA398838 AA435847	
		283769_1	AAA165568 AA442889 AA417233 AA442223	
		305217_1	AA453641 AA454061	
		150431_1	AA157811 AA836869	
55		genbank AA		
	123811	genbank_AA	D586 AA620586	
	125115	genbank_T97	1 T97341	
			entrez_W38150 W38150	
		382979_1	AA199686 N73861	
60		genbank_AA		
		genbank_T57		
		genbank_AA		

120639 genbank\_AA286942

AA286942

5

		genbank_AA34 genbank_T973		AA346495 T97307
		23162_1		1_001275 J03483 J03915 AI214509 AW245744 AL046455 AA318960 AI741505 AA843875 AI829382 AI560122
5				)55958 A1684005 D53170 AA854091 A1025609 D53119 D54729 D55504 D55377 D55313 AW512244 AA846441 A1969102 AA405741 A1091983 AA788784 AA706586 AA854361 AW470949 AA843095 AA772028 A1148432
Ü			A1038109 A	A782478 AA910064 AI220384 AA781296 AA843881 AA854064 AA843125 AA843419 AA319036 AA319054
				V32275 AI584185 C05724 AA789023 AI686818 D54392 AI022485 AA431410 AA854232 W39212 W15214 AA894441 I167381 AW245389 AA319430 AA335156 AID42646 AA327030 AA725170 T27943 AA889304 AA976699 AI687001
10			Al621107 A	1865540 AA772107 C06286 AA319661 AA405992
10	101045	entrez_J05614	J05614	
	117247	genbank	N21032	
	110501	genbank	H55748	
		entrez_X94563	X94563	
		genbank	AA127818	•
15		NOT FOUND		W37933
10		genbank	AA252395	1107335
		genbank	AA412112	
		genbank	AA412497	
20		genbank	AA427950	AA 400040
20		714071_1	AA496369	AA496646
		genbank	AA236672	
	409487	1134778 1	H19886 AV	/402806 T10231

# TABLE 5: Figure 5 from BRCA 001 US

Table 5 shows genes upregulated in tumor tissue compared to normal breast tissue.

5

Pkey:	Unique Eos probeset identifier number

Exemplar Accession number, Genbank accession number ExAccn:

UnigenelD: Unigene number Unigene Title: R1: 10

Unigene gene title Ratio of tumor to normal breast tissue

1.0	Pkey	ExAccn	UnigenelD	UnigeneTitle	R1
15				N - II Ista II - Isaa	
		X02308	Hs.82962	thymidylate synthetase	2.9
		D13666	Hs.136348	osteoblast specific factor 2 (fasciclin	7.5
		H60720	Hs.81892	KIAA0101 gene product	9.2
00		AW247529		platelet-activating factor acetylhydrola	2.7
20		L05424	Hs.169610	CD44 antigen (homing function and Indian	5.7
		L05424	Hs.169610	CD44 antigen (homing function and Indian	9
		L05424	Hs.169610	CD44 antigen (homing function and Indian	7.6
		AW502935		PTK2 protein tyrosine kinase 2	53.2
0.5		AK000405		ubiquitin-like 4	11.4
25		J05070	Hs.151738	matrix metalloproteinase 9 (gelatinase B	8.2
		J05614		gb:Human proliferating cell nuclear anti	5
		J04088	Hs.156346	topoisomerase (DNA) II alpha (170kD)	3.4
		AI494299	Hs.16297	COX17 (yeast) homolog, cytochrome c oxid	6.3
20		NM_01215		coagulation factor VIII-associated (intr	5.7
30		AF064853		guanine nucleotide binding protein (	5.6
		M81057	Hs.180884	carboxypeptidase B1 (tissue)	14.4
		AA586894		S100 calcium-binding protein A7 (psorias	8.9
		NM_00031		peroxisomal membrane protein 3 (35kD, Ze	3.2
25		AJ904232	Hs.75323	prohibitin	8.4
35		BE258602		heat shock protein 75	1.4
		BE313280		death associated protein 3	4.6
		AW950852		polymerase (DNA directed), delta 2, regu	4.3
		AA829978		JTV1 gene	6.7
40		U24389	Hs.65436	lysosomal	4.3
40		AA306342		protein kinase C-like 2	2.7
		U37519	Hs.87539	aldehyde dehydrogenase 3 family, member	2
•		U33635	Hs.90572	PTK7 protein tyrosine kinase 7	6.2
		U48705	Hs.75562	discoidin domain receptor family, member	6.9
45		W81489	Hs.223025	RAB31, member RAS oncogene family	5.3
45		AL037672		extracellular matrix protein 1	5.8
		NM_00701		ubiquitin carrier protein E2-C	4.3
		U96132	Hs.171280	hydroxyacyl-Coenzyme A dehydrogenase, ty	6
		AU077058		BRCA1 associated RING domain 1	1.9
<b>5</b> 0		T97490	Hs.50002	small inducible cytokine subfamily A (Cy	2.3
50		BE252241		pyridoxal (pyridoxine, vitamin B6) kinas	6.4
		BE244588		chaperonin containing TCP1, subunit 2 (b	5.6
			0Hs.155324	matrix metalloproteinase 11 (MMP11; stro	4.5
		AU077231		cyclin D1 (PRAD1: parathyroid adenomatos	3.1
			Hs.275865	ribosomal protein S18	9.9
55		X72755	Hs.77367	monokine induced by gamma interferon	8.8
		Al369285	Hs.75189	death-associated protein	5.6
		Al376722	Hs.180062	proteasome (prosome, macropain) subunit,	9.7
		BE270465		protein kinase C, zeta	7.9
<b>C</b> O			Hs.105737	hypothetical protein FLJ10416 similar to	6.5
60			Hs.150675	polymerase (RNA) II (DNA directed) polyp	6.3
		AW052006		PRP4/STK/WD splicing factor	10.9
		AI250789	Hs.32478	ESTs	5.6 12.3
		AA041276		3-phospholnositide dependent protein kin	
	104867	AA278898	Hs.225979	hypothetical protein similar to small G	2

	104000	AW045040	11- 00405	FOT-	477
		AW015318		ESTs	17.7
		AW408164		transcription factor 19 (SC1)	5 4 7
		AW958157		NS1-associated protein 1	1.7
5		AA026880 Y12059	Hs.278675	prolactin receptor bromodomain-containing 4	1.4 1.4
5			Hs.19322		7.2
		AF098158		chromosome 20 open reading frame 1	3.3
		AA907305		ESTs	2.5
		AA151342			9.5
10			Hs.35156	Homo sapiens cDNA FLJ11027 fis, clone PL	2.2
10		AF167570		interleukin enhancer binding factor 3, 9	5.4
		AA262640		unknown	9.3
		BE616694		hypothetical protein FLJ14299	1.4
		AA985190		hypothetical protein FLJ20059	9.4
15		AW151952		hypothetical protein FLJ20739	1.5
		AF151066		hypothetical protein	2.9
		AF016371		peptidyl prolyl isomerase H (cyclophilin	5.2
		AA533491		hypothetical protein FLJ14681	6.8
		AK001404		cyclin B2	5.7
20	106359	AW390282	Hs.31130	transmembrane 7 superfamily member 2	6.3
	106610	AA458882	Hs.79732	fibulin 1	7.9
	106624	NM_003595	Hs.26350	tyrosylprotein sulfotransferase 2	7.7
	106713	BE614802	Hs.184352	hypothetical protein FLJ12549	4.5
	106829	AW959893	Hs.27099	hypothetical protein FLJ23293 similar to	16.2
25	106846	AB037744	Hs.34892	KIAA1323 protein	2.2
		N49809	Hs.11197	Homo sapiens, clone IMAGE:3343149, mRNA	
		BE156256	Hs.11923	hypothetical protein	6.6
		AF264750		myeloid/lymphoid or mixed-lineage leukem	1.8
20		W15477	Hs.64639	glioma pathogenesis-related protein	6.1
30		AW732573		potassium voltage-gated channel, delayed	8.4
		L42612	Hs.335952	keratin 6B	2.5
		BE153855		lg superfamily receptor LNIR pyruvate dehydrogenase kinase, isoenzyme	2.2 6.7
		AW956103 AF129535		F-box only protein 5	7.1
35		BE546947		homeo box C10	9.8
33		AB029000		KIAA1077 protein	7.2
		AK001431			.4
		AA156542		ESTs	1.4
		AA164293		ESTs	2.9
40		AA375752		Homo sapiens mRNA; cDNA DKFZp586F182	
		NM_015310		KIAA0942 protein	3.2
		A1668594	Hs.176588	ESTs, Weakly similar to CP4Y_HUMAN CYTO	OC 4.2
	110330	Al288666	Hs.16621	DKFZP4341116 protein	6.2
	110501	H55748		gb:yq94a01.s1 Soares fetal liver spleen	6.1
45		AW190338		hypothetical protein MGC11256	7.6
		BE044245	Hs.30011	hypothetical protein MGC2963	9.3
		AA992380		gb:ot37g06.s1 Soares_testis_NHT Homo sap	
		NM_005864		signal transduction protein (SH3 contain	6.7
<b>50</b>		N63823	Hs.269115	ESTs, Moderately similar to Z195_HUMAN Z	
50		AK000136		asporin (LRR class 1)	7.1
	111239	N90956	Hs.17230	hypothetical protein FLJ22087	7.9
	111285	AA778711		eukaryotic translation initiation factor	6.9
		W46342	Hs.325081	Homo sapiens, clone IMAGE:3659680, mRN/	1, 8.4
55	111937		Hs.14846	Homo sapiens mRNA; cDNA DKFZp564D016 KIAA1077 protein	14.6
33		AB029000 AA737033	Hs.70823 Hs.7155	ESTs, Moderately similar to 2115357A TYK	5.6
	112990	BE266947	Hs.10590	zinc finger protein 313	13.4
	113777	Al269096	Hs.135578	chitobiase, di-N-acetyl-	1.3
	112811	BE207480	Hs.6994	Homo sapiens cDNA: FLJ22044 fis, done H	3.1
60	112834	T26483	Hs.6059	EGF-containing fibulin-like extracellula	11.3
00	113868	W57902	Hs.90744	proteasome (prosome, macropain) 26S subu	2.7
	113870	AL079314		hypothetical protein, similar to (U06944	6.1
	113923	AW953484	Hs.3849	hypothetical protein FLJ22041 similar to	1.9
	114275	AW515443	Hs.306117	KiAA0306 protein	15.8
65	114895	AA236177	Hs.76591	KIAA0887 protein	7.1
	114965	A1733881	Hs.72472	BMP-R1B	2.3
	115061	AI751438	Hs.41271	Homo sapiens mRNA full length insert cDN	11.8
				140	

	115278	AK002163	Hs.301724	hypothetical protein FLJ11301	1.5
			Hs.122579		6.2
			Hs.38178	hypothetical protein FLJ23468	10.6
	115693	AF231023	Hs.55173		6.8
5	115941	A1867451	Hs.46679		5.5
			Hs.62767		9.8
			Hs.57664		2.4 7.4
		AW499664		Transfer did not be a first to the first to	2.1
10			Hs.83484 Hs.92033		2.7
10			Hs.42315		5.2
			Hs.260622		5.7
			Hs.49397		7.4
	119075		Hs.287820	fibronectin 1	5.7
15	119265	BE539706	Hs.285363		1.4
	119349		Hs.163561		8.4
		AL117554	Hs.119908		6.7
		BE393948		kallikrein 5 (KLK5; KLK-L2; stratum com Homo sapiens clone PP1498 unknown mRNA	9.2 45.7
20		H26735 AA131376	Hs.91668		38.9
20		AA191384		ESTs, Weakly similar to Z195_HUMAN ZINC	
		AA195651			6.4
		AK000292		hypothetical protein FLJ20285	16.1
		AW969481		hypothetical protein	16.8
25	120356	AF000545	Hs.296433	putative purinergic receptor	28.1
		AA219305		EST	12.4
		AL109963			9.7 32.6
		AW969665 AW967985		hypothetical protein DKFZp434D0127 ESTs, Moderately similar to ALU7_HUMAN A	
30		AA134006		eukaryotic translation initiation factor	12.5
50		AW966893		Homo sapiens mRNA; cDNA DKFZp586F1323	
		AI950087		gb:wq05c02.x1 NCI_CGAP_Kid12 Homo sapid	en 19.4
		AA253170	Hs.96473	EST	10.4
		AA280679		ESTs, Weakly similar to ALU1_HUMAN ALU S	
35		BE244830		ZNF135-like protein	10.2
		AA282074		N-acetylglucosamine-phosphate mutase M-phase phosphoprotein homolog	7.5 52
		AW407987 AA976503	MS. 173010	gb:oq30a04.s1 NCI_CGAP_GC4 Homo sapie	
		AW449855	Hs 96557	Homo sapiens cDNA FLJ12727 fis, clone NT	5.9
40		Al191410	Hs.96693	ESTs, Moderately similar to 2109260A B c	7
		A1608909	Hs.193985	ESTs	7.8
		AA346385	Hs.30002	SH3-containing protein SH3GLB2; KIAA1848	
		AA346495		gb:EST52657 Fetal heart II Homo sapiens	4.4
15		BE262951		ESTs	5.6 5.4
45		AA398721 AA406137		ESTs, Highly similar to 137550 mismatch EST	6
		AA494172		ESTs	13.1
		AA402515		ESTs	28
		AA416653		ESTs	6.2
50		AA412477	Hs.98142	EST	7.4
		AA412497		gb:zt95g12.s1 Soares_testis_NHT Homo sap	2.8
	121655	AA421537	Hs.178072	Homo sapiens mRNA; cDNA DKFZp434B102	3 (17.8 7.1
		AA398784 BE536911		ESTs hypothetical protein NUF2R	19.5
55		AB033022		KIAA1196 protein	7.9
55		AW340797		ESTs	5.8
	121839	AA425691	Hs.191606	ESTs, Highly similar to KIAA1048 protein	5
	121882	AA426376	Hs.98459	ESTs	5
	121911	AA427950		gb:zw50f02.s1 Soares_total_fetus_Nb2HF8_	
60	121999	AA430211	Hs.98668	EST	6.4
	122013	AA431085		ESTS	6.5
	122036	W92142 AA443794	Hs.271963	ESTs, Weakly similar to ALU5_HUMAN ALU	5 13.1 7.3
	122330	AA868555	Hs 178222	ESTs ESTs	5
65	122377	AA446008	Hs.336677	EST	7.6
0,5	122460	AW418788	Hs.99148	ESTs, Weakly similar to S43569 R01H10.6	9.7
	122490	AA448349	Hs.238151	EST	6.1

	122492	AA448417	Hs.104990	ESTs	5.4
		AA449232		ESTs	11.2
		AW959741		adaptor-related protein complex 1, sigma	10.1
5		AA452601 AA453518	Hs.98023	EST ESTs	11 61.5
5		AA453630		EST	10.7
		AA453638		ESTs	107.3
		AA453641		gb:zx48e06.s1 Soares_testis_NHT Homo sap	
	122622	AA453987	Hs.144802	ESTs	5.6
10		AA456859			8.5
		AW204530			81.8
		AA460584 Al929374	Hs.75367	ESTs Src-like-adapter	75.3 5.8
		AF005216		Janus kinase 2 (a protein tyrosine kinas	5.3
15			Hs.169896	ESTs	11.5
		AW338067		Homo sapiens cDNA FLJ11946 fis, clone HE	
	123034	AL359571	Hs.44054	ninein (GSK3B interacting protein)	8.7
		AW451999		ESTs	5.1
20		AW601773		ESTs	5.2
20		AA731404 AA599042		ESTs EST	3.6 7.4
		BE019072		Homo sapiens cDNA FLJ14680 fis, clone NT	
		AA609170	110.00 1002	gb:af12a12.s1 Soares_testis_NHT Homo sap	
		NM_013241	Hs.95231	FH1/FH2 domain-containing protein	10
25		AA609955		Huntingtin Interacting protein E	30.6
			Hs.270016	ESTs	8.1
	. —	Al267847 AA532519	He 1200/2	gb:aq49a10.x1 Stanley Frontal NB pool 2 Human DNA sequence from clone 989H11 on	57.1 7.8
		AW297702		ESTs	8.3
30		AA381661		ESTs, Weakly similar to M3K9_HUMAN MITO	
		R22952	Hs.268685	ESTs	11.3
	124761	AA374756	Hs.93560	Homo sapiens mRNA for KIAA1771 protein,	9
		AW368528		ESTs	8.1
35		R43543	Hs.100912	Homo saplens cDNA: FLJ22726 fis, clone H	5.1
33		R46068 R47948	Hs.288912 Hs.188732	hypothetical protein FLJ22604 ESTs	14.2 7.9
			Hs.86043	Homo sapiens cDNA FLJ13558 fis, clone PL	6.6
		R65763	Hs.101477	EST	23.9
40	124903	AW296713	Hs.221441	ESTs	32.4
40		AI076343	Hs.173939	ESTs, Weakly similar to ALUB_HUMAN !!!!	22.8
		R99978	Hs.268892	ESTs, Moderately similar to B34087 hypot	6.1
		T79956 T81310	Hs.100588 Hs.100592	EST ESTs	135.3 5.4
		A1472068	Hs.286236	KIAA1856 protein	5.6
45		T97341	. 10.200200	gb:ye57e05.s1 Soares fetal liver spleen	9.6
		AI123705	Hs.106932	ESTs	8
		AW966158		Homo sapiens cDNA FLJ12789 fis, clone NT	12.8
		R39234	Hs.251699	ESTs, Weakly similar to IDN4-GGTR14 [H.s	2.8
50		AA975486 W27939	Hs.103834	Homo sapiens, Similar to RIKEN cDNA 1700 hypothetical protein MGC5576	7.1 7.7
30		BE302796		thymidine kinase 1, soluble	5.3
	128781		Hs.105465	small nuclear ribonucleoprotein polypept	53.9
		NM_002975		stem cell growth factor, lymphocyte secr	13.3
		AA419008		chromosome 22 open reading frame 3	3
55		F34856	Hs.292457	Homo sapiens, done MGC:16362, mRNA, co	
		Y13153 BE560779	Hs.107318	kynurenine 3-monooxygenase (kynurenine 3 NICE-5 protein	7.2 14
		Al816224	Hs.107747	DKFZP566C243 protein	1.9
		Al950087	113.107747	gb:wq05c02.x1 NCI_CGAP_Kid12 Homo sap	
60		AW296806	Hs.326234	ESTs, Highly similar to T46422 hypotheti	5
		AA744610		palladin	17.1
		AA463189		WW Domain-Containing Gene	20.9
		N57532	Hs.109315	KIAA1415 protein melanoma-associated antigen recognised b	5.8 7.6
65	12934/	BE614192 U30246	Hs.110736	solute carrier family 12 (sodium/potassi	6.7
05		NM_01603		CGI-99 protein	2
		Al267700	Hs.317584	ESTs	5

	400400	44400400	11-000040	tiit	C 7
	129482	AA188185	HS.289043	•	6.7
	129559	W01296	Hs.11360	hypothetical protein FLJ14784	7.5
	129587	H14718	Hs.11506	Human clone 23589 mRNA sequence	6.8
		AK000398		•	3.8
5					
)		AD000092	HS.16488		3.3
	129680	U03749		gb:Human chromogranin A (CHGA) gene, pro	14.1
	129689	AW748482	Hs.77873	B7 homolog 3	2.6
		Al304966	Hs.12035	ESTs, Weakly similar to I38022 hypotheti	7.4
• ^		AA156214		APMCF1 protein	2
10	130010	AA301116	Hs.142838	nucleolar phosphoprotein Nopp34	1.6
	130097	AL046962	Hs.14845	forkhead box O3A	2.8
		AA311426		tubulin, gamma 1	6.1
				COT- A4-2	
		NM_003358		ESTs, Moderately similar to CEGT_HUMAN C	
	130242	X79201	Hs.153221	synovial sarcoma, translocated to X chro	5.4
15	130359	NM_013449	Hs.277401	bromodomain adjacent to zinc finger doma	8.5
		W56119	Hs.155103	eukaryotic translation initiation factor	11
					3.9
		BE513202		PPAR binding protein	
	130455	D90041	Hs.155956	N-acetyltransferase 1 (arylamine N-acety	33.6
	130471	AL121438	Hs.183706	adducin 1 (alpha)	2.7
20	130503	BE208491	Hs.295112	KIAA0618 gene product	16.1
		L32137	Hs.1584	cartilage oligomeric matrix protein (pse	6.1
		U64675	Hs.179825	RAN binding protein 2-like 1	7.8
	130553	AF062649	Hs.252587	pituitary tumor-transforming 1	14.4
	130556	AI907018	Hs.15977	Empirically selected from AFFX single pr	4.7
25		AA383092		replication protein A3 (14kD)	7.9
23				replication protein Ao (14kb)	
		AF083208		apoptosis antagonizing transcription fac	1.2
	130617	M90516	Hs.1674	glutamine-fructose-6-phosphate transamin	12.1
	130667	BE246961	Hs.17639	Homo saplens ubiquitin protein ligase (U	13.9
		R68537	Hs.17962	ESTs	2
30					3.1
30		H59696	Hs.18747	POP7 (processing of precursor, S. cerevi	
		AL036067		protein x 0001	5.7
	130880	BE514434	Hs.20830	kinesin-like 2	2.1
	130944	BE382657	Hs.21486	signal transducer and activator of trans	5.4
		AA321649		small inducible cytokine subfamily B (Cy	7.4
25					
35		AA194422		myosin VI	5.1
	131099	AL133353	Hs.226581	COX15 (yeast) homolog, cytochrome c oxid	7
	131135	NM_016569	9Hs.267182	TBX3-iso protein	3.3
		BE280074		cyclin B1	5.8
				•	7.5
40		H62087	Hs.31659	thyroid hormone receptor-associated prot	
40		AL080080	Hs.24766	thioredoxin domain-containing	2.8
	131283	X80038	Hs.339713	Homo sapiens clone F19374 APO E-C2 gene	1.3
	131569	AL389951	Hs.271623	nucleoporin 50kD	5
		AW410601		HSPC182 protein	2.9
4.0		AA642831		putative DNA binding protein	2.9
45	131722	D13757	Hs.311	phosphoribosyl pyrophosphate amidotransf	3.4
	131760	X76732	Hs.3164	nucleobindin 2	2.9
		AW966127		Homo sapiens cDNA FLJ14656 fis, clone NT	7.9
		BE502341		ESTs	13.7
~^		AA099014		Homo sapiens, clone MGC:15961, mRNA, cor	
50	131905	AA179298	Hs.3439	stomatin-like 2	11.3
	131941	BE252983	Hs.35086	ubiquitin specific protease 1	2.3
		BE567100		hypothetical protein MDS025	3.5
		NM_00446		fibroblast activation protein, alpha	
					14.7
	132203	NM_00478	2Hs.194714	synaptosomal-associated protein, 29kD	7.8
55	132273	AA227710	Hs.43658	DKFZP586L151 protein	10
	132288	N36110	Hs.305971	solute carrier family 2 (facilitated glu	9.2
		AB023191		KIAA0974 protein	2
		AW067708		heterogeneous nuclear ribonucleoprotein	12.5
	132370	AW572805	Hs.46645	ESTs	28.3
60		AA312135		HSPCO34 protein	6.1
50		AA100012			
				hypothetical protein FLJ12085	8.6
		AW169847		KIAA1634 protein	6.1
	132532	AA454132	Hs.5080	mitochondrial ribosomal protein L16	7.1
		AW631437		TH1 drosophila homolog	14
65		A1796870	Hs.54277	DNA segment on chromosome X (unique) 992	
55					
		NM_00460		Sjogren syndrome antigen A2 (60kD, ribon	3.7
	132726	N52298	Hs.55608	hypothetical protein MGC955	14.3

		AI189075	Hs.301872	hypothetical protein MGC4840	5.9
		AA010233			6.4 14.6
		AA459713 Al026701	Hs.5716	KIAA0493 protein KIAA0310 gene product	2.5
5		AB007944			4.2
•	132833		Hs.57783		6.1
		NM_016154		Homo sapiens clone PP1596 unknown mRNA	7.1
		U09716	Hs.287912	lectin, mannose-binding, 1	6.1
10		BE267143			2.7
10		Al817165	Hs.6120	hypothetical protein FLJ13222	2.1
		AA034365		Homo sapiens cDNA FLJ11392 fis, clone HE	3.5 1.3
		AA040696 AA112748		ESTs clone HQ0310 PRO0310p1	17.1
		AH39688		hypothetical protein FLJ20886	4.4
15 <sup>·</sup>	133177		Hs.66718	RAD54 (S.cerevisiae)-like	4.4
		AI801777	Hs.6774	ESTs	5.5
		AI567421	Hs.273330	Homo sapiens, clone IMAGE:3544662, mRNA	, 1.3
		Al160873	Hs.69233	zinc finger protein	16.1
20		AW956781		ESTs, Weakly similar to FXD2_HUMAN FORM	
20		M76477	Hs.289082	GM2 ganglioside activator protein	10.4
		Al950382 AW103364	Hs.72660	phosphatidylserine receptor inhibin, beta A (activin A, activin AB a	5.7 25.5
		AL037159			1.7
		AW160781		nuclear phosphoprotein similar to S. cer	2.6
25		NM_004893		H2A histone family, member Y	13.5
	133720		Hs.75737	pericentriolar material 1	6.7
		BE271766		laminin receptor 1 (67kD, ribosomal prot	5.4
		BE622743		arfaptin 1	12.1 9.7
30	-	M34338 AL133921	Hs.76244 Hs.76272	spermidine synthase retinoblastoma-binding protein 2	1.3
50		D50525	Hs.699	peptidylprolyl isomerase B (cyclophilin	9.7
		W29092	Hs.7678	cellular retinoic acid-binding protein 1	4.2
		AB011155	Hs.170290	discs, large (Drosophila) homolog 5	5
25		U30872	Hs.77204	centromere protein F (350/400kD, mitosin	9.1
35		D86326	Hs.325948	vesicle docking protein p115	1.8 10.4
		X81789 AL040328	Hs.77897 Hs.78202	splicing factor 3a, subunit 3, 60kD SWI/SNF related, matrix associated, acti	2.6
		AI824113	Hs.78281	regulator of G-protein signalling 12	13
		BE300078		Homo sapiens, clone IMAGE:3535294, mRN/	A, 10.3
40		AW291946		interleukin 6 signal transducer (gp130,	6.7
		X06560	Hs.82396	2',5'-oligoadenylate synthetase 1 (40-46	5.5
			Hs.323193	hypothetical protein MGC3222	5.8 72.9
		AW067903 AU077196		collagen, type XI, alpha 1 collagen, type V, alpha 2	6.7
45		NM_00500		Empirically selected from AFFX single pr	6.2
			Hs.273357	hypothetical protein FLJ10709	1.4
	134529	AW411479	Hs.848	FK506-binding protein 4 (59kD)	2.8
		AW630803		lamin B1	6.1
50			Hs.287850	integral membrane protein 1	1.2 2.6
30		AD001528 Al701162	Hs.90207	spermine synthase hypothetical protein MGC11138	9.1
		D26488	Hs.90315	KIAA0007 protein	13.3
		Al097346	Hs.286049	phosphoserine aminotransferase	2
		BE250865		px19-like protein	14.9
55		N26427	Hs.9634	ESTs, Highly similar to C10_HUMAN PUTAT	
		Al028767 AW291023	Hs.262603	ESTs ESTs, Weakly similar to A46010 X-linked	12.2 7.6
		AW291023	Hs.98368	ESTs, Weakly similar to KIAA0822 protein	5.8
		Al652069	Hs.98614	ribosome binding protein 1 (dog 180kD ho	12.3
60		AA456454		cell division cycle 2-like 1 (PITSLRE pr	5.7
• •	135400	X78592	Hs.99915	androgen receptor (dihydrotestosterone r	13.9
	302276	AW057736	Hs.323910	HER2 receptor tyrosine kinase (c	5.3
	317781	NM_00705	/Hs.42650	ZW10 interactor	2.8 5.5
65		AA902256 BE041451		Golgi apparatus protein 1 hypothetical protein	2.9
05		U22376	Hs.1334	v-myb avian myeloblastosis viral oncogen	2.3
		W67883	Hs.137476	paternally expressed 10 (PEG10; KIAA105	7

	425182	AF041259 .	. Hs.155040	zinc finger protein 217	2.3
	446999	AA151520	Hs.334822	hypothetical protein MGC4485	7.5
	450701	H39960	Hs.288467	Homo sapiens cDNA FLJ12280 fis, clone MA	5.6
	452461	N78223	Hs.108106	transcription factor	4.7
5	453157	AF077036	Hs.31989	DKFZP586G1722 protein	12.1

#### TABLE 5A

Table 5A shows the accession numbers for those pkeys lacking unigeneID's for Table 5. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10	Pkey: CAT number:	Unique Eos probeset identifier number Gene cluster number
	CAT number:	Gene cluster number
	Accession:	Contant acception numbers

5

15	Pkey	CAT number	Accessions
20	123615 124385 110856 120472	3068615 656394_1 19346_14 44573_2	AA609170 AI267847 N27351 AA992380 N33063 N21418 H79958 R21911 H79957 AI950087 N70208 R97040 N36809 AI308119 AW967677 N35320 AI251473 H59397 AW971573 R97278 W01059 AW967671 AA908598 AA251875 AI820501 AI820532 W87891 T85904 U71456 T82391 BE328571 T75102 R34725 AA884922 BE328517 AI219788 AA884444 N92578 F13493 AA927794 AI560251 AW874068 AL134043 AW235363 AA663345 AW008282 AA488964 AA283144 AI890387 AI950344 AI741346 AI689062 AA282915 AW102898 AI872193 AI763273 AW173586
25	•		AW150329 Al653832 Al762688 AA988777 AA488892 Al356394 AW103813 Al539642 AA642789 AA856975 AW505512 Al961530 AW629970 BE612881 AW276997 AW513601 AW512843 AA044209 AW856538 AA180009 AA337499 AW961101 AA251669 AA251874 Al819225 AW205862 Al683338 Al858509 AW276905 Al633006 AA972584 AA908741 AW072629 AW513996 AA293273 AA969759 N75628 N22388 H84729 H60052 T92487 Al022058 AA780419 AA551005 W80701 AW613456 Al373032 Al564269 F00531 H83488 W37181 W78802 R66056 Al002839 R67840 AA300207 AW959581 T63226 F04005
30	129019	44573_2	A4950087 N70208 R97040 N36809 Al308119 AW967677 N35320 Al251473 H59397 AW971573 R97278 W01059 AW967671 AA908598 AA251875 Al820501 Al820532 W87891 T85904 U71456 T82391 BE328571 T75102 R34725 AA884922 BE328517 Al219788 AA884444 N92578 F13493 AA927794 Al560251 AW874068 AL134043 AW235363 AA663345 AW008282 AA888964 AA283144 Al890387 Al950344 Al741346 Al689062 AA282915 AW102898 Al872193 Al763273 AW173586 AW150329 Al653832 Al762688 AA988777 AA488892 Al356394 AW103813 Al539642 AA642789 AA856975 AW505512
35	•		Al961530 AW629970 BE612881 AW276997 AW513601 AW512843 AA044209 AW856538 AA180009 AA337499 AW961101 AA251669 AA251874 AI819225 AW205862 AI683338 AI8858509 AW276905 AI633006 AA972584 AA908741 AW072629 AW513996 AA293273 AA969759 N75628 N22388 H84729 H60052 T92487 AI022058 AA780419 AA551005 W80701 AW613456 AI373032 AI564269 F00531 H83488 W37181 W78802 R66056 AI002839 R67840 AA300207 AW959581 T63226 F04005
40	122618 125115 120809	305217_1 genbank_T97 genbank_A3	120695 9683_3 AA976503 AI917802 AA953664 AA404613 AA428771 BE280542 AW194691 AI927301 AI740458 AI796100 AI935603 AW052210 AA970201 AI633384 AA425910 AI017004 AI241295 AA402816 AA291468 AA453641 AA454061 341 T97341
45	129680	23162_1	U03749 NM_001275 J03483 J03915 Al214509 AW245744 AL046455 AA318960 Al741505 AA843875 Al829382 Al560122 Al858999 D55958 Al684005 D53170 AA854091 Al025609 D53119 D54729 D55504 D55377 D55313 AW512244 AA846441 AW043898 Al969102 AA405741 Al091983 AA788784 AA706586 AA854361 AW470949 AA843095 AA772028 Al148432 Al038109 AA782478 AA910064 Al220384 AA781296 AA843881 AA854064 AA843125 AA843419 AA319036 AA319054 Al273831 W32275 Al584185 C05724 AA789023 Al686818 D54392 Al022485 AA431410 AA854232 W39212 W15214
50	101045	entrez_J0561	AA894441 Al803081 Al167381 AW245389 AA319430 AA335156 Al042646 AA327030 AA725170 T27943 AA889304 AA976699 Al687001 Al621107 Al865540 AA772107 C06286 AA319661 AA405992
	110501	genbank_H55	5748 H55748
55	121558 121911	genbank_AA4 genbank_AA4	

# TABLE 6: Figure 6 from BRCA 001 US

Table 6 shows genes upregulated in tumor tissue compared to normal breast tissue.

5

		• •
	Pkey:	Unique Eos probeset identifier number
	ExAccn:	Exemplar Accession number, Genbank accession number
	UnigenelD:	Unigene number
10	Unigene Title:	Unigene gene title
	R1:	Ratio of tumor to normal breast tissue

15	Pkey	ExAccn	UnigenelD	UnigeneTitle	R1
13	100147	D13666	Hs.136348	osteoblast specific factor 2 (fasciclin	7.5
		AW502935	-	PTK2 protein tyrosine kinase 2	53.2
		AA586894		S100 calcium-binding protein A7 (psorias	8.9
		U48705	Hs.75562	discoldin domain receptor family, member	6.9
20		X72755	Hs.77367	monokine induced by gamma interferon	8.8
		BE246502	Hs.9598	sema domain, immunoglobulin domain (lg),	2.6
	105746	AW151952	Hs.46679	hypothetical protein FLJ20739	1.5
	106373	AW503807	Hs.21907	histone acetyltransferase	1.8
		A1668594		ESTs, Weakly similar to CP4Y_HUMAN CYTOC	4.2
25	119260	AK001724	Hs.102950	coat protein gamma-cop	3.2
		H26735	Hs.91668	Homo sapiens clone PP1498 unknown mRNA	45.7
				fibroblast growth factor 12B	38.9
	120297	AA191384	Hs.104072	ESTs, Weakly similar to Z195_HUMAN ZINC	15.2
•			Hs.173518	M-phase phosphoprotein homolog	52
30		AA976503			46.8
		AA346385		SH3-containing protein SH3GLB2; KIAA1848	6.8
		AA402515		ESTs	28
		AA453518		ESTs	61.5 107.3
25		AA453638	HS.1618/3	ESIS	31.1
35		AA453641	11-00500	gb:zx48e06.s1 Soares_testis_NHT Homo sap	81.8
		AW204530		ESTs	75.3
		AA460584	Hs.334386		30.6
		AA609955	HS.234901	Huntingtin interacting protein E qb:aq49a10.x1 Stanley Frontal NB pool 2	57.1
40		Al267847 R65763	Hs.101477		23.9
40		AI076343		ESTs, Weakly similar to ALUB_HUMAN IIII	22.8
		T79956	Hs.100588		135.3
		N71826		smail nuclear ribonucleoprotein polypept	53.9
				WW Domain-Containing Gene	20.9
45	129347	BE614192	Hs.279869	melanoma-associated antigen recognised b	7.6
		AW748482		B7 homolog 3	2.6
				KIAA0618 gene product	16.1
		L32137	Hs.1584	cartilage oligomeric matrix protein (pse	6.1
		AA321649	Hs.2248	small inducible cytokine subfamily B (Cy	7.4
50		AW410601		HSPC182 protein	2.9
	131925	AF151048	Hs.183180	anaphase promoting complex subunit 11 (y	2.7
·	132180	NM_00446	0Hs.418	fibroblast activation protein, alpha	14.7
	132370	AW572805	Hs.46645	ESTs	28.3
	132994	AA112748	Hs.279905	clone HQ0310 PRO0310p1	17.1
55	133016	A1439688	Hs.6289	hypothetical protein FLJ20886	4.4
		Al160873	Hs.69233	zinc finger protein	16.1
		AW103364		inhibin, beta A (activin A, activin AB a	25.5
	134169	A1690916	Hs.178137		1.2
	134219	NM_00040	2Hs.80206	glucose-6-phosphate dehydrogenase	1.9
60	134405	AW067903	HS.82772	collagen, type XI, alpha 1	72.9
	134529	AW411479		FK506-binding protein 4 (59kD)	2.8 2.6
		R50333	Hs.92186	Leman colled-coll protein	14.9
	135181		Hs.279529	px19-like protein	
	322556	BE041451	Hs.177507	hypothetical protein	2.9

### TABLE 6A

Table 6A shows the accession numbers for those pkeys lacking unigeneID's for Table 6. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

	n	
ĸ	.,	
-	•	

5

Pkey:

Unique Eos probeset identifier number

CAT number: Accession: Gene cluster number Genbank accession numbers

15

20

Pkey CAT number Acc	essions
---------------------	---------

124385 656394\_1 120695 9683\_3 AI267847 N27351

20695 9683\_3 AA976503 AI917802 AA953664 AA404613 AA428771 BE280542 AW194691 AI927301 AI740458 AI796100 AI935603 AW052210 AA970201 AI633384 AA425910 AI017004 AI241295 AA402816 AA291468

122618 305217\_1

AA453641 AA454061

## TABLE 7: Figure 7 from BRCA 001-1 US

Table 7 shows genes upregulated in tumor tissue compared to normal breast tissue. Open reading frames in the sequences have been characterized as having a signal sequence (SS), a transmembrane domain (TM) or other.

10	Pkey:	Unique Eos probeset identifier number
	ExAcon:	Exemplar Accession number, Genbank accession number
	UnigeneID:	Unigene number
	Unigene Title:	Unigene gene title
	R1:	Ratio of tumor to normal breast tissue
15	ORF struct info:	Structural characterization of open reading frame for the sequence of the gene

15	ORF struct info: Structural characterization of open reading frame for the sequence of the gene					
	Pkey	ExAccn	UnigenelD	UnigeneTitle	R1	ORF struct info
	100113	NM_001269	Hs.84746	chromosome condensation 1	2.3	TM
20		X02308	Hs.82962	thymidylate synthetase	2.9	other
	100131	D12485	Hs.11951	ectonucleotide pyrophosphatase/phosphodi	1.9	other
		BE185499	Hs.2471	KIAA0020 gene product	1.9	TM
	100147	D13666	Hs.136348	osteoblast specific factor 2 (fasciclin	7.6	other
	100154	H60720	Hs.81892	KIAA0101 gene product	9.2	other
25		W44671	Hs.124	gene predicted from cDNA with a complete	1.6	other
	100220	AW015534	Hs.217493	annexin A2	2	other
		D38521	Hs.112396	KIAA0077 protein	1.5	other
	100271	BE160081	Hs.256290	S100 calcium-binding protein A11 (calgiz	13.5	other
	100275	BE242802	Hs.154797	KIAA0090 protein	5.1	other
30	100323	D50920	Hs.23106	KIAA0130 gene product	1.9	TM
	100335	AW247529	Hs.6793	platelet-activating factor acetylhydrola	2.7	other
	100364	NM_004341	Hs.154868	carbamoyl-phosphate synthetase 2, aspart	2	other
	100372	NM_014791	Hs.184339	KIAA0175 gene product	2.6	other
	100393	D84145	Hs.39913	novel RGD-containing protein	3.2	other
35		AW954324	Hs.75790	phosphatidylinositol glycan, class C	1.5	other
		D86978	Hs.84790	KIAA0225 protein	2	other
	100482	M65028	Hs.81361	heterogeneous nuclear ribonucleoprotein	2.9	other
		NM_004415	Hs.74316	desmoplakin (DPI, DPII)	1.9	other
		L05424	Hs.169610	CD44 antigen (homing function and Indian	5.7	other
40		L05424	Hs.169610	CD44 antigen (homing function and Indian	9	?
		L05424	Hs.169610	CD44 antigen (homing function and Indian	7.7	other
		AW502935	Hs.740	PTK2 protein tyrosine kinase 2	53.2	other
		AF078847	Hs.191356	general transcription factor IIH, polype	6	other
		BE245294	Hs.180789	S164 protein	1.7	?
45		AF002225	Hs.180686	ubiquitin protein ligase E3A (human papi	1.5	other
		AA157634	Hs.79172	solute carrier family 25 (mitochondrial	6.3	other
		AK000405	Hs.76480	ubiquitin-like 4	11.4	?
		H38765	Hs.80706	diaphorase (NADH/NADPH) (cytochrome b-5	1.6	other
		J05070	Hs.151738	matrix metalloproteinase 9 (gelatinase B	8.4 5	other
50		J05614	7500P	gb:Human proliferating cell nuclear anti	2.6	? other
		N99692	Hs.75227	Empirically selected from AFFX single pr	1.4	Other ?
		L06419	Hs.75093	procollagen-lysine, 2-oxoglutarate 5-dio	2	TM
	101186	AA020956	Hs.179881	core-binding factor, beta subunit	1.8	other
<i></i>		AA284166	Hs.84113	cyclin-dependent kinase inhibitor 3 (CDK	1.7	TM
55		AA333387	Hs.82916	chaperonin containing TCP1, subunit 6A (	1.9	other
		AA132666	Hs.78802	glycogen synthase kinase 3 beta	1.5	other
		L18964	Hs.1904	protein kinase C, iota	5.3	other
	101332	J04088	Hs.156346	topoisomerase (DNA) II alpha (170kD)	4.2	other
60	107352	A1494299	Hs.16297	COX17 (yeast) homolog, cytochrome c oxid proliferating cell nuclear antigen	1.9	TM
60		BE267931	Hs.78996		1.6	TM
		M21259	Un 1846	gb:Human Alu repeats in the region 5' to tumor protein p53 (Li-Fraumeni syndrome)	2.5	other
		) NM_000546		RAS p21 protein activator (GTPase activa	5.5	other
	1014/8	3 NM_002890	F15.700	rono pa i protessi activator (o i rase activa	5.5	ouici

		M24486	Hs.76768	procollagen-proline, 2-oxoglutarate 4-di	2.1	other
	101540		Hs.84981	X-ray repair complementing defective rep	1.6	other
		AW248421	Hs.250758	proteasome (prosome, macropain) 26S subu	5.7	other
_		NM_012151	Hs.83363	coagulation factor VIII-associated (intr	1.8	other
5		AF064853	Hs.91299	guanine nucleotide binding protein (G pr	5.6	?
		BE391804	Hs.62661	guanylate binding protein 1, interferon-	2.4	other
		AW504089	Hs.179574	protein phosphatase 2 (formerly 2A), reg	1.3	other
		M74099 M80244	Hs.147049 Hs.184601	cut (Drosophila)-like 1 (CCAAT displacem solute carrier family 7 (cationic amino	2.1 5	? TM
10		M81057	Hs.180884	carboxypeptidase B1 (tissue)	14.4	SS.
10		AA306495	Hs.1869	phosphoglucomutase 1	5.2	other
		AW409747	Hs.75612	stress-induced-phosphoprotein 1 (Hsp70/H	8.6	other
		AA586894	Hs.112408	S100 calcium-binding protein A7 (psorias	8.9	SS,TM
		NM_000318	Hs.180612	peroxisomal membrane protein 3 (35kD, Ze	3.2	TM
15		AA176374	Hs.243886	nuclear autoantigenic sperm protein (his	1.6	other
		AA441787	Hs.119689	glycoprotein hormones, alpha polypeptide	31.3	?
		AF182645	Hs.8024	IK cytokine, down-regulator of HLA II	1.8	other
		U41514	Hs.80120	UDP-N-acetyl-alpha-D-galactosamine:polyp	2.4	other
_	102009	BE245149	Hs.82643	protein tyrosine kinase 9	1.3	other
20	102036	BE250127	Hs.82906	CDC20 (cell division cycle 20, S. cerevi	2	?
	102083	T35901	Hs.75117	Interleukin enhancer binding factor 2, 4	1.6	other
	102107	BE258602	Hs.182366	heat shock protein 75	1.4	other
		NM_001809	Hs.1594	centromere protein A (17kD)	1.8	other
25		BE313280	Hs.159627	death associated protein 3	4.6	?
25		AW950852	Hs.74598	polymerase (DNA directed), delta 2, regu	4.4	?
		AA829978	Hs.301613	JTV1 gene	6.7	other
		U24389	Hs.65436	lysosomal	4.4	TM
		AW163390	Hs.278554	heterochromatin-like protein 1	1.9	TM other
30		AL039104 AA306342	Hs.159557	karyopherin alpha 2 (RAG cohort 1, impor protein kinase C-like 2	4.4 2.7	?
50		BE298063	Hs.69171 Hs.77254	chromobox homolog 1 (Drosophila HP1 beta	1.5	other
		BE378432	Hs.95577	cyclin-dependent kinase 4	2.3	TM
		U37519	Hs.87539	aldehyde dehydrogenase 3 family, member	2	TM
		AU077055	Hs.289107	baculoviral IAP repeat-containing 2	3.2	other
35		U39840	Hs.299867	hepatocyte nuclear factor 3, alpha	2	other
		U33635	Hs.90572	PTK7 protein tyrosine kinase 7	6.2	other
	102391	AA296874	Hs.77494	deoxyguanosine kinase	1.5	TM
	102455	U48705	Hs.75562	discoldin domain receptor family, member	7	other
	102465	NM_001359	Hs.81548	2,4-dienoyl CoA reductase 1, mitochondri	1.8	SS,
40		U50939	Hs.61828	amyloid beta precursor protein-binding p	1.5	?
		AL080116	Hs.74420	origin recognition complex, subunit 3 (y	3.3	other
		AI188137	Hs.75193	COP9 homolog	2.1	other
		AF217197	Hs.74562	siah binding protein 1; FBP interacting	3.2	other
45		BE250944	Hs.183556	solute carrier family 1 (neutral amino a	2.8	?
43		AF040253	Hs.70186	suppressor of Ty (S.cerevisiae) 5 homolo	5.7	?
		U59423 W81489	Hs.79067 Hs.223025	MAD (mothers against decapentaplegic, Dr RAB31, member RAS oncogene family	2.3 5.3	other other
		U60808	Hs.152981	CDP-diacylglycerol synthase (phosphatida	2.1	other
		AU077228	Hs.77256	enhancer of zeste (Drosophila) homolog 2	1.6	?
50		U61232	Hs.32675	tubulin-specific chaperone e	2.1	other
-		AW161453	Hs.198767	COP9 (constitutive photomorphogenic, Ara	1.8	other
		AL037672	Hs.81071	extracellular matrix protein 1	5.8	other
		AL021918	Hs.158174	zinc finger protein 184 (Kruppel-like)	1.3	other
		NM_002270	Hs.168075	karyopherin (importin) beta 2	1.8	TM
55	102676	BE262989	Hs.12045	putative protein	2.3	other
	102687	NM_007019	Hs.93002	ubiquitin carrier protein E2-C	4.4	?
	102689	U96132	Hs.171280	hydroxyacyl-Coenzyme A dehydrogenase, ty	6	?
		BE540274	Hs.239	forkhead box M1	4.2	other
<i>~</i>		AU077058	Hs.54089	BRCA1 associated RING domain 1	1.9	other
60		T97490	Hs.50002	small inducible cytokine subfamily A (Cy	2.3	SS,TM
		AB014460	Hs.66196	nth (E.coli endonuclease III)-like 1	1.2	TM
		BE252241	Hs.38041	pyridoxal (pyridoxine, vitamin B6) kinas high-mobility group (nonhistone chromoso	6.5	other
		U90549 BE244588	Hs.236774 Hs.6456	chaperonin containing TCP1, subunit 2 (b	1.6 5.6	other TM
65		AV653790	Hs.324275	WW domain-containing protein 1	1.3	TM
UJ.		X02419	Hs.77274	plasminogen activator, urokinase	4.4	other
		BE440142	Hs.2943	signal recognition particle 19kD	1.9	other
	, ,,,,,,,,,			J J		

	102935	BE561850	Hs.80506	small nuclear ribonucleoprotein polypept	2.4	?
		AU076611	Hs.154672	methylene tetrahydrofolate dehydrogenase	2.7	other
		BE387202	Hs.118638	non-metastatic cells 1, protein (NM23A)	3.1	other
_	102985	U95742	Hs.2707	G1 to S phase transition 1	5.2	7
5	103023	AW500470	Hs.117950	multifunctional polypeptide similar to S	1.6	other
		AA926960	Hs.334883	CDC28 protein kinase 1	2.5	TM
		NM_005940	Hs.155324	matrix metalloproteinase 11 (MMP11; stro	4.5	other
		AU077231	Hs.82932	cyclin D1 (PRAD1: parathyroid adenomatos	3.1	other
10	103089		Hs.179729	collagen, type X, alpha 1 (Schmid metaph	2.4 3.5	other other
10		BE244377	Hs.48876	famesyl-diphosphate famesyltransferase	9.9	?
		AA205475	Hs.275865 Hs.82685	ribosomal protein S18 CD47 antigen (Rh-related antigen, integr	1.3	other
	103179	NM_001777	Hs.334731	Homo saplens, done IMAGE:3448306, mRNA,	2	other
		NM_006825	Hs.74368	transmembrane protein (63kD), endoplasmi	1.6	other
15		AA401039	Hs.2903	protein phosphatase 4 (formerly X), cata	2.5	other
		NM_004766	Hs.75724	coatomer protein complex, subunit beta 2	2.2	TM
	103194	NM_004939	Hs.78580	DEAD/H (Asp-Glu-Ala-Asp/His) box polypep	6.3	TM
	103206	X72755	Hs.77367	monokine induced by gamma interferon	8.8	TM
		BE275607	Hs.1708	chaperonin containing TCP1, subunit 3 (g	3	other
20		X75962	Hs.129780	tumor necrosis factor receptor superfami	1.8	other
		A1369285	Hs.75189	death-associated protein	5.6	TM ?
		NM_001545	Hs.9078	immature colon carcinoma transcript 1 small nuclear ribonucleoprotein polypept	1.9 2.5	other
	103330	AI803447	Hs.77496	gb:H.sapiens mRNA for unknown protein ex	1.6	other
25		AL036166	Hs.323378	coated vesicle membrane protein	1.8	other
23		X94453	Hs.114366	pyrroline-5-carboxylate synthetase (glut	2.3	other
		X94563		gb:H.sapiens dbi/acbp gene exon 1 & 2.	4	TM
		BE564090	Hs.20716	translocase of inner mitochondrial membr	1.3	other
	103491	AF264750	Hs.288971	myeloid/lymphoid or mixed-lineage leukem	5.7	?
30		AL031224	Hs.33102	transcription factor AP-2 beta (activati	5.1	other
		Al376722	Hs.180062	proteasome (prosome, macropain) subunit,	9.7	?
		NM_006218	Hs.85701	phospholnositide-3-kinase, catalytic, al	2 1.3	other ?
		NM_000346	Hs.2316	SRY (sex determining region Y)-box 9 (ca polymerase (RNA) II (DNA directed) polyp	1.3 2	r other
35		BE379766 AA609685	Hs.150675 Hs.278672	membrane component, chromosome 11, surfa	2.3	TM
55		AI878883	Hs.296381	growth factor receptor-bound protein 2	1.3	other
		AI015709	Hs.172089	Homo sapiens mRNA; cDNA DKFZp586l2022 (f	1.3	other
		AA094752	Hs.169992	hypothetical 43.2 Kd protein	7.6	?
	103795	H26531	Hs.7367	Homo sapiens BTB domain protein (BDPL) m	1.3	SS,TM
40		AA080912		gb:zn04d03.r1 Stratagene hNT neuron (937	1.6	other
		A1042582	Hs.181271	CGI-120 protein	1.6	other
		W02363	Hs.302267	hypothetical protein FLJ10330	1.6	other
		AK001278	Hs.105737	hypothetical protein FLJ10416 similar to	6.6 2.9	TM other
45		NM_002407 AA251242	Hs.97644 Hs.103238	mammaglobin 2 ESTs	1.4	other
73		AA478984	Hs.6451	PRO0659 protein	5.6	TM
		AB002343	Hs.98938	protocadherin alpha 9	1.6	other
		AI751970	Hs.101067	GCN5 (general control of amino-acid synt	5.4	other
	104325	BE379766	Hs.150675	polymerase (RNA) II (DNA directed) polyp	6.4	other
50	104370	AA324597	Hs.21851	Homo sapiens cDNA FLJ12900 fis, clone NT	1.6	other
		R83113	Hs.1432	protein kinase C substrate 80K-H	5.2	other
		AB037762	Hs.44268	myelin gene expression factor 2	1.2	other
		A1239923	Hs.30098	ESTs	1.4 2.4	other other
55		AI694413 AI858702	Hs.332649 Hs.31803	offactory receptor, family 2, subfamily ESTs, Weakly similar to N-WASP [H.sapien	1.4	other
55		AB023175	Hs.22982	KIAA0958 protein	2.4	other
		AW052006	Hs.8551	PRP4/STK/WD splicing factor	10.9	other
		A1250789	Hs.32478	ESTs	5.7	other
		AA041276	Hs.154729	3-phosphoinositide dependent protein kin	12.3	?
60		AA278898	Hs.225979	hypothetical protein similar to small G	2.1	other
		T78044	Hs.28893	Homo sapiens mRNA; cDNA DKFZp564O2364 (f	1.4	other
		AW015318	Hs.23165	ESTs	17.7	other
		AW408164	Hs.249184	transcription factor 19 (SC1)	5.1 1.8	TM other
65		AW958157 AA026880	Hs.155489 Hs.25252	NS1-associated protein 1 protactin receptor	1.5	other
U.S		AF043467	Hs.32893	neurexophilin 2	2.3	other
		NM_015310	Hs.6763	KIAA0942 protein	5.1	other
	10.70.0			· · · · · · · · · · · · · · · · · · ·		

	104974	Y12059	Hs.278675	bromodomain-containing 4	1.5	other
		AL136877	Hs.50758	SMC4 (structural maintenance of chromoso	2.4	other
		Al199268	Hs.19322	Homo saplens, Similar to RIKEN cDNA 2010	7.3	other
_		AA937934	Hs.321062	ESTs	1.3	other
5		AI499930	Hs.334885	mitochondrial GTP binding protein	3.6	?
		BE379584	Hs.34789	dolichyl-diphosphooligosaccharide-protei	5.6	other
		AF098158	Hs.9329	chromosome 20 open reading frame 1	3.4 2.2	other other
		Al050715 AB037716	Hs.2331 Hs.26204	E2F transcription factor 5, p130-binding KIAA1295 protein	2.2	other
10		BE242899	Hs.129951	speckle-type POZ protein	3.9	?
10		AA151342	Hs.12677	CGI-147 protein	9.5	TM
		AA147884	Hs.9812	Homo sapiens cDNA FLJ14388 fis, clone HE	5.7	other
	105088	H58589	Hs.35156	Homo sapiens cDNA FLJ11027 fis, clone PL	2.2	other
	105095	Z78407	Hs.27023	vesicle transport-related protein	2.2	other
15		BE387350	Hs.33122	KIAA1160 protein	1.6	other
		AW975433	Hs.36288	ESTs	6.4	?
		AA045648	Hs.301957	nudix (nucleoside diphosphate linked moi	2.2	other
		AA164687	Hs.177576	mannosyl (alpha-1,3-)-glycoprotein beta-	2.8 2	other other
20		AW976357 BE245294	Hs.234545 Hs.180789	hypothetical protein NUF2R S164 protein	1.7	other
20		AA191512	Hs.28005	Homo sapiens cDNA FLJ11309 fis, clone PL	4.9	SS,TM
		AA071276	Hs.19469	KIAA0859 protein	2	TM
		AA263143	Hs.24596	RAD51-interacting protein	2.9	?
	105288	N99673	Hs.3585	ESTs, Weakly similar to AF126743 1 DNAJ	1.9	TM
25		AA700122	Hs.3355	sentrin-specific protease	8.2	?
		AW270037	Hs.179507	KIAA0779 protein	1.8	SS,
		NM_016015	Hs.8054	CGI-68 protein	8.4	other
		BE264645	Hs.282093	hypothetical protein FLJ21918	5.1 2.6	other other
30		AW887701 BE242803	Hs.32356 Hs.262823	hypothetical protein FLJ20628 hypothetical protein FLJ10326	2.2	TM
30		AW592146	Hs.108636	membrane protein CH1	2.3	SS,TM
		AF167570	Hs.256583	interleukin enhancer binding factor 3, 9	5.5	SS,
		BE386877	Hs.334811	Npw38-binding protein NpwBP	1.6	other
	105400	AF198620	Hs.65648	RNA binding motif protein 8A	1.6	other
35		AA252395		gb:zs12g10.s1 NCI_CGAP_GCB1 Homo sapiens	5.1	?
		BE268348	Hs.226318	CCR4-NOT transcription complex, subunit	1.6	other
		AA113449	Hs.32471	hypothetical protein FLJ20364	1.3	other
		AB023179	Hs.9059	KIAA0962 protein	3.5 9.3	other other
40		AA262640 BE616694	Hs.27445 Hs.288042	unknown hypothetical protein FLJ14299	1.4	other
40		AA579535	Hs.18490	hypothetical protein FLJ20452	10.9	TM
		AF054284	Hs.334826	splicing factor 3b, subunit 1, 155kD	2.9	TM
		AI808201	Hs.287863	hypothetical protein FLJ12475	1.7	?
	105610	AA280072	Hs.99872	fetal Alzheimer antigen	1.4	other
45		AK000892	Hs.4069	glucocorticoid modulatory element blndin	1.7	TM
		AW302245	Hs.181390	casein kinase 1, gamma 2	5.6	other
		AA985190	Hs.246875	hypothetical protein FLJ20059	9.4 2	other TM
		AW499988 R26944	Hs.27801 Hs.180777	zinc finger protein 278 Homo sapiens mRNA; cDNA DKFZp564M0264 (f	1.7	other
50		BE246502	Hs.9598	sema domain, immunoglobulin domain (Ig),	2.7	other
50		AW151952	Hs.46679	hypothetical protein FLJ20739	1.5	?
		Al123118	Hs.15159	chemokine-like factor, alternatively spl	1.3	other
	105771	AI267720	Hs.153221	synovial sarcoma, translocated to X chro	1.6	other
	105820	AA741336	Hs.152108	transcriptional unit N143	2.2	other
55		AA478756	Hs.194477	E3 ubiquitin ligase SMURF2	1.3	other
		Al262106	Hs.12653	ESTs	2.4	other
		AF151066	Hs.281428	hypothetical protein	2.9	other other
		AK001708	Hs.32271	hypothetical protein FLJ10846 peptidyl prolyl isomerase H (cyclophilin	1.4 5.3	other
60		AF016371 AW194426	Hs.9880 Hs.20726	ESTs	3.3 1.7	other
00		AW081202	Hs.12284	Homo sapiens, clone IMAGE:2989556, mRNA,	2.8	other
		AA477956	Hs.26268	ESTs	1.4	other
		AL157441	Hs.17834	downstream neighbor of SON	1.4	other
<i>-</i> -		AA130158	Hs.19977	ESTs, Moderately similar to ALU8_HUMAN A	1.6	?
65		AA533491	Hs.23317	hypothetical protein FLJ14681	6.9	other
		AB006624	Hs.14912	KIAA0286 protein Homo sapiens, Similar to RIKEN cDNA 5430	1.6 10.8	other ?
	1062/1	AA251393	Hs.289052	Homo Sapiens, Similar to MINEN COMA 3430	. 10.0	1

	106200	AB037742	Hs.24336	KIAA1321 protein	1.3	other
		Y10043	Hs.19114	high-mobility group (nonhistone chromoso	3.7	other
		AL043114	Hs.22410	ESTs, Weakly similar to A54849 collagen	5.5	SS,
		AK001404	Hs.194698	cyclin B2	5.8	other
5		AW390282	Hs.31130	transmembrane 7 superfamily member 2	6.4	other
,		AB040916	Hs.24106	KIAA1483 protein	6.6	other
		AW748420	Hs.6236	Homo sapiens cDNA: FLJ21487 fis, clone C	2.2	TM
		AF119256	Hs.27801	zinc finger protein 278	2.7	other
		D63078	Hs.186180	Homo sapiens cDNA: FLJ23038 fis, clone L	2.3	other
10	-	AA243837	Hs.57787	ESTs	1.6	other
		AK000933	Hs.28661	Homo sapiens cDNA FLJ10071 fis, clone HE	2.4	?
	106610	AA458882	Hs.79732	fibulin 1	8	SS,
	106624	NM_003595	Hs.26350	tyrosylprotein sulfotransferase 2	7.8	other
	106650	AL049951	Hs.22370	Homo sapiens mRNA; cDNA DKFZp564O0122 (f	1.8	other
15	106669	AV657117	Hs.184164	ESTs, Moderately similar to S65657 alpha	1.3	TM
	106713	BE614802	Hs.184352	hypothetical protein FLJ12549	4.6	other
	106717	AA600357	Hs.239489	TIA1 cytotoxic granule-associated RNA-bi	1.3	other
		BE388094	Hs.21857	ESTs	1.6	SS,
•		AF174487	Hs.293753	Bcl-2-related ovarian killer protein-lik	5.7	other
20		AW959893	Hs.27099	hypothetical protein FLJ23293 similar to	16.2	TM
		BE564871	Hs.29463	centrin, EF-hand protein, 3 (CDC31 yeast	1.5	other
		AB037744	Hs.34892	KIAA1323 protein	2.2	other
		AF151031	Hs.300631	hypothetical protein	1.3	other other
25		N49809	Hs.11197	Homo sapiens, clone IMAGE:3343149, mRNA,	16.8 1.5	TM
25		W79171	Hs.9567	GL002 protein	2.2	other
		AA861271	Hs.222024	transcription factor BMAL2 serum/glucocorticold regulated kinase	3.4	other
		AK001838 AK000511	Hs.296323 Hs.6294	hypothetical protein DKFZp434L1435 simil	6.8	?
	-	BE156256	Hs.11923	hypothetical protein	6.7	other
30		AW631480	Hs.8688	ESTs	6.1	SS.
50	-	AA146872	Hs.300700		1.3	other
		AF264750	Hs.288971	myeloid/lymphoid or mixed-lineage leukem	1.8	other
		AW385224	Hs.35198	ectonucleotide pyrophosphatase/phosphodi	1.7	other
		AK000733	Hs.23900	GTPase activating protein	2.5	other
35		AK000512	Hs.69388	hypothetical protein FLJ20505	1.7	other
		AV661958	Hs.8207	GK001 protein	4.7	other
		AK001455	Hs.5198	Down syndrome critical region gene 2	2	other
	107151	AW378065	Hs.8687	ESTs	6.4	TM
	107155	AW391927	Hs.7946	KiAA1288 protein	33.5	other
40	107174	BE122762	Hs.25338	ESTs	5.2	?
	107197	W15477	Hs.64639	glioma pathogenesis-related protein	6.1	other
		AW888411	Hs.81915	leukemia-associated phosphoprotein p18 (	17.4	other
		BE219716	Hs.34727	ESTs, Moderately similar to I38759 zinc	7.4	?
4 ~		AW263124	Hs.315111	nuclear receptor co-repressor/HDAC3 comp	1.8	other
45		D60341	Hs.21198	translocase of outer mitochondrial membr	6.7	other
		BE379594	Hs.49136	ESTs, Moderately similar to ALU7_HUMAN A	2.5	other
		BE277457	Hs.30661	hypothetical protein MGC4606	3.2	TM TM
		T63174	Hs.193700	Homo sapiens mRNA; cDNA DKFZp586l0324 (f	2 5	?
50		NM_006299	Hs.96448	zinc finger protein 193 TATA element modulatory factor 1	1.2	other
50		AW299900 AA307703	Hs.267632 Hs.279766	kinesin family member 4A	1.6	other
		BE515065	Hs.296585	nucleolar protein (KKE/D repeat)	3	TM
		AA001386	Hs.59844	ESTs	1.4	other
	107681	BE379594	Hs.49136	ESTs, Moderately similar to ALU7, HUMAN A	2.3	SS,TM
55		AA018587	Hs.303055	ESTs, Weakly similar to ALU1_HUMAN ALU S	2.2	?
-		AW732573	Hs.47584	potassium voltage-gated channel, delayed	8.4	TM
		L42612	Hs.335952	keratin 6B	2.5	other
		BE153855	Hs.61460	lg superfamily receptor LNIR	2.3	other
		AW956103	Hs.61712	pyruvate dehydrogenase kinase, isoenzyme	6.8	other
60		AL121031	Hs.159971	SWI/SNF related, matrix associated, acti	1.6	other
		AA054224	Hs.59847	ESTs	1.3	other
	108274	AF129535	Hs.272027	F-box only protein 5	7.2	?
	108296	N31256	Hs.161623	ESTs	2.6	other
		AA083069	Hs.339659	ESTS	3.6	other
65	108607	BE300380	Hs.69476	Homo sapiens cDNA FLJ12758 fis, clone NT	3.5	other
	108621	AA101809	Hs.182685	ESTs	1.7 1.8	other SS,TM
	108634	AW022410	Hs.69507	ESTs	1.0	JJ, 1 1VI

					_	
		BE546947	Hs.44276	homeo box C10	9.8	other
		AB029000	Hs.70823	KIAA1077 protein	7.3	other
		A1089575	Hs.9071	progesterone membrane binding protein	2.8	?
_		AK001693	Hs.273344	DKFZP564O0463 protein	1.9	other
5		AL121500	Hs.178904	ESTs	1.6	TM
		H06720	Hs.111680	endosulfine alpha	2.2 5.4	other other
		AI801235	Hs.48480	ESTs	5.4 4.1	TM
		AK001431 AA149754	Hs.5105 Hs.195155	hypothetical protein FLJ10569	5.7	?
10		AA151708	Hs.171980	Homo sapiens amino acid transport system homeo box (expressed in ES cells) 1	1.7	other
10		AA151706 AA152178	Hs.23467	hypothetical protein FLJ10633	6.3	other
		AB028987	Hs.72134	KIAA1064 protein	1.7	other
		AA156542	Hs.72127	ESTs	1.5	other
		AA157811	115.72121	gb:zo35d07.s1 Stratagene colon (937204)	5.4	other
15		AA164293	Hs.72545	ESTs	3	other
15		AW608930	Hs.52184	hypothetical protein FLJ20618	1.6	SS,
		AW419196	Hs.257924	hypothetical protein FLJ13782	3.3	TM
		AK000684	Hs.183887	hypothetical protein FLJ22104	1.7	other
		AJ132592	Hs.59757	zinc finger protein 281	2.7	other
20		AA219691	Hs.73625	RAB6 interacting, kinesin-like (rabkines	3 .	TM
		BE566742	Hs.58169	highly expressed in cancer, rich in leuc	2.1	other
		NM 016603	Hs.82035	potential nuclear protein C5ORF5; GAP-II	5.4	other
		AW958181	Hs.189998	ESTs	5.8	other
		AU077281	Hs.170285	nucleoporin 214kD (CAIN)	5.3	other
25		N99673	Hs.3585	ESTs, Weakly similar to AF126743 1 DNAJ	1.4	other
		AA375752	Hs.82719	Homo sapiens mRNA; cDNA DKFZp586F1822 (f	3	other
	109313	AF153201	Hs.86276	C2H2 (Kruppel-type) zinc finger protein	1.3	other
	109341	AA213506	Hs.115099	EST	3 .	?
	109391	AL096858	Hs.184245	KIAA0929 protein Msx2 interacting nuclea	1.5	other
30	109420	H83603	Hs.40408	homeo box C9	2.2	SS,
	109426	N30531	Hs.42215	protein phosphatase 1, regulatory subuni	3.1	TM
	109429	Al160029	Hs.61438	ESTs	2	?
		AA232103	Hs.189915	ESTs	1.8	other
~~		AB032969	Hs.173042	KIAA1143 protein	3.8	other
35		NM_015310	Hs.6763	KIAA0942 protein	3.3	other
		AW074143	Hs.87134	ESTs	2	TM
		L40027	Hs.118890	glycogen synthase kinase 3 alpha	2.1	other
		F02614	Hs.27319	ESTs	1.4 1.3	other
40		R71264	Hs.16798	ESTs	2	other other
40		H11938	Hs.21907	histone acetyltransferase	2.5	other
		AA503041 AA603840	Hs.279009 Hs.29956	matrix Gla protein KIAA0460 protein	1.7	other
		T07353	Hs.7948	ESTs	2.9	other
		R51853	Hs.226429	ESTs, Weakly similar to ALU1_HUMAN ALU S	1.7	SS,
45		NM_014521	Hs.17667	SH3-domain binding protein 4	4.3	other
45		A1668594	Hs.176588	ESTs, Weakly similar to CP4Y_HUMAN CYTOC	4.3	?
		N41744	Hs.19978	CGI-30 protein	1.3	other
		H28428	Hs.32406	ESTs, Weakly similar to I38022 hypotheti	2.2	other
		BE256986	Hs.11896	hypothetical protein FLJ12089	2.1	other
50		H55748		gb:yg94a01.s1 Soares fetal liver spleen	6.1	?
	110504	H55915	Hs.210859	hypothetical protein FLJ11016	6.1	TM
	110525	H57330	Hs.37430	EST	6.4	other
		AK001160	Hs.5999	hypothetical protein FLJ10298	1.3	?
	110699	T97586	Hs.18090	ESTs	1.8	other
55	110705	AB007902	Hs.32168	KIAA0442 protein	1.6	TM
	110742	AW190338	Hs.28029	hypothetical protein MGC11256	7.8	other
		AL138077	Hs.16157	hypothetical protein FLJ12707	2.5	other
	110762	BE044245	Hs.30011	hypothetical protein MGC2963	9.3	?
		AK000322	Hs.18457	hypothetical protein FLJ20315	5.5	SS,
60		BE000831	Hs.23837	Homo sapiens cDNA FLJ11812 fis, clone HE	2.1	TM
		A1089660	Hs.323401	dpy-30-like protein	1.5	TM
		T25829	Hs.24048	FK506 binding protein precursor	6.7	TM
		AA767373	Hs.35669	ESTs, Moderately similar to ALU1_HUMAN A	5.7 2.4	other other
65		R33261	Hs.6614	ESTs, Weakly similar to A43932 mucin 2 p	3.4 1.7	TM
65		N31598	Hs.12727	hypothetical protein FLJ21610 methylcrotonoyl-Coenzyme A carboxylase 2	1.7	other
		AI740792 BE612992	Hs.167531 Hs.27931	hypothetical protein FLJ10607 similar to	4.7	other
	1 10004	0012332	113.21331	Hypothetical protess is to 10001 Shillian to	7.8	30101

	110856 AA9923	380	gb:ot37g06.s1 Soares_testis_NHT Homo sap	2.3	other
	110885 BE3844		hypothetical protein MGC13186	3.5	7
	110897 AL1174		DKFZP434D156 protein	2.2	?
	110915 BE0922		hypothetical protein FLJ13187	2.6	SS,
5	110918 H04360	D Hs.24283	ESTs, Moderately similar to reduced expr	1.9	TM
	110958 NM_00		signal transduction protein (SH3 contain	6.7	other
	110963 AK002		DKFZP564O123 protein	2	other
	110981 AK0019		ADP-ribosyltransferase (NAD+; poly(ADP-r	1.3	other
10	110984 AW613		UDP-N-acetyl-alpha-D-galactosamine:polyp	1.8 3.7	? other
10	111125 N63823		ESTs, Moderately similar to Z195_HUMAN Z hypothetical protein	3. <i>t</i> 2.1	TM
	111164 N46180		Homo sapiens cDNA FLJ13289 fis, clone OV	2.3	other
	111172 R67419		Homo sapiens cDNA FLJ12900 fis, done NT	3.7	other
	111174 AL0501		Homo sapiens mRNA; cDNA DKFZp586D1122 (f	7.5	other
15	111179 AK000		asporin (LRR class 1)	7.1	other
	111184 Al8154	l86 Hs.243901	Homo sapiens cDNA FLJ20738 fis, clone HE	6.8	other
	111189 N6760		ESTs, Weakly similar to S65824 reverse t	3.6	SS,
	111216 AW139		ESTs	1.5	other
20	111221 AB037		KIAA1361 protein	2.6	other
20	111223 AA852		KIAA1866 protein	4.7 7.9	other ?
	111239 N90956 111285 AA778		hypothetical protein FLJ22087 eukaryotic translation initiation factor	7.5 7	other
	111299 AB033		KIAA1265 protein	5	other
	111312 Al5239		ESTs	3.8	other
25	111318 T9975		ESTs	1.2	TM
	111337 AA837		LIS1-interacting protein NUDE1, rat homo	5.1	other
	111352 H5858	9 Hs.35156	Homo sapiens cDNA FLJ11027 fis, clone PL	2.2	other
•	111370 Al4786		brefeldin A-inhibited guanine nucleotide	2.8	?
20	111384 N9460		HSCARG protein	2.2	other
30	111389 AK000		oxidation resistance 1 ESTs	2.1 2.7	other TM
	111452 R0235 111486 Al0511		EST	6.6	other
	111549 W9063		ESTs, Moderately similar to ZRF1_HUMAN Z	1.4	other
	111585 R1072		EST ST	1.6	?
35	111627 R5265		ESTs	1.6	other
	111870 AB037		Homo sapiens mRNA for KIAA1413 protein,	2.4	other
	111937 BE298	3665 Hs.14846	Homo sapiens mRNA; cDNA DKFZp564D016 (fr	10.6	other
	111944 AW083		suppressor of potassium transport defect	6.6	TM
40	111987 NM_01		KIAA0942 protein	5.1	other
40	112134 R4182		ESTs; calsyntenin-2	2.8 14.6	other other
	112244 AB029 112388 R4607		KIAA1077 protein Homo sapiens, clone IMAGE:3638994, mRNA,	9	other
	112456 NM_01		A kinase (PRKA) anchor protein 11	1.4	other
	112464 AW00		Homo sapiens cDNA: FLJ21086 fis, clone C	1.4	TM
45	112506 AI7427		ESTs	3.2	other
	112513 R6842		hypothetical protein FLJ10648	2	TM
	112752 AK001		hypothetical protein FLJ10773	1.8	other
	112884 AK000		Homo sapiens mRNA for FLJ00004 protein,	6.6	other
50	112923 T1025		EST KIAA4557	1.5 3.2	? other
50	112936 AW970		KIAA1557 protein ESTs	5.2 6.1	other
	112958 R6138 112966 Z4471		glucocorticoid receptor DNA binding fact	6.5	other
	112978 AK000		hypothetical protein FLJ20265	1.2	other
	112995 AA737		ESTs, Moderately similar to 2115357A TYK	5.6	other
55	112996 BE276		zinc finger protein 259	2	other
	113047 Al5719	940 Hs.7549	ESTs	1.9	other
	113049 AW96		Homo sapiens mRNA for KIAA1729 protein,	2.4	TM
	113089 T4070		ESTs	1.3	SS,
60	113196 T5731		gb:yb51a03.s1 Stratagene fetal spleen (9	1.7 2.8	other other
60	113248 T6385 113254 AK002		gb:yc16e01.s1 Stratagene lung (937210) H DKFZP564O123 protein	1.3	other
_	113254 ANUUZ 113277 AW97		protein (peptidyl-prolyl cis/trans isome	3.2	other
	113429 AA688		ESTs	1.2	other
	113499 Al4679	908 Hs.8882	ESTs	6	other
65	113547 H5958	38 Hs.15233	ESTs	2	SS,
	113647 AA813	3887 Hs.188173	Homo sapiens cDNA FLJ12187 fis, clone MA	1.3	SS,
	113702 T9730	)7	gb:ye53h05.s1 Soares fetal liver spleen	4.4	other

	440000						
		AW499665	Hs.9456	SWI/SNF related, matrix associated, acti	1.2	other	
		BE266947	Hs.10590	zinc finger protein 313	13.4	other	
		AL359588	Hs.7041	hypothetical protein DKFZp762B226	1.7	other	
_	113791	AI269096	Hs.135578	chitobiase, di-N-acetyl-	1.3	other	
5		W44735	Hs.9286	Homo sapiens cDNA: FLJ21278 fis, clone C	3.3	other	
	113811	BE207480	Hs.6994	Homo sapiens cDNA: FLJ22044 fis, clone H	3.1	other	
		H13325	Hs.332795	hypothetical protein DKFZp761O17121	3.2	other	
		AW378212	Hs.24809	hypothetical protein FLJ10826	2.3	?	
		T26483	Hs.6059	EGF-containing fibulin-like extracellula	11.3	TM	
10		W57902	Hs.90744	proteasome (prosome, macropain) 26S subu	2.7	other	
10		AL079314					
			Hs.16537	hypothetical protein, similar to (U06944	6.1	other	
		AW959486	Hs.21732	ESTs	6.6	other	
	_	AW953484	Hs.3849	hypothetical protein FLJ22041 similar to	1.9	?	
1.5		W87544	Hs.268828	ESTs	1.2	other	
15		AI539519	Hs.120969	Horno sapiens cDNA FLJ11562 fis, clone HE	5.4	other	
	114030	AI825386	Hs.164478	hypothetical protein FLJ21939 similar to	9.4	other	
	114060	AB029551	Hs.7910	RING1 and YY1 binding protein	1.8	other	
	114196	AF017445	Hs.150926	fucose-1-phosphate guanylyltransferase	1.5	other	
	114226	AB028968	Hs.7989	KIAA1045 protein	1.8	other	
20		BE149866	Hs.14831	Homo sapiens, Similar to zinc finger pro	2.3	other	
		AL117518	Hs.3686	KIAA0978 protein	1.4	TM	
		AW515443.co		Hs.306117		306 protein 15.8	other
		AI815395	Hs.184641	fatty acid desaturase 2	1.9	TM	00101
		AA332453	Hs.20824	CGI-85 protein	2.4	other	
25		AA249590	Hs.100748				
23				ESTs, Weakly similar to A28996 proline-r	1.9	other	
		BE539976	Hs.103305	Homo sapiens mRNA; cDNA DKFZp434B0425 (f	1.3	TM	
		H37908	Hs.271616	ESTs, Weakly similar to ALUB_HUMAN ALU S	5.6	other	
		AL120247	Hs.40109	KIAA0872 protein	5.3	TM	
20		AI091713	Hs.106597	Homo sapiens, Similar to RIKEN cDNA 1110	1.3	other	
30		AA028074	Hs.104613	RP42 homolog	1.9	?	
		BE066778	Hs.151678	UDP-N-acetyl-alpha-D-galactosamine:polyp	13.4	other	
	114671	AA766268	Hs.266273	hypothetical protein FLJ13346	2	other	
	114698	AA476966	Hs.110857	polymerase (RNA) III (DNA directed) poly	3.6	other	
	114730	A1373544	Hs.331328	intermediate filament protein syncoilin	3.9	other	
35		A1859865	Hs.154443	minichromosome maintenance deficient (S.	1.7	other	
		AV656017	Hs.184325	CGI-76 protein	3.2	other	
		AA159181	Hs.54900	serologically defined colon cancer antig	3.6	other	
		AL157545	Hs.42179	bromodomain and PHD finger containing, 3	4.4	other	
		AA236177	Hs.76591	KIAA0887 protein	7.2	other	
40				· · · · · · · · · · · · · · · · · · ·			
70		BE539101	Hs.5324	hypothetical protein	1.3	other	
		AA236672	11 400747	gb:zt29f02.s1 Soares ovary tumor NbHOT H	1.5	other	
		AA237022	Hs.188717	ESTs	2	SS,	
		AA242834	Hs.58384	ESTs	2.9	other	
15		AI733881	Hs.72472	BMP-R1B	2.3	?	
45		AF102546	Hs.63931	dachshund (Drosophila) homolog	1.3	other	
	115038	AA252360	Hs.87968	toll-like receptor 9	1.6	other	
	115061	Al751438	Hs.41271	Homo saplens mRNA full length insert cDN	11.8	other	
	115117	AI670847	Hs.5324	hypothetical protein	1.5	other	
	115206	AW183695	Hs.186572	ESTs	2.5	other	
50	115221	AW365434	Hs.79741	hypothetical protein FLJ10116	1.5	other	
		BE251328	Hs.73291	hypothetical protein FLJ10881	1.3	TM	
	445546	AI368236	Hs.283732	ESTs, Moderately similar to ALU1_HUMAN A	1.4	other	
		AK002163	Hs.301724	hypothetical protein FLJ11301	1.5	other	
		AW972872	Hs.293736	ESTs	2.4	other	
55							
33		BE545072	Hs.122579	hypothetical protein FLJ10461	6.3	SS,	
		Al215069	Hs.89113	ESTs	6.7	?	
		AA314349	Hs.48499	tumor antigen SLP-8p	7.5	?	
		AK001376	Hs.59346	hypothetical protein FLJ10514	1.4	TM	
	115479	AW301608	Hs.278188	ESTs, Moderately similar to I54374 gene	4.1	TM	
60	115496	AW247593	Hs.71819	eukaryotic translation initiation factor	16.3	other	
	115500	Y14443	Hs.88219	zinc finger protein 200	5	other	
	115553	AJ275986	Hs.71414	transcription factor (SMIF gene)	2.5	other	
		A1540842	Hs.61082	ESTs	6.2	other	
		BE081342	Hs.283037	HSPC039 protein	2.9	other	
65		AA399477	Hs.67896	7-60 protein	5.3	TM	
03		N36110	Hs.305971	solute carrier family 2 (facilitated glu	4.8	?	
		BE093589	Hs.38178	hypothetical protein FLJ23468	10.6	other	
	113002	DE00000	. 10.00170	Hypotholical protein i Cazardo		Guici	

WO 02/059377 PCT/US02/02242 .

	115655 AL048269	Hs.288544	Homo sapiens, clone MGC:16063, mRNA, com	12.7	TM
	115663 Al138785	Hs.40507	ESTs	2	other
	115676 AA953006	Hs.88143	ESTs	3.1	other
_	115690 AA625132	Hs.44159	hypothetical protein FLJ21615	1.7	TM
5	115693 AF231023	Hs.55173	cadherin, EGF LAG seven-pass G-type rece	6.9	other
	115715 BE395161	Hs.1390	proteasome (prosome, macropain) subunit,	1.7	other
	115734 Al950339	Hs.40782	ESTs	2.7 2.1	TM other
	115811 NM_015434	Hs.48604 Hs.87440	DKFZP434B168 protein ESTs	2.1	other
10	115823 AI732742 115837 AI675217	Hs.42761	ESTs	1.3	other
10	115844 Al373062	Hs.332938	hypothetical protein MGC5370	4.4	other
	115866 AW062629	Hs.52081	KIAA0867 protein	7.3	other
	115875 N55669	Hs.333823	mitochondrial ribosomal protein L13	1.2	other
	115941 Al867451	Hs.46679	hypothetical protein FLJ20739	5.5	other
15	115968 AB037753	Hs.62767	KIAA1332 protein	9.8	other
	116003 BE275469	Hs.66493	Down syndrome critical region gene 5	1.4	other
	116011 AL359053	Hs.57664	Homo sapiens mRNA full length insert cDN	2.4	other
	116108 AA770688	Hs.28777	H2A histone family, member L	1.8	other
	116134 BE243834	Hs.50441	CGI-04 protein	1.4	other
20	116189 N35719	Hs.44749	ESTs, Moderately similar to T00358 hypot	1.2	other
	116195 AW821113	Hs.72402	ESTs	2.1	other
	116238 AV660717	Hs.47144	DKFZP586N0819 protein	1.7 1.7	other other
	116246 AF265555	Hs.250646 Hs.59838	baculoviral IAP repeat-containing 6 hypothetical protein FLJ10808	1.8	?
25	116262 Al936442 116298 Al955411	Hs.94109	Homo sapiens cDNA FLJ13634 fis, clone PL	1.9	other
23	116318 AF097645	Hs.58570	deleted in cancer 1; RNA helicase HDB/DI	5 .	SS,
	116325 Al472106	Hs.49303	Homo sapiens cDNA FLJ11663 fis, clone HE	1.4	SS,
	116336 AL133033	Hs.4084	KIAA1025 protein	1.9	?
	116339 AK000290	Hs.44033	dipeptidyl peptidase 8	1.5	other
30	116350 AA497129	Hs.184771	nuclear factor I/C (CCAAT-binding transc	1.9	?
	116358 AI149586	Hs.38125	interferon-induced protein 75, 52kD	1.9	?
	116365 N50174	Hs.46765	ESTs	6.1	other
	116368 N90466	Hs.71109	KIAA1229 protein	1.6	?
25	116417 AW499664	Hs.12484	Human clone 23826 mRNA sequence	7.4	other
35	116436 AA161411	Hs.58668	chromosome 21 open reading frame 57	2.1	other
	116462 AF218313	Hs.236828	putative helicase RUVBL	1.5 2.1	TM TM
	116470 Al272141 116575 AA312572	Hs.83484 Hs.6241	SRY (sex determining region Y)-box 4 phosphoinositide-3-kinase, regulatory su	1.5	other
	116637 AK001043	Hs.92033	integrin-linked kinase-associated serine	2.7	other
40	116640 X89984	Hs.211563	B-cell CLL/lymphoma 7A	2.3	other
.0	116700 Al800202	Hs.317589	hypothetical protein MGC10765	1.4	other
	116705 AW074819	Hs.12313	hypothetical protein FLJ14566	3.4	other
	116732 AW152225	Hs.165909	ESTs, Weakly similar to 138022 hypotheti	2.9	other
	116926 H73608	Hs.290830	ESTs	1.7	TM
45	117034 U72209	Hs.180324	YY1-associated factor 2	3.4	TM
	117132 Al393666	Hs.42315	p10-binding protein	5.2	?
	117247 N21032		gb:yx46f06.s1 Soares melanocyte 2NbHM Ho	5.5	TM
	117276 N71183	Hs.121806	Homo sapiens cDNA FLJ11971 fis, clone HE	1.5	TM
50	117284 AK001701	Hs.183779	Homo sapiens cDNA FLJ10590 fis, clone NT	2 2	other other
50	117367 Al041793	Hs.42502 Hs.90336	ESTs ATPase, H+ transporting, lysosomal (vacu	2.1	?
	117368 Al878942	Hs.40173	ECTe	2.7	TM
	117382 AF150275 117412 N32536	Hs.42645	solute carrier family 16 (monocarboxylic	1.4	other
	117557 AF123050	Hs.44532	diubiquitin	3.4	TM
55	117588 N34895	Hs.44648	ESTs	3.4	?
00	117745 BE294925	Hs.46680	. CGI-12 protein	3	SS,
	117754 AA121673	Hs.59757	zinc finger protein 281	1.9	other
	117879 N54706	Hs.303025	chromosome 11 open reading frame 24	1.8	other
	117904 BE540675	Hs.332938	hypothetical protein MGC5370	6	?
60	117911 AL137379	Hs.47125	hypothetical protein FLJ13912	1.7	other
	117933 Y10518	Hs.116470	hypothetical protein FLJ20048	1.7	other
	117983 AL110246	Hs.47367	KIAA1785 protein	5.4	other
	118078 N54321	Hs.47790	EST	5.2 2.6	other other
CF	118301 AA453902	Hs.293264	ESTs cytochrome c oxidase subunit VIc	2.5	TM
65	118429 AA243332	Hs.74649 Hs.42179	bromodomain and PHD finger containing, 3	4.1	other
	118472 AL157545 118488 AJ277275	Hs.50102	rapa-2 (rapa gene)	1.2	other
	110400 WELLETS	, 10.00 102	inha a finha Baile)		- <del> </del>

		N22617	Hs.43228	Homo sapiens cDNA FLJ11835 fis, clone HE	1.5	other
		A1949952	Hs.49397	ESTs	7.4	?
		A1458020	Hs.293287	ESTs	2.5	other
-		AA332845	Hs.152618	ESTs, Moderately similar to ZN91_HUMAN Z	1.2	TM
5		AB033113	Hs.50187	KIAA1287 protein	2.1	TM
		AA199686		gb:zq75g09.r1 Stratagene hNT neuron (937	5.2	other
		N92293	Hs.206832	ESTs, Moderately similar to ALU8_HUMAN A	1.4	other
		Al668709	Hs.240722	ESTs, Moderately similar to ALU8_HUMAN A	3.6	other
10		AF148713	Hs.125830	bladder cancer overexpressed protein	4.9	?
10		W24781	Hs.293798	KIAA1710 protein	1.7	TM
		AW453069	Hs.3657	activity-dependent neuroprotective prote	2.2	other
		BE539706	Hs.285363	ESTs	1.4	?
		N57568	Hs.48028	EST	25.1	other
1.5		NM_001241	Hs.155478	cyclin T2	1.6	?
15		Al417240	Hs.320836	ESTs, Weakly similar to A47582 B-cell gr	1.3	other
		AL117554	Hs.119908	nucleolar protein NOP5/NOP58	6.7	TM
		A1624342	Hs.170042	ESTs	2.4	other
		Al796730	Hs.55513	ESTs	2.1	other
20		W37933		Empirically selected from AFFX single pr	1.9	other
20		AK000155	Hs.91684	Homo sapiens mRNA; cDNA DKFZp6671103 (fr	3.7	TM
		AW675298	Hs.233694	hypothetical protein FLJ11350	3	other
		AA243837	Hs.57787	ESTs	1.4	other
		W61019	Hs.57811	ESTs	1.2	?
25		AB032977	Hs.6298	KIAA1151 protein	1.8	TM
25		NM_016625	Hs.191381	hypothetical protein	3.1	other
		BE393948	Hs.50915	kallikrein 5 (KLK5; KLK-L2; stratum com	9.2	other
		AJ223810	Hs.43213	ESTs, Weakly similar to IEFS_HUMAN TRANS	3.6	TM
		AA130970	Hs.58382	hypothetical protein FLJ11101	2.5	?
20		AA081218	Hs.58608	Homo sapiens cDNA FLJ14206 fis, clone NT	2.7	TM
30		AW449064	Hs.119571	collagen, type III, alpha 1 (Ehlers-Dani	2.6	other
		AA703129	Hs.58963	ESTs	2.7	other
		W57554	Hs.125019	lymphoid nuclear protein (LAF-4) mRNA	1.2	other
		H26735	Hs.91668	Homo sapiens clone PP1498 unknown mRNA	45.7	other
25		AI924294	Hs.173259	uncharacterized bone marrow protein BM03	1.2	other
35		AW131940	Hs.104030	ESTs	9.6	other
		AA177051		gb:nc02a02.s1 NCI_CGAP_Pr3 Homo sapiens	4.7	other other
		AA190577	11- 000000	gb:zp52g02.s1 Stratagene HeLa cell s3 93	2.1	TM
		AW995911	Hs.299883	hypothetical protein FLJ23399	1.9	
40		AA191384	Hs.104072	ESTs, Weakly similar to Z195_HUMAN ZINC	15.2	other ?
40		AA195517	Hs.191643	ESTs	5.6 6.5	other
		AA195651	Hs.104106	ESTs	16.1	
		AK000292	Hs.278732	hypothetical protein FLJ20285	3	other other
		N85785	Hs.181165	eukaryotic translation elongation factor	5.8	other
45		AW450669	Hs.45068	hypothetical protein DKFZp434I143	4.6	SS,TM
45		AA210722 AW969481	Hs.104158	ESTs	16.8	other
		R06859	Hs.55189 Hs.193172	hypothetical protein ESTs, Weakly similar to 138022 hypotheti	5.1	other
		AF000545	Hs.296433	putative purinergic receptor	28.1	TM
		AA219305	Hs.104196	EST	12.4	?
50		AA219303 AA228026	Hs.38774	ESTs	4.1	TM
50		AL109963	Hs.123122	FSH primary response (LRPR1, rat) homolo	9.7	TM
		AW969665	Hs.154848	hypothetical protein DKFZp434D0127	32.6	other
		AA232874	Hs.104245	ESTs	3.2	other
		AW967985	Hs.325572	ESTs, Moderately similar to ALU7_HUMAN A	21.7	other
55		AA134006	Hs.79306	eukaryotic translation initiation factor	12.5	other
55		AB023230	Hs.96427	KIAA1013 protein	7.3	other
		AW966893	Hs.26613	Homo saplens mRNA; cDNA DKFZp586F1323 (f	11.4	other
		AA236453	Hs.18978	Homo sapiens cDNA: FLJ22822 fis, clone K	1.9	other
		AJ950087	113.10310	gb:wg05c02.x1 NCI_CGAP_Kid12 Homo sapien	19.4	other
60		AA251973	Hs.269988	ESTs	5.5	?
00.		AA251373	Hs.96473	EST	10.4	?
		AA255170 AA256837	110.00410	gb:zr84d10.s1 Soares_NhHMPu_S1 Homo sapi	4	?
		BE047718	Hs.96545	ESTs	9.4	other
		AA258601	Hs.161731	EST	2.4	other
65		BE350244	Hs.96547	ESTs	2.5	?
05		AA279160	Hs.111407	Homo sapiens, clone IMAGE:3613029, mRNA,	5.3	other
		AA280679	Hs.271445	ESTs, Weakly similar to ALU1_HUMAN ALU S	14.4	?
	,20010	. ,				•

	120582 BE244830	Hs.284228	ZNF135-like protein	10.2	?
	120590 AW372799	Hs.125790	leucine-rich repeat-containing 2	2.2	?
	120596 AA282074	Hs.237323	N-acetylglucosamine-phosphate mutase	7.6	other
	120619 AW965339	Hs.111471	ESTs	2.5	other
5	120624 AW407987	Hs.173518	M-phase phosphoprotein homolog	52	other
	120639 AA286942		gb:zs56f05.s1 NCI_CGAP_GCB1 Homo sapiens	2.4	other
	120648 AA287095	Hs.140309	Homo sapiens, clone IMAGE:3677194, mRNA,	5	other
	120653 AW063659	Hs.191649	ESTs	2.2	other
10	120668 AW969638	Hs.112318	6.2 kd protein	2.2	TM
10	120669 BE536739	Hs.109909	ESTS	1.9 46.8	TM TM
•	120695 AA976503	Hs.97249	gb:oq30a04.s1 NCI_CGAP_GC4 Homo sapiens ESTs	2.5	other
	120696 Al821539 120713 AW449855	Hs.96557	Homo sapiens cDNA FLJ12727 fis, clone NT	6	other
	120718 AA292747	Hs.97296	ESTs	2.9	other
15	120750 Al191410	Hs.96693	ESTs, Moderately similar to 2109260A B c	7.1	SS,
10	120774 AI608909	Hs.193985	ESTs	7.9	other
	120807 AA346385	Hs.30002	SH3-containing protein SH3GLB2; KIAA1848	7	TM
	120809 AA346495		gb:EST52657 Fetal heart II Homo sapiens	4.5	other
	120938 AA386260	Hs.104632	EST	4.5	?
20	120977 AA398155	Hs.97600	ESTs	4.5	other
	120984 BE262951	Hs.99052	ESTs	5.6	other
	120985 Al219896	Hs.97592	ESTs	1.3 3.2	other
	121011 AA398360	Hs.97608 Hs.165295	EST	3.6	other other
25	121026 Al439713 121081 AA398721	Hs.186749	ESTs ESTs, Highly similar to 137550 mismatch	5.5	other
23	121031 AA363307	Hs.97032	ESTs	3.8	other
	121176 AL121523	Hs.97774	ESTs	1.7	TM
	121223 Al002110	Hs.97169	ESTs, Weakly similar to dJ667H12.2.1 [H.	2.9	other
	121320 AA403008	Hs.301927	c6.1A	1.9	other
30	121340 AW956981	Hs.97910	Homo saplens cDNA FLJ13383 fis, clone PL	3.5	other
	121408 AA406137	Hs.98019	EST	6.1	?
	121439 AA410190	Hs.98076	ESTs, Weakly similar to A47582 B-cell gr	7.5	other
	121450 AA406430	Hs.105362	Homo sapiens, clone MGC:18257, mRNA, com	7.1	other
35	121452 AW971063	Hs.292882	ESTs retinoic acid induced 14	1.8 10.5	other other
33	121455 H58306 121457 W07404	Hs.15165 Hs.144502	hypothetical protein FLJ22055	3.5	TM
	121496 AA442224	Hs.97900	ESTs	14.4	other
	121505 AA494172	Hs.194417	ESTs	13.1	other
	121508 AA402515	Hs.97887	ESTs	28	other
40	121513 AA416653	Hs.181510	ESTs	6.3	other
	121514 AA412112		gb:zt69b02.s1 Soares_testis_NHT Homo sap	2.7	SS,
	121549 AA412477	Hs.98142	EST	7.5	?
	121558 AA412497		gb:zt95g12.s1 Soares_testis_NHT Homo sap	2.8	other
45	121577 AA411970	Hs.98096	EST	3.5 6.2	? TM
45	121581 AA416568	Hs.89718	gb:zu05c10.s1 Soares_testis_NHT Homo sap	0.2 4	other
	121589 AD001528 121594 AA626010	Hs.98247	spermine synthase ESTs	2.2	other
	121622 AA416931	Hs.126065	ESTs	4.3	TM
	121655 AA421537	Hs.178072	Homo sapiens mRNA; cDNA DKFZp434B1023 (f	7.9	other
50	121682 AA418160	Hs.86043	Homo sapiens cDNA FLJ13558 fis, clone PL	2	other
	121690 AV660305	Hs.110286	ESTs	4.7	?
	121706 U55184	Hs.154145	hypothetical protein FLJ11585	12.7	other
	121714 AA419225	Hs.98269	Homo sapiens cDNA FLJ11953 fis, clone HE	8.3	?
	121729 Al949597	Hs.98325	ESTs	1.8	TM
55	121731 AA421041	Hs.180744	ESTS	4.1 7.1	TM SS,
	121744 AA398784	Hs.97514 Hs.234545	ESTs hypothetical protein NUF2R	7.1 19.5	other
	121748 BE536911 121773 AB033022	Hs.158654	KIAA1196 protein	8	other
	121773 AB033022 121775 AA421773	Hs.161008	ESTs	1.7	other
60	121776 AA292579	Hs.125133	hypothetical protein FLJ22501	6.7	other
00	121786 AI810774	Hs.98376	ESTs	10.5	other
	121832 AW340797	Hs.98434	ESTs	5.9	other
	121836 AA328348	Hs.218289	ESTs	3.9	other
	121839 AA425691	Hs.191606	ESTs, Highly similar to KIAA1048 protein	. 5	other
65	121842 AF027406	Hs.104865	serine/threonine kinase 23	2.7	?
	121847 AA446628	Hs.2799	cartilage linking protein 1	2.3 2. <del>9</del>	other
	121871 AW972668	Hs.293044	ESTs	2.5	TM

	424000	A A 400070	11- 00450	FOT-	•	e i bor
		AA426376 AA427950	Hs.98459	ESTS	5 . 7.3	other TM
		AA428179	Hs.223405	gb:zw50f02.s1 Soares_total_fetus_Nb2HF8_ ESTs, Moderately similar to A46010 X-lin	2.5	other
		AA428647	Hs.98611	EST	2.3	other
5		AA298760	Hs.180191	hypothetical protein FLJ14904	3.4	other
		Al862570	Hs.299214	Homo sapiens, clone IMAGE:2822295, mRNA,	11.4	other
	121995	AA210863	Hs.3532	nemo-like kinase	3.8	?
		AA430211	Hs.98668	EST .	6.5	other
10		AW292763	Hs.160822	Homo sapiens cDNA: FLJ20863 fis, clone A	2.2	other
10		AA431085	Hs.98706	ESTs	6.6	other
	122036		Hs.271963	ESTs, Weakly similar to ALU5_HUMAN ALU S	13.1	other other
		Al453076	Hs.166109	ELAV (embryonic lethal, abnormal vision, EST	9.1 13.1	?
		AA431738 AW161023	Hs.98750 Hs.104921	ESTs	1.5	r other
15		AA398838	113.104321	gb:zt80d01.r1 Soares_testis_NHT Homo sap	3.4	other
10		AA435936	Hs.98842	EST	5.6	other
		AA329550	Hs.29417	HCF-binding transcription factor Zhangfe	5.2	other
		AA436819	Hs.98899	ESTs	5.6	other
	122302	AA441801	Hs.104947	ESTs	5.8	other
20		AW601969	Hs.99010	hypothetical protein FLJ22263 similar to	2	other
		AA443794	Hs.98390	ESTs	7.4	SS,TM
		AA443985	Hs.303222	ESTs	12.2	?
		AA868555	Hs.178222	ESTs	5	?
25		AA446008	Hs.336677	EST	7.8	? ?
25		AB032948 AA446572	Hs.21356 Hs.303223	hypothetical protein DKFZp762K2015 EST	2.5 2.8	TM
		AA446869	Hs.119316	ESTs	7.4	other
		AA446918	Hs.99088	EST	1.9	other
		AA446966	Hs.99090	ESTs. Moderately similar to similar to K	6.9	?
30		AW505139	Hs.9460	Homo sapiens mRNA; cDNA DKFZp547C244 (fr	2.6	other
	122446	AA447603	Hs.99123	EST	1.8	TM
		AA447626	Hs.99127	EST	3.5	other
		Al266159	Hs.104980	ESTs ·	1.5	other
35		AW418788	Hs.99148	ESTs, Weakly similar to \$43569 R01H10.6	9.7 4.9	other other
33		AA448158 AA448349	Hs.99152 Hs.238151	EST EST	4.9 6.2	?
		AA448417	Hs.104990	ESTs	5.5	other
		AA204969	Hs.234863	Homo sapiens cDNA FLJ12082 fis, clone HE	1.3	other
		AA449232	Hs.99195	ESTs	11.2	?
40		AW959741	Hs.40368	adaptor-related protein complex 1, sigma	10.1	other
	122547	AA779725	Hs.164589	ESTs	2.5	SS,
		AA194055	Hs.293858	ESTs	1.9	other
		AA452578	Hs.262907	ESTs	9.5	other
45		AA452601	Hs.99287	EST Homo sapiens cDNA FLJ11048 fis, clone PL	11 3.4	? other
45		AK001910 AB040893	Hs.99303 Hs.6968	KIAA1460 protein	2	other
		AI028173	Hs.99329	ESTs	1.7	?
		AL355841	Hs.99330	hypothetical protein FLJ23588	4.4	ż
		AA411925	Hs.301960	ESTs	4.7	other
50	122607	AA453518	Hs.98023	ESTs	61.5	other
		AA453630	Hs.99339	EST	10.7	?
	122616	AA453638	Hs.161873	ESTs	107.3	?
		AI681535	Hs.148135	serine/threonine kinase 33	121.4	other
E E	122618	AA453641	11- 444000	gb:zx48e06.s1 Soares_testis_NHT Homo sap	31.1	SS,
55	122622	AA453987 AA456859	Hs.144802 Hs.178358	ESTs	5.6 8.5	other SS,
	122717	Al376875	Hs.105119	ESTs ESTs	10.4	other
	122702	AW204530	Hs.99500	ESTs	81.8	?
	122834	AA461492	Hs.99545	Homo sapiens cDNA FLJ10658 fis, clone NT	3.7	Ŷ
60	122836	AA460581	Hs.290996	ESTs	4.6	other
	122837	AA461509	Hs.293565	ESTs, Weakly similar to putative p150 [H	2.7	TM
	122838	AA460584	Hs.334386	ESTs	75.3	other
		AA600235	Hs.9625	NIMA (never in mitosis gene a)-related k	7.8	other
CE		Al929374	Hs.75367	Src-like-adapter	5.8 1.3	other
65	122861	AA335721 BE539656	Hs.119394 Hs.283705	ESTs ESTs	1.3 4.2	other other
	122000 122868	AF005216	Hs.115541	Janus kinase 2 (a protein tyrosine kinas	5.3	other
	122000	0002.10	1.0.110071	comes mines a fe biscour dissens mines		

	122870	AW576312	Hs.318722	Homo saplens cDNA: FLJ21766 fis, clone C	9.9	?
		AW081394	Hs.97103	ESTs	5.3	other
		AA769410	Hs.128654	ESTs	13.9	other
	-	AA470074	Hs.169896	ESTs	11.5	other
5		AA470140	Hs.229170	EST	1.7	TM
-		AA478951	Hs.105629	ESTs	5	other
		AW968324	Hs.17384	ESTs	15.4	other
		AW338067	Hs.323231	Homo sapiens cDNA FLJ11946 fis, clone HE	2.8	other
		AL359571	Hs.44054	ninein (GSK3B interacting protein)	8.7	other
10		Al382600	Hs.104308	ESTs, Weakly similar to KIAA1395 protein	8.8	other
	123082	AA485360	Hs.105661	ESTs	4	?
	123088	Al343652	Hs.105667	ESTs	3.8	other
	123110	AA486256	Hs.193510	EST	7.4	other
	123114	BE304942	Hs.265848	myomegalin	2.8	?
15	123131		Hs.271795	ESTs, Weakly similar to 138022 hypotheti	2.4	other
	123132	Al061582	Hs.324179	Homo sapiens cDNA FLJ12371 fis, clone MA	15.6	TM
	123136	AW451999	Hs.194024	ESTs	5.2	other
		A1734179	Hs.105676	ESTs	23.8	TM
••		AW601773	Hs.270259	ESTs	5.2	other
20		AA490929	Hs.105274	ESTs, Weakly similar to RMS1_HUMAN REGUL	9.3	?
		AA496369		gb:zv37d10.s1 Soares ovary tumor NbHOT H	4.2	TM
		AA504757	Hs.105738	ESTS	7	other
		AA731404	Hs.105510	ESTs	3.7	other other
25		AW450922	Hs.112478	ESTs	3.8 7.4	other
25		AA599042	Hs.112503	EST Human DNA sequence from clone RP11-110H4	7.4 3.5	other
		AW303285	Hs.303632 Hs.197219	zinc finger protein 14 (KOX 6)	5.2	?
		AB021644 BE439553	Hs.250528	Homo sapiens, clone IMAGE:4098694, mRNA,	1.7	other
	123475		Hs.55098	ESTs	1.6	other
30		BE019072	Hs.334802	Homo sapiens cDNA FLJ14680 fis, clone NT	2.4	other
20		AW380388	Hs.155546	KIAA1080 protein; Golgi-associated, gamm	2.2	TM
		AA609170	113.100040	qb:af12a12.s1 Soares_testis_NHT Homo sap	7.9	other
		AA602964		gb:no97c02.s1 NCI_CGAP_Pr2 Homo saplens	2.8	other
		AA609364		gb:zu71d09.s1 Soares_testis_NHT Homo sap	1.7	?
35		AI269609	Hs.105187	kinesin protein 9 gene	5.7	?
-		NM_013241	Hs.95231	FH1/FH2 domain-containing protein	10	other
		AA609891	Hs.112777	EST	5.2	other
	123753	AA609955	Hs.234961	Huntingtin interacting protein E	30.6	TM
	123804	AA620464	Hs.261915	EST, Weakly similar to S65657 alpha-1C-a	2.1	other
40	123811	AA620586		gb:ae60g05.s1 Stratagene lung carcinoma	2.7	other
	123951	AB012922	Hs.173043	metastasis-associated 1-like 1	6.3	?
	123983	AJ272267	Hs.146178	choline dehydrogenase	4.4	other
	124001	L42542	Hs.75447	ralA binding protein 1	7.1	?
		AI147155	Hs.270016	ESTs	8.3	SS,
45		Al950314	Hs.154762	HIV-1 rev binding protein 2	3.8	other
		H05635	Hs.294030	topoisomerase-related function protein 4	1.2	SS,
		BE463721	Hs.97101	putative G protein-coupled receptor	3.2	?
		AA372796	Hs.269339	ESTs, Weakly similar to AF161356 1 HSPC0	5.7	other TM
50		AA640891	Hs.102406	ESTS	3.1 3.5	other
30		D87454 Al267847	Hs.192966	KIAA0265 protein gb:aq49a10.x1 Stanley Frontal NB pool 2	57.1	?
			Hs.7535	COBW-like protein	2.8	other
	124390	AA317338 AF155099	Hs.279780 ·	NY-REN-18 antigen	7.1	other
		N34059	113.273700	gb:yv28h09.s1 Soares fetal liver spleen	3.3	other
55		H13540	Hs.82202	ribosomal protein L17	2.9	other
55		AA532519	Hs.129043	Human DNA sequence from clone 989H11 on	7.9	other
		R10084	Hs.113319	kinesin heavy chain member 2	2.6	TM
		N53935		gb:yv59d09.s1 Soares fetal liver spleen	7.9	TM
		H79433	Hs.268997	ESTs	7.8	other
60		AA669097	Hs.109370	ESTs	3.3	other
		N71076	Hs.102800	ESTs, Weakly similar to neuronal thread	4.6	?
		NM_014053	Hs.270594	FLVCR protein	3.2	other
	124634	Al765123	Hs.143671	Homo sapiens cDNA FLJ13533 fis, clone PL	5.8	other
	124637	AA160474	Hs.75798	hypothetical protein	9.3	other
65	124642	AW968856	Hs.278569	sorting nexin 17	3.5	other
		N92593	Hs.313054	ESTs	6.1	TM
	124661	R48170	Hs.78436	EphB1	5.6	other
				4.00		

	124683 AA381661	Hs.119878	ESTs, Weakly similar to M3K9_HUMAN MITOG	7.9	TM
	124712 R09166	Hs.191148	ESTs	5.7	other
	124735 R22952	Hs.268685	ESTs	11.3	?
	124761 AA374756	Hs.93560	Homo sapiens mRNA for KIAA1771 protein,	9	other
5	124768 AW368528	Hs.100855	ESTs	8.3	other
	124775 R41772	Hs.100878	ESTs	4.9	other
	124777 R41933	Hs.140237	ESTs, Weakly similar to ALU1_HUMAN ALU S	2.8	other
	124788 R43543	Hs.100912	Homo sapiens cDNA: FLJ22726 fis, clone H	5.1	other
	124809 AL355722	Hs.106875	Homo sapiens EST from clone 35214, full	4.2	other
10	124811 R46068	Hs.288912	hypothetical protein FLJ22604	14.2	other
	124812 R47948	Hs.188732	ESTs	7.9	other
	124822 AA418160	Hs.86043	Homo sapiens cDNA FLJ13558 fis, clone PL	6.6	other
	124825 AA501669	Hs.336693	ESTs	2.3	SS,TM
	124833 AW975868	Hs.294100	ESTs	2.7	SS.TM
15	124857 R63652	Hs.137190	ESTs	2.3	other
13	124860 R65763	Hs.101477	EST	23.9	?
	124863 Al382555	Hs.127950	bromodomain-containing 1	2	other
	124876 AF135422	Hs.27059	GDP-mannose pyrophosphorylase A	4.4	SS.
	124878 BE397530	Hs.288057	hypothetical protein FLJ22242	2.7	other
20	124902 H37941	Hs.101883	ESTs	5.7	other
20	124902 H37941 124903 AW296713	Hs.221441	ESTs	32.4	other
		Hs.173939	ESTs, Weakly similar to ALUB_HUMAN !!!!	22.8	other
	124930 Al076343			6.1	other
	124942 R99978	Hs.268892	ESTs, Moderately similar to B34087 hypot		
25	124958 AI078645	Hs.431	murine leukemia viral (bmi-1) oncogene h	1.9	other ?
25	124980 T40841	Hs.98681	ESTS	4.5	
	125002 T59338	Hs.269463	ESTs, Weakly similar to ALU1_HUMAN ALU S	4.9	other
	125047 T79815	Hs.279793	ESTs	5	?
	125051 T79956	Hs.100588	EST	135.3	?
20	125056 T81310	Hs.100592	ESTs	5.4	other
30	125101 Al472068	Hs.286236	KIAA1856 protein	5.6	other
	125113 T96595	Hs.302270	ESTs, Weakly similar to ALUF_HUMAN !!!!	1.8	other
	125115 T97341		gb:ye57e05.s1 Soares fetal liver spleen	9.6	?
	125125 Al222382	Hs.240767	Human DNA sequence from clone RP1-12G14	1.5	TM
25	125147 W38150		Empirically selected from AFFX single pr	1.7	?
35	125161 W44657	Hs.144232	EST	10.7	?
	125249 AA630863	Hs.131375	ESTs, Moderately similar to ALUB_HUMAN !	1.3	other
	125255 AF098162	Hs.118631	timeless (Drosophila) homolog	9.4	other
	125279 AW401809	Hs.4779	KIAA1150 protein	1.5	?
40	125280 Al123705	Hs.106932	ESTs	8.1	?
40	125298 AW972542	Hs.289008	Homo sapiens cDNA: FLJ21814 fis, clone H	1.5	other
	125660 AW292171	Hs.23978	scaffold attachment factor B	5.9	other
	125827 NM_003403	Hs.97496	YY1 transcription factor	1.2	?
	125891 U29589	Hs.7138	cholinergic receptor, muscarinic 3	6.5	?
	126005 AW409701	Hs.1578	baculoviral IAP repeat-containing 5 (sur	14.3	?
45	126202 AA157632	Hs.272630	vacuolar proton pump delta polypeptide	2.5	SS,
	126695 AA643322	Hs.172028	a disintegrin and metalloproteinase doma	9.1	SS,TM
	127050 AW411066	Hs.274351	CGI-89 protein	17	other
	127274 AW966158	Hs.58582	Homo sapiens cDNA FLJ12789 fis, clone NT	12.8	other
	128355 AW293012	Hs.161623	ESTs	7.4	SS,
50	128493 D87466	Hs.240112	KIAA0276 protein	3.1	, TM
	128522 BE173977	Hs.10098	putative nucleolar RNA helicase	9.4	other
	128527 AA504583	Hs.101047	transcription factor 3 (E2A immunoglobul	1.5	other
	128528 R39234	Hs.251699	ESTs, Weakly similar to IDN4-GGTR14 [H.s	2.8	other
	128595 U31875	Hs.272499	short-chain alcohol dehydrogenase family	12.1	TM
55	128599 NM_015366	Hs.102336	Rho GTPase activating protein 8	2.4	?
•	128604 Al879099	Hs.102397	GIOT-3 for gonadotropin inducible transc	1.3	other
	128608 BE267994	Hs.102419	zinc finger protein	7.2	other
	128625 AB037841	Hs.102652	hypothetical protein ASH1	1.3	other
	128629 AL096748	Hs.102708	DKFZP434A043 protein	3.2	other
60	128639 AW582962	Hs.102897	CGI-47 protein	2	TM
	128656 AA458542	Hs.10326	coatomer protein complex, subunit epsilo	1.4	other
	128658 BE397354	Hs.324830	diptheria toxin resistance protein requi	2.5	other
	128670 AA975486	Hs.103441	Homo sapiens, Similar to RIKEN cDNA 1700	7.1	?
	128691 W27939	Hs.103834	hypothetical protein MGC5576	7.8	?
65	128696 BE081143	Hs.225977	nuclear receptor coactivator 3	3.8	other
	128700 Y15221	Hs.103982	small inducible cytokine subfamily B (Cy	1.6	other
	128714 T85231	Hs.179661	tubulin, beta 5	7.8	other
	<del></del> -				

	120717 AV004564	Ho 104222	hypothetical protein FLJ10702	5.5	other
	128717 AK001564 128733 BE147740	Hs.104222 Hs.104558	ESTs, Moderately similar to I38022 hypot	2.7	TM
			RP42 homolog	2.8	TM
	128737 AF292100	Hs.104613	proteasome (prosome, macropain) subunit,	4.5	?
5	128742 AA307211 128746 AI470163	Hs.251531 Hs.323342	actin related protein 2/3 complex, subun	2.2	other
,	128747 AB027249	Hs.104741	PDZ-binding kinase; T-cell originated pr	2.8	other
	128772 BE302796	Hs.105097	thymidine kinase 1, soluble	5.4	other
	128781 N71826	Hs.105465	small nuclear ribonucleoprotein polypept	53.9	TM
	128797 NM_002975	Hs.105927	stem cell growth factor; lymphocyte secr	13.3	other
10	128806 AW630942	Hs.106061	RD RNA-binding protein	2.6	other
10	128814 AW248431	Hs.256526	nuclear prelamin A recognition factor	2.2	other
	128830 BE281170	Hs.106357	vatosin-containing protein	6	other
	128835 AK001731	Hs.106390	Homo sapiens mRNA; cDNA DKFZp586H0924 (f	1.6	SS,
	128854 BE159181	Hs.168232	hypothetical protein FLJ13855	2.3	other
15	128871 AF189723	Hs.106778	ATPase, Ca++ transporting, type 2C, memb	1.5	?
13	128906 R57988	Hs.10706	epithelial protein lost in neoplasm beta	4.8	other
	128920 AA622037	Hs.166468	programmed cell death 5	1.4	other
	128925 R67419	Hs.21851	Homo sapiens cDNA FLJ12900 fis, clone NT	1.9	other
	128946 Y13153	Hs.107318	kynurenine 3-monooxygenase (kynurenine 3	7.3	?
20	128949 AA009647	Hs.8850	a disintegrin and metalloproteinase doma	2.5	other
20	128959 Al580127	Hs.107381	hypothetical protein FLJ11200	1.3	other
	128965 AW150697	Hs.107418	ESTs	1.4	?
	128970 AI375672	Hs.165028	ESTs	1.3	other
	128975 BE560779	Hs.284233	NICE-5 protein	14	other
25	128979 AW271217	Hs.281434	Homo sapiens cDNA FLJ14028 fis, clone HE	1.6	TM
23	128995 AI816224	Hs.107747	DKFZP566C243 protein	1.9	other
	129019 AI950087	115.10/74/	gb:wq05c02.x1 NCI_CGAP_Kid12 Homo sapien	2.9	other
	129021 AL044675	Hs.173081	KIAA0530 protein	3.8	other
	129032 R80088	Hs.108104	ubiquitin-conjugating enzyme E2L 3	3.4	other
30	129076 AW296806	Hs.326234	ESTs, Highly similar to T46422 hypotheti	5	other
50	129078 AI351010	Hs.102267	lysosomal	2.1	other
	129088 AA744610	Hs.194431	palladin	17.1	other
	129095 L12350	Hs.108623	thrombospondin 2	2.7	other
	129096 AA463189	Hs.288906	WW Domain-Containing Gene	20.9	TM
35	129097 BE243933	Hs.108642	zinc finger protein 22 (KOX 15)	3	other
55	129099 AF146074	Hs.108660	ATP-binding cassette, sub-family C (CFTR	5.8	TM
	129136 W93048	Hs.250723	hypothetical protein MGC2747	6	other
	129149 AA356620	Hs.108947	KIAA0050 gene product	6.4	TM
	129172 AW162916	Hs.241576	hypothetical protein PRO2577	1.8	TM
40	129192 AA286914	Hs.183299	ESTs	2.1	?
	129194 AA150797	Hs.109276	latexin protein	3.3	SS,TM
	129198 N57532	Hs.109315	KIAA1415 protein	5.9	other
	129207 Al934365	Hs.109439	osteoglycin (osteoinductive factor, mime	8.1	other
	129228 U40714	Hs.239307	tyrosyl-tRNA synthetase	2.9	other
45	129229 AF013758	Hs.109643	polyadenylate binding protein-interactin	3.3	?
	129254 AA252468	Hs.1098	DKFZp434J1813 protein	2.6	SS,TM
	.129255 Al961727	Hs.109804	H1 histone family, member X	7.4	other
	129288 W26392	Hs.110080	ESTs, Weakly similar to S13495 pregnancy	9.6	other
	129296 Al051967	Hs.110122	ESTs	1.2	other
50	129323 AA287239	Hs.5518	Homo sapiens cDNA FLJ11311 fis, clone PL	5.2	other
-	129340 H75334	Hs.11050	F-box only protein 9	4.7	SS,
	129347 BE614192	Hs.279869	melanoma-associated antigen recognised b	7.7	TM
	129362 U30246	Hs.110736	solute carrier family 12 (sodium/potassi	6.7	TM
	129366 BE220806	Hs.184697	Homo sapiens clone 23785 mRNA sequence	8.6	SS,
55	129370 Al686379	Hs.110796	SAR1 protein	1.4	TM
	129372 NM_016039	Hs.110803	CGI-99 protein	2	other
	129403 AF149785	Hs.111126	pituitary tumor-transforming 1 interacti	7.5	other
	129404 Al267700	Hs.317584	ESTs	5.1	other
	129423 AA204686	Hs.234149	hypothetical protein FLJ20647	10.2	other
60	129482 AA188185	Hs.289043	spindlin	6.8	other
	129513 AW843633	Hs.306163	hypothetical protein AL110115	7.1	SS,
	129515 AF255303	Hs.112227	membrane-associated nucleic acid binding	2.5	other
	129527 AA769221	Hs.270847	delta-tubulin	3.2	other
	129559 W01296	Hs.11360	hypothetical protein FLJ14784	7.5	other
65	129560 AA317841	Hs.7845	hypothetical protein MGC2752	6.8	other
	129570 Al923097	Hs.11441	chromosome 1 open reading frame 8	2.1	other
	129575 F08282	Hs.278428	progestin induced protein	1.6	other

	129587	H14718	Hs.11506	Human clone 23589 mRNA sequence	6.8	other
		BE408300	Hs.301862	postmeiotic segregation increased 2-like	1.4	TM
		N57423	Hs.179898	HSPC055 protein	7.4	other
_	129594	AW403724	Hs.36989	coagulation factor VII (serum prothrombi	9	?
5		AF035537	Hs.115521	REV3 (yeast homolog)-like, catalytic sub	1.6	other
		U38945	Hs.1174	cyclin-dependent kinase inhibitor 2A (me	2.2	other
		AD000092	Hs.16488	calreticulin	3.3	other
		NM_015556	Hs.172180	KIAA0440 protein	13.4	other
10		U03749 AW748482	Un 77072	gb:Human chromogranin A (CHGA) gene, pro	14.1 2.6	?
10		A1304966	Hs.77873 Hs.12035	B7 homolog 3 ESTs, Weakly similar to I38022 hypotheti	7.5	other TM
		AA156214	Hs.12152	APMCF1 protein	2	other
		NM 001415	Hs.211539	eukaryotic translation initiation factor	1.7	TM
		AK001676	Hs.12457	hypothetical protein FLJ10814	1.8	other
15	129779	AA394090	Hs.12460	Homo sapiens clone 23870 mRNA sequence	5.5	TM
	129800	AF052112	Hs.12540	lysosomal	1.7	. ?
		AB023148	Hs.173373	KIAA0931 protein	1.2	other
		BE565817	Hs.26498	hypothetical protein FLJ21657	3.1	other
20		NM_006590	Hs.12820	SnRNP assembly defective 1 homolog	1.8	other
20		AL049999 Al393237	Hs.85963 Hs.129914	DKFZP564M182 protein runt-related transcription factor 1 (acu	2.3 1.7	other SS,
		Al222069	Hs.13015	hypothetical protein similar to mouse Dn	2.8	TM
		BE514376	Hs.165998	PAI-1 mRNA-binding protein	1.8	other
		AA412195	Hs.13740	ESTs	2.5	other
25		AW753185	Hs.180628	dynamin 1-like	1.8	?
	129983	U09848	Hs.132390	zinc finger protein 36 (KOX 18)	1.3	other
		AA301116	Hs.142838	nucleolar phosphoprotein Nopp34	1.6	other
		AA287325	Hs.14713	ESTs	4.1	other
20		S73265	Hs.1473	gastrin-releasing peptide	1.9	other
30		AL046962	Hs.14845	forkhead box O3A	2.8 2.3	other other
		AL135561 X53002	Hs.14891 Hs.149846	hypothetical protein FLJ21047 integrin, beta 5	2.3 2.3	other
		AA916785	Hs.180610	splicing factor proline/glutamine rich (	3	other
		L76937	Hs.150477	Werner syndrome	1.8	other
35		AA311426	Hs.21635	tubulin, gamma 1	6.1	other
		NM_003358	Hs.23703	ESTs, Moderately similar to CEGT_HUMAN C	1.6	other
		D80001	Hs.152629	KIAA0179 protein	1.3	other
		R85367	Hs.51957	splicing factor, arginine/serine-rich 2,	2	other
40		AL035588	Hs.153203	MyoD family inhibitor	3.2	other
40		X79201	Hs.153221	synovial sarcoma, translocated to X chro	5.4	?
		D81983 NM_002497	Hs.322852 Hs.153704	GAS2-related on chromosome 22 NIMA (never in mitosis gene a)-related k	4.9 1.4	other other
		AA479005	Hs.154036	tumor suppressing subtransferable candid	2.6	other
		AB011121	Hs.154248	amyotrophic lateral sclerosis 2 (juvenil	6.3	other
45		Z19084	Hs.172210	MUF1 protein	6.2	other
	130356	AF127577	Hs.155017	nuclear receptor interacting protein 1	2.4	other
		AJ224442	Hs.155020	putative methyltransferase	3.5	TM
		NM_013449	Hs.277401	bromodomain adjacent to zinc finger doma	8.5	other
50		AL135301	Hs.8768	hypothetical protein FLJ10849	1.4	other
50		Al077464 N89487	Hs.5011 Hs.155291	RNA binding motif protein 9 KIAA0005 gene product	3.3 1.8	? other
		AW374106	Hs.155356	hypothetical protein MGC2840 similar to	3.4	- 41
	130407	BE385099	Hs.334727	hypothetical protein MGC3017	2.3	other
		NM_001197	Hs.155419	BCL2-interacting killer (apoptosis-induc	2.7	TM
55		AF037448	Hs.155489	NS1-associated protein 1	1.8	other
	130441	U63630	Hs.155637	protein kinase, DNA-activated, catalytic	2.3	other
		BE513202	Hs.15589	PPAR binding protein	4	TM
	130455	D90041	Hs.155956	N-acetyltransferase 1 (arylamine N-acety	33.6	?
<b>C</b> O	130485	BE245851	Hs.180779	H2B histone family, member B	5	other
60		U49844	Hs.77613	ataxia telanglectasia and Rad3 related karyopherin (importin) beta 1	4.4 1.6	other
		L38951 BE208491	Hs.180446 Hs.295112	KIAA0618 gene product	1.6 16.1	SS,TM other
		L32137	Hs.1584	cartilage oligomeric matrix protein (pse	6.1	other
		AW876523	Hs.15929	hypothetical protein FLJ12910	2.1	other
65	130544	AA321238	Hs.4310	eukaryotic translation initiation factor	1.5	other
		AF062649	Hs.252587	pituitary tumor-transforming 1	14.4	?
	130556	Al907018	Hs.15977	Empirically selected from AFFX single pr	4.8	other

				_	
	130567 AA383092	Hs.1608	replication protein A3 (14kD)	8	other
	130568 AA232119	Hs.16085	putative G-protein coupled receptor	3.4 1.2	other other
	130574 AF083208	Hs.16178	apoptosis antagonizing transcription fac hypothetical protein DKFZp762N2316; KiAA	1.4	other
5	130598 AL042210 130601 AA609738	Hs.16493 Hs.16525	ESTs	1.5	TM
,	130614 AI354355	Hs.16697	down-regulator of transcription 1, TBP-b	1.3	other
	130617 M90516	Hs.1674	glutamine-fructose-6-phosphate transamin	12.1	TM
	130618 AA383439	Hs.16758	Spir-1 protein	15.9	other
	130667 BE246961	Hs.17639	Homo sapiens ubiquitin protein ligase (U	13.9	other
10	130674 AL048842	Hs.194019	attractin	1.5	other
	130675 AA442233	Hs.17731	hypothetical protein FLJ12892	5.4	other
	130692 AA652501	Hs.13561	hypothetical protein MGC4692	5	other
	130693 R68537	Hs.17962	ESTs	2	other
1.5	130712 AJ271881	Hs.279762	bromodomain-containing 7	1.8 2	TM TM
15	130714 Al348274	Hs.18212	DNA segment on chromosome X (unique) 987	2 3.8	?
	130730 AB007920	Hs.18586	KIAA0451 gene product POP7 (processing of precursor, S. cerevi	3.2	?
	130744 H59696 130751 AF052105	Hs.18747 Hs.18879	chromosome 12 open reading frame	1.4	other
	130757 AL036067	Hs.18925	protein x 0001	5.7	other
20	130768 AF258627	Hs.211562	ATP-binding cassette, sub-family A (ABC1	5.2	7
	130789 AK000355	Hs.8899	sirtuin (silent mating type information	1.6	other
	130836 J05068	Hs.2012	transcobalamin I (vitamin B12 binding pr	15.7	SS,
	130841 AL157468	Hs.325825	Homo sapiens cDNA FLJ20848 fis, clone AD	2.8	other
	130843 AA447492	Hs.20183	ESTs, Weakly similar to AF164793 1 prote	1.5	other
25	130844 U76248	Hs.20191	seven in absentia (Drosophila) homolog 2	3.5	other
	130855 AJ243706	Hs.143323	putative DNA/chromatin binding motif	1.7	other other
	130861 NM_016578	Hs.20509	HBV pX associated protein-8	1.9 1.4	other
	130879 NM_003416	Hs.2076 Hs.20830	zinc finger protein 7 (KOX 4, clone HF.1 kinesin-like 2	2.1	TM
30	130880 BE514434 130892 AL120837	Hs.20993	high-glucose-regulated protein 8	2.5	other
50	130898 AB033078	Hs.186613	sphingosine-1-phosphate lyase 1	1.7	other
	130911 BE409769	Hs.21189	DnaJ (Hsp40) homolog, subfamily A, membe	1.8	other
	130919 N79110	Hs.21276	collagen, type IV, alpha 3 (Goodpasture	2.3	TM
	130944 BE382657	Hs.21486	signal transducer and activator of trans	5.4	other
35	130971 N39842	Hs.301444	KIAA1673	2.2	SS,
	130993 T97401	Hs.21929	ESTs	1.6	other
	131005 AV658308	Hs.2210	thyroid hormone receptor interactor 3	1.6	? other
	131028 Al879165	Hs.2227	CCAAT/enhancer binding protein (C/EBP), hypothetical protein MGC2628	1.2 1.6	other
40	131042 Al826288 131046 AA321649	Hs.171637 Hs.2248	small inducible cytokine subfamily B (Cy	7.4	?
40	131060 AA194422	Hs.22564	myosin VI	5.1	other
	131070 N53344	Hs.22607	ESTs	7.1	other
	131076 AA749230	Hs.26433	dolichyl-phosphate (UDP-N-acetylglucosam	2.1	TM
	131099 AL133353	Hs.226581	COX15 (yeast) homolog, cytochrome c oxid	7.1	other
45	131174 NM_006540	Hs.29131	nuclear receptor coactivator 2	1.9	?
	131185 BE280074	Hs.23960	cyclin B1	5.8	?
	131206 AW138839	Hs.24210	ESTs	2	other
	131213 AA885699	Hs.24332	CGI-26 protein	7.1 7.6	TM ?
50	131225 H62087	Hs.31659	thyrold hormone receptor-associated prot zinc finger protein 281	2.9	other
30	131231 N47468 131233 D89053	Hs.59757 Hs.268012	fatty-acid-Coenzyme A ligase, long-chain	3.5	other
	131243 AW383256	Hs.24752	spectrin SH3 domain binding protein 1	2.8	7
	131245 AL080080	Hs.24766	thioredoxin domain-containing	2.8	SS,TM
	131247 AL043100	Hs.326190	fatty acid amide hydrolase	5.6	other
55	131281 AA251716	Hs.25227	ESTs	5.8	other
	131283 X80038	Hs.339713	Homo sapiens clone F19374 APO E-C2 gene	1.3	other
	131305 AV656017	Hs.184325	CGI-76 protein	5	?
	131320 AA505691	Hs.145696	splicing factor (CC1.3)	1.8	TM
60	131339 AF058696	Hs.25812	Nijmegen breakage syndrome 1 (nibrin) ESTs	2.6 5.4	other other
60	131375 AW293165	Hs.143134	mitochondrial ribosomal protein L20	5.4 5.3	other
	131390 BE269388 131410 BE259110	Hs.182698 Hs.279836	HSPC166 protein	2.2	other
	131410 BE259110 131412 NM_012247	Hs.124027	SELENOPHOSPHATE SYNTHETASE; Human		2
	131429 AL046302	Hs.26750	hypothetical protein FLJ21908	1.4	other
65	131458 BE297567	Hs.27047	hypothetical protein FLJ20392	1.7	other
~~	131475 AA992841	Hs.27263	KIAA1458 protein	2	other
	131501 AV661958	Hs.8207	GK001 protein	2.6	other

		AA732153	Hs.27865	Homo sapiens cDNA: FLJ21333 fis, clone C	2	other
	131528	AU076408	Hs.28309	UDP-glucose dehydrogenase	1.6	TM
	131532	BE268278	Hs.28393	hypothetical protein MGC2592	7.4	other
	131543	AW966881	Hs.41639	programmed cell death 2	2.2	other
5	131544	AL355715	Hs.28555	programmed cell death 9 (PDCD9)	2.1	other
	131562	NM_003512	Hs.28777	H2A histone family, member L	1.7	other
	131564	T93500	Hs.28792	Homo sapiens cDNA FLJ11041 fis, clone PL	5.2	other
		AL389951	Hs.271623	nucleoporin 50kD	5	other
		BE393822	Hs.29645	Homo saplens mRNA; cDNA DKFZp761C029 (fr	1.8	other
10		R78195	Hs.29692	Homo sapiens cDNA FLJ11436 fis, clone HE	1.3	other
•		AB037791	Hs.29716	hypothetical protein FLJ10980	2.2	TM
		AW410601	Hs.30026	HSPC182 protein	3	
		AW960597	Hs.30164	ESTs	3 1.3	other
						other
15		AI218918	Hs.30209	KIAA0854 protein	2.8	other
13		X52486	Hs.3041	uracil-DNA glycosylase 2	2.8	other
		BE559681	Hs.30736	KIAA0124 protein	5.6	?
		AA642831	Hs.31016	putative DNA binding protein	2.9	?
		D13757	Hs.311	phosphoribosyl pyrophosphate amidotransf	3.4	other
20		AK001641	Hs.31323	inhibitor of kappa light polypeptide gen	3.9	?
20		A1878932	Hs.317	topoisomerase (DNA) I	3.4	other
	131772	AA382590	Hs.170980	KIAA0948 protein	25.5	other
	131787	D87077	Hs.196275	KIAA0240 protein	2.4	SS,
	131793	AW966127	Hs.32246	Homo sapiens cDNA FLJ14656 fis, clone NT	8	TM
	131795	BE501849	Hs.32317	high-mobility group 20B	1.5	other
25	131798	X86098	Hs.301449	adenovirus 5 E1A binding protein	4.2	other
		U20536	Hs.3280	caspase 6, apoptosis-related cysteine pr	4.3	other
		U28838	Hs.32935	TATA box binding protein (TBP)-associate	3.5	other
		Al251317	Hs.33184	ESTs	5.2	TM
		AA083764	Hs.6101	hypothetical protein MGC3178	5.9	other
30		BE502341	Hs.3402	ESTs	13.7	other
<b>J</b> 0		AA099014	Hs.231029	Homo sapiens, clone MGC:15961, mRNA, com	8.7	other
		AF078866	Hs.284296	Homo sapiens cDNA: FLJ22993 fis, clone K	5.5	
		AA179298	Hs.3439			other
				stomatin-like 2	11.3	other
35		AW207440	Hs.185973	degenerative spermatocyte (homolog Droso	1.7	SS,
33		AA025976	Hs.34569	ESTs	5.2	TM.
		AF151048	Hs.183180	anaphase promoting complex subunit 11 (y	2.8	· other
		BE541211	Hs.34804	Homo sapiens cDNA FLJ11472 fis, clone HE	5.4	TM
		BE252983	Hs.35086	ubiquitin specific protease 1	2.4	other
40		AA355113	Hs.35380	x 001 protein	1.5	?
40		AK000046	Hs.267448	hypothetical protein FLJ20039	2.3	other
		W79283	Hs.35962	ESTs	1.4	other
		BE567100	Hs.154938	hypothetical protein MDS025	3.5	other
	131977	U90441	Hs.3622	procollagen-proline, 2-oxoglutarate 4-di	6.6	TM
	131985	AA503020	Hs.36563	hypothetical protein FLJ22418	2.4	?
45	131991	AF053306	Hs.36708	budding uninhibited by benzimidazoles 1	2.2	SS,TM
	132019	H56995	Hs.37372	Homo sapiens DNA binding peptide mRNA, p	3.3	TM .
	132062	BE266155	Hs.3832	clathrin-associated protein AP47	1.5	other
	132084	NM_002267	Hs.3886	karyopherin alpha 3 (importin alpha 4)	3.7	other
	132103	BE171921	Hs.3991	ESTs	1.5	other
50	132105	AV646076	Hs.39959	ESTs	5.8	TM
	132116	AW960474	Hs.40289	ESTs	1.7	other
		AA857025	Hs.8878	kinesin-like 1	3.4	other
		NM_004460	Hs.418	fibroblast activation protein, alpha	14.7	SS,
		R42432	Hs.4212	ESTs	2.2	other
55		BE206939	Hs.42287	E2F transcription factor 6	1.5	other
		AV658411	Hs.42656	KIAA1681 protein	5.7	other
		Al566004	Hs.141269	Homo sapiens cDNA: FLJ21550 fis, clone C	2.1	other
		AA301228				
		AA227710	Hs.43299 Hs.43658	hypothetical protein FLJ12890 DKFZP586L151 protein	1.5	other
60					10	other
OU.		AA653507	Hs.285711	hypothetical protein FLJ13089	2	other
		N36110	Hs.305971	solute carrier family 2 (facilitated glu	9.2	other
		AB023191	Hs.44131	KIAA0974 protein	2	other
		NM_015986	Hs.7120	cytokine receptor-like molecule 9	6.6	SS,
CE		AW405882	Hs.44205	cortistatin	3.8	other
65		N37065	Hs.44856	hypothetical protein FLJ12116	1.5	other
		AW572805	Hs.46645	ESTs	28.3	?
	132374	AF155582	Hs.46744	core1 UDP-galactose:N-acetylgalactosamin	1.9	other

	132376 AI2	279892	Hs.46801	sorting nexin 14	2	?
	132384 AA			HSPCO34 protein	6.1	?
	132393 AL		Hs.47334	hypothetical protein FLJ14495	1.7	other
	132450 AA	100012	Hs.48827	hypothetical protein FLJ12085	8.6	other
5	132452 AV	V973521		mitochondrial ribosomal protein S14	5.3	other
	132456 AB	3011084	Hs.48924	KIAA0512 gene product; ALEX2	1.5	other
	132470 Ala	224456	Hs.4934	H.sapiens polyA site DNA	2	other
	132484 X1	16660	Hs.119007	RAB4, member RAS oncogene family	2.9	SS,
	132518 AV		Hs.5064	ESTs	2.2	other
10	132530 AA		Hs.50785	SEC22, vesicle trafficking protein (S. c	1.7	other
	132532 AA		Hs.5080 .	mitochondrial ribosomal protein L16	7.2	TM
	132534 BE		Hs.5086	hypothetical protein MGC10433	2.2	SS,
	132543 BE		Hs.5101	protein regulator of cytokinesis 1	2.2	other
15	132574 AV		Hs.5184	TH1 drosophila homolog	14 1.9	? other
15	132596 AK		Hs.5298	CGI-45 protein	2.6	TM
	132611 AA		Hs.53263	hypothetical protein FLJ13287	2.0	other
	132612 H1		Hs.5327	PRO1914 protein hypothetical protein PRO1855	3.1	other
	132616 BE		Hs.283558 Hs.54277	DNA segment on chromosome X (unique) 992	12.4	TM
20	132638 Al		Hs.5460	KIAA0776 protein	2.8	SS,
20	132692 AV		Hs.249239	collagen, type VIII, alpha 2	3	other
	132715 F1		Hs.5534	Homo sapiens cDNA FLJ12961 fis, clone NT	1.8	other
	132718 N		Hs.554	Sjogren syndrome antigen A2 (60kD, ribon	3.7	other
	132724 AI		Hs.55498	geranylgeranyl diphosphate synthase 1	1.8	TM
<b>25</b> .	132731 AI		Hs.301872	hypothetical protein MGC4840	5.9	other
	132744 A		Hs.55921	glutamyl-prolyl-tRNA synthetase	8.7	other
	132760 AA		Hs.56145	thymosin, beta, identified in neuroblast	3.6	other
	132771 Y1	10275	Hs.56407	phosphoserine phosphatase	2.8	TM
	132773 A	A459713	Hs.295901	KIAA0493 protein	14.6	other
30	132784 AI	1142133	Hs.56845	GDP dissociation inhibitor 2	1.7	other
	132798 AI	1026701	Hs.5716	KIAA0310 gene product	2.5	other
	132807 U		Hs.57301	mutL (E. coli) homolog 1 (colon cancer,	1.4	other
	132810 A		Hs.5737	KIAA0475 gene product	4.3	SS,
25	132813 B		Hs.57435	solute carrier family 11 (proton-coupled	2.8	other other
35	132815 Al		Hs.57475	sex comb on midleg homolog 1	1.6 1.4	other
	132817 N		Hs.57553	tousled-like kinase 2 CD44 antigen (homing function and Indian	5.4	other
	132821 A.		Hs.169610 Hs.57783	eukaryotic translation initiation factor	6.1	?
	132833 U 132842 N		Hs.279771	Homo sapiens clone PP1596 unknown mRNA	7.2	other
40	132844 F		Hs.5811	chromosome 21 open reading frame 59	2.9	other
70	132851 U		Hs.287912	lectin, mannose-binding, 1	6.1	other
	132869 A		Hs.203961	ESTs, Moderately similar to AF116721 89	1.8	other
	132873 A		Hs.58598	KIAA1266 protein	2.2	other
	132875 N		Hs.58617	Rho-associated, coiled-coil containing p	5	TM
45	132891 B		Hs.59271	U2(RNU2) small nuclear RNA auxillary fac	2.7	?
	132897 A	W503667	Hs.59545	ring finger protein 15	5.4	?
	132902 A	1936442	Hs.59838	hypothetical protein FLJ10808	3.2	other
	132912 A		Hs.167578	Homo sapiens cDNA FLJ11095 fis, clone PL	1.4	other
	132913 W		Hs.60257	Homo sapiens cDNA FLJ13598 fis, clone PL	3	other
50	132940 T		Hs.127243	Homo sapiens mRNA for KIAA1724 protein,	10.3	other SS,
	132942 A		Hs.197751	KIAA0666 protein	2.1 1.3	other
	132952 A		Hs.61426 Hs.6153	Homo sapiens mesenchymal stem cell prote CGI-48 protein	4.9	other
	132962 A 132972 A		Hs.288924	Homo sapiens cDNA FLJ11392 fis, clone HE	3.6	TM
55	132972 A		Hs.323277	ESTs	13.1	other
"	132977 A		Hs.301404	RNA binding motif protein 3	1.3	other
	132980 A		Hs.62016	ESTs	2.3	?
	132994 A		Hs.279905	clone HQ0310 PRO0310p1	17.1	other
	133012 A		Hs.62711	Homo sapiens, clone IMAGE:3351295, mRNA	1.9	other
60	133015 A	J002744	Hs.246315	UDP-N-acetyl-alpha-D-galactosamine:polyp	5	TM
	133062 A	W500374	Hs.64056	PRO0149 protein	6.1	other
	133069 B		Hs.6430	protein with polyglutamine repeat; calci	1.5	TM
	133091 A	K001628	Hs.64691	KIAA0483 protein	1.4	other
	133110 A		Hs.65228	ESTs	5.6	other
65	133134 A		Hs.65648	RNA binding motif protein 8A	1.9	other
	133145 H		Hs.6592	Homo sapiens, clone IMAGE:2961368, mRNA,	4.8	? other
	133152 Z	11695	Hs.324473	mitogen-activated protein kinase 1	5	other

	122174	A A 424C20	Un 224470	hypothetical protein MGC2745	2.7	other			
		AA431620	Hs.324178	**	9.3	other			
		AW955632	Hs.66666	ESTs, Weakly similar to S19560 proline-r	9.5 4.5	TM			
		X97795	Hs.66718	RAD54 (S.cerevisiae)-like					
_		A1801777	Hs.6774	ESTs	5.5	TM			
5		AW954569	Hs.296287	Homo sapiens, Similar to bromodomain-con	2.7	other			
		Al492924	Hs.6831	golgi phosphoprotein 1	1.7	?			
		AI567421	Hs.273330	Homo sapiens, clone IMAGE:3544662, mRNA,	1.3	other			
		AW956781	Hs.293937	ESTs, Weakly similar to FXD2_HUMAN FORKH	12.2	other			
• •		BE297855	Hs.69855	NRAS-related gene	1.2	other			
10		AA102670	Hs.70725	gamma-aminobutyric acid (GABA) A recepto	1.7	TM			
		T79526	Hs.179516	integral type I protein	11.1	?			
		AL390127	Hs.7104	Kruppel-like factor 13	2.9	other			
		BE257758	Hs.71475	acid cluster protein 33	2.5	?			
1.5		AI016521	Hs.71816	v-akt murine thymoma viral oncogene homo	1.5	other			
15		AA292811	Hs.72050	non-metastatic cells 5, protein expresse	2.1	other			
		AF231919	Hs.18759	KIAA0539 gene product	1.3	other			
		AF245505	Hs.72157	DKFZP564I1922 protein	2.2	other			
		AI950382	Hs.72660	phosphatidylserine receptor	5.7	TM			
20		AW103364	Hs.727	inhibin, beta A (activin A, activin AB a	25.5	other			
20		AA305127	Hs.237225	hypothetical protein HT023	3.3	other			
		AL031591	Hs.7370	phosphotidylinositol transfer protein, b	1.6	other			
		NM_002759	Hs.274382	protein kinase, Interferon-Inducible dou	4.1	other			
		AI659306	Hs.73826	protein tyrosine phosphatase, non-recept	1.5	other			
25		AW964804	Hs.74280	hypothetical protein FLJ22237	6.3	TM			
25		W45623	Hs.74571	ADP-ribosylation factor 1	4	?			
		AU077073	Hs.108327	damage-specific DNA binding protein 1 (1	1.8				
		AU077050	Hs.75066	translin	1.5	other TM			
		X75346 BE391579	Hs.75074	mitogen-activated protein kinase-activat Fas-activated serine/threonine kinase	3.5 6.8	TM			
30			Hs.75087	nuclear phosphoprotein similar to S. cer	2.6	TM			
50		AW160781 AA393273	Hs.172589 Hs.75133	transcription factor 6-like 1 (mitochond	1.4	other			
		NM_002885	Hs.75151	RAP1, GTPase activating protein 1	8.1	other			
		NM_004893	Hs.75258	H2A histone family, member Y	13.5	other			
		NM_002047	Hs.75280	glycyl-tRNA synthetase	2.2	other			
35		NM_000401	Hs.75334	exostoses (multiple) 2	1.8	other			
22		U25849	Hs.75393	acid phosphatase 1, soluble	2	other		10	
		AV661185	Hs.75574	mitochondrial ribosomal protein L19	2.8	other			
		L27841	Hs.75737	pericentriolar material 1	6.8	other			
		AW969976	Hs.279009	matrix Gla protein	2.5	other			
40		AW402048.cd		Hs.334787	Homo s	saplens, Similar to likely ortholog	3.1		TΜ
		T52946	Hs.196209	RAE1 (RNA export 1, S.pombe) homolog	1.4	?			
		BE271766	Hs.181357	laminin receptor 1 (67kD, ribosomal prot	5.4	other			
		M62194	Hs.75929	cadherin 11, type 2, OB-cadherin (osteob	5	other			
	133780	AA557660	Hs.76152	decorin	3.8	other			
45	133797	AL133921	Hs.76272	retinoblastoma-binding protein 2	3.1	?			
	133822	D50525	Hs.699	peptidylprolyl isomerase B (cyclophilin	9.7	?			
	133842	AW797468	Hs.285013	putative human HLA class II associated p	2.4	other			
	133845	AA147026	Hs.76704	ESTs	2.5	other			
	133865	AB011155	Hs.170290	discs, large (Drosophila) homolog 5	5	other			
50	133867	AW340125	Hs.76989	KIAA0097 gene product	2.5	?			
		AB012193	Hs.183874	cullin 4A	2.1	other			
		U30825	Hs.77608	splicing factor, arginine/serine-rich 9	2.8	TM			
		D86326	Hs.325948	vesicle docking protein p115	1.8	SS,			
		NM_006306	Hs.211602	SMC1 (structural maintenance of chromoso	2	?			
55		L17128	Hs.77719	gamma-glutamyl carboxylase	2.6	other			
		BE244332	Hs.77770	adaptor-related protein complex 3, mu 2	2.9	other other			
		X81789	Hs.77897	splicing factor 3a, subunit 3, 60kD GATA-binding protein 3 (T-cell receptor	10.4	other			
		A1908165	Hs.169946	SWI/SNF related, matrix associated, acti	1.9 2.6	SS,			
60		AL040328	Hs.78202	regulator of G-protein signalling 12	13	other			
60		7 Al824113 D AB016092	Hs.78281 Hs.197114	RNA binding protein; AT-rich element bin	8.8	other			
		D31764	Hs.278569	sorting nexin 17	1.5	SS,			
		NM_003590	Hs.78946	cullin 3	8.3	other			
		) U41060	Hs.79136	LIV-1 protein, estrogen regulated	2.7	other			
65		NM_014742	Hs.79305	KIAA0255 gene product	4.2	other			
0,5		H86504	Hs.173328	protein phosphatase 2, regulatory subuni	1.7	other			
	134200	D BE559598	Hs.197803	KIAA0160 protein	2.6	other			
	,5-,20								

	13/1200	AF107463	Hs.79968	splicing factor 30, survival of motor ne	1.3	other
		NM_000402	Hs.80206	glucose-6-phosphate dehydrogenase	1.9	other
		BE300078	Hs.80449	Homo sapiens, clone IMAGE:3535294, mRNA,	10.3	SS,
		AI878910	Hs.3688	cisplatin resistance-associated overexpr	2.5	other
5		AI906291	Hs.81234	immunoglobulin superfamily, member 3	1.3	TM
•		AW502505	Hs.81360	Homo sapiens cDNA: FLJ21927 fis, clone H	1.6	TM
		U61397	Hs.81424	ubiquitin-like 1 (sentrin)	2.1	TM
		AB029023	Hs.179946	KIAA1100 protein	5.3	?
		AW903838	Hs.81800	chondroitin sulfate proteoglycan 2 (vers	2.5	TM
10	134329	N92036	Hs.81848	RAD21 (S. pombe) homolog	3.9	?
	134337	NM_004922	Hs.81964	SEC24 (S. cerevisiae) related gene famil	2.4	TM
		AW291946	Hs.82065	interleukin 6 signal transducer (gp130,	6.8	TM
		AA339449	Hs.82285	phosphoribosylglycinamide formyltransfer	2.3	TM
1.5		X06560	Hs.82396	2',5'-oligoadenylate synthetase 1 (40-46	5.5	other TM
15		AW362124	Hs.323193	hypothetical protein MGC3222	5.9 2.2	other
		AI589941	Hs.8254	Homo sapiens, Similar to tumor different integrin, beta-like 1 (with EGF-like rep	2.1	other
		AA417383	Hs.82582	lysosomal	2.3	other
		AA456539 AW067903	Hs.8262 Hs.82772	collagen, type XI, alpha 1	72.9	other
20		BE272095	Hs.167791	reticulocalbin 1, EF-hand calcium bindin	4.4	other
20		AI750762	Hs.82911	protein tyrosine phosphatase type IVA, m	2.3	other
		AU077196	Hs.82985	collagen, type V, alpha 2	6.8	?
		Z44190	Hs.83023	peroxisomal biogenesis factor 11B	2.4	other
		AA112036	Hs.83419	KIAA0252 protein	2.9	other
25	134447	M58603	Hs.83428	nuclear factor of kappa light polypeptid	6.7	other
		X54942	Hs.83758	CDC28 protein kinase 2	2.4	other
	134480	NM_005000	Hs.83916	Empirically selected from AFFX single pr	6.3	?
		X82153	Hs.83942	cathepsin K (pycnodysostosis)	1.9	other
		AW246273	Hs.84131	threonyl-tRNA synthetase	1.8	other
30		AA425473	Hs.84429	KIAA0971 protein	1.4 1.4	other other
		AK001571	Hs.273357	hypothetical protein FLJ10709 activated RNA polymerase II transcriptio	5.6	other
		BE091005 AW411479	Hs.74861 Hs.848	FK506-binding protein 4 (59kD)	2.8	?
		BE244323	Hs.85951	exportin, tRNA (nuclear export receptor	1.7	other
35		AA927177	Hs.86041	CGG triplet repeat binding protein 1	1.7	TM
55		AW068223	Hs.171581	ubiquitin C-terminal hydrolase UCH37	2.1	other
		AF035119	Hs.8700	deleted in liver cancer 1	1.3	other
		X78520	Hs.174139	chloride channel 3	2.1	?
	134654	AK001741	Hs.8739	hypothetical protein FLJ10879	2.3	other
40	134666	BE391929	Hs.8752	transmembrane protein 4	. 4	other
	134687	U62317	Hs.88251	arylsulfatase A	6.2	other
		NM_003474	Hs.8850	a disintegrin and metalloproteinase doma	2 1.3	other SS,
		BE161887	Hs.88799	anaphase-promoting complex subunit 10	7.2	33, ?
15		Y14768	Hs.890	iysosomal chromobox homolog 5 (Drosophila HP1 alph	3.2	other
45		AA852985	Hs.89232	F-box only protein 6	2.5	other
		AF129536	Hs.284226 Hs.89476	CD2 antigen (p50), sheep red blood cell	5	other
		X07871 AW630803	Hs.89497	lamin B1	6.1	other
		BE002798	Hs.287850	integral membrane protein 1	5.6	TM
50		AW451370	Hs.8991	adaptor-related protein complex 1, gamma	5.3	other
-		AI701162	Hs.90207	hypothetical protein MGC11138	9.1	other
		BE268326	Hs.90280	5-aminoimidazole-4-carboxamide ribonucle	2.4	other
		Al879195	Hs.90606	15 kDa selenoprotein	2.7	other
		AW885909	Hs.6975	PRO1073 protein	1.5	other
55	134955	5 AW401361	Hs.91773	protein phosphatase 2 (formerly 2A), cat	4.9	other
		Al097346	Hs.286049	phosphoserine aminotransferase	2 2.6	other TM
		R50333	Hs.92186	Leman colled-coil protein	1.4	?
		AB037835	Hs.92991	KIAA1414 protein qlycerol-3-phosphate dehydrogenase 2 (mi	1.6	?
60		2 NM_000408	Hs.93201 Hs.173685	hypothetical protein FLJ12619	1.4	other
60	135037	2 AW301984 7 AW503733	Hs.173000 Hs.9414	KIAA1488 protein	1.8	other
	13507	3 AB036063	Hs.94262	p53-inducible ribonucleotide reductase s	2.5	other
		5 AF027219	Hs.9443	zinc finger protein 202	1.5	TM
		6 AA081258	Hs.132390	zinc finger protein 36 (KOX 18)	2.1	other
65		3 AI093155	Hs.95420	JM27 protein	4.4	?
		1 BE250865	Hs.279529	px19-like protein	14.9	?
	13519	9 AA477514	Hs.96247	translin-associated factor X	1.3	other

	135207		Hs.9634	ESTs, Highly similar to C10_HUMAN PUTATI	1.7	other
	135214		Hs.96560	hypothetical protein FLJ11656	6.2	other
		BE463721	Hs.97101	putative G protein-coupled receptor	2.8	TM
_		AI028767	Hs.262603	ESTs	12.2	TM
5		AW291023	Hs.97255	ESTs, Weakly similar to A46010 X-linked	7.7	TM
		A1088775	Hs.55498	geranylgeranyl diphosphate synthase 1	1.8	other
		AA448460	Hs.112017	GE36 gene	4.2	SS,
		AA150320	Hs.9800	protein kinase Njmu-R1	1.2	other
10		A1090838	Hs.98006	ESTs	4.9	other
10		A1743770	Hs.98368	ESTs, Weakly similar to KIAA0822 protein	5.9	?
		A1652069	Hs.98614	ribosome binding protein 1 (dog 180kD ho	12.3	TM
		AA456454	Hs.183418	cell division cycle 2-like 1 (PITSLRE pr	5.8	?
		AA373452	Hs.167700	Homo sapiens cDNA FLJ10174 fis, clone HE	8.1	other
15	-	U05237	Hs.99872	fetal Alzheimer antigen	1.9	other
15		X78592	Hs.99915	androgen receptor (dihydrotestosterone r	13.9	TM
		AA857131	Hs.171595	HIV TAT specific factor 1	1.6	other
		AW057736	Hs.323910	HER2 receptor tyrosine kinase (c-erb-b2,	5.3	other
		AW592789	Hs.279474	HSPC070 protein	2.2	TM
20		AK000714	Hs.109441	MSTP033 protein	1.4	SS,
20	310085		Hs.101248	Homo sapiens clone IMAGE:32553, mRNA seq	5.2	other
		AA808229	Hs.167771	ESTs	2.3	?
		NM_007057	Hs.42650	ZW10 interactor	2.9	?
		Al268997	Hs.197289	rab3 GTPase-activating protein, non-cata	2	other
25		AA902256	Hs.78979	Golgi apparatus protein 1	5.6	SS,
23		N24236	Hs.179662	nucleosome assembly protein 1-like 1	1.4	?
		AF118083	Hs.29494	PRO1912 protein	1.3	other
		BE041451	Hs.177507	hypothetical protein	2.9 1.6	SS,
		AF292100	Hs.104613	RP42 homolog	1.8	other
30		BE278431	Hs.40323	BUB3 (budding uninhibited by benzimidazo	1.6	other
30		AL034548	Hs.43627	SRY (sex determining region Y)-box 22		other
		A1580090	Hs.48295	RNA helicase family	6.2	other
		R73727	Hs.101617	ESTs, Weakly similar to T32527 hypotheti	5.7	other
		H19886	Un 75470	gb:yn57a05.r1 Soares adult brain N2b5HB5	2.7 2.6	other ?
35		AB000115	Hs.75470	hypothetical protein, expressed in osteo	2.0 2.4	TM
33		A1267592	Hs.75761	SFRS protein kinase 1	2.4	other
		AW304454 AW819158	Hs.77495 Hs.289044	UBX domain-containing 1 Homo sapiens cDNA FLJ12048 fis, clone	2.3	other
		AA381133	Hs.80684	high-mobility group (nonhistone chromoso	4.2	TM
		R57256	Hs.82037	TATA box binding protein (TBP)-associate	23.6	other
40	-	S79895	Hs.83942	cathepsin K (pychodysostosis)	5.8	other
40		NM_006910	Hs.85273	retinoblastoma-binding protein 6	1.3	other
		U72937	Hs.96264	alpha thalassemia/mental retardation syn	1.6	?
		U22376	Hs.1334	v-myb avian myeloblastosis viral oncogen	2.3	?
		AA463798	Hs.102696	MCT-1 protein	1.6	ż
45		AF172066	Hs.106346	retinoic acid repressible protein	3.5	other
73		AW891965	Hs.279789	histone deacetylase 3	5	other
		AI252640	Hs.110364	peptidylprolyl isomerase C (cyclophilin	3.1	TM
		AA302744	Hs.104518	ESTs	1.9	TM
		NM_014320	Hs.111029	putative heme-binding protein	2.4	other
50		AF165883	Hs.298229	prefoldin 2	4.2	?
50		W67883	Hs.137476	paternally expressed 10 (PEG10; KIAA105	7.1	?
		AF041259	Hs.155040	zinc finger protein 217	2.3	other
		AF155568	Hs.155489	NS1-associated protein 1	3.5	other
		BE304680	Hs.169531	DEAD/H (Asp-Glu-Ala-Asp/His) box polypep	1.9	?
55		AW183765	Hs.182238	GW128 protein	7.6	?
-		AW500533	Hs.11482	splicing factor, arginine/serine-rich 11	1.7	other
		AB001636	Hs.5683	DEAD/H (Asp-Glu-Ala-Asp/His) box polypep	2.4	other
		AK001333	Hs.6216	Homo sapiens hepatocellular carcinoma-as	3.8	other
		F13386	Hs.7888	Homo sapiens clone 23736 mRNA sequence	5.6	other
60		AF167572	Hs.12912	skb1 (S. pombe) homolog	2	TM
		AA151520	Hs.334822	hypothetical protein MGC4485	7.6	other
		AI017574	Hs.17409	cysteine-rich protein 1 (intestinal)	2.2	other
		BE620592	Hs.71190	ESTs, Weakly similar to S16506 hypotheti	2.9	other
		NM 003677	Hs.22393	density-regulated protein	1.8	other
65		W68520	Hs.331328	intermediate filament protein syncollin	5.9	other
	450701	H39960	Hs.288467	Homo sapiens cDNA FLJ12280 fis, clone MA	5.7	other
		AA011202	Hs.184771	nuclear factor I/C (CCAAT-binding transc	1.4	other
	.55. 50		-	,		

	452461 N78223	Hs.108106	transcription factor	4.8	?
	452511 BE408178	Hs.285165	Homo sapiens cDNA FLJ20845 fis, clone AD	2.9	other
	453157 AF077036	Hs.31989	DKFZP586G1722 protein	12.1	SS,TM
	453658 BE541906	Hs.87819	Homo sapiens, clone MGC:2492, mRNA, comp	4.8	other
5	100685 AA328229	Hs.184582	ribosomal protein L24	1.8	TM
-	100690 AA383256	Hs.1657	estrogen receptor 1	1.6	other
	100833 AF135168	Hs.108802	N-ethylmaleimide-sensitive factor	1.3	other
	100850 AA836472	Hs.297939	cathepsin B	1.7	?
• •	101161 NM_006262	Hs.37044	peripherin	16.9	other
10	102481 U50360		gb:Human calcium, calmodulin-dependent p	3.2 2	other ?
	102831 AA262170	Hs.80917	adaptor-related protein complex 3, sigma	8	other
•	103549 BE270465	Hs.78793	protein kinase C, zeta	1.8	other
	103749 AL135301	Hs.8768	hypothetical protein FLJ10849 cdk inhibitor p21 binding protein	2	?
15	104331 AB040450	Hs.279862 Hs.203013	hypothetical protein FLJ12748	2.1	other
15	104532 Al498763 104563 AL117403	Hs.306189	DKFZP434F1735 protein	1.2	other
	105032 AA127818	HS.300 103	gb:zi12a02.s1 Soares_pregnant_uterus_NbH	7	?
	105032 AA127010	Hs.36475	ESTs	2.6	?
	106531 AA454036	Hs.8832	ESTs	1.6	other
20	106977 AL043152	Hs.50421	KIAA0203 gene product	4.9	other
	107298 N95657	Hs.6820	ESTs, Moderately similar to YOJ1_CAEEL H	2.5	TM
	108717 AA122393	Hs.70811	hypothetical protein FLJ20516	1.3	other
	110018 AW579842	Hs.104557	hypothetical protein FLJ10697	5.3	TM
	110330 Al288666	Hs.16621	DKFZP434I116 protein	6.3	other
25	111391 NM_003896	Hs.225939	sialyltransferase 9 (CMP-NeuAc:lactosylc	5.1	SS,
	111392 W46342	Hs.325081	Homo sapiens, clone IMAGE:3659680, mRNA,	8.4 3.7	other TM
	113554 AW503990	Hs.142442	HP1-BP74	3.7 1.3	other
	113722 AV653556	Hs.184411	albumin helicase-mol	2	other
30	115008 AK001827	Hs.87889 Hs.154103	LIM protein (similar to rat protein kina	1.5	other
30	115062 AA253314 115121 Al634549	Hs.88155	ESTs	2.8	other
	117881 AF161470	Hs.260622	butyrate-induced transcript 1	5.8	TM
	119075 M10905	Hs.287820	fibronectin 1	5.7	other
	119615 AL034423	Hs.75875	ubiquitin-conjugating enzyme E2 variant	1.3	other
35	120253 AA131376	Hs.326401	fibroblast growth factor 12B	38.9	other
	125006 BE065136	Hs.145696	splicing factor (CC1.3)	2.9	?
	127609 X80031	Hs.530	collagen, type IV, alpha 3 (Goodpasture	1.8	other
	128868 AA419008	Hs.106730	chromosome 22 open reading frame 3	3	other
40	128891 F34856	Hs.292457	Homo saplens, clone MGC:16362, mRNA, com	13.3 10.9	other other
40	128959 AI580127	Hs.107381	hypothetical protein FLJ11200 Rho-associated, coiled-coil containing p	2.4	other
	129209 R62676	Hs.17820	ADP-ribosylation factor-like 7	8.2	TM
	129449 A1096988	Hs.111554 Hs.111632	Lsm3 protein	3.3	?
	129453 AW974265 129629 AK000398	Hs.11747	hypothetical protein FLJ20391	3.9	other
45	129917 M30773	Hs.278540	protein phosphatase 3 (formerly 2B), reg	5.3	TM
43	129922 AF042379	Hs.13386	gamma-tubulin complex protein 2	4.6	other
	129989 AB015856	Hs.247433	activating transcription factor 6	4	SS,
	130182 BE267033	Hs.192853	ubiquitin-conjugating enzyme E2G 2 (homo	4.6	other
	130365 W56119	Hs.155103	eukaryotic translation initiation factor	11	other
50	130471 AL121438	Hs.183706	adducin 1 (alpha)	2.7	other
	130542 U64675	Hs.179825	RAN binding protein 2-like 1	7.9	other TM
	130586 AB007891	Hs.16349	KIAA0431 protein	5.6 5.2	other
	130768 AF258627	Hs.211562	ATP-binding cassette, sub-family A (ABC1 desmoplakin (DPI, DPII)	1.8	TM
55	130992 BE398091	Hs.74316	ESTs, Moderately similar to A46010 X-lin	1.7	?
55	131047 H23230 131135 NM_016569	Hs.22481 Hs.267182	TBX3-iso protein	3.3	TM
	131135 NW_010569 131339 AF058696	Hs.25812	Nijmegen breakage syndrome 1 (nibrin)	2.6	other
	131760 X76732	Hs.3164	nucleobindin 2	2.9	TM
	131774 BE267158	Hs.169474	DKFZP586J0119 protein	5.6	other
60	131853 Al681917	Hs.3321	ESTs. Highly similar to IRX1_HUMAN IROQU	1.3	other
00	131881 AW361018	Hs.3383	upstream regulatory element binding prot	3.2	TM
	131887 W17064	Hs.332848	SWI/SNF related, matrix associated, acti	3.2	other
	132031 AF193844	Hs.3758	COP9 complex subunit 7a	5.9	?
_	132192 AA206153	Hs.4209	mitochondrial ribosomal protein L37	2.2	TM
65	132203 NM_004782		synaptosomal-associated protein, 29kD	7.9	?
	132240 AB018324	Hs.42676	KIAA0781 protein	4.3 12.5	other other
•	132348 AW067708	Hs.170311	heterogeneous nuclear ribonucleoprotein	12.3	Ou let

		AW674699	Hs.50758 Hs.5169	SMC4 (structural maintenance of chromoso suppressor of G2 allele of SKP1, S. cere	7.4 6.9	? other	
	132726		Hs.55608	hypothetical protein MGC955	14.3	?	
_		BE268048	Hs.236494	RAB10, member RAS oncogene family	10.3	other	
5		AI439688	Hs.6289	hypothetical protein FLJ20886	4.4	other	
		AI065016	Hs.6390	Homo sapiens clone FLB3344 PRO0845 mRNA,	1.8	SS,TM	
	133197	Al275243	Hs.180201	hypothetical protein FLJ20671	1.8	other	
		AK001489	Hs.242894	ADP-ribosylation factor-like 1	1.8	other	
10		Al160873	Hs.69233	zinc finger protein	16.1	other	
10		M76477	Hs.289082	GM2 ganglioside activator protein	10.4	SS,	
		BE313555	Hs.7252	KIAA1224 protein	1.5	?	
		AL037159	Hs.74619	proteasome (prosome, macropain) 26S subu	1.7	other	
		BE622743	Hs.301064	arfaptin 1	12.1	other	
15		M34338	Hs.76244	spermidine synthase	9.7	other	
15		W29092	Hs.7678	cellular retinoic acid-binding protein 1	4.2	SS,	
		U86782	Hs.178761	26S proteasome-associated pad1 homolog	2.2	other	
		U30872	Hs.77204	centromere protein F (350/400kD, mitosin	9.1	other	
		NM_000288	Hs.79993	peroxisomal biogenesis factor 7	3.2	other	
20		AA334551	Hs.82767	sperm specific antigen 2	1.4	other	
20		AF045239	Hs.321576	ring finger protein 22	1.4	other	
		AD001528	Hs.89718	spermine synthase	2.6	other	
		D26488	Hs.90315	KIAA0007 protein	13.3	other	
	135193		Hs.96103	TATA box binding protein (TBP)-associate	3.1	other	
25		AA243007		ESTs	1.6	?	
25		T70541		ESTs	2.5	SS,	
		X57766		Human stromelysin-3 mRNA	4.5	other	
		S66431		Homo sapiens clone 23592 mRNA sequence	3.1	other	
		AA453483		ESTs	4.6	TM	
20		R63925		ESTs	1.4	other	
30		AA173417		ESTs	1.9	other	
		AA280588		ESTs	2.2	other	
		AA504223		ESTs Highly similar to CHROMOSOME	2.4	other	
		AA609996		ESTs Highly similar to Surf-4 protein [M.musculus]	5.5	?	
35		F02907		ESTS	2.3	TM	
33		AA480103		ESTs Weakly similar to IIII ALU SUBFAMILY J	2.8	TM	
		AA024664		Human NADH:ubiquinone oxidoreductase subunit	6.2	other	
		AA251776		ESTs	2.3 2.4	other	
		AA399047		ESTS	3.3	other other	
40		N34059 U95367		EST - RC_N34059  Human GABA-A receptor pi subunit mRNA complet		1.7	TM
70		AA490899		ESTs	3.3	other	HVI
		T54762		ESTs	2.9	?	
		Z41963		Homo sapiens HP protein (HP) mRNA complete cds		7	
		AA521186		ESTs	1.6	TM	
45		AA400195		ESTs	1.3	other	
		AA045083		VITAMIN K-DEPENDENT GAMMA-CARBOXYLASI		2.5	other
		AA099589		Homo sapiens mRNA for GDP dissociation inhibitor		1.6	TM
		W85712		ESTs Weakly similar to PROCOLLAGEN ALPHA 20		2.6	TM
		W45728		ESTs Highly similar to HETEROGENEOUS	3.7	other	••••
50		U61232		Human tubulin-folding cofactor E mRNA complete of	-	2.1	other
•		AA425154		ESTs	5.3	other	<b>QD</b> 101
		T39176		ESTs Weakly similar to ZK1058.4 [C.elegans]	2.6	SS,TM	
•		AA496000		ESTs	1.9	SS,	
		W38150		EST - RC_W38150	1.7	?	
55		T96595		EST - RC_T96595	1.8	TM	
		AA227463		ESTs Weakly similar to No definition line found [C.e		1.9	?
		R46025		ESTs	2.8	SS,	·
		AA233177		ESTs	2	other	
		AA338760		ESTs	1.3	?	
60		AA412106		ESTs	6.2	other	
00		L47276		EST - L47276	3.4	other	
		D82307		ESTs Weakly similar to TH1 protein [D.melanogaste		11.4	other
		AA293568		ESTs	". 1.5	other	
		R37778		ESTs	2.4	other	
65		AA250843		Interferon regulatory factor 5	14.6	?	
		W49521		Human prolyl 4-hydroxylase alpha (II) subunit	6.5	ż	
		D80000		Human mRNA for KIAA0178 gene partial cds	2	other	
				g p			

	R99978	ESTs Weakly similar to line-1 protein ORF2 [H.sag	oiensl	6.1	?
	AA195036	Human Ro/SSA ribonucleoprotein homolog (RoRe		?	
	Z38501	ESTs Weakly similar to PROBABLE E5	1.4	other	
	U37547	Human IAP homolog B (MIHB) mRNA complete of		other	
5	AA479961	ESTs	1.7	other	
J	X57579	Inhibin beta A (activin A activin AB alpha polypepti		15.8	?
	AA449071	ESTs	1.3	TM	•
	N51855	ESTs Moderately similar to NAD(+) ADP-	1.3	other	
	AA421213	ESTs Weakly similar to F28F8.3 [C.elegans]	3.2	other	
10		ESTs	1.2	SS,TM	
10	AA355201	H.sapiens mRNA for translin	1.5	?	
	N78717	ESTs	5	7	
	N73808	== : =	2.2	other	
	U86782	Human 26S proteasome-associated pad1	1.3	other	
1.5	AA234817	ESTs			
15	D13666	Homo sapiens mRNA for osteoblast specific	7.5	SS,	
	AA236177	ESTs	7.1	?	
	U50648	Protein kinase interferon-inducible double	4.1	?	
	M28211	Homo sapiens GTP-binding protein (RAB4)	2.9	other	
	AA446949	ESTs	2.2	other	
20	W03007	ESTs	1.2	other	
	W61011	ESTs	1.2	other	
	W87544	ESTs	1.2	other	
	X02751	Neuroblastoma RAS viral (v-ras) oncogene homol	og 1.2	?	
	Z14077	YY1 transcription factor	1.2	other	
25	Z38839	ESTs	1.2	?	
	AA410894	ESTs	1.7	other	
	AA504499	ESTs Highly similar to probable chloride channel	3 [H.sap	1.3	other

### TABLE 7A

Table 7 A shows the accession numbers for those pkeys lacking unigeneID's for Table 7. For each probeset, we have listed the gene cluster number from which the oligonucleotides 5 were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

Pkey:

Unique Eos probeset identifier number

CAT number:

Gene cluster number

Accession:

Genbank accession numbers

15

20

Pkey CAT number

Accession

102481 31281\_-28

U50360 AA127818

105032 genbank\_AA127818 409487 1134778\_1

H19886 AW402806 T10231

### TABLE 8: Figure 8 from BRCA 001-1 US

Table 8 shows genes upregulated in tumor tissue compared to normal breast tissue. Specifically, one column shows the ratio of expression of the indicated gene in breast tumor tissue compared to other body tissues, and another column shows the ratio of expression of the indicated gene in breast tumor tissue compared to normal breast tissue.

10			·	·				
10	Pkey:	· t	Inique Eos probe	set Identifier number				
	ExAccn:			on number, Genbank accession number				
	Unigene		Inigene number					
	Unigene		Jnigene gene title					
15	5 R1: Ratio of tumor to normal body tissue							
	R2:	•		Ratio of tumor to normal breast tissue				
			. 1000 01 10					
	Pkey	ExAccn	UnigenelD	Unigene Title	R1	R2		
		•	,	•				
20	100075	AF152333	Hs.284160	protocadherin gamma subfamily B, 4	1	3.8		
	100229	AV652249		polymerase (DNA directed), beta	1.7	5.3		
	100262	D38500		postmelotic segregation increased 2-like	0.8	4.8		
	100271	BE160081		S100 calcium-binding protein A11 (calgiz	3.2	2.3		
	100355	Al907114	Hs.71465	squalene epoxidase	3.3	1.4		
25	100522	X51501	Hs.99949	protactin-induced protein	11.9	0.4		
	100552	AA019521			3.8	1.2		
		X77343		transcription factor AP-2 alpha (activat	9.4	9.4		
		X02761		fibronectin 1	3	7.8		
•		AA383256		estrogen receptor 1	4.4	4.4		
30		U01351	Hs.75772	nuclear receptor subfamily 3, group C, m	1_	3.9		
		K01160		NM_002122:Homo sapiens major histocom		4		
		AA382524			0.8	4.1		
		NM_0029		regulator of G-protein signalling 2, 24k	1.2	12		
25		NM_0062		peripherin	3.1	1.1		
35		L22524	Hs.2256	matrix metalloproteinase 7 (MMP7; uterin	4.4	0.6		
		AI186220		collagen, type XV, alpha 1	3.1	3.4		
		AW46839	7 Hs.100000	S100 calcium-binding protein A8 (calgran	0.9	4.2		
		M21305		gb:Human alpha satellite and satellite 3	29.9	0.3		
40		AA310162		cytochrome c	0.8	4.9		
40		M33552	Hs.56729	lysosomal	1	5.9		
		BE561617	7 Hs.119192	H2A histone family, member Z	2.8	4		
		M55998		gb:Human alpha-1 collagen type I gene, 3	3.1	1.7		
		NM_0022		laminin, beta 1	1.5	4.1		
45		AA350659		angio-associated, migratory cell protein	3.1	1.4		
45		AF112213		putative Rab5-interacting protein	1.3	6.9		
		AL036335		secreted phosphoprotein 1 (osteopontin,	1.9	4.9		
		AA334592		lumican	2.2	3.8		
		AF015224		mammaglobin 1	4.2	0.7		
50		NM_0034		Microfibril-associated glycoprotein-2	1.1	4.2		
50		NM_0013		dual specificity phosphatase 4	4.5	0.5		
		U96759		von Hippel-Lindau binding protein 1	1.4	4.2		
		Al379954		KIAA0096 protein	0.9 1.5	3.9 10.9		
		BE24458		chaperonin containing TCP1, subunit 2 (b				
		R50032		collagen, type VI, alpha 2	2.2 5.6	6.2		
55		AW29354		eukaryotic translation elongation factor		5.7		
		X63629	Hs.2877	cadherin 3, type 1, P-cadherin (placenta	3.7	0.5		
		X69089	Hs.79227	myomesin (M-protein) 2 (165kD)	1.3	4		
		D38616	Hs.54941	phosphorylase kinase, alpha 2 (liver)	1.3	3.8		
<b>C</b> O		X83492	Hs.82359	tumor necrosis factor receptor superfami	0.8	4.6		
60		BE53670		seryl-tRNA synthetase	0.9 1.1	8 5.1		
•		T34708	Hs.272927			1.2		
		Y00815	Hs.75216	protein tyrosine phosphatase, receptor t	3.7			
	103546	Z14244	Hs.75752	cytochrome c oxidase subunit VIIb	0.9	4.4		

	103658	NM_000088	Hs.172928	collagen, type i, aipha 1	3.2	3	
	103758	AA084874		gb:zn13e04.r1 Stratagene hNT neuron (937	0.9	10	
	103774	H24185	Hs.92918	hypothetical protein	1.9	15.9	
_	103821	AA095971	Hs.198793	Homo sapiens cDNA: FLJ22463 fis, clone H	1.2	3.9	
5		BE439604		ATPase, H+ transporting, lysosomal (vacu	1.4	3.9	
		AW130242		hypothetical protein FKSG44	1.6	4.1	
		AK001913	Hs.7100	hypothetical protein	1.5	4.3	
		AF183810		-,,g	7	7	
10		AB040927		KIAA1494 protein	2	4.6	
10		AB002347		KIAA0349 protein	0.7	4.5	
		AW583693		N-terminal acetyltransferase complex and	3.3	3.3	
		AW365522		hypothetical protein PRO2219	2.3	4.2	
		AW804296	Hs.9950	Sec61 gamma	3.1	7	
15		AF283775			4	1.3	
15	104432		Hs.99949	prolactin-induced protein	3.8	0.6	
		AW966728			0.8	6.7	4.0
		AK001731 W94824		Homo sapiens mRNA; cDNA DKFZp586H092 RIKEN cDNA 2010100O12 gene		1.7	4.8
		AW630488		protease, serine, 23	2 1.9	7.5	
20		AF123303	Hs.24713	hypothetical protein		7.4 6.3	
20		R82252		protein kinase (cAMP-dependent, catalyti	1.1 1.2	4	
		AW270555		hypothetical protein	1.4	3.9	
		AA960961		zinc finger protein 83 (HPF1)	1.5	4.2	
		AA305351		uncharacterized hypothalamus protein HAR	1.1	4.1	
25		Al279065		ribosomal protein S6	1.3	4.6	
20		AL133035	Hs.8728	hypothetical protein DKFZp434G171	1.2	3.6	
		W70164	Hs.20107	ESTs	0.8	4.2	
		AA058630	Hs.29759	RNA POLYMERASE I AND TRANSCRIPT RE		1.7	5.1
		W03831	Hs.20597	host cell factor homolog	0.8	5.4	0.,
30		W44626	Hs.30627	ESTs	0.7	6.8	
		AW955089		Novel human gene mapping to chomosome 2		1 3.9	
		BE298808		DKFZP434N093 protein	3.3	3.3	
		AW076098		desmoplakin (DPI, DPII)	1.2	3.7	
	104963	AB029020		KIAA1097 protein	1.1	5.5	
35	104977	Al392640	Hs.18272	amino acid transporter system A1	3.2	1.4	
	105030	BE613061		Homo sapiens, Similar to RIKEN cDNA 0610	1.6	11.4	
	105035	N39760	Hs.8859	Homo sapiens, Similar to RIKEN cDNA 5830	1.5	7.2	
		BE410438	Hs.9006	VAMP (vesicle-associated membrane protei	1.1	3.5	
40		AF146277		CD2-associated protein	1.2	10	
40		AA313825	Hs.21941	AD036 protein	3.6	8.3	
		BE407961	Hs.18271	golgi phosphoprotein 3	1.7	6.8	
		AI554929		ATPase, H+ transporting, lysosomal (vacu	1.1	3.7	
		BE243327		chromosome 22 open reading frame 5	1.5	4	
15		Al015709		Homo sapiens mRNA; cDNA DKFZp586l2022		1.5	14
45		W20027	Hs.23439		4.3	2.9	
		W03516		stress-associated endoplasmic reticulum	1.5	5	
		AA252372	Hs.12144		1.2	3.6	
		AL137257 A1805717		Homo sapiens cDNA: FLJ23015 fis, clone L	1.7	15.8	
50		AL037715		.CGI-43 protein microfibrillar-associated protein 3	2 1.3	4.8 3.9	
50		AB040884		KIAA1451 protein	2.7	11.4	
		AB024334	Hs.25001	tyrosine 3-monooxygenase/tryptophan 5-mo	1.3	6.1	
		BE504200	Hs.30127	hypothetical protein	1.7	4.5	
		AA788946	Hs.16869	ESTs, Moderately similar to CA1C RAT COL		24.6	
55		BE614149	Hs.20814	CGI-27 protein	1.8	3.6	
-		AI559444	Hs.293960		1.9	6.6	
		AA329449		twisted gastrulation	1.5	4.3	
		AI827976	Hs.24391	hypothetical protein FLJ13612	3.8	1.9	
		BE392914	Hs.30503	Homo sapiens cDNA FLJ11344 fis. clone PL	1.7	4	
60		AW028485	Hs.26136	hypothetical protein MGC14156	1.7	7.4	
		AL137728	Hs.12258	Homo sapiens mRNA; cDNA DKFZp434B092		1.2	3.8
		AB033075	Hs.10669	development and differentiation enhancin	1.3	4.6	
		AB030656	Hs.17377	coronin, actin-binding protein, 1C	1.1	5.9	
	105990	A1690586	Hs.29403	hypothetical protein FLJ22060	2	4.6	
65		AI240665	Hs.8895	ESTs	4.1	1.2	
		NM_001329		C-terminal binding protein 2	2.6	7	
	106070	T74445	Hs.5957	Homo sapiens clone 24416 mRNA sequence	1.4	10.7	

	106083	H62087	Hs.31659	thyroid hormone receptor-associated prot	1.5	3.6	
	106155	AA425414	Hs.33287	nuclear factor I/B	5.4	1.2	
	106255	BE613206	Hs.279607		1.8	4	
_	106414	BE568205	Hs.28827	mitogen-activated protein kinase kinase	5.1	6.1	
5	106538	AK000274	Hs.278635	HDCMA18P protein	1.2	5.9	
	106568	AW051564	Hs.28285	patched related protein translocated in	1.8	5.4	
	106574	BE044325	Hs.227280	U6 snRNA-associated Sm-like protein	2.3	11.2	
	106613	N88604	Hs.30212	thyrold receptor interacting protein 15	1.2	3.6	
	106617	H09548	Hs.5367	ESTs, Weakly similar to I38022 hypotheti	0.9	4.4	
10	106619	AA459480	Hs.23956	hypothetical protein FLJ20502	1.3	3.6	
		BE387614	Hs.25797	splicing factor 3b, subunit 4, 49kD	1.6	7.3	
	106721	AA741038	Hs.6670	ESTs	1.7	6.1	
	106776	AA206079	Hs.6693	hypothetical protein FLJ20420	1	5.4	
		AA487416		Homo sapiens cDNA: FLJ23111 fis, clone L	1.6	5.4	
15		BE185536		molecule possessing ankyrin repeats indu	3.3	1.2	
		BE503373		hypothetical protein FLJ13576	1.4	6.3	
		T85594		hypothetical protein FLJ10120	3.3	1.8	
		AF216751	Hs.26813	CDA14	3	3	
		BE391904	Hs.12482	glyceronephosphate O-acyltransferase	1.7	7.6	
20		BE147611	Hs.6354	stromal cell derived factor receptor 1	1.2	4.3	
		AI289507		hypothetical protein FLJ23399	1.8	6.5	
		BE172058	Hs.82689	tumor rejection antigen (gp96) 1	1.2	6.9	
		BE267795	Hs.22595	hypothetical protein FLJ10637	1.4	3.5	
		AA186629	Hs.80120	UDP-N-acetyl-alpha-D-galactosamine:polyp	2.6	4.3	
25		AA011510	Hs.60512	ESTs	1.8	4	
		AA027229	Hs.61329	ESTs, Weakly similar to T16370 hypotheti	1.3	3.5	
		AF109219		phosphatidylinositol glycan, class N	1.6	3.5	
		AW368993		Homo sapiens clone CDABP0086 mRNA sequ		1.8	8.
		AA291440	Hs.73149	paired box gene 8	1.1	3.5	-
30		AA093668	Hs.28578	musclebilnd (Drosophila)-like	0.7	5.6	
<b>5</b> 0		AI283611		ESTs, Weakly similar to HMG1_HUMAN HIGH		1.2	5.
		AW068579	Hs.7780	Homo sapiens mRNA; cDNA DKFZp564A072		3.1	6.
	-	AI879238		collapsin response mediator protein-5; C	1.5	4.6	
		AA333660	Hs.71331	hypothetical protein MGC5350	1.5	4	
35		AW151340	Hs.51615	ESTs, Weakly similar to ALU7_HUMAN ALU	_	6.3	4.
55		AA074374	Hs.67639	ESTs	1.3	3.8	•••
		AF086070	Hs.237519		1	3.6	
		AA079487	113.207010	gb:zm97f08.s1 Stratagene colon HT29 (937	1.5	3.6	
		AA079500		gb:zm96h10.s1 Stratagene colon HT29 (937	1.1	4.3	
40		M23114	Hs.1526	ATPase, Ca++ transporting, cardiac muscl	2	4.9	
10		AA112059	Hs.429	ATP synthase, H+ transporting, mitochond	1.1	3.5	•
		AA058522	Hs.185751		1.2	3.6	
		AA036725	Hs.61847	ESTs	1.4	3.6	
		AK001332	Hs.44672	hypothetical protein FLJ10470	1.4	3.5	
45		AA133456		glucocorticoid receptor DNA binding fact	1.2	4	
7,5		BE276891		retinoic acid induced 3	1.3	3.6	
		AA152312	Hs.72047	ESTs	1.1	4.1	
		A1732585	Hs.22394	hypothetical protein FLJ10893	1.2	3.5	
		AA167512	113.22334	gb:zp10f12.s1 Stratagene fetal retina 93	1.3	5	
50		BE220601	He 301007	hypothetical protein FLJ13033	4	6.1	
50		BE179030	Hs.64239	Human DNA sequence from clone RP5-1174		1.7	7.
		AA878923		hypothetical protein FLJ21016	3.8	7.7	
		AA366263	Hs.72531	hypothetical protein FLJ11838	1.9	4	
		AA173942	He 226/16	Homo sapiens mRNA; cDNA DKFZp564H191		3.7	1.
55		BE075297	Hs.6614	ESTs, Weakly similar to A43932 mucin 2 p	4.6	7.4	••
<i>JJ</i>		AW151660	Hs.31444	ESTs	1.2	3.5	
		AW001579	Hs.9645	Homo sapiens mRNA for KIAA1741 protein,	3.7	3.3	
			115.5045 No 100006	KIAA0878 protein	2.8	3.7	
		NM_014899 N21207	Hs.182999		1.6	3.5	
60			Hs.14947	EQTe	3.1	1.2	
UU		BE242691	175.1454/ ⊔e 202550	hypothetical protein DKFZp564K142	1.9	7.5	
		AI753230		hypothetical protein FLJ22558		4	
		Al681293	Hs.12186 Hs.23618		2 1.1	3.8	
		AK001566		hypothetical protein FLJ10704 mannosyl (alpha-1,3-)-glycoprotein beta-		8.2	
65		BE301871	Hs.4867	, , , , , , , , , , , , , , , , , , , ,	1 3.3	6.2 6.1	
65		BE314949	Hs.87128	hypothetical protein FLJ23309	3.3 1.2	5.4	
		R27975	Hs.269401			0.8	
	111900	AF131784	Hs.25318	Homo sapiens clone 25194 mRNA sequence	J.Z	0.0	

	302892	AW176909	Hs.42346	calcineurin-binding protein calsarcin-1	3.4
	302970	W05608	Hs.312679	ESTs, Weakly similar to A49019 dynein he	5.1
		AA652687	Hs.96151	Human DNA sequence from clone RP5-1103G7	3.7
		AL121460			
5				hypothetical protein FLJ20508	4.1
3		AW006352	Hs.159643	ESTs, Weakly similar to T32554 hypotheti	4.2
	303540	AA355607	Hs.309490	ESTs, Weakly similar to putative WHSC1 p	4.3
	303563	AA367699	Hs.10082	potassium intermediate/small conductance	3.3
		AW299459		gb:xs50d08.x1 NCI_CGAP_Kid11 Homo sapien	4.2
			11- 40005	SIA 44004	
10		Al424014	Hs.18995	KIAA1304 protein	3.6
10	303797	AW629759		gb:hh70e05.y1 NCI_CGAP_GU1 Homo sapiens	4.9
	303852	R53434	Hs.90207	hypothetical protein MGC11138	3.7
		AA149951	Hs.62112	zinc finger protein 207	3
			113.02112		
		AA582081		gb:nn32h08.s1 NCI_CGAP_Gas1 Homo sapiens	4.1
	305913	AA876109		gb:nx24h01.s1 NCI_CGAP_GC3 Homo sapiens	3
15	305917	AA876469		gb:oe48b04.s1 NCI_CGAP_Pr25 Homo sapiens	3.1
		Al140014		gb:qa68f09.x1 Soares_fetal_heart_NbHH19W	3.5
		Al144243		gb:qb85b12.x1 Soares_fetal_heart_NbHH19W	3.9
	308106	AI476803		gb:tj77e12.x1 Soares_NSF_F8_9W_OT_PA_P_S	4.3
	308307	Al581398	Hs.172928	collagen, type I, alpha 1	4.6
20		AK000142		hypothetical protein FLJ23045	4.4
		Al951118		Homo sapiens breast cancer antigen NY-BR	17.3
	309328	AW024348	Hs.233191	EST, Weakly similar to A27217 glucose tr	3.2
	309574	AW168083		gb:xg59g04.x1 NCI_CGAP_Ut4 Homo sapiens	3.1
		AW170035	Hs 326736	Homo saplens breast cancer antigen NY-BR	57.6
25		Al199712			
23				ESTs, Weakly similar to 1917210A Pro/Arg	4.6
		A1685841	Hs.161354	ESTs	3.6
	310438	AW022192	Hs.200197	ESTs	4.6
		A1939456	Hs.160870		3.2
		AK000703			
20	-			Homo sapiens mRNA for KiAA1551 protein,	3.6
30		Al380797	Hs.158992		10.2
	310895	Al955121	Hs.165724	N-acetylgalactosamine-4-O-sulfotransfera	3.4
	310955	AI476732	Hs.263912		10.9
		AI671439		Homo sapiens mRNA for KIAA1657 protein,	3.1
25		AI821005	Hs.118599		10.8
35		AA641098	Hs.208809	ESTs, Moderately similar to ALU1_HUMAN A	4.3
	311465	A1758660	Hs.206132	ESTs	4.4
	311587	A1828254	Hs.271019	ESTs, Weakly similar to A47582 B-cell gr	5.1
		AW023595	Hs.232048		
				·	5.8
40		AA700870	Hs.14304	ESTs	3.3
40	311785	A1056769	Hs.133512	ESTs	3.9
	311872	R12375	Hs.194600	ESTs	3.3
	311889	AA767342		ESTs, Weakly similar to PSF_HUMAN PTB-AS	3
		Al358522			
			Hs.270188		3
4 ~	311923	T60843	Hs.189679	ESTS	5.6
45	311935	AA216387		gb:nc16b02.s1 NCI_CGAP_Pr1 Homo sapiens	5.2
	312019	AA373630	Hs.188750		3
		AA759263	Hs.14041	ESTs	3.4
		T78968	Hs.14411	ESTs	3.5
	312090	T80177	Hs.118064	similar to rat nuclear ubiquitous casein	3.8
50	312147	Al633744		ESTs, Weakly similar to I38022 hypotheti	4.4
	312153	BE261944		hexokinase 1	5.2
	312100	T92251	Hs.198882		3.3
		T94344	Hs.326263	ESTs	3.3
	312187	AA700439	Hs.188490	ESTs	3.4
55	312199	AW438602	Hs.191179		3.9
		H73505			
			Hs.117874		4
		AA315703	HS.199993	ESTs, Weakly similar to ALUB_HUMAN II!!	4.9
	312299	AA972712	Hs.269737	ESTs	5.7
		AA516420		ESTs, Weakly similar to l38022 hypotheti	6.3
60		AW439195			
UU				ESTs, Weakly similar to S65657 alpha-1C-	4.9
		AW291545	Hs.185018		4.9
	312837	AW292286	Hs.255058	ESTs	4.4
	312980	AA497043	Hs.115685		3.1
		AI422023	Hs.161338		4.3
65					
65		N76497	Hs.1787	proteolipid protein 1 (Pelizaeus-Merzbac	3.3
		AF026944	Hs.293797	ESTS	5.8
	313096	AW073310	Hs.163533	Homo sapiens cDNA FLJ14142 fis, clone MA	4.5

					40
		AA746503	Hs.283313		10
		AI801098	Hs.151500		3.5
	313197	AW979008	Hs.222487		3.3
_	313280	AW960454	Hs.222830	ESTs	4.7
5	313325	Al420611	Hs.127832	ESTs	3.4
	313328	AW449211	Hs.105445	GDNF family receptor alpha 1	12.4
	313352	AW150945	Hs.144758	ESTs	4.1
		A1032087	Hs.269819	ESTs	3
	313393	A1674685	Hs.200141	ESTs	5.2
10		AA741151	Hs.137323		3.5
		W92070		gb:zh48g05.r1 Soares_fetal_liver_spleen_	3.7
		Al273419	Hs.135146		. 3
		AA046309		gb:zf12f01.s1 Soares_fetal_heart_NbHH19W	5.6
		AI540978	He 301997	hypothetical protein FLJ13033	3.2
15		C18863		Homo sapiens cDNA FLJ11576 fis, clone HE	26.3
13		AW175896	Hs.65114		3
		A1535895	Hs.221024		4.9
				hypothetical protein MGC3077	3.9
		AV657317			3.1
20		AA827082	Hs.291872		8.3
20		AW129357	Hs.329700		
		AA648744	Hs.269493		6.6
		Al732083	Hs.187619		6.2
		AA228366	Hs.115122		4
0.5		AA740616		gb:ny97f11.s1 NCI_CGAP_GCB1 Homo sapiens	5.9
25		AA743396	Hs.189023		3.1
		AL036450	Hs.103238		4
•	314305	Al280112	Hs.125232	Homo sapiens cDNA FLJ13266 fis, clone OV	8
	314306	A1697901	Hs.192425	ESTs	3.7
	314322	AA907153	Hs.190060	ESTs	3.3
30	314394	AW961597	Hs.130816	ESTs, Moderately similar to I38022 hypot	4.2
	314401	Al660412	Hs.234557	ESTs	3.3
	314465	AA602917	Hs.156974	ESTs	4.7
		AA833655	Hs.206868	Homo sapiens cDNA FLJ14056 fis, clone HE	8.5
		Al204418	Hs.190080	· · · · · · · · · · · · · · · · · · ·	4
35		AW007211	Hs.16131		3.4
		AA399272	Hs.144341		6.7
		A1873274	Hs.190721		27.4
		AA425310		ESTs, Weakly similar to A47582 B-cell gr	4.4
		AW979268	1101100700	gb:EST391378 MAGE resequences, MAGP Homo	
40		AW207206	Hs.136319		20.7
40		AA457367	Hs.191638		3.6
		AW026761	Hs.134374		3.6
		BE350122		ESTs, Weakly similar to 178885 serine/th	4.9
		AW971198	Hs.294068		4.3
45		A1095087		ESTs, Moderately similar to S65657 alpha	3.7
45					3.1
		AA828032	Hs.189076		
		AW972359	Hs.293334		3
		AI538613		Transmembrane protease, serine 3	10.9
50		AA533447	Hs.312989		5.3
50	315051	AW292425	Hs.163484		12.9
	315060	AA551104		ESTs, Moderately similar to ALUC_HUMAN !	5.8
		AW452948	Hs.257631		4.2
	315080	AA744550	Hs.136345		3.7
		A1025842	Hs.152530		6
55		AW136134	Hs.220277		3.9
		AI241331	Hs.131765	ESTs, Moderately similar to I38937 DNA/R	4.4
	315196	A1367347	Hs.44898	Homo sapiens clone TCCCTA00151 mRNA sequ	8.2
	315198	AI741506	Hs.165900	ESTs, Weakly similar to ALU1_HUMAN ALU S	3.6
	315240	R38772	Hs.172619	myelin transcription factor 1-like	3.4
60	315263	AW510994	Hs.220740	ESTs	3.4
		Al222165	Hs.144923	ESTs	4.9
		AA876905	Hs.125286		4
	315368	AB037745		KIAA1324 protein	4.7
		AA218940		fidgetin-like 1	3.1
65		Al378817	Hs.191847		3.1
00		AA628539	Hs.116252	ESTs, Moderately similar to ALU1_HUMAN A	3.2
		AI193043	Hs.128685	ESTs, Weakly similar to T17226 hypotheti	4.1
		, , , , , , , , , , , , , , , , , ,		, ,,,oom) on mor re , ,, and ,,heares	** 1
	• •				

	315530	AW015415	Hs.127780	ESTs	8.9
	315562	AA737415	Hs.152826	ESTs	5.5
	315634	AA837085	Hs.220585	ESTs	6.3
		AA648983	Hs.212911		3.6
5		Al418055	Hs.161160		5.1
-		AW515373		Homo sapiens cDNA FLJ13580 fis, clone PL	
		AW270550	Hs.116957	FOT	3.1
					3.8
		AA737345	Hs.294041	=	5
10	_	AA683336	Hs.189046		3.1
10		AW865916	Hs.151206	· ·	4.7
		AA830893	Hs.119769	ESTs	4.1
	315995	AI217477	Hs.194591	ESTs	4.1
	316012	AA764950	Hs.119898	ESTs	7
	316042	AI469960	Hs.170698	ESTs	4.9
15	316052	A1962796	Hs.136754	ESTs	4.1
		AW517524		NOD2 protein	3.2
		AW975114	Hs.293273		3.8
		AW203986	Hs.213003		3.2
		Al187742	Hs.125562	- · · ·	
20		A1904982			3.7
20			NS.293 102	ESTs, Moderately similar to ALU1_HUMAN A	30.7
		A1433540	11- 004000	gb:ti69g05.x1 NCI_CGAP_Kid11 Homo sapien	3.1
		A1640761	Hs.224988		3.5
		AA740994	Hs.209609		3.8
0.5		AA741300	Hs.202599	ESTs, Weakly similar to I38022 hypotheti	4.4
25	-	AA747807	Hs.149500		3.2
		AA938198		poly(A) polymerase gamma	9.4
	316697	AW293174	Hs.252627		4.4
	316715	A1440266	Hs.170673	ESTs, Weakly similar to T24832 hypotheti	3
	316868	AI660898	Hs.195602		3.2
30	316869	A1954880	Hs.134604	ESTs	3.2
	316886	AA836331	Hs.134981	ESTs	4.4
	316897	AA838114	Hs.221612	ESTs	3.7
	316943	AW014875	Hs.137007		4.6
		AI732892	Hs.190489		5.9
35		AW445167	Hs.126036		4.1
-		AI125252	Hs.126419	· -	3.5
		AI806867	Hs.126594		5.1
		AA972965	Hs.135568	· · · · · · · · · · · · · · · · · · ·	6.9
		AI822034	Hs.137097		
40					4.6
<del>1</del> 0		AW294909	Hs.132208		4.3
		AW664964	Hs.128899		6.1
		X56348	HS.28/2/U	ret proto-oncogene (multiple endocrine n	3.1
		Al681545		hypothetical protein FLJ13117	3.4
15		A1827248		Homo sapiens cDNA FLJ11469 fis, clone HE	9.6
45		AW102941	Hs.211265		4.1
		Al565071	Hs.159983		10.3
		AW294522	Hs.149991		3.1
	318223	Al077540	Hs.134090	ESTs	3.9
~~		AW294013	Hs.200942		3
50	318332	AI093930		Homo sapiens cDNA: FLJ21000 fis, clone C	4.4
	318418	AF107493	Hs.118498	Homo sapiens LUCA-15 protein mRNA, splic	5.4
	318558	AW402677		RNA binding motif protein, X chromosome	4.4
	318625	AA526235	Hs.193162	Homo sapiens cDNA FLJ11983 fis, clone HE	5.9
	318634	T49598	Hs.156832		4
55		NM_002543	Hs.77729	oxidised low density lipoprotein (lectin	7.3
		AI793124	Hs.144479		17.8
		F11802	Hs.6818	ESTs	3
		NM_012391	Hs.79414	prostate epithelium-specific Ets transcr	3.6
		AI524124	Hs.270307		4.6
60		W88532	Hs.254562		
UU			HS.204002		3.3
		AA761668	No 100050	gb:nz24c08.s1 NCI_CGAP_GCB1 Homo sapiens	3.2
		T79366	r15.100200	actin binding protein; macrophin (microf	3.3
		AA071267	Un 404000	gb:zm61g01.r1 Stratagene fibroblast (937	6.2
65		C19035	Hs.164259		3.3
65	• . •	AA534222		gb:nj21d02.s1 NCI_CGAP_AA1 Homo sapiens	4.3
		AA321166	Hs.278233		3.4
	320167	AA984373	Hs.90790	Homo sapiens cDNA: FLJ22930 fis, clone K	4.1

	320187	TOODAD	Un 202428	Homo sapiens cDNA FLJ14832 fis, clone OV	5.3
		AL039402		DEME-6 protein	9.2
		AI026984	Hs.293662		3.1
		U78082		RNA polymerase II transcriptional regula	3.1
5		N50617 .		small nuclear ribónucleoprotein polypept	6.1
_		AI160015	Hs.118112		3.5
		A1601188	Hs.120910	ESTs	3
	320832	AA214584	Hs.290167		3.7
	320915	Al359144		Homo sapiens cDNA: FLJ23031 fis, clone L	3.1
10		BE144167	Hs.49994	hypothetical protein similar to RNA-bind	3.3
		A1732643	Hs.144151		12.3
		AI769410	Hs.221461		3.3
		AA610649 AB033041	Hs.333239	vang (van gogh, Drosophila)-like 2	3 3.9
15		Al432199	Hs.247084		3
13		AW975944	Hs.237396		11.7
		Al471598	Hs.197531		3.8
		U29112	Hs.196151		4.4
		D80630		gb:HUM091D02B Human fetal brain (TFujiwa	3.2
20	321828	R59890	Hs.83623	nuclear receptor subfamily 1, group I, m	3.1
		H67065		ESTs, Weakly similar to ALU7_HUMAN ALU S	4.7
		AL049351		Homo sapiens mRNA; cDNA DKFZp566C093 (fr	3.5
		N77342	Hs.21851		5
25		AL137517	HS.3344/3	hypothetical protein DKFZp564O1278	19 3.6
25		AF075083 BE265745	Un 104250	gb:Homo sapiens full length insert cDNA ESTs, Weakly similar to ALUC_HUMAN IIII	3.0
		W76326	NS. 194339	gb:zd60d04.r1 Soares_fetal_heart_NbHH19W	4.4
		Al357412	Hs.157601		11.5
		AW963372	Hs.46677	PRO2000 protein	3
30		T55958		gb:yb35f05.r1 Stratagene fetal spleen (9	3
-		AF147347		gb:Homo sapiens full length insert cDNA	4.2
	322567	AF155108		Homo sapiens, Similar to RIKEN cDNA 2810	4
		W92147	Hs.118394		5.4
25		AA017656		gb:ze39h01.r1 Soares retina N2b4HR Homo	3.1
35		AW068805		Homo sapiens cDNA FLJ12280 fis, clone MA	5.2 7.6
		AW043782	Hs.293616	Homo sapiens cDNA FLJ14035 fis, clone HE	7.8 5.9
		AW248508 C16391	П3.2/3/2/	gb:C16391 Clontech human aorta polyA mRN	16.5
		AI902456	Hs.210761	ESTs, Weakly similar to I38022 hypotheti	4
40		AK002088		Homo sapiens cDNA FLJ11226 fis, clone PL	3.3
. •		AL120862		programmed cell death 9 (PDCD9)	6.3
	323244	AW675572	Hs.193620	ESTs	4.6
		AL133990	Hs.190642		10.5
4 ~		A1829520		gb:wl19c06.x1 NCI_CGAP_Ut1 Homo sapiens	6.2
45		AV651680	Hs.208558		4.3
		A1655499	Hs.161712 Hs.197746		9.2 3.1
		AW445014 BE081058	Hs.243023		4
		AA317962		ESTs, Moderately similar to PC4259 ferri	3
50		AW961560	Hs.97600	ESTs	3.2
50		AA410943		BMP-R1B	8.4
		AL043683	Hs.8173	hypothetical protein FLJ10803	3.3
		AI825204	Hs.211408	ESTs	4.5
	324001	AL044949	Hs.116298		4.5
55	324036	A1472078	Hs.303662		8.4
	324261	BE069341	11- 400054	gb:QV3-BT0381-270100-073-c08 BT0381 Homo	49.4
		AA431159	Hs.122954		3 3
	324296	AI524039 AA642007	Hs.192524 Hs.116369		3.3
60	3243U3 33AA33	AA464510	Hs.152812		16.5
UU	324432	Al823969	Hs.132678		3.3
	324598	AW972227		Homo sapiens cDNA: FLJ22765 fis, clone K	5
	324603	AW993522	Hs.292934		10.4
	324631	AA937116		ESTs, Weakly similar to I54374 gene NF2	3.3
65	324716	BE169746	Hs.12504		3.2
	324748	AW974941		ESTs, Weakly similar to 178885 serine/th	3
	324771	AA631739	Hs.335440	ESI	3

	324823 324824	AI031771 AW516704 AI826999 AA704806	Hs.132586 Hs.208726 Hs.224624 Hs.143842	ESTs	4.2 3.4 3.1 4.4	
5	324961 324987	AA613792 Al375572 Al805416	Hs.172634 Hs.213897	gb:no97h03.s1 NCI_CGAP_Pr2 Homo sapiens ESTs	3.9 18.8 3.3	
	325146	A1064690	Hs.171176	ESTs	4.2	
10	325372 325544			Phase 2 & 3 Exons Phase 2 & 3 Exons	4.4	
10	327075			Phase 2 & 3 Exons	5.7 3.8	
	332798			C22000007:gi 12314195 emb CAB99338.1  (A	4.3	
	334223		,	NM_005080*:Homo sapiens X-box binding pr	26.2	
15	334447 335809		•	NM_012429*:Homo sapiens SEC14 (S. cerevi NM_014509*:Homo sapiens kraken-like (BK1	3.9 10.1	
	335824			ENSP00000249072*:DJ222E13.1 (N-TERMINAL	20	
	338255	504045		NM_014323*:Homo sapiens zinc finger prot	9	
		R21945 AW812795		splicing factor, arginine/serine-rich 5 ESTs, Moderately similar to 138022 hypot	4	
20		R97268	Hs.177269		4.6 3.2	
	436808	AA731602	Hs.120266		3.9	
		BE382657	Hs.21486		4.1	
	403042	AW836724 M97935	HS.339000	Homo sapiens mRNA expressed only in plac AFFX control: STAT1	3.7 3.2	
25		M97935		AFFX control: STAT1	3	
		M55150		fumarylacetoacetate	3	
		M13755 Al052047		interferon stimulated protein; 15 kDa ESTs	4.5 6.7	
		AA252033		ESTs; Weakly similar to !!!! ALU SUBFAMILY J	6.7 3.2	
30		AA401739		ESTs	3.3	
		H18459		hepatocellular carcinoma associated protein;	3	
	,	R48744 M31682		ESTs inhibin; beta B (activin AB beta polypeptide)	4.2 3	
		AA416873		ESTs	3	
35		D80240		HUM5G11A Human fetal brain (TFujiwara) Homo	4 .	
		R49590		ESTs CH22_FGENES.678_5	3.2 16.8	
				CH22_FGENES.619_7	12.9	
40				CH22_FGENES.619_12	11.3	
40				CH22_EM:AC005500.GENSCAN.127 9 CH22_EM:AC005500.GENSCAN.304 2	9.2 8.5	
				CH22_FGENES.271_8	8.4	
				CH22_FGENES.619_13	8	
45				CH22_FGENES.271_7	7.3	
73				CH22_FGENES.617_7 CH.07_hs gi 6004473	7.2 7.1	
				CH22_FGENES.264_1	6.8	
		X03363		HER2 receptor tyrosine kinase (c erbB 2; ERBB2;	. •	
50				CH22_FGENES.617_9 CH.07_hs gi 5868264	6.5 5.8	
				CH.19_hs gi 5867439	5.7	
				CH22_FGENES.63	5.3	
				CH.17_hs gi 5867230 CH.20_hs gi 6552458	5.1 5.1	
55				CH22_EM:AC005500.GENSCAN.148 22	4.7	
				CH22_FGENES.669_10	4.6	
		AA034918		KIAA1028 protein	4.6	
				CH22_FGENES.48_12 CH22_FGENES.118_2	4.5 4.5	
60		AF049569		ESTs	4.4	
		M13955		multiple UniGene matches	4.3	
				CH22_FGENES.619_8 CH22_FGENES.13 7	4.3 4.3	
		HG4126 HT43	396		Zinc Finger Protein Hzf4	4.3
65				CH22_FGENES.360_3	4.3	
				CH22_FGENES.706_9 CH.21_hs gi[6531965	4.3 4.2	
					<del></del>	

		CH.17_hs gi 5867215	4.1	
	11000441170740	CH22_FGENES.669_8	4.1 Collagen, Type Viii, Alpha 1 4.1	
	HG2614 HT2710	CH22_FGENES.48_18	4.1	
5	VODEDE	matrix metalloproteinase 14 (membrane inserted)	4	
3	X83535	CH22_FGENES.271_6	3.9	
		CH22_FGENES.271_0 CH22_FGENES.617_3	3.9	
		CH22_FGENES.617_3 CH22_FGENES.290_8	3.8	
	HG4716 HT5158	CH22_FGENE3.290_0	Guanosine 5' Monophosphate Synthase	3.8
10	NG47 10 H 13 130	CH22_FGENES.13 5	3.8	0.0
10		CH22_FGENES.13 2	3.8	
		CH.14_hs gi 6682474	3.8	
		CH.02_hs gij5867750	3.8	
		CH22_FGENES.617_8	3.7	
15	HG4677 HT5102	01122_1 021120.011_0	Oncogene Ret/Ptc2, Fusion Activated	3.7
13	11040171110102	CH22_DJ32I10.GENSCAN.23 39	3.7	
		CH22_FGENES.543_20	3.7	
		CH22_EM:AC005500.GENSCAN.96 1	3.7	
		CH22_FGENES.204_2	3.5	
20		CH22_FGENES.619_4	3.5	
20		CH.16_hs gi 5867087	3.5	
	AA714311	EST cluster (not in UniGene)	3.4	
		CH22_EM:AC005500.GENSCAN.149 9	3.4	
		CH22_EM:AC005500.GENSCAN.421 5	3.4	
25		CH22_FGENES.13 4	3.3	
		CH.07_hs gij6004478	3.3	
		CH22_FGENES.360_1	3.3	
	HG2465 HT4871		Dna Binding Protein Ap 2, Alt. Splice 3	3.3
		CH22_FGENES.6_2	3.3	
30		CH22_C20H12.GENSCAN.16 2	3.2	
		CH22_C65E1.GENSCAN.8 1	3.2	
	AA707750	ESTs; Weakly similar to cis Golgi matrix	3.1	
		CH22_FGENES.307_4	3.1	
25		CH22_EM:AC005500.GENSCAN.248 14	3.1	
35		CH.06_hs gi 5902482	3.1	
		CH22_FGENES.669_5	3.1 3.1	
		CH22_DJ32I10.GENSCAN.19 8	3.1	
		CH22_FGENES.527_6	3.1	
40		CH22_FGENES.330_10	3.1	
40	A A D 7 C D 7 A	CH22_FGENES.14 2	3.1	
	AA976074	ESTs	3	
		CH22_FGENES.226 7 CH22_FGENES.13 3	3 3	
		CH22_FGENES.15 5 CH22_EM:AC005500.GENSCAN.209 12	3	
45		CH22_EM:AC005500.GENSCAN.209 12 CH22_FGENES.271_3	3	
43	•	URZZ_FGENEO.ZFI_O	<b>J</b>	

#### TABLE 17A

Table 17A shows the accession numbers for those pkeys lacking unigeneID's for Table 17. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (Double Twist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

5

```
Pkey:
                Unique Eos probeset identifier number
CAT number:
                 Gene duster number
Accession:
                Genbank accession numbers
```

15

```
Pkey
               CAT number Accession
        116845 393481_1
                            AA649530 AA659316 H64973
20
        103207 30635_-4
                            X72790
        126257 182217_1
                            N99638 AW973750 AA328271 H90994 AA558020 AA234435 N59599 R94815
        102791 37186_1
                            AF080229 AF080231 AF080230 AF080232 AF080233 AF080234 BE550633 Al636743 AW614951 BE467547 Al680833
                            Al633818 N29986 U87592 U87593 U87590 U87591 S46404 U87587 AA463992 AW206802 Al970376 Al583718 Al672574
                            N25695 AW665466 Al818326 AA126128 Al480345 AW013827 AA248638 Al214968 AA204735 AA207155 AA206262 AA204833
25
                            AW003247 AW496808 Al080480 Al631703 Al651023 Al867418 AW818140 AA502500 Al206199 Al671282 Al352545 BE501030
                            Al652535 BE465762 AA206331 AW451866 AA471088 AA206342 AA204834 AA206100 AW021661 AA332922 N66048
                            AA703396 H92278 AW139734 H92683 U87589 U87595 H69001 U87594 BE466420 Al624817 BE466611 Al206344 AA574397
                            AA348354 Al493192
                            AW450979 AA136653 AA136656 AW419381 AA984358 AA492073 BE168945 AA809054 AW238038 BE011212 BE011359
        126872 142696_1
30
                            BE011367 BE011368 BE011362 BE011215 BE011365 BE011363
        112631 1746257_1
                            R82040 R70934
        120742 176835_1
                            AA225084 AA302713
                            Al311928 AA936030 T51931 AA609816 AA487195 AA664207
        106864 324239 1
        109700 genbank_F09609
                                      F09609
35
        111532 genbank_R08440
                                      R08440
        113938 genbank_W81598
                                      W81598
        113947 genbank_W84768
                                      W84768
        124357
               genbank_N22401
                                      N22401
        108733 504187_1
                            AA121022 AA126422
40
        112303 genbank_R54797
                                      R54797
        322136 46802_1
                            AF075083 H52291 H52528
        322296 47334_1
                            W76326 AF086341 W72300
        321811 1527481_1
                            D80630 D80896 D80895
        314648 293660_1
                            AW979268 AA878419 AA431342 AA431628
45
        322520 38916_1
                            T55958 T57205 AF147346
        322521 38917_1
                            AF147347 T55426 T55503
        322675 86787_1
                            AA017656 AA017374 AA019761
        323332 179142_1
                            Al829520 Al791832 AA228414 Al791823 AA229211 AA229315
                            Al433540 AA728984 AA804981
        316186 425440_1
50
        322975 1510563_1
                            C16391 C16413
        324261 273265_1
                            BE069341 AW748403 AL044891 Al908240 AA393080
        323817 233566_1
                            AA410943 AW948953 AA334202 AA332882
        301976 128835_1
                            T97905 AA101672
                            AA613792 AW182329 T05304 AW858385
        324961 376239_1
55
        303642 284260_1
                            AW299459 AA417112
                            AW629759 AW749955 AA633408 Al651005
        303797 386364_1
        319551 357371_1
                            AA761668 AA573621 R92814 R09670
        311935 174129_1
                            AA216387 T63548 AA228676
        319834 112523 1
                            AA071267 T65940 T64515 AA071334
60
        319977 345248_1
                            AA534222 AA632632 T81234
                            AA740616 AA654854 AA229923
        314138 179960_1
        313591 103087_1
                            AA046309 Al263500 AA046397
```

308106 Al476803
338255 CH22\_6856FG\_\_LINK\_EM:AC00
335809 CH22\_3181FG\_617\_6\_LINK\_EM
335824 CH22\_3197FG\_619\_11\_LINK\_E

5 307010 Al140014
307041 Al144243
305913 AA876109
305917 AA876469
309574 AW168083

10 325372 c12\_hs
325544 c12\_hs
32798 CH22\_14FG\_6\_5\_LINK\_C4G1.G
334223 CH22\_1507FG\_360\_4\_LINK\_EM
327075 c21\_hs
327075 c21\_hs
334447 CH22\_1746FG\_387\_7\_LINK\_EM
304782 AA582081
313434 441798\_1 W92070 AW019952 W92053

# **TABLE 17B**

Table 17B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 17. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

10	Pkey: Ref:	Unique number corresponding to an Eos probeset Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication
10	IXGI.	entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.
	Strand:	Indicates DNA strand from which exons were predicted.
	Nt_position:	Indicates nucleotide positions of predicted exons.

15	Pkey	Ref	Strand	Nt_position
	334447	Dunham, I. et.al.	Plus	14308764-14308824
	335809	Dunham, I. et.al.	Plus	26310772-26310909
20	335824	Dunham, I. et.al.	Plus	26376860-26376942
	332798	Dunham, I. et.al.	Minus	232147-231974
	334223	Dunham, I. et.al.	Minus	12734365-12734269
	338255	Dunham, I. et.al.	Minus	15242294-15242231
	325372	5866920	Minus	1117061-1117304
25	325544	6682452	Plus	171228-171286
	327075	6531965	Plus	4041318-4041431

#### TABLE 18: Table 2 from BRCA 014 P

Table 18 shows genes with atleast five times the expression in breast tumor tissue than is expressed in normal body tissues.

Pkey: Unique Eos probeset identifier number
ExAccn: Exemplar Accession number, Genbank accession number
UnigenelD: Unigene number
Unigene Title: Unigene gene title
R1: Ratio of tumor to normal body tissue

15 Pkey ExAccn UnigenelD **Unigene Title** R1 interferon-stimulated protein, 15 kDa 5.3 101378 BE563085 Hs.833 101530 M29874 Hs.1360 cytochrome P450, subfamily IIB (phenobar Hs.180884 carboxypeptidase B1 (tissue) 12 101767 M81057 20 Hs.183650 101878 M97815 cellular retinoic acid-binding protein 2 6.5 Hs.161640 12.4 103010 X52509 tyrosine aminotransferase 104115 AF183810 Hs.26102 opposite strand to trichorhinophalangeal 7.6 6.9 104825 AA035613 Hs.141883 **ESTs** 107105 AW963419 Hs.155223 5.3 stanniocalcin 2 25 6.1 108819 AA011449 Hs.271627 **ESTs** 112287 AB033064 Hs.334806 KIAA1238 protein 7.3 112561 Al791493 Hs.129873 ESTs, Weakly similar to A36036 cytochrom 8.2 Hs.164599 5.4 112637 R82331 **ESTs** 113206 BE262470 Hs.241471 6.2 RNB6 30 113970 W27249 Hs.8109 hypothetical protein FLJ21080 6.9 114965 Al733881 Hs.72472 BMP-R1B 10.1 118925 N92293 Hs.206832 ESTs, Moderately similar to ALU8\_HUMAN A 19.7 119905 AW449064 Hs.119571 8.4 collagen, type III, alpha 1 (Ehlers-Danl inhibin, beta B (activin AB beta polypep 5.6 121611 M31669 Hs.1735 129301 AF182277 Hs.330780 cytochrome P450, subfamily IIB (phenobar 6.2 35 133976 Al908165 Hs.169946 GATA-binding protein 3 (T-cell receptor 6.2 msh (Drosophila) homeo box homolog 2 134731 D89377 Hs.89404 5.8 300254 AW183618 Hs.55610 solute carrier family 30 (zinc transport 9.9 301884 AA312082 Hs.105445 GDNF family receptor alpha 1 5.7 40 302001 AB020711 Hs.278346 KIAA0904 protein 7.7 CEGP1 protein 302067 BE542706 Hs.222399 7.3 302276 AW057736 Hs.323910 HER2 receptor tyrosine kinase (c-erb-b2, 5.4 302290 AA179949 Hs.175563 Homo sapiens mRNA: cDNA DKFZp564N0763 (f 34.1 302372 AL117406 Hs.200102 ATP-binding cassette transporter MRP8 6.7 45 302385 AJ224172 Hs.204096 lipophilin B (uteroglobin family member) 13.8 309177 Al951118 Hs.326736 Homo saplens breast cancer antigen NY-BR 17.3 309583 AW170035 Hs.326736 Homo sapiens breast cancer antigen NY-BR 57.6 310781 Al380797 Hs.158992 **ESTs** 10.2 311166 Al821005 Hs.118599 10.8 50 311935 AA216387 gb:nc16b02.s1 NCI\_CGAP\_Pr1 Homo sapiens 5.2 312153 BE261944 Hs.118625 5.2 hexokinase 1 313328 AW449211 Hs.105445 GDNF family receptor alpha 1 12.4 313915 C18863 Hs.163443 Homo sapiens cDNA FLJ11576 fis, clone HE 26.3 314097 AA648744 Hs.269493 6.6 gb:ny97f11.s1 NCI\_CGAP\_GCB1 Homo saplens 5.9 55 314138 AA740616 314506 AA833655 Hs.206868 Homo sapiens cDNA FLJ14056 fis, clone HE 8.5 314558 Al873274 Hs.190721 27.4 **ESTs** 314691 AW207206 Hs.136319 20.7 **ESTs** Transmembrane protease, serine 3 10.9 315006 Al538613 Hs.298241 60 315021 AA533447 Hs.312989 5.3 **ESTs** 315051 AW292425 Hs.163484 12.9 **ESTs** ESTs, Moderately similar to ALUC\_HUMAN ! 315060 AA551104 Hs.189048 5.8

	315196	AI367347	Hs.44898	Homo sapiens clone TCCCTA00151 mRNA sequ	8.2	
	315530	AW015415	Hs.127780	ESTs	8.9	
	315634	AA837085	Hs.220585	ESTs	6.3	
_	316012	AA764950	Hs.119898	ESTs	7	
5	316177	A1904982	Hs.293102	ESTs, Moderately similar to ALU1_HUMAN A	30.7	
		AA938198		poly(A) polymerase gamma	9.4	
	317803	AW664964	Hs.128899	ESTs	6.1	
	317881	A1827248	Hs.224398	Homo sapiens cDNA FLJ11469 fis, clone HE	9.6	
	318740	NM_002543	3Hs.77729	oxidised low density lipoprotein (lectin	7.3	
10	318744	Al793124	Hs.144479	ESTs	17.8	
	320211	AL039402	Hs.125783	DEME-6 protein	9.2	
	321107	AI732643	Hs.144151	ESTs	12.3	
	321644	AW975944	Hs.237396	ESTs	11.7	
	321978	N77342	Hs.21851	Homo sapiens cDNA FLJ12900 fis, clone NT	5	
15	322035	AL137517	Hs.334473	hypothetical protein DKFZp564O1278	19	
	322766	AW068805	Hs.288467		5.2	
		AW043782			7.6	
	322975	C16391		gb:C16391 Clontech human aorta polyA mRN	16.5	
	323262	AL133990	Hs.190642	ESTs	10.5	
20	323332	AI829520		gb:wl19c06.x1 NCI_CGAP_Ut1 Homo sapiens	6.2	
	323817	AA410943		BMP-R1B	8.4	
	324261	BE069341		gb:QV3-BT0381-270100-073-c08 BT0381 Homo	49.4	
	324432	AA464510	Hs.152812	ESTs	16.5	
	324598	AW972227	Hs.163986	Homo sapiens cDNA: FLJ22765 fis, clone K	5	
25	324603	AW993522	Hs.292934	ESTs	10.4	
	324987	AI375572	Hs.172634	ESTs	18.8	
	325544		•	Phase 2 & 3 Exons	5.7	
	330388		Hs.46	HER2 receptor tyrosine kinase (c-erb-b2,	6.6	
	334223			NM_005080*:Homo sapiens X-box blinding pr	26.2	
30	335809			NM_014509*:Homo sapiens kraken-like (BK1	10.1	
	335824			ENSP00000249072*:DJ222E13.1 (N-TERMINAL	2	20
		A1052047		ESTs; Weakly similar to CYTOCHROME P450	6.7	
		R72427		CH22_EM:AC005500.GENSCAN.127 9	5.5	
					9.2	
35				CH22_FGENES.617_9	8	
				CH22_FGENES.271_7	6.5	
					7.3	
				CH22_FGENES.271_8	12.9	
					8.4	
40				CH22_EM:AC005500.GENSCAN.304 2	11.3	
				CH.07_hs gi 6004473	8.5	
				CH22_FGENES.617_7	7.1	
				CH22_FGENES.678_5	7.2	
					16.8	

### TABLE 18A

Table 18A shows the accession numbers for those pkeys lacking unigeneID's for Table 18. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

5

Pkey: Unique Eos probeset identifier number

CAT number: Gene cluster number
Accession: Genbank accession numbers

15

	Pkey	CAT number	Accession
20	322975 324261 323817 311935	179142_1 1510563_1 273265_1 233566_1 174129_1	Al829520 Al791832 AA228414 Al791823 AA229211 AA229315 C16391 C16413 BE069341 AW748403 AL044891 Al908240 AA393080 AA410943 AW948953 AA334202 AA332882 AA216387 T63548 AA228676
-25	335809 335824 325544	179960_1 CH22_3181FG_6 CH22_3197FG_6 c12_hs CH22_1507FG_3	319_11_LINK_E

# **TABLE 18B**

Table 18B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 18. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

10 15	Ref: Strand: Nt_position:		ue number corresponding to an Eos probeset uence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495. ales DNA strand from which exons were predicted. ates nucleotide positions of predicted exons.				
	Pkey	Ref	Strand	Nt_position			
20	335824	Dunham, I. et.al. Dunham, I. et.al. Dunham, I. et.al. 6682452	Plus	26310772-26310909 26376860-26376942 12734365-12734269 171228-171286			

# TABLE 19: 1045 GENES UP-REGULATED IN BREAST CANCER COMPARED TO NORMAL ADULT TISSUES

Table 19 shows 1045 genes up-regulated in breast cancer compared to normal adult tissues. These were selected from 59680 probesets on the Affymetrix/Eos-Hu03 GeneChip array such that the ratio of "average" breast cancer to "average" normal adult tissues was greater than or equal to 2.5. The "average" breast cancer level was set to the 90<sup>th</sup> percentile value. The "average" normal adult tissue level was set to the 90<sup>th</sup> percentile value amongst 144 non-malignant tissues. In order to remove gene-specific background levels of non-specific hybridization, the 15<sup>th</sup> percentile value amongst the 144 non-malignant tissues was subtracted from both the numerator and the denominator before the ratio was evaluated.

•	
Pkey:	Unique Eos probeset identifier number
ExAcon:	Exemplar Accession number, Genbank accession number
UniaenelD:	Unigene number
Unigene Title:	Unigene gene title
	ExAccn: UnigenelD:

R1: Ratio of tumor to normal body tissue

20					
	Pkey	ExAccn	UnigeneiD	UnigeneTitle	R1
	408591	AF015224	Hs.46452	mammaglobin 1	137.6
25	406964	M21305		gb:Human alpha satellite and satellite 3	71.0
	400291	AA401369	Hs.190721	ESTs	68.4
	407277	AW170035		Homo sapiens breast cancer antigen NY-BR	54.2
	449746	Al668594	Hs.176588		46.4
	426878	BE069341		gb:QV3-BT0381-270100-073-c08 BT0381 Homo	
30	400292	AA250737	Hs.72472	BMP-R1B	37.4
	427585	D31152	Hs.179729	collagen, type X, alpha 1 (Schmid metaph	32.9
	408045	AW138959	Hs.245123	ESTS	31.9
	407178	AA195651	Hs.104106	ESTs	30.4
	407377	C16391		gb:C16391 Clontech human aorta polyA mRN	27.7
35	450705	U90304	Hs.25351	iroquois homeobox protein 5	24.8
	407212	AA412108	Hs.269350	ESTs	22.0
	428848	NM_000230	Hs.194236	leptin (murine obesity homolog)	21.9
	404561			trichorhinophalangeal syndrome I (TRPS1)	21.8
	407980	AA046309		gb:zf12f01.s1 Soares_fetal_heart_NbHH19W	19.8
40	447350	AI375572	Hs.172634	ESTs	17.3
	450375	AA009647	Hs.8850	a disintegrin and metalloproteinase doma	16.6
	422109	S73265	Hs.1473	gastrin-releasing peptide	16.5
	435496	AW840171	Hs.265398	ESTs, Weakly similar to transformation-r	16.0
	453160	A1263307	Hs.239884	H2B histone family, member L	15.8
45	420813	X51501	Hs.99949	prolactin-induced protein	15.8
	415989	AI267700	Hs.317584	ESTs	15.5
	422505	AL120862	Hs.124165	programmed cell death 9 (PDCD9)	14.8
	424399	AI905687	Hs.2533	aldehyde dehydrogenase 9 family, member	14.5
	423575	C18863	Hs.163443	Homo sapiens cDNA FLJ11576 fis, clone HE	13.7
50	429441	AJ224172	Hs.204096	Ilpophilin B (uteroglobin family member)	13.6
	431474	AL133990	Hs.190642	ESTs	13.5
	448595	AB014544	Hs.21572	KIAA0644 gene product	13.0
	427217	AA399272	Hs.144341	ESTs	12.8
	402578			C1001134:gi[2117372[pir]][65981 fatty ac	12.6
55	422805	AA436989	Hs.121017	H2A histone family, member A	12.2
	424634	NM_003613	Hs.151407	cartilage intermediate layer protein, nu	12.0
		AA193450		gb:zr40e07.r1 Soares_NhHMPu_S1 Homo sapi	11.9
		Al351010	Hs.102267	lysyl oxidase	11.9
		AA031956		gb:zk15e04.s1 Soares_pregnant_uterus_NbH	11.5

20

		AW291168	Hs.41295	ESTs, Weakly similar to MUC2_HUMAN MUCIN	11.5
		NM_001394	Hs.2359	dual specificity phosphatase 4	11.5
		Al951118		Homo sapiens breast cancer antigen NY-BR	11.4
5		AW137148 AL035414	Hs.21068	Homo sapiens cDNA FLJ11382 fis, clone HE hypothetical protein	11.3 11.1
,		NM_007115	Hs.29352	tumor necrosis factor, alpha-induced pro	11.0
		A1684808		programmed cell death 9 (PDCD9)	10.9
	452461	N78223		transcription factor	10.7
10		AW873596		calmodulin 2 (phosphorylase kinase, delt	10.6
10	421155	H87879	Hs.102267	lysyl oxidase	10.5
	402606	A A E 700E2	U- 22072	NM_024626:Homo sapiens hypothetical prot	10.4
		AA576953 Al370413	Hs.22972 Hs.36563	hypothetical protein FLJ13352 hypothetical protein FLJ22418	10.4 10.3
		Al357412	Hs.157601		10.3
15		W72838	Hs.2533	aldehyde dehydrogenase 9 family, member	10.1
		NM_002497		NIMA (never in mitosis gene a)-related k	10.1
		AW292425	Hs.163484		9.9
		AI873274	Hs.190721		9.9
20	438950	H23789 BE218705	Hs.144530		9.8
20	425692			metallothionein-like 5, testis-specific N-acetyltransferase 1 (arylamine N-acety	9.7 9.7
		W20027	Hs.23439	ESTs	9.6
		AL360204		Homo sapiens mRNA full length insert cDN	9.6
0.5		A1624342	Hs.170042		9.5
25		A1907673	11- 00004	gb:iL-BT152-080399-004 BT152 Homo sapien	9.3
		AI267652 AJ224741	Hs.30504 Hs.278461	Homo sapiens mRNA; cDNA DKFZp434E082 (fr	
		AJ224741 AI127076		hypothetical protein DKFZp564O1278	9.1 9.1
	449448		Hs.57471	ESTs	9.1
30	423945	AA410943		gb:zt32h03.r1 Soares ovary tumor NbHOT H	9.1
	406348			Target Exon	9.0
	424735			short-chain alcohol dehydrogenase family	9.0
	453392	U23752 AF026944	Hs.32964 Hs.293797	SRY (sex determining region Y)-box 11	9.0 8.8
35	405654		NS.293/9/	C12001521:gi]7513934 pir [T31081 cca3 pr	8.8
55		AA279490	Hs.86368	calmegin	8.8
		A1955040		ESTs, Weakly similar to transformation-r	8.7
		AW732573	Hs.47584	potassium voltage-gated channel, delayed	8.5
40		AB033025	Hs.50081	KIAA1199 protein	8.4
40		BE379594 N52812	Hs.49136 Hs.177403	ESTs, Moderately similar to ALU7_HUMAN A	8.3
		W67883		paternally expressed 10	8.2 8.2
		NM_007050		protein tyrosine phosphatase, receptor t	8.1
		AL080207		DKFZP434G232 protein	8.1
45	405095			Target Exon	8.1
		AA236115	Hs.120785		8.0
		AF026941 BE242870	Hs.17518 Hs.75379	Homo sapiens cig5 mRNA, partial sequence solute carrier family 1 (glial high affi	8.0 8.0
		AW876523	Hs.15929	hypothetical protein FLJ12910	8.0
50		R17798	Hs.7535	COBW-like protein	7.9
	434424	AI811202		Homo sapiens cDNA: FLJ23523 fis, clone L	7.9
	420931			small inducible cytokine B subfamily (Cy	7.9
		M31126	Hs.272620	matrix metalloproteinase 11 (MMP11; stro	7.8
55	400285	NA T27503	Hs.15929	Eos Control hypothetical protein FLJ12910	7.7 7.6
55	427119	AW880562	Hs.114574		7.5
		AW976987		ESTs, Weakly similar to 2109260A B cell	7.5
	433426	H69125	Hs.133525	ESTs	7.5
<i>c</i> 0		A1222020		CocoaCrisp	7.4
60		H59846		ESTs, Moderately similar to ALU7_HUMAN A	7.4
		A1380797 AA948033	Hs.158992 Hs.130853		7.3 7.2
		AW602166		CEGP1 protein	7.2
		AW368397	Hs.150042	Homo sapiens cDNA FLJ14438 fis, clone HE	7.1
65		AW242243		peroxisomal famesylated protein	7.0
		AK001468	Hs.62180	anillin (Drosophila Scraps homolog), act	6.9
	445885	A1734009	rts. 12/699	KIAA1603 protein	6.9

	429432	A1678059	Hs.202676	synaptonemal complex protein 2	6.9
	410781	Al375672	Hs.165028	ESTs	6.9
	443788	A1732643	Hs.144151		6.9
-		AA808229	Hs.167771		6.8
5		Al793124	Hs.144479		6.8
	404253	A1045504	11- 424004	NM_021058*:Homo sapiens H2B histone fami	6.8
	-	Al015591 AW963419		· · · · · · · · · · · · · · · · · ·	6.7 6.6
		AA321649	Hs.2248		6.6
10		BE545072			6.6
-0		AW818127		gb:CM1-ST0277-061299-059-b07 ST0277 Homo	
	-	AI418055	Hs.161160		6.6
	442580	A1733682	Hs.130239	ESTs	6.6
		Al970394	Hs.197075		6.6
15	408000		Hs.620	bullous pemphigoid antigen 1 (230/240kD)	6.5
	420757		Hs.99915	androgen receptor (dihydrotestosterone r	6.5
		BE041395		ESTs, Weakly similar to unknown protein	6.5 6.5
	400301	AW023482	Hs.1657 Hs.97849		6.5
20		U79293		Human clone 23948 mRNA sequence	6.4
20		W29092	Hs.7678	cellular retinoic acid-binding protein 1	6.4
		NM_003866		Inositol polyphosphate-4-phosphatase, ty	6.4
		AW004854		hypothetical protein FLJ23537	6.4
	431448	AL137517	Hs.334473	hypothetical protein DKFZp564O1278	6.2
25		NM_014398	Hs.10887	similar to lysosome-associated membrane	6.1
		AA586894		S100 calcium-binding protein A7 (psorias	6.1
		A1240665	Hs.8895	ESTS	6.1
		M13509 AA972965	Hs.83169 Hs.135568	matrix metalloproteinase 1 (MMP1; inters	6.0 6.0
30		R45154	Hs.106604		6.0
50		AA464510	Hs.152812		5.9
		AA310693	Hs.87329	HSPC072 protein	5.9
	433285	AW975944	Hs.237396	ESTs	5.9
		H39960		Homo sapiens cDNA FLJ12280 fis, clone MA	5.9
35		AF115402	Hs.11713	E74-like factor 5 (ets domain transcript	5.9
		AW803341	11- 450000	gb:IL2-UM0079-090300-050-D03 UM0079 Homo	
		AL049689		hypothetical protein similar to tenascin monokine induced by gamma interferon	5.9 5.8
		X72755 R20991	Hs.77367	gb:yg06h01.r1 Soares infant brain 1NIB H	5.8
40		N28519	Hs.135191	ESTs, Weakly similar to unnamed protein	5.8
••		AL031224	Hs.33102	transcription factor AP-2 beta (activati	5.8
		W52854	Hs.27099	hypothetical protein FLJ23293 similar to	5.7
	430510	AW162916	Hs.241576	hypothetical protein PRO2577	5.7
4.5		AI733881	Hs.72472	BMP-R1B	5.6
45		AW016531	Hs.122147		5.6
•		AW067903	Hs.82772	collagen, type XI, alpha 1	5.5 5.5
		AA463893 R41396	Hs.220933	hypothetical protein FLJ23045	5.5
		AW299598	Hs.50895	homeo box C4	5.4
50		AW748078	Hs.214410	ESTs, Weakly similar to MUC2_HUMAN MUCIN	
-		AI742605	Hs.193696		5.4
	453931	AL121278	Hs.25144		5.4
		BE246919	Hs.10290	U5 snRNP-specific 40 kDa protein (hPrp8-	5.4
<i>E E</i>		BE167434	Hs.98471	ESTs, Weakly similar to T18712 hypotheti	5.4
55		A1879148	Hs.26770	fatty acid binding protein 7, brain	5.4
		AW067800 AA291553	Hs.155223 Hs.190086		5.3 5.3
		AW970060	H2. 120000	gb:EST382140 MAGE resequences, MAGK Horr	
		AA421081	Hs.12388	ESTs	5.3
60		U65011	Hs.30743	preferentially expressed antigen in mela	5.3
-		AB028945	Hs.12696	cortactin SH3 domain-binding protein	5.3
		X52509	Hs.161640	tyrosine aminotransferase	5.3
		L32137	Hs.1584	cartilage oligomeric matrix protein (COM	5.2
<b>C E</b>		R28363	Hs.24286	ESTS	5.2
65		AW207084	HS.132816	hypothetical protein MGC14801 ESTs, Moderately similar to ALU8_HUMAN A	5.2 5.2
		N92293	Hs.79136	LIV-1 protein, estrogen regulated	5.2
	4 102/0	U41060	113.13130	Ela-1 biogent conniction	٠,٢

		X03363		HER2 receptor tyrosine kinase (c-erb-b2,	5.2
	418004	U37519	Hs.87539	aldehyde dehydrogenase 3 family, member	5.2
		AW449211		GDNF family receptor alpha 1	5.2
_	428771	AB028992	Hs.193143	KIAA1069 protein	5.2
5	455047	AW852530		gb:PM1-CT0243-071099-001-g06 CT0243 Homo	5.2
	419169	AW851980	Hs.262346	ESTs, Weakly similar to S72482 hypotheti	5.2
	453197	AI916269	Hs.109057	ESTs, Weakly similar to ALU5_HUMAN ALU S	5.1
	400298	AA032279	Hs.61635	six transmembrane epithelial antigen of	5.1
	431023	Al283133	Hs.297420		5.1
10	427666	Al791495	Hs.180142	calmodulin-like skin protein	5.1
	427718	A1798680	Hs.25933	ESTs	5.1
	434531	AA642007	Hs.116369	ESTs	5.1
	429220	AW207206	Hs.136319		5.1
	405494	NA		C2001837*:gi[12697903]dbj[BAB21770.1] (A	5.1
15	452930	AW195285	Hs.194097	ESTs, Weakly similar to I38022 hypotheti	5.1
	444910	Al201849		gb:qs76g04.x1 NCI_CGAP_Pr28 Homo sapiens	5.1
	453310	X70697	Hs.553	solute carrier family 6 (neurotransmitte	5.0
	444381	BE387335	Hs.283713	ESTs, Weakly similar to S64054 hypotheti	5.0
	450603	R43646	Hs.12422	ESTs	5.0
20	416575	W02414	Hs.38383	ESTs	5.0
	438504	AW665281	Hs.224625	ESTs	5.0
	416209	AA236776	Hs.79078	MAD2 (mitotic arrest deficient, yeast, h	5.0
	428804	AK000713	Hs.193736	hypothetical protein FLJ20706	5.0
	420077	AW512260	Hs.87767	ESTs	4.9
25	450480	X82125	Hs.25040	zinc finger protein 239	4.9
	437637	AJ003029	Hs.65792	syntrophin, gamma 2	4.9
	431808	M30703	Hs.270833	amphiregulin (schwannoma-derived growth	4.9
		A1655499	Hs.161712		4.8
20		Al820662	Hs.129598		4.8
30		AF220050	Hs.181385	uncharacterized hematopoletic stem/proge	4.8
	400286			C16000922:gi[7499103 pir][T20903 hypothe	4.8
		U71600		gb:Human zinc finger protein zfp31 (zf31	4.8
		A1831190	Hs.166676		4.8
25		BE218239	Hs.202656		4.8
35		A1217477	Hs.194591		4.8
		AW997556	Hs.78521	•	4.8
		BE440042	Hs.83326	matrix metalloproteinase 3 (stromelysin	4.7
		AI349764 AA191493	Hs.217081 Hs.48778	niban protein	4.7 4.7
40	400284		113.40770	estrogen receptor 1	4.7
70		AW248508	He 270727	Homo sapiens cDNA FLJ14035 fis, clone HE	4.7
		R42185	Hs.274803		4.7
		BE062109		chloride channel, calcium activated, fam	4.7
		AW961489	Hs.154116		4.7
45		NM_003462	Hs.33846	dynein, axonemal, light intermediate pol	4.7
		AF077345	Hs.177936		4.6
		AW813731		ESTs, Moderately similar to S65657 alpha	4.6
	454074	R63503	Hs.28419	ESTs	4.6
	405718			C4000799*:gij6330365 dbj BAA86508.1  (AB	4.6
50	444649	AW207523	Hs.197628		4.6
	429431	Z40313	Hs.106330	Homo sapiens clone IMAGE:23371, mRNA seq	4.6
	427811	M81057	Hs.180884	carboxypeptidase B1 (tissue)	4.6
		Al199268	Hs.19322	Homo sapiens, Similar to RIKEN cDNA 2010	4.6
		AK000282	Hs.239681	hypothetical protein FLJ20275	4.6
55		AW855717		gb:RC1-CT0279-081299-013-b01 CT0279 Homo	
		AA242758	Hs.79136	LIV-1 protein, estrogen regulated	4.6
		AA808189	Hs.272151		4.6
		AW936273		gb:QV0-DT0020-090200-107-g07 DT0020 Home	
<b>C</b> O		AL036877	Hs.282878		4.6
60		AA514660	Hs.128443		4.6
		H15261	Hs.21948	ESTs	4.6
		AW246333	Hs.17901	Homo sapiens, clone IMAGE:3937015, mRNA,	4.6
		AJ245671	Hs.12844	EGF-like-domain, multiple 6 (EGFL6)	4.5
65		AW966399	Hs.46821	hypothetical protein FLJ20086	4.5
UJ		W68815	US:30 1000	Homo saplens cDNA FLJ11346 fis, clone PL gb:UI-HF-BN0-akx-e-02-0-UI.r1 NIH_MGC_50	4.5 4.5
		AW503329	He 247/02	annexin A2	4.5 4.5
	400/4/	AI925153	D3.∠1/493	OTHERS MA	4.3

	412102	HEGA2E		gb:yq98e09.r1 Soares fetal liver spleen	4.5
	431716		He 268012	fatty-acid-Coenzyme A ligase, long-chain	4.5
		AW814902	113.200012	gb:MR1-ST0206-120400-022-f08 ST0206 Homo	
	401418			C14000338*:gij7459502 pir  S74665 outer	4.5
5		AK001074	Hs 333435	Homo sapiens cDNA FLJ10212 fis, clone HE	4.5
•		AK001581		hypothetical protein FLJ10719; KIAA1794	4.4
		AA135257	Hs.47783	B aggressive lymphoma gene	4.4
		AA335497		ESTs, Weakly similar to 138022 hypotheti	4.4
		AW419196		hypothetical protein FLJ13782	4.4
10		AW664964	Hs.128899		4.4
		BE463857		hypothetical protein FLJ21062	4.4
		R31178		fibronectin 1	4.4
	410534	AW905138		gb:QV0-NN1071-280400-207-g07 NN1071 Home	54.4
	405196			C2000662*:gi]7512792jpir  T12482 hypothe	4.4
15	430217	N47863	Hs.336901	ribosomal protein S24	4.4
	401793			C17001545:gij5360127 gb AAD42882.1 AF155	4.4
	415747	AA381209		gb:EST94257 Activated T-cells I Homo sap	4.4
	423679	AB007975	Hs.131454	KIAA0506 protein	4.4
	400238	NA		C19000274*:gij12741327 refjXP_008833.2]	4.4
20	425627	AF019612	Hs.297007	membrane-bound transcription factor prot	4.4
	400608			C10001899:gi 7508633 pir  T25392 hypothe	4.4
	458634	AV657310	Hs.282898		4.3
	407771	AL138272	Hs.62713	ESTs	4.3
	405906			Target Exon	4.3
25	405925			Target Exon	4.3
		BE247684	Hs.103070		4.3
		H57646	Hs.42586	KIAA1560 protein	4.3
		N63855	Hs.142634	zinc finger protein	4.3
20		AA603305		gb:np12d11.s1 NCI_CGAP_Pr3 Homo sapiens	4.3
30		N71277	11. 20705	gb:za36e03.s1 Soares fetal liver spleen	4.3
		AA102670	Hs.70725	gamma-aminobutyric acid (GABA) A recepto	4.2 4.2
		A1266484	Hs.31570	ESTs, Weakly similar to KIAA1324 protein ESTs	4.2
		AA291377	Hs.50831		4.2
35		AA033714 NM_001898		hypothetical protein FLJ14260 cystatin SN	4.2
55		BE158766	115.125114	gb:IL2-HT0397-071299-024-F02 HT0397 Homo	
		BE144884		gb:CM0-HT0182-041099-065-e11 HT0182 Home	14.2
		BE538082	Hs.8172	ESTs, Moderately similar to A46010 X-lin	4.2
		AF123050	Hs.44532	diubiquitin	4.2
40		S82472	110.44002	gb:beta -pol=DNA polymerase beta (exon a	4.2
-10	404285			C6001909:gij704441 db  BAA18909.1  (D298	4.2
		NM_005940	Hs.155324		4.2
		AW812795		ESTs, Moderately similar to 138022 hypot	4.2
		AA026880	Hs.25252	prolactin receptor	4.2
45		AW592167	Hs.293299		4.2
	426451	AI908165	Hs.169946	GATA-binding protein 3 (T-cell receptor	4.2
	415227	AW821113	Hs.72402	ESTs	4.2
	452176	AA024538	Hs.282990	Human DNA sequence from clone RP1-28H20	4.2
	452862	AW378065	Hs.8687	ESTs	4.2
50		A1085198	Hs.164226		4.2
		AB007948		KIAA0479 protein	4.1
		J05070		matrix metalloproteinase 9 (gelatinase B	4.1
		AA894564	Hs.22242		4.1
E E		AA634806	470000	gb:ab28c02.r1 Stratagene lung (937210) H	4.1
55		BE241831		hypothetical protein MGC2705	4.1
	450229	R18717	Hs.8929	hypothetical protein FLJ11362	4.1
	455700	BE068115	11- 070000	gb:CM1-BT0368-061299-060-g07 BT0368 Home	
	431924	AK000850	Hs.272203 Hs.184987	Homo sapiens cDNA FLJ20843 fis, clone AD	4.1 4.1
60		AI886558	NS. 10498/		4.1
60	401451	VIEBEVEV		NM_004496*:Homo sapiens hepatocyte nucle gb:tt88f04.x1 NCl_CGAP_Pr28 Homo sapiens	4.1
	400000	A1685464 A1735283	Hs.172608	<u> </u>	4.1
	405052	W60379	Hs.57773	ESTs	4.1
	472710	AI220547	Hs.135223		4.1
65	4771203 427122	AW057736		HER2 receptor tyrosine kinase (c-erb-b2,	4.1
93	410275	U85658	Hs.61796	transcription factor AP-2 gamma (activat	4.1
	432912	BE007371	Hs.200313		4.1
				000	

	403585			Target Exon	4.1
		Al394151	Hs.37932		4.1
		AA640891	Hs.102406		4.1
5		BE264901			4.1
3		NM_004354 AA296520	Hs.79069 Hs.89546	•	4.1 4.1
	400555	AAZSOJZO	113.03340		4.1
	410079	U94362	Hs.58589		4.0
	427674	NM_003528	Hs.2178		4.0
10		AA448460	Hs.112017	- D	4.0
		AL359055	Hs.67709		4.0
		AL117406			4.0
		NM_002666 AA228776	Hs.103253 Hs.191721	· ·	4.0 4.0
15		AW954552			4.0
	455431	AW938484		gb:CM0-DT0057-290200-253-d06 DT0057 Homo	4.0
	404142			•	4.0
		AI027604	Hs.159650		4.0
20		A1693927	Hs.265165		4.0
20	452891	AA165232	Hs.222069	·	4.0 4.0
		BE390440	113.212013		4.0
	452281		Hs.28792	Homo sapiens cDNA FLJ11041 fis, clone PL	4.0
	417801	AA417383	Hs.82582	integrin, beta-like 1 (with EGF-like rep	4.0
25		Al281848			4.0
	447377		Hs.334334		4.0
		AL119723 AA356170	Hs.26750	gb:DKFZp761A2124_r1 761 (synonym: hamy2) hypothetical protein FLJ21908	4.0 4.0
		AI591147	Hs.61232	ESTs	4.0
30		Al741122		Homo sapiens cDNA FLJ14232 fis, clone NT	4.0
		N99626		gb:za39d11.r1 Soares fetal liver spleen	4.0
		Al199738		ESTs, Weakly similar to ALUA_HUMAN !!!!	4.0
		AI948607	Hs.264680		4.0
35		AF153330 AA263143	Hs.24596	solute carrier family 19 (thiamine trans RAD51-interacting protein	3.9 3.9
55	406554		115.24550	Target Exon	3.9
		AA573006	Hs.19173	ESTs	3.9
	445813	Z42023	Hs.106576	alanine-glyoxylate aminotransferase 2-li	3.9
40		AA442176		gb:zw63b08.r1 Soares_total_fetus_Nb2HF8_	3.9
40		M86153	Hs.75618	RAB11A, member RAS oncogene family	3.9
	401781	F05086	Hs.328142	Target Exon	3.9 3.9
		AA026777	113.020172	gb:ze93c11.r1 Soares_fetal_heart_NbHH19W	3.9
		AI819068	Hs.209122	ESTs	3.9
45		Z21336	Hs.135411	actin related protein	3.9
		Al472106	Hs.49303	Homo sapiens cDNA FLJ11663 fis, clone HE	3.9
		AF086534		ESTs, Moderately similar to ALU1_HUMAN A	3.9
		AA419529 AB037791	Hs.76391 Hs.29716	myxovirus (influenza) resistance 1, homo hypothetical protein FLJ10980	3.9 3.9
50		BE537217	Hs.30343	ESTs	3.9
		BE568414		Homo sapiens cDNA: FLJ22097 fis, clone H	3.9
	443489	AI073512	Hs.133916	ESTs	3.9
		BE152428		gb:CM0-HT0323-151299-126-b04 HT0323 Homo	_
55	401785	1400000	LI= 400040	NM_002275*:Homo sapiens keratin 15 (KRT1 TTK protein kinase	3.9 3.9
55		M86699 Al989885	Hs.231926		3.9
		H75391	Hs.255748		3.9
	451067	BE172186		gb:MR0-HT0559-110300-005-h11 HT0559 Homo	
		AA236645	Hs.98274	ESTs	3.8
60		AI184268	Hs.339665		3.8
	412140 403593	AA219691	Hs.73625	RAB6 interacting, kinesin-like (rabkines Target Exon	3.8 3.8
		NA AW016669	Hs.29190	ESTs	3.8
		AW664873	Hs.87836		3.8
65	433871	W02410	Hs.205555	ESTs	3.8
		Al217928	Hs.144762		3.8
	409542	AA503020	Hs.36563	hypothetical protein FLJ22418	3.8

	443162	T49951	Hs.9029	DKFZP434G032 protein	3.8
		AW383618	Hs.265459	ESTs, Moderately similar to ALU2_HUMAN A	3.8
	422475	AL359938		Meis (mouse) homolog 3	3.8
_		AA904244	Hs.153205		3.8
5		Al476732	Hs.263912		3.8
	403426	11170450	11- 00000	Target Exon	3.8
		AA470158	Hs.98202	ESTs	3.8 3.8
		BE222648 AW206942	Hs.253594	ESTs, Highly similar to c380A1.1b [H.sap	3.8
10		AW105231	Hs.192035		3.8
10		AW794600	113.102000	gb:RC6-UM0014-170300-022-C05 UM0014 Hom	
		NM 005756	Hs.184942	G protein-coupled receptor 64	3.8
		BE622641	Hs.38489		3.8
	447995	Al742618	Hs.181733	ESTs, Weakly similar to nitrilase homolo	3.7
15	401747			Homo sapiens keratin 17 (KRT17)	3.7
		NM_014581		odorant-binding protein 2A	3.7
		AP000692		chromosome 21 open reading frame 5	3.7
		AB029496	Hs.59729	•	3.7 3.7
20		BE005346 AK001666	Hs.116410	similar to SALL1 (sal (Drosophila)-like	3.7
20		AA018534	Hs.103334		3.7
	402696		113.100001	C3002523:gi 6686211 sp Q27533 YH2M_CAEEL	
		AV660737	Hs.135100		3.7
		AW816379	Hs.335018	ESTs'	3.7
25		U80736		trinucleotide repeat containing 9	3.7
		AB020689	Hs.90419		3.7
		AA312082		GDNF family receptor alpha 1	3.7 3.7
		N62840	Hs.48648	ESTs NM_024817:Homo sapiens hypothetical prot	3.7 3.7
30	401508	AA324597	Hs.21851	Homo sapiens cDNA FLJ12900 fis, clone NT	3.7
50		U79734	Hs.97206		3.7
		AI021992	Hs.124244		3.7
		AA629065	Hs.116301		3.7
	443938	R55373	Hs.20864	ESTs	3.7
35		BE623004		gb:601441282F1 NIH_MGC_72 Homo saplens c	
		Al347502		hypothetical protein FLJ20761	3.7
		T32982	Hs.102720		3.7 3.7
	405232	AL109791	Un 2/1550	NM_015832:Homo sapiens methyl-CpG bindin Homo sapiens mRNA full length insert cDN	3.7
40		BE011668	ПS.24 1009	gb:CM3-BN0223-100500-177-a04 BN0223 Home	
70		Al239923	Hs.30098	ESTs	3.7
		A1970797	Hs.64859	ESTs	3.7
	436061	Al248584	Hs.190745	Homo sapiens cDNA: FLJ21326 fis, clone C	3.7
	401049			Target Exon	3.6
45		D31771	Hs.89404	msh (Drosophila) homeo box homolog 2	3.6
		N74530	Hs.21168	ESTs	3.6
		AV658444 Al377755	Hs.200776 Hs.120695	tankyrase, TRF1-interacting ankyrin-rela	3.6 3.6
		M97815		cellular retinoic acid-binding protein 2	3.6
50		Al698839	115.10000	gb:wd31f02.x1 Soares_NFL_T_GBC_S1 Homo	
		AL120173	Hs.301663	ESTs	3.6
		AW901456		gb:RC0-NN1012-270300-031-c07 NN1012 Home	03.6
		AA352111		gb:EST60061 Activated T-cells XX Homo sa	3.6
		Al142095	Hs.143273	ESTS	3.6
55		BE164500	U- 04470	gb:RC4-HT0469-230300-014-e10 HT0469 Home	3.6
		AA157291 AA062954	Hs.21479 Hs.141883	ubinuclein 1	3.6
		Y12735	Hs.38018	dual-specificity tyrosine-(Y)-phosphoryl	3.6
		AK000054	Hs.12347	hypothetical protein FLJ20047	3.6
60	404091			Target Exon	3.6
	409731	AA125985	Hs.56145	thymosin, beta, identified in neuroblast	3.6
	405153			Target Exon	3.6
		AA380177	Hs.125845	ribulose-5-phosphate-3-epimerase	3.6
CE	403639			ENSP00000233023*:CDNA FLJ12662 fis, clon	3.6
65	404360		He Doone	C7001385:gi 12082809 gb AAG48618.1 AF315 ESTs	3.6 3.6
		AA766296 AB007961	Hs.99200 Hs 127338	KIAA0492 protein	3.6
	723000	. 10007 00 1	. 10. 121 000	to a to the biotom	

		BE350295	Hs.15032	· · · · · · · · · · · · · · · · · · ·	3.6
		AA514986	Hs.283705		3.6
		AA853978	Hs.124577		3.6
5		AA441838	Hs.62905	hypothetical protein FLJ14834	3.6
3	406446		11 405070	Target Exon	3.6
		AA315308		hypothetical protein FLJ14991	3.6
		AW015415	Hs.127780		3.6
		W87707	Hs.82065	interleukin 6 signal transducer (gp130,	3.6
10		Al697121 AW291095	Hs.21814	ESTs, Weakly similar to S65824 reverse t	3.6
10		AW297920	Hs.130054	interleukin 20 receptor, alpha	3.6
		AW860158	115.150054	gb:RC0-CT0379-290100-032-b04 CT0379 Homo	3.5
		AW968226	Hs.60798	ESTs	3.5
	402820	AVIOUELU	113.007.50	NM_017646*:Homo sapiens tRNA isopentenyl	3.5
15		AA191719	Hs.314714		3.5
		AW393080		hypothetical protein FLJ23537	3.5
		AI806335		ESTs, Weakly similar to T30171 ninein -	3.5
	428062	AA420683	Hs.98321	hypothetical protein FLJ14103	3.5
	452909	NM_015368	Hs.30985	pannexin 1	3.5
20	400610	NA		Target Exon	3.5
	417843	W07361	Hs.22545	Homo saplens cDNA FLJ12935 fis, clone NT	3.5
		AW960146		hypothetical protein FLJ12888	3.5
		AI805416	Hs.213897		3.5
25		NM_004272	Hs.337737	Homer, neuronal immediate early gene, 1B	3.5
25		AW392342		centrosomal P4.1-associated protein; unc	3.5
		AW448937	Hs.197030		3.5
		AW753967 NM_000288	Hs.79993	gb:RC2-CT0304-080100-011-h12 CT0304 Homo	
	422060			peroxisomal biogenesis factor 7 ESTs, Moderately similar to ALU5_HUMAN A	3.5 3.5
30		AL043002	Hs 128246	ESTs, Moderately similar to unnamed prot	3.5
	415778		Hs.49391	hypothetical protein LOC54149	3.5
		AW316843	Hs.66309	hypothetical protein MGC11061	3.5
		N32536	Hs.42645	solute carrier family 16 (monocarboxylic	3.5
	424639	AI917494	Hs.9812	Homo sapiens cDNA FLJ14388 fis, clone HE	3.5
35		A1057094	Hs.96867	Homo sapiens cDNA: FLJ23155 fis, clone L	3.5
		Al370876	Hs.79090	exportin 1 (CRM1, yeast, homolog)	3.5
		AW850178		gb:IL3-CT0219-271099-022-H12 CT0219 Homo	
		AA314337		ribosomal protein S7	3.5
40		AA877124	Hs.172844		3.5
40	431291	N25521 Al935016	Hs.25275 Hs.216639	Kruppel-type zinc finger protein	3.5
		BE145808	115.2 10005	gb:MR0-HT0208-101299-103-f11 HT0208 Homo	3.5
	-	AW295151	Hs.163612		3.5
		AW167087	Hs.131562		3.5
45	436550			ESTs, Weakly similar to MMHUB1 laminin b	3.5
	418849	AW474547	Hs.53565	Homo sapiens PIG-M mRNA for mannosyltran	3.5
	424420	BE614743	Hs.146688	prostaglandin E synthase	3.5
		AW505021	Hs.88414	BTB and CNC homology 1, basic leucine zi	3.5
~ ~		AI908400	Hs.143789	ESTs	3.5
50		AF086224	Hs.55238	ESTs	3.5
	405917			C17000675:gij7290703 gb AAF46150.1  (AE0	3.5
		AW993582	Hs.176220	ESTs	3.5
		W47595	Hs.19327	transforming growth factor, beta 2	3.4
55		AA283185		ESTs PDZ domain protein (Drosophila inaD-like	3.4
<i>JJ</i>		AW904466 BE252383		SBBI31 protein	3.4 3.4
		BE064962		gb:RC1-BT0313-130400-016-c02 BT0313 Homo	
		U92649	Hs.64311	a disintegrin and metalloproteinase doma	3.4
		AW073310		Homo sapiens cDNA FLJ14142 fis, clone MA	3.4
60		AW749855		gb:QV4-BT0534-281299-053-c05 BT0534 Homo	
	404097			C5000242*:gij9369379 gb AAF87128.1 AC006	3.4
	434205	AF119861		hypothetical protein PRO2015	3.4
		Al215069	Hs.89113	ESTs	3.4
<i></i>	402421			C1001578*:gij6759903 gb AAF28099.1  (AF1	3.4
65	405248		U= 004400	Target Exon	3.4
		AJ404672		hypothetical protein FLJ23571	3.4
	403000	BE247275	пs. i31/6/	U5 snRNP-specific protein, 116 kD	3.4

		AF038564	Hs.98074	itchy (mouse homolog) E3 ubiquitin prote	3.4
	432239	8E618395	Hs.2936 Hs.257391	matrix metalloproteinase 13 (collagenase hypothetical protein DKFZp761J1523	3.4 3.4
	442082		Hs.7413	ESTs; calsyntenin-2	3.4
5		AA210765		gb:zr90c06.r1 NCI_CGAP_GCB1 Homo sapiens	
		AI346468	Hs.145789		3.4
		Al613276	Hs.5662	guanine nucleotide binding protein (G pr	3.4
		AI247716	Hs.232168		3.4
10		AA164366		hypothetical protein FLJ23511	3.4 3.4
10		Al971313 AF102546	Hs.63931	KIAA0551 protein dachshund (Drosophila) homolog	3.3
	405460			Target Exon	3.3
		AW503603	Hs.129915	phosphotriesterase related	3.3
		AL037925	•	gb:DKFZp564M037_r1 564 (synonym: hfbr2)	3.3
15		AW885727	Hs.301570		3.3
	441690		Hs.33106	ESTs	3.3 3.3
	420092	AA814043	Hs.88045 Hs.1174	ESTs cyclin-dependent kinase inhibitor 2A (me	3.3
		BE296227		serine/threonine kinase 15	3.3
20		AI160386	Hs.125087		3.3
	449650	AF055575	Hs.23838	calcium channel, voltage-dependent, L ty	3.3
		NM_000685	Hs.89472	angiotensin receptor 1	3.3
		AA160079		Homo sapiens mRNA for partial 3'UTR, seq	3.3
25		AW503857 NM_005982	Hs.4007 Hs.54416	Sarcolemmal-associated protein sine oculis homeobox (Drosophila) homolo	3.3 3.3
23		AW138872	Hs.135288		3.3
		AA280627	Hs.57846	ESTs	3.3
	409695	AA296961		gb:EST112514 Adrenal gland tumor Homo sa	3.3
20		AI936450	Hs.147482		3.3
30	402892		U- 22544	Target Exon ESTs	3.3 3.3
		AA994896 AA741545	Hs.22514	ESTs, Weakly similar to T24961 hypotheti	3.3
		R21945		splicing factor, arginine/serine-rich 5	3.3
		A1954968		matrix Gla protein	3.3
35		AV653771		gb:AV653771 GLC Homo sapiens cDNA clone	3.3
		AA121686	Hs.10592	ESTs	3.3
	406151	NA AW511956	Hs.293261	Target Exon	3.3
		AW820260	NS.293201	gb:QV2-ST0296-150200-040-c10 ST0296 Homo	
40	432415		Hs.289014	ESTs, Weakly similar to A43932 mucin 2 p	3.3
		AF086120	Hs.102793		3.3
	401575			Target Exon	3.3
		AL045633	Hs.44269	ESTs	3.3
45		Al344166 AW369771	Hs.155743 Hs.52620		3.3 3.3
73		AW204610	Hs.22270	ESTs	3.3
		AA976718	Hs.202242		3.3
	416783	AA206186	Hs.79889	monocyte to macrophage differentiation-a	3.3
50		AW043921	Hs.130526		3.3
50	451474 442559		Hs.207636		3.2 3.2
		AI824009	Hs.44577	gycosyltransferase ESTs	3.2
		R60336	Hs.52792	Homo sapiens mRNA; cDNA DKFZp586l1823 (f	
		W88774	Hs.118370		3.2
55	411598	BE336654	Hs.70937	H3 histone family, member A	3.2
		AA863360	Hs.26040	ESTs, Weakly similar to fatty acid omega	3.2
		BE311926	Hs.15830	hypothetical protein FLJ12691 C3001106*:gij10047201]dbj]BAB13394.1] (A	3.2 3.2
	403637 405547	NA		NM_018833*:Homo sapiens transporter 2, A	3.2
60		C05766	Hs.181022	CGI-07 protein	3.2
		AI821005	Hs.118599		3.2
	410313	R10305	Hs.185683		3.2
		N27833		ESTs, Weakly similar to 138022 hypotheti	3.2
65		AI652777	Hs.197069	fibroblast activation protein, alpha	3.2
05		NM_004460 AI253123	Hs.418 Hs.127356	ESTs, Highly similar to S21424 nestin [H	3.2 3.2
		N23235	Hs.30567	ESTs, Weakly similar to B34087 hypotheti	3.2
		- +			

	452190	H26735	Hs.91668	Homo sapiens clone PP1498 unknown mRNA	3.2
	430965	AA489732	Hs.154918	ESTs	3.2
	405394			Target Exon	3.2
_	424693	BE169810	Hs.47557	ESTs	3.2
5	454265	H03556	Hs.300949	ESTs, Weakly similar to thyroid hormone	3.2
	437687	AA765917	Hs.122840	ESTs	3.2
	428372	AK000684	Hs.183887	hypothetical protein FLJ22104	3.2
	414083	AL121282	Hs.257786	ESTs	3.2
_	411670	AW856552		gb:RC1-CT0294-080100-012-a04 CT0294 Homo	3.2
10	416283	NM_005429	Hs.79141	vascular endothelial growth factor C	3.2
	437488	AA758239	Hs.180330	ESTs	3.2
	428398	AI249368	Hs.98558	ESTs	3.2
	452042	H38857	Hs.243901	Homo sapiens cDNA FLJ20738 fis, clone HE	3.2
	421477	AI904743	Hs.104650	hypothetical protein FLJ10292	3.2
15	438078	AI016377	Hs.131693	ESTs	3.2
	448816	AB033052	Hs.22151	KIAA1226 protein	3.2
	419519	AI198719	Hs.176376	ESTs	3.2
	404580			NM_014112*:Homo sapiens trichorhinophala	3.2
••	447046	AA326187	Hs.17170	G protein-coupled receptor 4	3.2
20	457473	AW974903	Hs.291231	ESTs	3.1
		AW904907	Hs.30732	hypothetical protein FLJ13409; KIAA1711	3.1
		Al204995		gb:an03c03.x1 Stratagene schizo brain S1	3.1
	400195			NM_007057*:Homo sapiens ZW10 interactor	3.1
25		AW408557		hypothetical protein FLJ14075	3.1
25		AW974175		ESTs, Weakly similar to MAPB_HUMAN MICRO	
		AA312735	Hs.30512	Homo sapiens mRNA for KIAA0556 protein,	3.1
		AA701327 AA906366	Hs.17949 Hs.190535	ESTs	3.1 3.1
		D38122	Hs.2007	tumor necrosis factor (ligand) superfami	3.1
30		AW891294		solute carrier family 4, sodium bicarbon	3.1
50		R82331	Hs.164599		3.1
		AI638627		KIAA1688 protein	3.1
		AA503653		ESTs, Moderately similar to ALU2_HUMAN A	3.1
	417576	AA339449	Hs.82285	phosphoribosylglycinamide formyltransfer	3.1
35		AA470519		gb:nc71f10.s1 NCI_CGAP_Pr1 Homo saplens	3.1
	418827	BE327311	Hs.47166	HT021	3.1
	410835	AW806906		gb:QV4-ST0023-160400-172-d12 ST0023 Homo	3.1
	426269	H15302	Hs.168950	Homo sapiens mRNA; cDNA DKFZp566A1046 (I	3.1
40	405336			Target Exon	3.1
40		A1683150		ESTs, Weakly similar to ALU1_HUMAN ALU S	3.1
		AI583052	Hs.270058		3.1
		BE160636		gb:PM1-HT0422-291299-002-c08 HT0422 Homo	
		AI768801	Hs.169943	Homo sapiens cDNA FLJ13569 fis, clone PL	3.1
45	405848			Target Exon	3.1
43		BE066976		gb:PM0-BT0340-211299-003-c12 BT0340 Homo	
		M29994	Hs.256972	gb:Human alpha-I spectrin gene, exon 12.	3.1
		W26713 D45027		R3H domain (binds single-stranded nuclei	3.1 3.1
		AI065104		ESTs, Weakly similar to A46010 X-linked	3.1
50		BE165753		Homo sapiens, clone IMAGE:4098694, mRNA,	3.1
50		AA706910	Hs.112742		3.1
		AL050027	110.1127-12	gb:Homo sapiens mRNA; cDNA DKFZp566C032	
		AI541305	Hs.48778	niban protein	3.1
		AW407181	Hs.218377		3.1
55		AF026942		gb:Homo saplens cig33 mRNA, partial sequ	3.1
	408254	AW807227		gb:MR4-ST0062-180200-001-e10 ST0062 Homo	
	424085	NM_002914	Hs.139226		3.1
	416790	R83066	Hs.7043	succinate-CoA ligase, GDP-forming, alpha	3.1
		BE295866	Hs.94382	adenosine kinase	3.1
60		W94997	Hs.189917		3.1
		U07616	Hs.173034	amphiphysin (Stiff-Mann syndrome with br	3.1
		AL117431		Homo sapiens cDNA FLJ12198 fis, clone MA	3.1
		BE466639	Hs.61779	Homo sapiens cDNA FLJ13591 fis, clone PL	3.1
65		AW138413	ms. 139336	ATP-binding cassette, sub-family C (CFTR	3.1
05		AA382814 Al248013	He 106533	gb:EST96097 Testis I Homo sapiens cDNA 5 ESTs, Weakly similar to I38588 reverse t	3.1
•		AW135274	Hs.12433	ESTs Veakly Sittlian to 130300 reverse t	3.1 3.1
	101 330		12 100	<b>*</b>	J. 1

	446466	H38026	Hs.308	arrestin 3, retinal (X-arrestin)	3.1
		BE219794	Hs.293471		3.1
		AK001423	Hs.94694	Homo sapiens cDNA FLJ10561 fis, clone NT	3.0
		AB033035	Hs.51965	KIAA1209 protein	3.0
5		BE153855	Hs.61460	Ig superfamily receptor LNIR	3.0
_		AA232658		UDP-glucose:glycoprotein glucosyltransfe	3.0
	419346	AI830417	Hs.44143	polybromo 1	3.0
		N93266	Hs.40747	ESTs	3.0
	435147	AL133731	Hs.4774	Homo sapiens mRNA; cDNA DKFZp761C1712 (f	3.0
10	420139	NM_005357	Hs.95351	lipase, hormone-sensitive	3.0
	405609	NA		ENSP00000241065*:CDNA	3.0
	404274			NM_002944*:Homo sapiens v-ros avian UR2	3.0
		A1971362	Hs.231945		3.0
1.0		H07118	Hs.6099	ESTs	3.0
15		N59650	Hs.27252	ESTs	3.0
	406291			Target Exon	3.0
		BE383592		gb:601297871F1 NIH_MGC_19 Homo sapiens c	3.0
		AW972359	Hs.293334 Hs.129115		3.0
20		AI791988 N21043	Hs.42932		3.0
20		AI969716	Hs.13034	ESTs	3.0
		BE379727	Hs.83213	fatty acid binding protein 4, adipocyte	3.0
	401326		110.002.10	C10000447*:gi[1168375]sp P43467 AGA1_PED	
		BE169746	Hs.12504	likely ortholog of mouse Arkadia	3.0
25		A1926047	Hs.162859	•	3.0
		AF245505	Hs.72157	DKFZP564l1922 protein	3.0
	401045			C11001883*:gij6753278[refjNP_033938.1] c	3.0
	432162	AA584062	Hs.272798	hypothetical protein FLJ20413	3.0
••		A1221894	Hs.39311		3.0
30		BE077155		hypothetical protein DKFZp761B1514	3.0
		AW958879	Hs.270535		3.0
		H91882		DvI-binding protein IDAX (inhibition of	3.0
		NM_014711 R13474		KIAA0419 gene product ESTs, Weakly similar to I38022 hypotheti	3.0
35		R52782	FIS.230203	gb:yg99d09.r1 Soares infant brain 1NIB H	3.0
55		AB014528	Hs.43133	KIAA0628 gene product	3.0
		AW004683	Hs.78934	mutS (E. coli) homolog 2 (colon cancer,	3.0
		AI754212	Hs.21951	Homo sapiens Xq pseudoautosomal region;	3.0
		AW021173	Hs.18612	Homo saplens cDNA: FLJ21909 fis, clone H	3.0
40	411836	AW901879	Hs.314453		3.0
	415030	D31118	Hs.191735	hypothetical protein MGC10520	3.0
		AW294795	Hs.198529		3.0
		AA878939	Hs.125406		3.0
4.5		Al375957		F-box only protein 22	3.0
45		AA281279	Hs.23317	hypothetical protein FLJ14681	3.0
		NM_014400	Hs.11950		3.0
		AA701259 Al041793	Hs.189299 Hs.42502	ESTs	3.0
		BE175605	113.42302	gb:RC5-HT0580-100500-022-H07 HT0580 Hom	
50		AW295923	Hs 255472	KIAA1843 protein	3.0
50		M31659	Hs.180408	solute carrier family 25 (mitochondrial	3.0
		AA397658	Hs.60257	Homo sapiens cDNA FLJ13598 fis, clone PL	3.0
		W01938	Hs.337243	ESTs, Weakly similar to ALU7_HUMAN ALU S	2.9
	433043	W57554	Hs.125019	lymphoid nuclear protein (LAF-4) mRNA	2.9
55		U22376	Hs.1334	v-myb avian myeloblastosis viral oncogen	2.9
		BE246743	Hs.288529		2.9
	403677			C4001462:gij4887715 gb AAA79329.2  (L088	2.9
		BE067650	11- 400045	gb:MR4-BT0358-090300-003-e01 BT0358 Home	
60		W87434	HS.106015	ESTs, Moderately similar to ALU1_HUMAN A mitochondrial ribosomal protein S16	2.9 2.9
60		BE568102 Al674818	He 316/33	Homo sapiens cDNA FLJ11375 fis, clone HE	2.9
		AA179949	Hs. 175563	Homo sapiens mRNA; cDNA DKFZp564N0763 (	
		AW365665	Hs.120388		2.9
		A1633559	Hs.310359		2.9
65		N34128	Hs.145268		2.9
	402109	NA		Target Exon	2.9
	429629	BE501732	Hs.30622	Homo sapiens cDNA FLJ13010 fis, clone NT	2.9

	440000				
		AI827248			2.9
	419752	AA249573	Hs.152618	ESTs, Moderately similar to ZN91_HUMAN Z	2.9
	404721			NM_005596*:Homo sapiens nuclear factor I	2.9
		Al208121	He 1/7313		2.9
5		AILUUILI	113.141313		2.9
9	401987				
		AA481282	Hs.190149		2.9
	444517	Al939339	Hs.146883		2.9
	445563	AW873606	Hs.149006	ESTs	2.9
	427691	AW194426	Hs.20726		2.9
10		AI868634			2.9
10		A1000004	П5.240000	•	
	401458				2.9
	421039	NM_003478	Hs.101299		2.9
	459504	BE514127		gb:601315974F1 NIH_MGC_8 Homo sapiens cD:	2.9
	424962	NM_012288	Hs.153954		2.9
15		BE003760	Hs.55209	Homo sapiens mRNA; cDNA DKFZp434K0514 (f	
13	416931		Hs.80485		2.9
			115.00403		
		BE161151		gb:PM0-HT0425-141299-001-F08 HT0425 Homo	
	409732	NM_016122	Hs.56148		2.9
	433687	AA743991		gb:ny57g01.s1 NCI_CGAP_Pr18 Homo sapiens	2.9
20	434340	AI193043	Hs.128685		2.9
-•		Z45439	Hs.270425		2.9
		Y15221			2.9
		AF015592	Hs.28853		2.9
~ ~	457402	AW452648			2.9
25	449051	AW961400	Hs.333526	HER2 receptor tyrosine kinase (c-erb-b2,	2.9
	408761	AA057264	Hs.238936	ESTs, Weakly similar to (defline not ava	2.9
	401093				2.9
		A1651474	Hs.163944		2.9
20		AI681475	Hs.200949		2.9
30		AW235786			2.9
		AI472078	Hs.303662		2.9
	411905	BE265067		gb:601193893F1 NIH_MGC_7 Homo sapiens cD	
	405953	NA			2.8
	420854	AW296927		gb:UI-H-BW0-ajc-c-07-0-UI.s1 NCI_CGAP_Su	2.8
35	434265	AA846811	Hs.130554	Homo sapiens cDNA: FLJ23089 fis, clone L	2.8
	428365	AA295331	Hs.183861	Homo sapiens cDNA FLJ20042 fis, clone CO	2.8
		AA243837	Hs.57787		2.8
		AW206453	Hs.3782		2.8
		AW452434	Hs.58006		2.8
40			113,30000		
40		BE176480	11- 40400	gb:RC3-HT0585-160300-022-c02 HT0585 Homo	
		AL039852	Hs.49136		2.8
	434757	A1038997	Hs.132921		2.8
	409038	T97490	Hs.50002	small inducible cytokine subfamily A (Cy	2.8
	454545	AW806899		gb:QV4-ST0023-160400-172-c12 ST0023 Homo	2.8
45	439842	Al910896	Hs.132413	ESTs	2.8
	428479	Y00272	Hs. 184572	cell division cycle 2, G1 to S and G2 to	2.8
		AL035588			2.8
		BE070800	110.100200	gb:RC3-BT0502-251199-011-c07 BT0502 Homo	
50	400250				2.8
50	449168	NM_016206	Hs.23142		2.8
	456482	AA485224		gb:aa41b12.s1 NCL_CGAP_GCB1 Homo sapiens	2.8
	426044	AA502490	Hs.336695	ESTs	2.8
		AA383550	He 271699	polymerase (DNA directed) lota	2.8
	405873		110.27 1000		2.8
55			U- 40EE04	•	
33		AA994364			2.8
		AI075375	MS.128193	ESTs, Weakly similar to IRX2_HUMAN IROQU	2.8
		BE158791			2.8
	423739	AA398155	Hs.97600	ESTs	2.8
	424408	Al754813	Hs.146428	collagen, type V, alpha 1	2.8
60	453096	AW294631	Hs.11325	ESTs	2.8
	421825	AA298758	Hs 183747	ESTs, Moderately similar to CALB_HUMAN C	2.8
		R64719		gb:EST22d11 WATM1 Homo sapiens cDNA clon	
				•	
	402765		11- 40500	C1003621*:gi 12407405 gb AAG53491.1 AF22	2.8
65		R41339	Hs.12569	ESTs	2.8
65		AW338625	Hs.22120	ESTs	2.8
	401497			Target Exon	2.8
	402376			C19000763*:gi 1363912 pir  JC4296 ring f	2.8
				· · · · · · · · · · · · · · · · · · ·	

	405041	NA		C3001706*:gi 1345652 sp P15989 CA36_CHIC	2.8
	408758	NM_003686	Hs.47504	exonuclease 1	2.8
	431917	D16181	Hs.2868	peripheral myelin protein 2	2.8
_	437583	AA761190	Hs.244627	ESTs	2.8
5	453737	AA744862	Hs.194293	ESTs, Weakly similar to 154374 gene NF2	2.8
	458094	AF086325		gb:Homo sapiens full length insert cDNA	2.8
	401283	NA		Target Exon	2.8
	410784	AW803201		gb:IL2-UM0077-070500-080-E06 UM0077 Homo	2.8
	417601	NM_014735	Hs.82292	KIAA0215 gene product	2.8
10	418236	AW994005	Hs.337534	ESTs	2.8
	435532	AW291488	Hs.117305	Homo sapiens, clone IMAGE:3682908, mRNA	2.8
	454714	AW815098		gb:QV4-ST0212-091199-023-f10 ST0212 Homo	2.8
	418629	BE247550	Hs.86859	growth factor receptor-bound protein 7	2.8
	442101	Al651930	Hs.135684		2.8
15	405080	AK000375	Hs.88820	HDCMC28P protein	2.8
	414661	T97401	Hs.21929	ESTs	2.8
	425589	AI650633	Hs.143688	Homo sapiens cDNA; FLJ23031 fis, clone L	2.8
	429638	Al916662	Hs.211577	kinectin 1 (kinesin receptor)	2.7
		W23624	Hs.173059		2.7
20	421566	NM_000399	Hs.1395	early growth response 2 (Krox-20 (Drosop	2.7
		BE386870		gb:601275271F1 NIH_MGC_20 Homo sapiens c	2.7
	440868	R79707	Hs.263339	ESTs, Moderately similar to 138022 hypot	2.7
		BE247449	Hs.31082	hypothetical protein FLJ10525	2.7
		AV646449	Hs.282872		2.7
25		A1378562	Hs.159585		2.7
	430375	AW371048	Hs.93758	H4 histone family, member H	2.7
	406504			C5000558:gi 4504675 ref NP_002175.1  int	2.7
		AW959861	Hs.290943		2.7
		NM_004525		low density lipoprotein-related protein	2.7
30		H87648	Hs.33922	Homo sapiens, clone MGC:9084, mRNA, comp	2.7
		D13666		osteoblast specific factor 2 (fasciclin	2.7
		N34524		gb:yy56d10.s1 Soares_multiple_sclerosis_	2.7
		BE314524	Hs.78776	putative transmembrane protein	2.7
		NM_005014	Hs.94070	osteomodulin	2.7
35	406182			Target Exon	2.7
		X69970	Hs.79350	RYK receptor-like tyrosine kinase	2.7
		Al916512	Hs.198394		2.7
		AA301228		hypothetical protein FLJ12890	2.7
		AW968128	Hs.336679		2.7
40		AA128978		hypothetical protein FLJ14917	2.7
. •		M31158	Hs.77439	protein kinase, cAMP-dependent, regulato	2.7
		BE563085	Hs.833	interferon-stimulated protein, 15 kDa	2.7
		AB026264	Hs.284245		2.7
		AA742577	Hs.303781		2.7
45		AF075079	1.0.000101	gb:Homo sapiens full length insert cDNA	2.7
		W74653	Hs.271593	ESTs, Moderately similar to A47582 B-cel	2.7
	406153	****	110.21 1000	Target Exon	2.7
		Y13647	Hs.119597	stearoyl-CoA desaturase (delta-9-desatur	2.7
		AI188139	Hs.147050		2.7
50		AI572739		6-phosphofructo-2-kinase/fructose-2,6-bi	2.7
-		H09604	Hs.13268	ESTs	2.7
		AA255920	Hs.88095	ESTs	2.7
		AA495925	Hs.9394	ESTs	2.7
		BE379623	Hs.27693	peptidylprolyl isomerase (cyclophilin)-l	2.7
55		AI050073	Hs.135338		2.7
<i></i>		Al741320		Homo sapiens cDNA: FLJ23228 fis, clone C	2.7
		AA054726	Hs.285574		2.7
		N91716		ESTs, Weakly similar to 138022 hypotheti	2.7
		Z97630		H1 histone family, member 0	2.7
60		X54942	Hs.83758	CDC28 protein kinase 2	2.7
oo		AF086332	Hs.58314	ESTs ESTS	2.7
	402184		113.503 14	ENSP00000245238*:CDNA FLJ10922 fis, clon	2.7
	450400	AW449251	Hs.257131		2.7
	45U430 451000	A1825440	Hs.224952		2. <i>1</i> 2.7
65	451303	AI373638	Hs.133900		2.7
<i>33</i>	43/338	AA938663			2.7
	441041	AA936663 AI806867	Hs.199828		2. <i>1</i> 2. <i>7</i>
	441111	MICUUUDI	Hs.126594	EQIS	4.1

	423020	AA383092	Hs.1608	replication protein A3 (14kD)	2.7
		AV653485	Hs.6390	Homo sapiens clone FLB3344 PRO0845 mRNA,	
		AW293165	Hs.143134		2.7
	410889		Hs.66744		2.7
5	445234	AW137636	Hs.146059		2.7
	413903	AA496493	Hs.23136	ESTs	2.7
	406069	NA		Target Exon	2.7
	447410	AI470235	Hs.172698		2.7
	401256	NA		NM_024089*:Homo sapiens hypothetical pro	2.7
10	415139	AW975942	Hs.48524	ESTs	2.7
	420218	AW958037	Hs.286	ribosomal protein L4	2.7
	455511	BE144762		gb:CM0-HT0180-041099-065-b04 HT0180 Homo	2.7
	438825	BE327427	Hs.79953	ESTs	2.6
1.5		AA045857	Hs.54943	fracture callus 1 (rat) homolog	2.6
15		AL121053	Hs.5534	•	2.6
		AF160477	Hs.61460		2.6
		AK001122		hypothetical protein FLJ10260	2.6
		AW893940	Hs.59698	ESTs	2.6
20	430785		11 470047	gb:HHEA22G Atrium cDNA library Human hea	2.6
20		D38299		prostaglandin E receptor 3 (subtype EP3)	2.6
		NM_006456		sialyltransferase	2.6
		AA300900	Hs.98849	ESTs, Moderately similar to AF161511 1 H	2.6
		AA447990	Hs.190478		2.6
25		AW975920	Hs.283361 Hs.28739		2.6 2.6
2.5		A1346487 A1123555	Hs.81796	ESTs ESTs	2.6
		AW451645		Homo sapiens cDNA FLJ11973 fis, clone HE	2.6
		AW754311	115.151504	gb:CM1-CT0337-141299-068-f07 CT0337 Homo	
		AI675944	He 188691	Homo sapiens cDNA FLJ12033 fis, clone HE	2.6
30		M25809	Hs.64173	ATPase, H transporting, lysosomal (vacuo	2.6
		AK002016		Homo sapiens, clone MGC:16327, mRNA, com	2.6
•		NM_013989		deiodinase, lodothyronine, type II	2.6
		AW292286	Hs.255058		2.6
		AA018311	Hs.114762		2.6
35	405822			Target Exon	2.6
	418301	AW976201	Hs.53913	hypothetical protein FLJ10252	2.6
	417315	AI080042	Hs.336901	ribosomal protein S24	2.6
	434699	AA643687	Hs.149425	Homo sapiens cDNA FLJ11980 fis, clone HE	2.6
4.0		AW205878	Hs.29643	Homo sapiens cDNA FLJ13103 fis, clone NT	2.6
40	405638			Target Exon	2.6
		AW812256		gb:RC0-ST0174-191099-031-a07 ST0174 Homo	
	403943			C5000355:gi 4503225 ref NP_000765.1  cyt	2.6
		Z25884	Hs.121483	chloride channel 1 , skeletal muscle (Th	2.6
45	402800		Un 22240E	Target Exon	2.6
45		A1989503	Hs.233405		2.6
		AW846080 H03754	Hs.314324	wingless-type MMTV integration site fami	2.6 2.6
		AW974476		regulator of G-protein signalling 16	2.6
		AA418187	Hs.330515		2.6
50		AK001826	Hs.25245	hypothetical protein FLJ11269	2.6
		BE246010		Homo sapiens mRNA for FLJ00038 protein,	2.6
		AW855802	110.27 1400	gb:RC1-CT0279-170200-023-d08 CT0279 Homo	
		AB028955	Hs.175780	KIAA1032 protein	2.6
		NM_015434	Hs.48604	DKFZP434B168 protein	2.6
55		Z47542		small nuclear RNA activating complex, po	2.6
	423201	NM_000163		growth hormone receptor	2.6
	406271			Target Exon	2.6
		BE566962	Hs.7063	Homo sapiens cDNA: FLJ20913 fis, clone A	2.6
		AW016892	Hs.100855		2.6
60		AI928513	Hs.59203	ESTs	2.6
		AA121098	Hs.3838	serum-inducible kinase	2.6
		BE069326	11 400	gb:QV3-BT0381-170100-060-g03 BT0381 Homo	
		W24320	HS.102941	Homo sapiens cDNA: FLJ21531 fis, clone C	2.6
65		X64984	Un 400044	gb:H.sapiens mRNA HTPCRX10 for olfactory	2.6
65		AA830431	Hs.180811		2.6
		AA668763 Al681917	Hs.291939 Hs.3321	ESTS, Highly similar to IRX1_HUMAN IROQU	2.6 2.6
	403133	70001011	113.0021	EG15, riighty Stitute to though though	د.ن
				20.5	

	455100	BE160198		gb:QV1-HT0413-010200-059-h03 HT0413 Homo	2.6
		BE274552	Hs.76578	protein inhibitor of activated STAT3	2.6
		A1732892	Hs.190489	=	2.6
_		AA831267	Hs.12244	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2.6
5		AA825686	Hs.321176		2.6
	404440	414			2.6
	403388 403775				2.6 2.6
	405037				2.6
10		AF290544		· · <del>-</del> · -	2.6
		AA282067	Hs.88972		2.6
	435447	AI872932			2.6
		AW516211			2.6
1.5		AI702885	Hs.145568		2.6
15		BE391727			2.6
		N72264 AW085961	Hs.130093		2.6 2.6
		Y08565			2.6
	404443	700000	7101101010	C8001428*:gi[6572242]emb]CAB62951.1] (Z9	2.6
20		NM_003512	Hs.28777		2.6
		AI073913		ESTs, Weakly similar to JE0350 Anterior	2.6
		Al192105	Hs.147170		2.6
		AW963372	Hs.46677	PRO2000 protein Homo sapiens mRNA; cDNA DKFZp564O1763 (f	2.6
25		F13036 R36075	Hs.27373	gb:yh88b01.s1 Soares placenta Nb2HP Homo	2.6 2.6
23		AW081681	Hs 269064	ESTs, Weakly similar to T42689 hypotheti	2.6
		NM_000169	Hs.69089	galactosidase, alpha	2.6
	406922	S70284		gb:stearoyl-CoA desaturase (human, adipo	2.6
20		H62943	Hs.154188		2.6
30		BE065837	Un 404007	gb:RC2-BT0318-110100-012-g12 BT0318 Homo	2.6 2.60n2 6
		NM_012247 AI538613		SELENOPHOSPHATE SYNTHETASE; Human s Transmembrane protease, serine 3	2.5
		AF012023		integrin cytoplasmic domain-associated p	2.5
		AK001058	Hs.12680	Homo sapiens cDNA FLJ10196 fis, clone HE	2.5
35	422225	BE245652	Hs.118281	zinc finger protein 266	2.5
		L22524	Hs.2256	matrix metalloproteinase 7 (MMP7; uterin	2.5
		AB020641	Hs.57856	PFTAIRE protein kinase 1	2.5 2.5
		NM_000909 AW973708		neuropeptide Y receptor Y1 Homo sapiens cDNA FLJ13446 fis, clone PL	2.5
40		AA767881	Hs.122897		2.5
. •		AK001741	Hs.8739	hypothetical protein FLJ10879	2.5
	414251	AL042306	Hs.97689	VASA protein	2.5
		AW628666	Hs.98440	ESTs, Weakly similar to I38022 hypotheti	2.5
15		AK002032	Hs.272245	Homo sapiens cDNA FLJ11170 fis, clone PL	2.5
45		BE080908 Al362790	He 278630	gb:QV1-BT0631-280200-084-h07 BT0631 Homo KIAA1684 protein; likely homolog of mous	2.5
		BE394723		S100 calclum-binding protein A6 (calcycl	2.5
		NM_002318	Hs.83354	lysyl oxidase-like 2	2.5
	458652	AW375610	Hs.117102	hypothetical protein FLJ13046 similar to	2.5
50		AI424899	Hs.188211		2.5
		BE091089	Un CCE24	gb:PM4-BT0724-130400-006-c07 BT0724 Homo	2.5 2.5
		U64820 AW972565	Hs.66521 Hs.32399	Machado-Joseph disease (spinocerebellar ESTs, Weakly similar to S51797 vasodilat	2.5
		AW089705		ESTs, Weakly similar to S64329 probable	2.5
55		AI471598	Hs.197531		2.5
	409163	AA065081		gb:zm13a03.s1 Stratagene pancreas (93720	2.5
		BE178536	Hs.11090	membrane-spanning 4-domains, subfamily A	2.5
		AF109298		prostate cancer associated protein 1	2.5
60		AW247529 BE158687	Hs.6793	platelet-activating factor acetylhydrola gb:CM0-HT0395-280100-169-b09 HT0395 Home	2.5 2.5
00		AW953168	Hs.12407	ESTs	2.5
	416589	AA652687	Hs.96151	Human DNA sequence from clone RP5-1103G7	
	404826			Target Exon	2.5
<i>C E</i>	422938	NM_001809	Hs.1594	centromere protein A (17kD)	2.5
65	421991	NM_014918	Hs.110488 Hs.82101	KIAA0990 protein pleckstrin homology-like domain, family	2.5 2.5
	41/404	NM_007350 AW898595	1 13.02 10 1	gb:RC1-NN0073-260400-011-g09 NN0073 Home	
	440010	WA1020022		224 10 1 1410010-200-300-0 11-300 1410010 14001	

	403356	NA		ENSP00000251525*:Hypothetical protein KI	2.5
	404983			ENSP00000252242*:Keratin, type II cytosk	2.5
		AA215535	Hs.98133	ESTs	2.5
_		AW467143	Hs.135411	actin related protein	2.5
5	431806	AF186114	Hs.270737	tumor necrosis factor (ligand) superfami	2.5
		AW071349	Hs.215937		2.5
		AW582962	Hs.102897	CGI-47 protein	2.5
		AF086041	Hs.42975	ESTs	2.5
• •	400925			Target Exon	2.5
10	404552	NA		ENSP00000220888*:ZINC FINGER TRANSCRIP	PT12.5
		AL133117	Hs.81376	Homo sapiens mRNA; cDNA DKFZp586L1121 (f	2.5
		NM_002332	Hs.89137	low density lipoprotein-related protein	2.5
	426853		Hs.172777	baculoviral IAP repeat-containing 4	2.5
1.0		NM_000318	Hs.180612		2.5
15		AA501760	Hs.15806	Homo sapiens mRNA; cDNA DKFZp434H2019 (I	
		AI271898	Hs.164866		2.5
		AW813428		gb:MR3-ST0192-010200-210-c05 ST0192 Homo	
		AA641876	Hs.191840		2.5
20	402077		11- 0000	Target Exon	2.5
	400289	AW885757	Hs.2258	matrix metalloproteinase 10 (MMP10; str	2.5
	447020		Hs.257862 Hs.16986		2.5
		Al807894	Hs.47274	hypothetical protein FLJ11046 Homo sapiens mRNA; cDNA DKFZp564B176 (fr	2.5
		A1024353		hypothetical protein FLJ14298	2.5
25		AA059013	Hs.22607	ESTs	2.5
20		AA122393	Hs.70811	hypothetical protein FLJ20516	2.5
		AW162919		RAB2, member RAS oncogene family-like	2.5
		AI126772	Hs.40479	ESTs	2.5
		AI580090	Hs.48295	RNA helicase family	2.5
30	423504	N80077	Hs.24792	chromosome 12 open reading frame 5	2.5
	425441	AA449644	Hs.193063	Homo saplens cDNA FLJ14201 fis, clone NT	2.5
	443066	AW297921	Hs.255703	ESTs	2.5
		AA256769	Hs.94949	methylmalonyl-CoA epimerase	2.5
25		AW086180	Hs.37636	ESTs, Weakly similar to KIAA1392 protein	2.5
35		U29344	Hs.83190	fatty acid synthase	2.5
		AA356923		nuclear cap binding protein subunit 2, 2	2.5
		AL039402		DEME-6 protein	2.5
		N52639	Hs.32683	ESTs	2.5
40		A1743977	Hs.205144		2.5
40		AA740875 AW500507	Hs.44307	ESTs, Moderately similar to I38022 hypot KIAA1600 protein	2.5
		A1920783	Hs.191435		2.5 2.5
		AA479033		ESTs, Weakly similar to A47582 B-cell gr	2.5
		AI446747		olfactory receptor, family 7, subfamily	2.5
45		AA116021	Hs.38260	ubiquitin specific protease 18	2.5
		NM_007069	Hs.37189	similar to rat HREV107	2.5
		H00820	Hs.30977	ESTs, Weakly similar to B34087 hypotheti	2.5
		AA236255	Hs.298419		2.5
		H20669	Hs.35406	ESTs, Highly similar to unnamed protein	2.5
50	440331	AL046412	Hs.202151		2.5
	449344	AI640355	Hs.312691	ESTs	2.5
	459006	AW298631	Hs.27721	Wolf-Hirschhom syndrome candidate 1-lik	2.5
		A1937547	Hs.124915	hypothetical protein MGC2601	2.5
<i></i>		AW837349		gb:QV2-LT0038-270300-108-d12 LT0038 Homo	
55		AA843719	Hs.122341		2.5
	406414	4.0000040		C5000506*:gi[124941 sp[P18614 ITA1_RAT I	2.5
		AB033043	Hs.149377	hypothetical protein DKFZp761L0424	2.5
		BE548446	Hs.5167	Homo sapiens mRNA; cDNA DKFZp434F152 (fr	
60		AA347746 BE150084	Hs.9521	ESTs, Weakly similar to ZN43_HUMAN ZINC	2.5
00		BE159984 AA635062	Hs.125395 Hs.50094	ESTs Homo sapiens mRNA; cDNA DKFZp43400515 (	2.5 62.5
		D86983	Hs.118893		2.5
		AL135623		KIAA0575 gene product	2.5
		AA442324	Hs.795	H2A histone family, member O	2.5
65		D13752	Hs.184927		2.5
	_	AA081395	Hs.42173	Homo sapiens cDNA FLJ10366 fis, clone NT	2.5
	403133			Target Exon	2.5
				-	-

413189	BE070231		gb:QV4-B10407-260100-087-112 B10407 Homo	2.5
400346	AB041269	Hs.272263	Homo sapiens mRNA for keratin 19, partia	2.5
435509	AI458679	Hs.181915	ESTs	2.5
458145	A1239457	Hs.130794	ESTs	2.5

5

#### TABLE 19A

Table 19A shows the accession numbers for those pkeys lacking unigeneID's for Table 19. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10		

Unique Eos probeset identifier number

CAT number: Accession: Gene cluster number
Genbank accession numbers

15

5

	Pkey	CAT number	Accessions
20	407647 407980 408254	1007366_1 103087_1 1049346_1	AW860158 AW862385 AW860159 AW862386 AW862341 AW821869 AW821893 AW062660 AW062656 AA046309 Al263500 AA046397 AW807227 AW807576 AW807137 AW807157 AW807495 AW807494 AW807417 AW807083 AW845786 AW845801 AW807130 AW807335 AW807081 AW807349 AW807339 AW807164 AW807341 AW807224 AW845903 AW177424
25			AW807159 AW807123 BE141576 AW807349 AW807334 AW807520 AW807505 BE141574 AW807390 AW807159 AW807159 AW807159 AW807159 AW807509 AW807505 BE141574 AW807390 AW807395 AW845789 AW807519 AW807519 AW807395 AW807515 AW807526 AW807098 AW807307 AW807153 AW807255 AW807313 AW807322 AW807355 AW807513 AW807516 AW807501 AW807120 AW807168 AW807121 AW807527 AW807151 AW807203 AW807489 AW807511 AW807518 AW845800 AW807507 AW845793 AW845796 AW807296 AW845781 AW807444 AW845871 AW807512 AW807242 AW807141
30			AW807522 AW807487 AW807514 AW807142 AW807232 AW807379 AW807114 AW807518 AW807199 AW807211 AW807498 AW807086 AW807492 AW807218 AW807082 AW807525 AW807493 AW807523 AW807087 AW845784 AW807037 AW807128 AW807080 AW807118 AW845807 AW807524 AW845803 AW807249 AW845795 AW807160 AW807343 AW807515 AW807233 AW807289 AW177102 AW807352 AW807394 AW177105 AW807176 AW177103 AW845870 AW177099 AW177101 AW807528 AW807336 AW807038 AW177100 AW807411 AW807088 AW845865 AW807226 AW807517 AW807397 AW807303 AW807177 AW807154 AW807136 AW807146 AW807085 AW807521
35	409163	110418_1	AW807488 AW807385 AW807355 AW807223 AW807155 AA065081 AA075017 AA084791 AA071015 AA081560 AA071459 AA545727 AA083100 AA085366 AA115845 AA075457 AA064704 AA082878 AA075742 AA069162
	409695	114876_1	AA296961 AA296889 AA076945 AA077528 AA077497
	410534	1207247_1	AW905138 AW753008 R13818 Z43519
	410672	1214882_1	AW794600 AW794730
40	410784	1221005 1	AW803201 BE079700 BE062940
	410785	1221055 1	AW803341 AW803265 AW803403 AW803466 AW803402 AW803413 AW803268 AW803396 AW803334 AW803355
	410835	1223785_1	AW806906 AW806915 AW866460 AW866475 AW866462 AW866448 AW866372 AW866604
	411050	1230330 1	AW814902 BE156656 BE156667 BE156590 BE156441 BE156447
	411086	1231500 1	BE070800 AW875226 BE149115
45	411093	1231970_1	BE067650 AW817053
	411111	1232669_1	AW818127 AW818161 R09719
	411171	1234393_1	AW820260 AW820332 R94406
	411337	1239217_1	AW837349 AW837355 AW882717
	411514	1248638_1	AW850178 AW850233 AW850445 AW850446
50	411670	1253680_1	AW856552 AW861101 AW856574 AW861099 AW861100 AW856573 AW856576 AW856562
	411905	1265181_1	BE265067 BE264978 AW875420
	412102	1277395_1	H56435 H56572 AW892929
	412209	1283610_1	AW901456 AW901450 AW901441
	412248	1285000_1	BE176480 AW903298 AW903313
55	413043	1346556_1	BE158766 BE061699 BE147360 BE147362 BE061666 BE061697 BE061647 BE061678
	413111	1349546_1	BE065837 BE065805 BE065799 BE065818 BE065839 BE065831 BE065894 BE065789 BE065792
	413189	1352723_1	BE070231 BE070229 BE070255
	413221	1353887_1	BE161151 BE162495 BE161002 BE072205 BE160989 BE162482
<b>60</b>	413499	1373910_1	BE144884 H97942
60	413708	1384140_1	BE158701 BE158806 BE158748 BE158744 BE158740 BE158739 BE158811 BE158700 BE158741 BE158683 BE158685
	414210	1426051_1	BE383592 BE261671
	414596	1465004_1	BE386870 Z41986 H08501

```
414605
                  1465790 -1
                               BE390440
                               AA381209 AA381245 AA167683
        415747
                  155189_1
                               R52782 R17313 H24192 R19876
        416173
                  1574973_1
                  1696282_1
                               R64719 Z44680 R12451
        417742
 5
        417974
                               AA210765 T95700 H94407
                  171237_1
                               AW749855 AA225995 AW750208 AW750206
        418636
                  177402_1
                  185688_1
        419536
                               AA603305 AA244095 AA244183
                               AW296927 Al684514 Al263168 AA281079
                  197072 1
        420854
                               N34524 AA305071 AW954803 AA502335 AI433430 AI203597 AW026670 AW265323 AW850787 AA317554 AW993643
        422156
                  212379_1
10
                               AW835572 AW385512 Al334966 W32951 H62656 H53902 R88904 AW835732
                  223666_1
                               BE091089 BE091123 AA319959
        422996
                  232451_1
                               AW503329 N46610 AA331571
        423833
                               AW753967 AA370795 AA331630 AW962550
        423841
                  232507_1
        423945
                  233566 1
                               AA410943 AW948953 AA334202 AA332882
15
        425201
                  247933_1
                               AA352111 AW962247 AA429695
                  270283_1
                               AA382814 AA402411 AA412355
        426650
                               BE069341 AW748403 AL044891 Al908240 AA393080
        426878
                  273265_1
                               AA470519 BE303010 BE302954 BE384120
        430264
                  315008_1
                               Z30201 AA486132 T72025
        430785
                  323486_1
20
                               Al685464 AW971336 AA513587 AA525142
        431676
                  336411_1
        433687
                   373061_1
                               AA743991 AA604852 AW272737
        434338
                  383982 1
                               AW754311 AA630185 AW803285
        434469
                               AA634806 C18732 AA729161 AA729860
                   387447_1
                               Al872932 AA682306 BE220163 W88695 T81307 H91447
        435447
                   406400_1
25
        437152
                   43386_1
                               AL050027 BE089051
                   44418_1
        437854
                               AL119723 AL119874 AI909018 U50537
                               AF075079 H48601 H48795
        439031
                   46798_1
        439255
                   470321_1
                               BE164500 AA832198 BE164502
                               Al201849 BE069007 AW946544
        444910
                   624951_1
                   63943_1
30
        445432
                               AV653771 BE089370
                               BE175605 Z43529 F06610 BE175602 AV661027
                   69865_1
        446922
        447197
                   711623_1
                               R36075 Al366546 R36167
                               BE623004 AA380669 BE263627 BE246433
        448420
                   76273_1
                               AW898595 AW898588 AW898590 AW898663 AW898592 Al525093
Al698839 Al909260 Al909259
         448516
                   766241_1
35
        450522
                   837264_1
        450736
                   844652_1
                               AW970060 AI732366 AI792313 AW839644
                   85565_1
                               AA442176 AA259181
         451024
                               BE172186 AA059279 AA020815 AA013437
                   85759_1
        451067
                               AW936273 AW340350 AA017208
         451340
                   86640_1
40
         452542
                   921410_1
                               AW812256 AW812257 AI906423 AI906422
                               AA026777 N50065 R09961 N54721
         452564
                   92227_1
                   968371_1
                               AL037925 AL037931 AL037957
         453472
         454307
                   1106070_1
                               AW855717 AW362452 AW362443
         454359
                   1130674_1
                               N71277 AW390764
                  1223779_1
45
         454545
                               AW806899 AW866451 AW866393 AW866297 AW817869
                               AW813428 AW813444 AW813367 AW813368 AW813429 AW813424 AW815098 BE154843 BE154831
         454693
                   1229132_1
         454714
                   1230493_1
                   1250536_1
1252971_1
                               AW852530 AW852527 AW852526
         455047
                               BE152428 AW855572 AW855607
         455092
                               AW855802 AW855794 AW855797 AW855806 AW855796 AW855808 AW855793 AW855807
50
         455097
                   1253130_1
                               BE160198 AW935898 T11520 AW935930 AW856073 AW861034
         455100
                   1253334_1
         455431
                   1289854_1
                               AW938484 BE001245 BE001190
                               BE144762 AW979091
                   1321229_1
         455511
                               BE011668 BE011689 BE011627 BE011679 BE011699 BE011678 BE011696 BE011675 BE011622 BE011635
         455609
                   1337548_1
                               BE064962 BE064979 BE064853 BE064857 BE064856 BE064977 BE064960 BE064860 BE064815 BE064957 BE064804
55
         455651
                   1348732_1
                                BE064816 BE064850 BE064806 BE064796 BE064818 BE064975 BE064819 BE064810 BE064668 BE065059
                               BE066976 BE066928 BE066927
                   1350393_1
         455685
         455700
                   1351264_1
                                BE068115 BE068104 BE068102 BE068096 BE068103 BE068154 BE068198
         455708
                   1352232_1
                                BE069326 BE069290 BE069352
                                BE080908 BE072258 BE072190 BE072236
60
                   1353874_1
         455732
                                BE145808 BE145807 BE181883
         455838
                   1374605_1
         455935
                                BE158687 BE158688
                   1384144_1
                                BE160636 BE160606 BE160703
         455945
                   1385588_1
                                AA193450
                   165078_-1
         456207
65
         456482
                   192289_1
                                AA485224 AA287308 AA258121
                                AF086325 W72956 W73221 AA219112
         458094 .
                   47311_1
                                N99626 Al302701
                   679507_1
         458673
```

# **TABLE 19B**

Table 19B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 19. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

		•	·
10	Pkey:	Unique	e number corresponding to an Eos probeset
		Sequence so	purce. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication
			The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.
	Strand:		es DNA strand from which exons were predicted.
	Nt_position:		les nucleotide positions of predicted exons.
15	MCposition.	mulcai	tes industriate positions of predicted exons.
15			
	Pkey Ref	Ctuand	Ne maritim
	rkey Kei	Strand	Nt_position
	400555 9801191	Minus	134694-134817
20			
20	400608 9887666	Minus	96756-97558
	400610 9887671	Minus	117606-117928,124040-124147
	400925 7651921	Plus	38183-38391,43900-44086
	401045 8117619	Plus	90044-90184,91111-91345
25	401049 7232177	Plus	149157-150692
25	401093 8516137	Minus	22335-23166
	401256 9796573	Minus	45482-45620
	401283 9800093	Minus	47256-47456
	401326 9212516	Minus	226246-227505
	401418 7452889	Minus	124865-125075
30	401451 6634068	Minus	119926-121272
	401458 9187886	Plus	76485-77597
	401497 7381770	Plus	92607-92813
	401508 7534110		110779-110983
	401575 7229804	Minus	76253-76364
35	401747 9789672		118596-118816,119119-119244,119609-119761,120422-120990,130161-130381,130468-130593,131097-
-	1011-11 0100012	***************************************	131258,131866-131932,132451-132575,133580-134011
	401781 7249190	Minus	83215-83435,83531-83656,83740-83901,84237-84393,84955-85037,86290-86814
	401785 7249190		165776-165996,166189-166314,166408-166569,167112-167268,167387-167469,168634-168942
	401793 7249190		102945-103083
40	401793 7203888		
70			72000-70021;70000-770-70
	402077 8117414		65014-65195
	402109 8131678		171722-171859,173197-173303
	402184 8576001		112844-112986,113505-113636
45	402376 9625329		21753-22385
45	402421 9796341		46609-46662,46758-46811,86293-86346,89776-89829,90048-90101,102817-102924
	402578 9884928		66350-66496
	402606 9909429		81747-82094
	402696 7328818	Minus	23600-23731
	402765 9367757	Plus	109588-109726
50	402800 6010175		43921-44049,46181-46273
	402820 6456853	Minus	82274-82443
	402892 8086844	Minus	194384-194645
	403133 7331427		38314-38634
	403356 8569930	Plus	92839-93036
55	403388 9438331		112733-113001,114599-114735
	403426 9719529		157156-158183
	403585 8101208		131266-131769
	403593 6862650		62554-62712,69449-69602
	403637 8671936		142647-142771,145531-145762
60	403639 8671948		113234-113326,115186-115287,119649-119786
UU	403677 7331517		55008-55083,62860-63051
	403775 7770580		102247-102326,103095-103148
	403943 7711864	Plus	100742-100904,101322-101503

```
404091 7684554
                                     82121-83229
                          Minus
        404097 7770701
                          Plus
                                     55512-55781
                                     80316-80459
        404142 9856692
                          Minus
        404253 9367202
                                     55675-56055
                          Minus
 5
        404274 9885189
                          Plus
                                     104127-104318
        404285 2326514
                                     32282-32416
                          Plus
                                     122873-122966,151324-151469,153093-153253
        404360 9858450
                          Minus
        404440 7528051
                                     80430-81581
                          Plus
        404443 7579073
                          Minus
                                     87198-87441
10
                                     19854-20010
         404552 7243881
                           Plus
         404561 9795980
                           Minus
                                     69039-70100
                                     240588-241589
         404580 6539738
                           Minus
                                     173763-174294
         404721 9856648
                           Minus
                           Plus
                                     47726-48046
         404826 6572184
15
         404983 4432779
                                     51178-51374,52000-52173
                           Minus
         405037 7543748
                                     127374-127578
                           Minus
                                     121230-121714
         405041 7547195
                           Plus
         405095 8072599
                                     138877-139066
                           Plus
         405153 9965565
                                     175317-175500
                           Minus
20
                                     135716-135851
         405196 7230083
                           Minus
                                     125904-126063
         405232 7249042
                           Plus
         405248 7259728
                           Plus
                                     637-777
         405336 6094635
                                     33267-33563
                           Phis
                                     31900-32373
52223-52389
         405394 6624123
                           Minus
25
         405460 7684569
                           Minus
                                     70284-70518
         405494 8050952
                           Minus
                                     124361-124520,124914-125050
         405547 1054740
                           Plus
                                     42814-43010,43583-43783,44863-45033,46429-46554,47815-48018,49961-50153,51624-51727,51823-51959,52702-
         405609 5757553
                           Minus
                                     52918,55469-55601,57111-57307,58169-58296,60215-60332,61482-61727
         405638 6289229
405654 4895155
30
                                     199260-199372,199826-199929
                           Plus
                                     53624-53759
                           Minus
                                     113080-113266
         405718 9795467
                           Plus
         405822 6273498
                                     154660-154974,155203-155379
                           Minus
                                      28135-28244
         405848 7651809
                           Minus
                                     32129-32764
10835-11059
35
         405873 6758747
                           Minus
         405906 7705124
                           Minus
         405917 7712162
                           Minus
                                      106829-107213
                                      129935-130282
         405925 6758795
                           Plus
         405953 7960374
                                     65101-65574
                           Minus
40
                                     68880-69374
         406069 9117732
                           Plus
         406151 7144806
                                      94087-94285
                           Minus
         406153 9929734
                           Minus
                                      12902-13069
                                     28256-28935
         406182 5923650
                           Minus
                                     36179-36692
         406271 7534217
                           Plus
45
                                      9562-9867
         406291 5686274
                           Plus
         406348 9255985
                           Minus
                                     71754-71944
                                     49593-49850
         406414 9256407
                           Plus
         406446 9454509
                                      116424-116527,118721-118859,121187-121364
                           Minus
         406504 7711360
                           Minus
                                      107068-107277
50
                                      106956-107121
         406554 7711566
                           Plus
```

WO 02/059377

# TABLE 20: 544 GENES UP-REGULATED IN BREAST CANCER COMPARED TO NORMAL ADULT TISSUES THAT ARE LIKELY TO ENCODE EXTRACELLULAR OR CELL-SURFACE PROTEINS

Table 20 shows 544 genes up-regulated in breast cancer compared to normal adult tissues that are likely to encode extracellular or cell-surface proteins. These were selected as for Table 19, except that the ratio was greater than or equal to 3.0, the "average" normal adult tissue level was set to the 85<sup>th</sup> percentile value amongst 144 non-malignant tissues, and the 96<sup>th</sup> percentile value amongst the 73 breast cancer specimens was greater than or equal 100 units, and the predicted protein contained a structural domain that is indicative of extracellular localization (e.g. ig, fn3, egf, 7tm domains, signal sequences, transmembrane domains). The predicted protein domains are noted.

15

10

5

Pkey: Unique Eos probeset identifier number

ExAccn: Exemplar Accession number, Genbank accession number

UnigeneID: Unigene number
Pred.Prot.Domains: Predicted Protein Domains

Unigene Title: Unigene gene title

R1: Ratio of 93rd percentile of tumor to 85th percentile of normal body tissue

:	25	Pkey	ExAccn	UnigenelD	Pred.Prot.Domains	UnigeneTitle	R1
			AF015224		SS,Uteroglobin,SS,Uteroglobin	mammaglobin 1	168.6
			AA401369		TM	ESTs	73.2
	• •				,SS,p450	ESTs, Weakly similar to CP4Y_HUMAN CYTOC	65.7
	30		AW170035		TM	Homo saplens breast cancer antigen NY-BR	57.6
			AA250737		death,ZU5,TM,Activin_recp,pkinase,	BMP-R1B	55.9
			U31875	Hs.272499	,SS,TM	short-chain alcohol dehydrogenase family	53.8
			BE069341		TM	gb:QV3-BT0381-270100-073-c08 BT0381 Homo	50.3
			NM_000230		SS,Leptin,SS,Leptin,	leptin (murine obesity homolog)	40.8
	35		AA195651		,SS,Dihydroorotase,	ESTs	39.3
		408000		Hs.620	Plectin_repeat,SH3,spectrin,SS,Plectin_r	bullous pemphigoid antigen 1 (230/240kD)	37.3
			D31152	Hs.179729	SS,C1q,Collagen,SS,C1q,Collagen,	collagen, type X, alpha 1 (Schmid metaph	35.2
			AJ224172		,SS,Uteroglobin,	lipophilin B (uteroglobin family member)	30.0
			AA009647	Hs.8850	,SS,TM,disintegrin,Pep_M12B_propep,Repro		25.7
4	40		AF044197	Hs.100431	SS,iL8,SS	small inducible cytokine B subfamily (Cy	25.2
			S73265	Hs.1473	SS,Bombesin,SS	gastrin-releasing peptide	24.8
			A1624342	Hs.170042	,SS,TM,Cation_efflux	ESTs	24.1
			A1955040	Hs.265398	SS	ESTs, Weakly similar to transformation-r	24.0
			Al127076		TM	hypothetical protein DKFZp564O1278	23.8
•	45		X51501	Hs.99949	SS,SS	prolactin-induced protein	22.8
			A1267652	Hs.30504	,SS,TM,GNS1_SUR4,cNMP_binding,Rlla	Homo sapiens mRNA; cDNA DKFZp434E082 (fr	22.6
			NM_00361:		ig,tsp_1,SS,AAA	cartilage intermediate layer protein, nu	21.7
			X78592	Hs.99915	hormone_rec,Androgen_recep,zf-C4,	androgen receptor (dihydrotestosterone r	21.7
			AI905687	Hs.2533	SS	aldehyde dehydrogenase 9 family, member	20.3
	50		Al375572	Hs.172634	,pkinase,	ESTs	19.2
			AA193450		,SS,TM,p450,p450	gb:zr40e07.r1 Soares_NhHMPu_S1 Homo sapi	18.3
			AL137517	Hs.334473	TM	hypothetical protein DKFZp564O1278	18.2
			AA399272		SS	ESTs	18.2
			X52509	Hs.161640	,SS,TM,aminotran_1_2,Cadherin_C_term,cad		18.1
	55		AW840171	Hs.265398	SS	ESTs, Weakly similar to transformation-r	17.9
		402578			SS,p450,SS,TM,p450	C1001134:gi[2117372[pir]]165981 fatty ac	17.8
			A1263307	Hs.239884	SS	H2B histone family, member L	17.8
				Hs.124165	SS	programmed cell death 9 (PDCD9)	17.7
		444342	NM_01439	8Hs.10887	Lamp,SS,TM,Lamp,	similar to lysosome-associated membrane	17.5

					TOT AN I WAS SUBSTITUTE ALLEGED IN MARKE	47.0
	449765		Hs.206832		ESTs, Moderately similar to ALU8_HUMAN A	17.3 17.0
		AA321649		SS,IL8,	small inducible cytokine subfamily B (CX	16.7
	425692		Hs.155956	,SS,Acetyltransf2,	N-acetyltransferase 1 (arylamine N-acety	16.5
5	424001		Hs.137476		paternally expressed 10 KIAA0644 gene product	16.3
2		AB014544			ESTs	16.2
	449448		Hs.57471	SS SS,hemopexin,Peptidase_M10,SS,Peptidase_		15.7
	418007		Hs.83169	SS,lectin_c,sushi,EGF,SS,EGF,lectin_c,su	selectin E (endothelial adhesion molecul	15.5
		AA296520 AA441838		SS	hypothetical protein FLJ14834	15.5
10		NM_007115		,SS,CUB,Xlink,	tumor necrosis factor, alpha-induced pro	15.0
10	446591		ns.25552 Hs.15456	PDZ,SS	PDZ domain containing 1	14.9
		AA236115		SS	ESTs	14.8
	452838		Hs.30743	SS.SS	preferentially expressed antigen in mela	14.7
		AA436989		histone,SS,histone,histone	H2A histone family, member A	14.3
15		AL035414		SS	hypothetical protein .	14.2
15		Al199268		,SS,lipocalin	Homo sapiens, Similar to RIKEN cDNA 2010	14.2
			Hs.23439	,SS,Peptidase_M1,	ESTs	13.9
		AI082692		,SS,TM,SNF	ESTs	13.7
		AA031956		,SS,LIM,	gb:zk15e04.s1 Soares_pregnant_uterus_NbH	13.7
20		A1733682	Hs.130239	SS	ESTs	13.5
	400289		Hs.2258	hemopexin,Peptidase_M10,SS,Peptidase_M1	Omatrix metalloproteinase 10 (MMP10; str	13.5
		BE336654		histone, SS, histone, histone	H3 histone family, member A	13.3
		AA948033		.SS,histone,histone,linker_histone	ESTs	13.2
		AA706910		,SS,Ribosomal_L7Ae,	ESTs	13.1
25		Al951118		TM	Homo sapiens breast cancer antigen NY-BR	13.1
		AW873596		,SS,DENN	calmodulin 2 (phosphorylase kinase, delt	13.0
			Hs.197653	SS	programmed cell death 9 (PDCD9)	12.9
	424086	AI351010	Hs.102267	,SS,Lysyl_oxidase	lysyl oxidase	12.8
			Hs.2533	SS	aldehyde dehydrogenase 9 family, member	12.7
30	452461	N78223	Hs.108106	,SS,G9a,PHD,	transcription factor	12.5
	427365	AI873274	Hs.190721	TM	ESTs	12.4
		AF026944		,SS,TPR	ESTs	12.3
		AA576953		SS,TM,UPF0016,SS,TM,UPF0016	hypothetical protein FLJ13352	12.0
0.5		AJ224741		SS,EGF,vwa,SS,TM,vwa,	matrilin 3	11.9
35		AW732573		TM,K_tetra,ion_trans,SS,TM,K_tetra,ion_t	potassium voltage-gated channel, delayed	11.9
		BE007371		,SS,TM,Folate_carrier	ESTs	11.9
		Al357412		SS	ESTs	11.8 11.8
		H87879	Hs.102267	SS,Lysyl_oxidase,Aldose_epim,Epimerase,S		11.7
40		NM_002497		pkinase,SS,TM,pkinase,polyprenyl_synt,	NIMA (never in mitosis gene a)-related k	11.6
40		AL049689		SS	hypothetical protein similar to tenascin	11.5
		R28363	Hs.24286	,SS,TM,7tm_1,p450,rrm	ESTs	11.5
		A1907673		,pkinase, death,ZU5,TM,Activin_recp,pkinase,	gb:IL-BT152-080399-004 BT152 Homo sapien gb:zt32h03.r1 Soares ovary tumor NbHOT H	11.4
		AA410943	U- 202052		Homo sapiens mRNA full length insert cDN	11.4
45		AL360204	Hs.283853	SS SS	NM_024626:Homo sapiens hypothetical prot	11.3
45	402606	H57646	Hs.42586	SS,Acyltransferase,	KIAA1560 protein	11.2
		N47863	Hs.336901	,SS,RNA_pot_A,RNA_pot_A2,Ribosomal_S2	Ae ribosomal omtein S24	11.1
		AF026941		,TM,IBR	Homo sapiens cig5 mRNA, partial sequence	11.1
		BE178536		,SS,TM	membrane-spanning 4-domains, subfamily A	11.1
50		AL080207		,SS,TM,BRCT,ank,ABC_tran,ABC_tran	DKFZP434G232 protein	10.9
50		R17798	Hs.7535	,SS,Fork_head,	COBW-like protein	10.9
		U79293	Hs.159264	SS	Human clone 23948 mRNA sequence	10.7
		NM_007050		,SS,TM,Y_phosphatase,MAM,fn3,	protein tyrosine phosphatase, receptor t	10.4
		AB007948		,SS,laminin_B,laminin_EGF,laminin_Nterm	KIAA0479 protein	10.3
55		BE440042		SS,Peptidase_M10,hemopexin,SS,Peptidase	matrix metalloproteinase 3 (stromelysin	10.3
55		NM_00068		SS,TM,7tm_1,SS,TM,7tm_1,	angiotensin receptor 1	10.3
		U80736	Hs.110826	SS	trinucleotide repeat containing 9	10.3
		AL120173		,SS,pkinase,	ESTs	10.3
		AW016531		,SS,ArfGap,	ESTs	10.2
60	400608			SS,TM,SS,TM	C10001899:gij7508633[pirj]T25392 hypothe	10.1
•		BE242870	Hs.75379	SS	solute carrier family 1 (glial high affi	10.0
		W68815	Hs.301885	SS	Homo sapiens cDNA FLJ11346 fis, clone PL	9.9
	402408			,SS,carb_anhydrase	NM_030920*:Homo saplens hypothetical pro	9.8
		AJ245671	Hs.12844	,SS,TM,ras	EGF-like-domain, multiple 6 (EGFL6)	9.7
65		AI879148	Hs.26770	SS, lipocalin, lipocalin,	fatty acid binding protein 7, brain	9.6
	405654			BTB,SS	C12001521:gi[7513934]pir][T31081 cca3 pr	9.6
	434988	AI418055	Hs.161160	SS	ESTs	9.6

	416220	N49776	Hs.170994	,SS,TM	hypothetical protein MGC10946	9.5
	431808		Hs.270833	SS,TM,EGF,SS	amphiregulin (schwannoma-derived growth	9.5
	414142	AW368397	Hs.150042	,SS,UDPGT	Homo sapiens cDNA FLJ14438 fis, clone HE	9.4
	400298	AA032279	Hs.61635	TM	six transmembrane epithelial antigen of	9.4
5		AA279490		SS,TM,calreticulin,SS,TM,calreticulin,	calmegin	9.4
_			Hs.72472	death,ZU5,TM,Activin_recp,pkinase,	BMP-R1B	9.4
		AA291377		TM	ESTs	9.3
			Hs.202676	SS	synaptonemal complex protein 2	9.3
		AI820662	Hs.129598	SS	ESTs	9.1
10			Hs.169849	,SS,TM,fn3,ig,	myosin-binding protein C, slow-type	9.1
	406687		Hs.272620	SS,Peptidase_M10,hemopexin,SS,Peptidase_	matrix metalloproteinase 11 (MMP11: stro	9.1
		AW004854		SS	hypothetical protein FLJ23537	9.1
		AB041035		Ferric_reduct,TM,Ferric_reduct,	NM_016931:Homo saplens NADPH oxidase 4 (	9.1
	426214	H59846	Hs.128355	SS	ESTs, Moderately similar to ALU7_HUMAN A	9.0
15	427718	A1798680	Hs.25933	,SS,TM,histone,Sec1,histone,sugar_tr	ESTs	8.9
			Hs.77367	SS,IL8,SS,IL8	monokine induced by gamma interferon	8.8
	400285	NA		,TM,ABC_tran,ABC_membrane,	Eos Control	8.8
*			Hs.115263	SS,TM,EGF,SS,TM	epiregulin	8.8
••	416182	NM_004354	Hs.79069	cyclin,SS	cyclin G2	8.8
20		AW512260		SS	ESTs	8.7
	452281		Hs.28792	,SS,TGF-beta,TGFb_propeptide,	Homo sapiens cDNA FLJ11041 fis, clone PL	8.7
		AA642007		SS	ESTs	8.6
		AF123050		,SS,TM,ubiquitin,7tm_3,ANF_receptor,sush	diubiquitin	8.6
25		AI732643		TM	ESTs	8.6
25		A1222020		SS,SS	CocoaCrisp	8.5
		BE622641			nis_reESTs, Weakly similar to l38022 hypotheti	8.5
			Hs.133525	,SS,TM	ESTs	8.5
		NM_004525		SS,EGF,ldl_recept_a,ldl_recept_b,SS,TM,E	low density lipoprotein-related protein	8.4
30		AW963419		SS	stanniocalcin 2	8.4
30		AA635062		TM	Homo sapiens mRNA; cDNA DKFZp434O0515 (f	8.4
		Al831297 AA780473		TM	ESTs	8.3
		NM_003866		SS,p450,SS,p450 SS,SS	cytochrome P450, subfamily IVB, polypept	8.3
			Hs.2839	SS,Cys_knot,SS	inositol polyphosphate-4-phosphatase, ty	8.3
35			Hs. 106604	,death,ZU5,pkinase,Activin_recp,	Nome disease (pseudoglioma) ESTs	8.3 8.3
55		AW449211		SS	GDNF family receptor alpha 1	8.2
	427811		Hs.180884	SS,Zn_carbOpept,Propep_M14,SS,Propep_N		8.2
		AA280627		SS,cpn10	ESTs	8.2
			Hs.169300	SS,TGF-beta,TGFb_propeptide,SS	transforming growth factor, beta 2	8.2
40		AW885727		,SS,kazal,	ESTs	8.1
		AW419196		SS	hypothetical protein FLJ13782	8.1
		AW248508		SS	Homo sapiens cDNA FLJ14035 fis, clone HE	8.0
	404347			SS	Target Exon	8.0
		AA743991		TM	gb:ny57g01.s1 NCI_CGAP_Pr18 Homo sapiens	8.0
45	421373	AA808229	Hs.167771	,SS,IMPDH_C,IMPDH_N,CBS	ESTs	8.0
		NM_016010	)Hs.118821	SS	CGI-62 protein	7.9
	453310		Hs.553	TM,SNF,SS,TM,SNF,	solute carrier family 6 (neurotransmitte	7.9
	435957	N39015	Hs.190368	,SS,TM	ESTs	7.8
50		AL138272		,TM,cpn60_TCP1,Sema,	ESTs	7.8
50		AI085198		,TSPN,vwc,tsp_1,EGF,thiored,	ESTs	7.8
		A1754693	Hs.145968	,TM,cadherin,Cadherin_C_term,	ESTs	7.7
		AW207523		,SS,rm,	ESTs	7.6
		AL133731		,TM,SDF,UPAR_LY6,	Homo sapiens mRNA; cDNA DKFZp761C1712 (f	7.6
55		A1742605		TM	ESTs	7.6
55		AW207206		SS	ESTs	7.6
		AK000713 AL031224		,SS,UDPGT	hypothetical protein FLJ20706	7.5
		R41396		SS,SS	transcription factor AP-2 beta (activati	7.5
	439009	AA157291	Hs.101774	SS SS	hypothetical protein FLJ23045 ubinuclein 1	7.5
60		U41060	Hs.79136		and the second s	7.5
00		AW378065		SS,TM,TM ,SS,Pep_M12B_propep,Reprolysin,tsp_1,	LIV-1 protein, estrogen regulated ESTs	7.5 7.4
		A1742170	Hs.31297	,SS.TM	duodenal cytochrome b	7.4 7.4
•		Al240665	Hs.8895	,SS,TM,disintegrin,Pep_M12B_propep,Repro		7.4 7.3
		U22376	Hs.1334	SS,NA,myb_DNA-binding	v-myb avian myeloblastosis viral oncogen	7.3 7.3
65		R43646	Hs.12422	SS SS	ESTs	7.2
		L32137	Hs.1584	SS,EGF,tsp_3,SS,E2F_TDP,	cartilage oligomeric matrix protein (COM	7.2
		U37519	Hs.87539	SS,aldedh,SS,aldedh,	aldehyde dehydrogenase 3 family, member	7.2
					. , , ,	

		AI908165		SS,GATA,	GATA-binding protein 3 (T-cell receptor	7.1	
	450701	H39960	Hs.288467	,SS,LRR	Homo sapiens cDNA FLJ12280 fis, clone MA	7.1	
	419519	A1198719	Hs.176376	SS	ESTs	7.1	
	410555	U92649	Hs.64311	,TM,disIntegrin,Reprolysin,	a disintegrin and metalloproteinase doma	7.1	
5	433138	AB029496	Hs.59729	SS,ig,Sema,SS,Sema,efhand	semaphorin sem2	7.0	
_		AA102670		SS,TM,SS,TM	gamma-aminobutyric acid (GABA) A recepto	7.0	
		W87707	Hs.82065	,TM,fn3,	interleukin 6 signal transducer (gp130,	7.0	
		X63578	Hs.295449	SS,efhand,SS,efhand,ras	parvalbumin	7.0	
		R31178	Hs.287820	,SS,fn3,fn1,fn2,fn2,fn1	fibronectin 1	6.9	
10					hypothetical protein FLJ10879	6.9	
10		AK001741	ns.o/39	WD40,SS			
		AF026942		,TM,IBR	gb:Homo sapiens cig33 mRNA, partial sequ	6.8	
		AF077345		SS,lectin_c,SS	ESTs	6.8	
	410785	AW803341		SS	gb:IL2-UM0079-090300-050-D03 UM0079 Homo	6.7	
	401045			ICE_p20,SS,ICE_p10,ICE_p20,ICE_p10,ICE_			
15		C11001883	3*:gi 6753278 re	f NP_033938.1  c	6.7		
	418986	A1123555	Hs.81796	,SS,Reprolysin,tsp_1,	ESTs	6.7	
	442082	R41823	Hs.7413	,TM,EPH_lbd,pkinase,SAM,fn3,	ESTs; calsyntenin-2	6.7	
		AA243837		SS	ESTs	6.6	
		A1655499		,TM,Activin_recp,pkinase,death,ZU5,	ESTs	6.6	
20		R20893	Hs.325823	,SS,TM,CD36	ESTs, Moderately similar to ALU5_HUMAN A	6.6	
20					ESTs, Weakly similar to S64054 hypotheti	6.6	
		BE387335	HS.203/ 13	,SS,mito_carr		6.6	
	404091			,TM,7tm_3,ANF_receptor,	Target Exon		
		AW067903		SS,Collagen,COLFI,TSPN,SS,TSPN	collagen, type XI, alpha 1	6.6	
~ -		AL135623		SS,SS	KIAA0575 gene product	6.5	
25	410275	U85658	Hs.61796	,SS,Ribosomal_S4e	transcription factor AP-2 gamma (activat	6.4	
	425236	AW067800	Hs.155223	SS	stanniocalcin 2	6.2	
	415669	NM_00502	5Hs.78589	,SS,serpin,	serine (or cysteine) proteinase inhibito	6.2	
		AI815601		SS,TM,ig,SS,TM	CD83 antigen (activated B lymphocytes, I	6.2	
		AA219691		,SS,kinesin,	RAB6 interacting, kinesin-like (rabkines	6.2	
30			Hs.131562	,SS,lg,Sema,pkinase,	ESTs	6.2	
20		AA026880		,SS,TM,fn3,	prolactin receptor	6.1	
		T49951	Hs.9029	filament,SS,filament,filament	DKFZP434G032 protein	6.1	
					ESTs	6.1	
		W26713	Hs.256972	,SS,TM,DAGKa,DAGKc,		6.1	
25		Y00272	Hs.184572	,SS,pkinase,pkinase	cell division cycle 2, G1 to S and G2 to		
35		X03363		,SS,TM,pkinase,Recep_L_domain,SH2,PH,Fe		6.1	
		T32982	Hs.102720	SS	ESTs	6.1	
	410079	U94362	Hs.58589	Glyco_transf_8,SS	glycogenin 2	6.1	
	401781			,SS,filament,Pribosyltran,filament,Armad	Target Exon	6.1	
	447359	NM_01209	3Hs.18268	SS,adenylatekinase,	adenylate kinase 5	6.1	
40	402230			,SS,TM,p450,	Target Exon	6.1	
• •		NM_00352	8Hs.2178	histone, SS, histone,	H2B histone family, member Q	6.1	
		AI249368		,SS,TM	ESTs	6.0	
		BE550224		SS	metallothionein 1E (functional)	6.0	
		X04430	Hs.93913	SS,IL6,IL6,	interleukin 6 (interferon, beta 2)	6.0	
45		N32536	Hs.42645	,SS,TM	solute carrier family 16 (monocarboxylic	6.0	
7)					ESTs	5.8	
			Hs.128151	,SS,zf-C2H2,		5.8	
		J05070	Hs.151738	SS,Peptidase_M10,fn2,hemopexin,SS,TM,Pe			
			Hs.129700	SS	tolloid-like 1	5.8	
~~			6Hs.103253	SS	perilipin	5.8	
50			Hs.128899	,SS,TM	ESTs	5.7	
	400303	AA242758	Hs.79136	,SS,TM	LIV-1 protein, estrogen regulated	5.7	
	419440	AB020689	Hs.90419	SS	KIAA0882 protein	5.7	
	444858	AI199738	Hs.208275	SS	ESTs, Weakly similar to ALUA_HUMAN !!!!	5.7	
	432239	X81334	Hs.2936	SS,Peptidase_M10,hemopexin,SS,Peptidase	matrix metalloproteinase 13 (collagenase	5.6	
55			Hs.153205	TM	ESTs	5.6	
55	400286		110.100200	SS.TM.ABC_tran,ABC_membrane,SS	C16000922:gij7499103 piri T20903 hypothe	5.6	
	440200	H38026	Hs.308	arrestin,SS	arrestin 3, retinal (X-arrestin)	5.5	
					growth hormone receptor	5.5	
			3Hs.125180	SS,TM,fn3,SS	lymphoid nuclear protein (LAF-4) mRNA	5.5	
<b>C</b> O		W57554	Hs.125019	SS	• • • • • •		
60		AF086332		SS,TM,Syntaxin	ESTS	5.4	
			0Hs.155324	SS,Peptidase_M10,hemopexin,SS	matrix metalloproteinase 11 (MMP11; stro	5.4	
	409757	NM_00189	8Hs.123114	,SS,cystatin,	cystatin SN	5.4	
	425292	NM_00582	4Hs.155545	SS	37 kDa leucine-rich repeat (LRR) protein	5.4	
		AJ297436		,SS,TM	prostate stem cell antigen	5.4	•
65		AF153330		,SS,TM	solute carrier family 19 (thiamine trans	5.3	
		AL355715		SS	programmed cell death 9	5.3	
			Hs.102793	.SS,TM,UDPGT,casein_kappa	ESTs	5.2	
	703010	555120	. 10. TULT 30	tectivites, etteresi Tucks			

		A1806867		,SS,TM,Phosphodiest,	ESTs	5.2
		N54926	Hs.29202	TM,7tm_1,TM	G protein-coupled receptor 34	5.2
	427711	M31659	Hs.180408	SS	solute carrier family 25 (mitochondrial	5.2
_	418636	AW749855		,SS,TM,HECT	gb:QV4-BT0534-281299-053-c05 BT0534 Homo	5.2
5	429353	AL117406	Hs.200102	,SS,TM,ABC_tran,ABC_membrane,	ATP-binding cassette transporter MRP8	5.1
		R81733	Hs.33106	,SS,HECT,zf-UBR1,PABP,14-3-3,	ESTs	5.1
		W17064	Hs.332848	SS	SWI/SNF related, matrix associated, acti	5.1
			Hs.26339	,SS,ras,	ESTs, Weakly similar to S21348 probable	
	425325					5.1
10	423323		Hs.1892	SS,NNMT_PNMT_TEMT,SS,NNMT_PNMT_T		•
10			nolamine N-mel		5.1	
			Hs.310359	SS	ESTs	5.1
		A1160386	Hs.125087	SS	ESTs	5.1
	403593	NA		,CIDE-N,pkinase	Target Exon	5.1
	407758	D50915	Hs.38365	SS,SS	KIAA0125 gene product	5.0
15	445234	AW137636	Hs.146059	,SS,TM	ESTs	5.0
	411165	NM_000169	9Hs.69089	SS, Melibiase, BTK, PH, pkinase, SH2, SH3, Ribo	galactosidase alpha	4.9
		NM_01458		SS,lipocalin,SS,lipocalin	odorant-binding protein 2A	4.9
		W88559	Hs.1787	,TM,ion_trans,K_tetra,	proteolipid protein 1 (Pelizaeus-Merzbac	4.9
		AA206186				
20		AA200 100	ns./ 3009	SS,TM,TM	monocyte to macrophage differentiation-a	4.9
20	401093			TM,LRRCT,TM,LRRCT,	C12000586*:gi 6330167 dbj BAA86477.1  (A	4.9
		U80034		Peptidase_M3,	mitochondrial intermediate peptidase	4.9
		AW085961		SS	ESTs	4.9
		Al247716		,SS,adh_zinc,	ESTs	4.9
	450506	NM_004460	OHs.418	SS,DPPIV_N_term,Peptidase_S9,SS,DPPIV_	N_fibroblast activation protein, alpha	4.9
25	417975	AA641836	Hs.30085	,SS,trypsin	hypothetical protein FLJ23186	4.9
	421072	AI215069	Hs.89113	SS	ESTs	4.8
	427032	AF012023	Hs.173274	,SS,14-3-3	integrin cytoplasmic domain-associated p	4.8
	447752	M73700	Hs.105938	SS,transferrin,7tm_1,transferrin,	lactotransferrin	4.8
	403199			SS,TM,Folate_carrier,SS,TM,Folate_carrie	NM_025243*:Homo saplens solute carrier f	4.8
30		AW057736	He 323010	,SS,TM,pkinase,Recep_L_domain,SH2,PH,Fi	HIVED2 recentor turceino kinaco (a ort. b2	4.8
50		AF070526		.SS.Ca_channel B.		
		M93221	Hs.75182		Homo sapiens clone 24787 mRNA sequence	4.7
	41000	AA526235	HS./ 0102	SS,TM,lectin_c,fn2,Ricin_B_lectin,SS,TM	mannose receptor, C type 1	4.7
				SS	Homo sapiens cDNA FLJ11983 fis, clone HE	4.7
25		BE093589		SS	hypothetical protein FLJ23468	4.6
35		AA447453		,SS,TM,7tm_1,	Homo sapiens mRNA; cDNA DKFZp586M0723 (f	4.6
		AW016669		,SS,TM,CBS,voltage_CLC	ESTs	4.6
		AI668605		,TM,Glyco_hydro_1	ESTs, Moderately similar to ALU6_HUMAN A	4.6
	435542	AA687376	Hs.269533	,SS,pkinase,RhoGEF,ig,PH,SH3,	ESTs	4.6
	417576	AA339449	Hs.82285	AIRS,formyl_transf,GARS,SS,GARS,AIRS,for	phosphoribosylglycinamide formyltransfer	4.6
40	446089	A1860021	Hs.270651	,pkinase	ESTs, Moderately similar to A47582 B-cel	4.6
		AA151342		SS,UPF0099,SS,UPF0099,	CGI-147 protein	4.6
		BE614743		,SS,TM,MAPEG,	prostaglandin E synthase	4.5
		Al493046		,SS,TM,UDPGT	ESTs	4.5
		H26735	Hs.91668	,SS,TM,PH,SH2,Furin-like,pkinase,Recep_L	Homo sapiens clone PP1498 unknown mRNA	4.5
45		AA831879		,SS,Hist_deacetyl,		4.5
45		AI345455			ESTs	
				pkinase,OPR,	GA-binding protein transcription factor,	4.5
		Al910275		SS,trefoil,SS,TM,IdL_recept_a,SRCR,tryps	trefoil factor 1 (pS2)	4.5
		BE391804		SS,TM,GBP,TM,GBP	guanylate binding protein 1, interferon-	4.5
50		W03242	Hs.44898	SS	Homo sapiens clone TCCCTA00151 mRNA sequ	4.5 •
50		M97711		SS,SS,ig,	gb:Human T-cell receptor (V beta 18.1, J	4.5
		AI638627		,SS,DEAD,Fork_head	KIAA1688 protein	4.5
	427315	AA179949	Hs.175563	SS	Homo sapiens mRNA; cDNA DKFZp564N0763 (f	4.4
	446733	AA863360	Hs.26040	,SS,TM,p450,	ESTs, Weakly similar to fatty acid omega	4.4
	442118	AA976718	Hs.202242	,ig,Sema,	ESTs	4.4
55	421524	AA312082	Hs.105445	SS	GDNF family receptor alpha 1	4.4
		AW294092		,SS,ras,Y_phosphatase,ras	hypothetical protein MGC15754	4.4
		BE466639		,SS,HMG_box,filament,	Homo sapiens cDNA FLJ13591 fis, clone PL	4.4
		AK000136		SS,LRR,SS	asportn (LRR class 1)	4.4
		H87648		SS		
60			Hs.33922		Homo sapiens, clone MGC:9084, mRNA, comp	4.3
UU		NM_00024		SS,LRR,	MHC class II transactivator	4.3
		Al472078		,SS,ArfGap,	ESTs	4.3
		AW935490		,SS,BIR	Human chromosome 5q13.1 clone 5G8 mRNA	4.3
		D45371	Hs.80485	SS,C1q,Collagen,SS,C1q,	adipose most abundant gene transcript 1	4.3
		AW296927		,SS,TM,Peptidase_M1,	gb:UI-H-BW0-ajc-c-07-0-UI.s1 NCI_CGAP_Su	4.3
65	418867	D31771	Hs.89404	SS,homeobox,homeobox,	msh (Drosophila) homeo box homolog 2	4.3
	443514	BE464288	Hs.141937	,SS,TM,MIP,	ESTS	4.3
		AW262580		,SS,TM,cadherin,cadherin	protocadherin beta 16	4.3
					•	

PCT/US02/02242 WO 02/059377

	441560 F13386	Hs.7888	(prantate)	Homo sapiens clone 23736 mRNA sequence	4.3
	409064 AA062954		,SS,CUB,	ESTs	4.3
	422667 H25642	Hs.133471	,SS,TM,FMO-like	ESTS	4.3 4.3
5	454032 W31790		,SS,TM	ESTs, Wealty similar to I54374 gene NF2	4.3 4.3
5	432663 Al984317 401747	MS.122009	TM ,SS,filament,filament	ESTs Homo saplens keratin 17 (KRT17)	4.3
	432882 NM_0132	57He 270606	pkinase,pkinase_C,	serum/glucocorticoid regulated kinase-li	4.2
	437036 AI571514	Hs 133022	,SS,TM	ESTs	4.2
	447754 AW07331		,pkinase,	Homo sapiens cDNA FLJ14142 fis, clone MA	4.2
10	443194 AI954968		,SS,TM	matrix Gla protein	4.2
	451871 AI821005	Hs.118599	,SS,GDNF,	ESTs	4.2
	457211 AW97256		WH1,WH1	ESTs, Weakly similar to S51797 vasodilat	4.2
	421566 NM_0003		zf-C2H2,SS	early growth response 2 (Krox-20 (Drosop	4.2
1.5	431657 Al345227		,SS,TM,pkinase	ESTs, Weakly similar to B34087 hypotheti	4.1 4.1
15	427899 AA829286		,SS,SAA_proteins,ABC_membrane,ABC_tran	ESTs	4.1
	444779 Al192105 442295 Al827248		SS ,COLFI,vwc,Collagen,	Homo sapiens cDNA FLJ11469 fis, clone HE	4.1
	436396 Al683487	He 152213	,wnt,	wingless-type MMTV integration site fami	4.1
	446039 Al150491		TM,Glyco_hydro_1	ESTs	4.1
20	422938 NM_0018		,SS,TM,thiolase,	centromere protein A (17kD)	4.1
	406922 S70284		SS,TM,Desaturase,SS	gb:stearoyl-CoA desaturase [human, adipo	4.1
	439285 AL133916		,SS,ig,pkinase,LRRNT,LRRCT,	hypothetical protein FLJ20093	4.1
	424800 AL035588		HLH,SS	MyoD family inhibitor	4.1
25	429922 Z97630	Hs.226117	,SS,TM,linker_histone,7tm_1	H1 histone family, member 0	4.1 4.0
25	447178 AW59464		,SS,TM	ESTs small inducible cytokine subfamily A (Cy	4.0
	409038 T97490 452747 BE153855	Hs.50002	SS,IL8,SS,IL8 ,SS,HLH	Ig superfamily receptor LNIR	4.0
	420139 NM_0053		,SS,TM,p450,	lipase, hormone-sensitive	4.0
	408877 AA479033		,SS,TM	ESTs, Weakly similar to A47582 B-cell gr	4.0
30	403329 NA		SS,SS	Target Exon	4.0
	439926 AW01487	'5 Hs.137007	SS	ESTs	4.0
	430832 Al073913		SS	ESTs, Weakly similar to JE0350 Anterior	4.0
	432481 AW45164		SS ,SS,Collagen,COLFI,TSPN,	Homo sapiens cDNA FLJ11973 fis, clone HE	4.0
35	452410 AL133619		,SS,TM,ras	Homo sapiens mRNA; cDNA DKFZp434E2321 (f E2F transcription factor 3	4.0 4.0
33	418661 NM_0019 431958 X63629	Hs.2877	SS SS,TM,Cadherin_C_term,cadherin,SS,TM,cad		4.0
	425071 NM_0139		SS,T4_delodinase,T4_delodinase,	deiodinase, iodothyronine, type II	4.0
	447197 R36075		,TM,SDF,	gb:yh88b01.s1 Soares placenta Nb2HP Homo	4.0
	428722 U76456	Hs.190787	,SS,TIMP,	tissue inhibitor of metalloproteinase 4	3.9
40	428330 L22524	Hs.2256	SS,Peptidase_M10,SS,Peptidase_M10,hemo		3.9
	423242 AL039402		SS	DEME-6 protein	3.9
•	449048 Z45051	Hs.22920	SS,SS,TM	similar to S68401 (cattle) glucose induc protein kinase, cAMP-dependent, regulato	3.9 3.9
	414831 M31158	Hs.77439	,SS,cNMP_binding,RIIa,HMG_box ,SS,abhydrolase	ESTs, Highly similar to AF157833 1 noncl	3.8
45	413589 AW45263 408875 NM_0154		SS	DKFZP434B168 protein	3.8
73	418629 BE24755		SS,SH2,PH,SS,TM,PH,SH2,Furin-like,pkinas		3.8
	450787 AB00619		SS,TM,MiP,SS,TM,MIP,	aquaporin 7	3.8
	414870 N72264	Hs.300670	SS	KIAA1204 protein	3.8
	450325 Al935962	Hs.26289	SS	ESTs	3.8
50	407633 NM_0070		TM,TM	similar to rat HREV107	3.8
	426172 AA37130		,SS,DENN	ESTs	3.8
	442262 BE17065		,SS,START,	deleted in liver cancer 1 ESTs	3.8 3.8
	427961 AW29316 445563 AW87360		SS ,SS,WH1,WH1	ESTs	3.8
55	403943	A 115.143000	p450,SS,p450	C5000355:gli4503225[ref]NP_000765.1] cyt	3.8
	408761 AA05726	4 Hs.238936	,SS,TM,7tm_1,	ESTs, Weakly similar to (defline not ava	3.8
	423279 AW95986		SS	ESTs	· 3.8
	420440 NM_0024		,SS,SRCR,Uteroglobin	mammaglobin 2 (MGB2; mammaglobin B; lip	3.8
	445107 Al208121		,SS,TM	ESTs, Weakly similar to l38022 hypotheti	3.7
60	428303 AW97447		SS,RGS,RGS,RGS	regulator of G-protein signalling 16	3.7
	411667 BE16019		TM SS linear DLAT Cor7 DL	gb:QV1-HT0413-010200-059-h03 HT0413 Homo	3.7 3.7
	427809 M26380 418203 X54942	Hs.180878 Hs.83758	,SS,lipase,PLAT,Sec7,PH, CKS,SS,CKS,	lipoprotein lipase CDC28 protein kinase 2	3. <i>1</i> 3.7
	430376 AW29205		SS	chromosome 1 open reading frame 21	3.7
65	444190 AI878918		SS	cysteine and glycine-rich protein 2	3.7
<b></b>	433495 AW37378		SS,lg,MHC_I,connexin,SCAN,SS,TM	alpha-2-glycoprotein 1, zinc	3.7
	429638 Al916662		SS,TM,SS	kinectin 1 (kinesin receptor)	3.7
			200		
			309		

	AE A074	A1044702 LI <sub>2</sub> 42502	T14.74 4	FCT-	2.7
		Al041793 Hs.42502	,TM,7tm_1,	ESTS	3.7
	451859		,SS,TM,EGF,Idl_recept_a,Idl_recept_b,EGF		3.7
		Al623693 Hs.191533	,SS,AAA,	ESTs	3.7
5		AW194426 Hs.20726	,SS,Glycos_transf_2,	ESTs	3.7
3		W23624 Hs.173059	SS	ESTs	3.7
	424676		Glycos_transf_2,Ricin_B_lectin,SS,Glycos	UDP-N-acetyl-alpha-D-galactosamine:polyp	3.7
		BE379727 Hs.83213	lipocalin,SS,lipocalin,lipocalin,ferriti	fatty acid binding protein 4, adipocyte	3.7
		AW301344 Hs.122908	,SS,Pribosyltran,Sulfatase	DNA replication factor	3.7
10		NM_014735Hs.82292	PHD,pkinase,SS	KIAA0215 gene product	3.7
10		Al126271 Hs.49433	SS	ESTs, Weakly similar to YZ28_HUMAN HYPOT	3.7
		AA890023 Hs.1906	SS,TM,fn3,SS,TM,fn3,	prolactin receptor	3.7
		AU076643 Hs.313	,SS,TM,efhand,ion_trans	secreted phosphoprotein 1 (osteopontin,	3.7
		AA676939 Hs.69285	SS,TM,CUB,F5_F8_type_C,MAM,SS,TM,CU		3.6
	406625		SS,TM,Desaturase,SS	stearoyi-CoA desaturase (delta-9-desatur	3.6
15	417511	AL049176 Hs.82223	SS	chordin-like	3.6
	428769	AW207175 Hs.106771	,SS,7tm_1,SPRY,	ESTs	3.6
	407137	T97307	,SS,TM,GDA1_CD39	gb:ye53h05.s1 Soares fetal liver spleen	3.6
	401866		,SS,filament,	Target Exon	3.6
	451195	U10492 Hs.438	SS,homeobox,Ets,SS,homeobox,	mesenchyme homeo box 1	3.6
20	426044	AA502490 Hs.336695	SS	ESTs	3.6
	426310	NM_000909Hs.169266	SS,TM,7tm_1,	neuropeptide Y receptor Y1	3.6
	440029	AW089705 Hs.293711	SS	ESTs, Weakly similar to S64329 probable	3.6
	408573	AA284775 Hs.43148	,SS,TM,PMP22_Claudin,	ESTs	3.6
	431830	Y16645 Hs.271387	,SS,TM,IL8	small inducible cytokine subfamily A (Cy	3.6
25	444781	NM_014400Hs.11950	,SS,PH,lactamase_B	GPI-anchored metastasis-associated prote	3.6
	431493	Al791493 Hs.129873	,SS,p450,p450	ESTs, Weakly similar to A36036 cytochrom	3.6
	414175	Al308876 Hs.103849	,TM,hemopexin,Peptidase_M10,hemopexin,P		3.6
	411789	AF245505 Hs.72157	ig.LRRCT.	DKFZP564l1922 protein	3.6
	418851	Al417828 Hs.192435	,SS,TM	ESTs	3.5
30	453968	AA847843 Hs.62711	,SS,HMG_box,	Homo sapiens, clone IMAGE:3351295, mRNA	3.5
		S57296 Hs.323910	,SS,TM,SH2,PH,pkinase,Recep_L_domain,F	urv-erb-b2 avian erythroblastic leukemia v	3.5
	449051	AW961400 Hs.333526	SS	HER2 receptor tyrosine kinase (c-erb-b2,	3.5
	434398	AA121098 Hs.3838	pkinase,POLO_box,SS,pkinase,POLO_box,	serum-inducible kinase	3.5
	454042	H22570 Hs.172572	,SS,ig,pkinase,LRRNT,LRRCT,	hypothetical protein FLJ20093	3.5
35	459496	AA808940 Hs.274450	,SS,TM,KRAB,SCAN,zf-C2H2,ig	EST	3.5
	414998	NM_002543Hs.77729	,SS,TM	oxidised low density lipoprotein (lectin	3.5
	407756	AA116021 Hs.38260	SS,UCH-1,UCH-2,SS,TM,G_glu_transpept	ubiquitin specific protease 18	3.5
	442101	Al651930 Hs.135684	SS	ESTs	3.5
	449722	BE280074 Hs.23960	cyclin,SS,TM,cyclin,	cyclin B1	3.5
40	452554	AW452434 Hs.58006	SS	ESTs, Weakly similar to ALU5_HUMAN ALU S	3.5
	421991	NM_014918Hs.110488	SS	KIAA0990 protein	3.4
	420058	AK001423 Hs.94694	SS	Homo sapiens cDNA FLJ10561 fis, clone NT	3.4
	425776	U25128 Hs.159499	SS,TM,7tm_2,SS,TM,7tm_2	parathyroid hormone receptor 2	3.4
	407846	AA426202 Hs.40403	,TM,ABC_membrane,ABC_tran,Ribosomal_S	34eCbp/p300-interacting transactivator, wit	3.4
45	406925	L34041 Hs.9739	,SS,TM,transport_prot,SWIB,RhoGAP,DAG_I	PEglycerol-3-phosphate dehydrogenase 1 (so	3.4
	445873	AA250970 Hs.251946	,SS,rrm,PABP,pkinase,14-3-3,rrm	PEglycerol-3-pnospnate denydrogenase 1 (so poly(A)-binding protein, cytoplasmic 1-l lvsvl oxidase-like 2	3.4
	418054	NM_002318Hs.83354	,SS,TM,mito_carr,Lysyl_oxidase	tysyl oxidase-like 2	3.4
	414921	BE390551 Hs.77628	SS,START,SS,START,NNMT_PNMT_TEMT,	, steroidogenic acute regulatory protein r	3.4
	452268	NM_003512Hs.28777	SS,histone,Calc_CGRP_IAPP,ig,MHC_I,SPR	tY,H2A histone family, member L	3.4
50	428862	NM_000346Hs.2316	SS,HMG_box,	SRY (sex determining region Y)-box 9 (ca	3.4
		AA442324 Hs.795	histone,SS,histone,BolA	H2A histone family, member O	3.4
	410530	M25809 Hs.64173	ATP-synt_ab,SS,7tm_1,ATP-synt_ab	ATPase, H transporting, lysosomal (vacuo	3.4
	401780		filament,SS,filament,filament	NM_005557*:Homo sapiens keratin 16 (foca	3.4
	447131	NM_004585Hs.17466	TM	retinoic acid receptor responder (tazaro	3.4
55	418334	AA319233 Hs.5521	,SS,TM,Ribosomal_L27e,	ESTs	3.4
	415138	C18356 Hs.295944	,Kunitz_BPTI,	tissue factor pathway inhibitor 2	3.4
	421168	AF182277 Hs.330780	SS,p450,SS	cytochrome P450, subfamily IIB (phenobar	3.4
		AA825686 Hs.321176	SS	ESTs, Weakly similar to S65824 reverse t	3.4
	421379	Y15221 Hs.103982	SS,IL8,	small inducible cytokine subfamily B (Cy	3.4
60	411984	NM_005419Hs.72988	SH2,STAT,SS,STAT	signal transducer and activator of trans	3.4
	408101	AW968504 Hs.123073	,pkinase,	CDC2-related protein kinase 7	3.4
	405366		RhoGEF,PH,SS,RhoGEF,PH,	NM_003371*:Homo sapiens vav 2 oncogene (	3.4
	414612	BE274552 Hs.76578	SAP,SS,FG-GAP,vwa	protein inhibitor of activated STAT3	3.4
		AW797437 Hs.69771	SS,sushi,trypsin,vwa,rrm,fibrinogen_C,fn	B-factor, properdin	3.3
65	435767	H73505 Hs.117874	,SS,Peptidase_S8,P,Peptidase_S8,P	ESTs	3.3
		D86961 Hs.79299	,SS,TM	lipoma HMGIC fusion partner-like 2	3.3
		NM_006456Hs,288215	,SS,Pribosyltran,	sialyltransferase	3.3

		.378776 Hs.2		SS,SS	hypothetical protein MGC3077	3.3
	439452 AA	.918317 Hs.	57987	SS,SS .	B-cell CLL/lymphoma 11B (zinc finger pro	3.3
	452017 AF	109302 Hs.2	27495	SS	prostate cancer associated protein 7	3.3
	409099 AK	000725 Hs.5	50579	SS	hypothetical protein FLJ20718	3.3
5	452106 Al1	141031 Hs.:	21342	SS	ESTs	3.3
	447519 U40	6258 Hs.3	339665	SS	ESTs	3.3
		037062 Hs.		SS,adh_short,TGF-beta,TGFb_propeptide	retinol dehydrogenase 5 (11-cis and 9-ci	3.3
		327427 Hs.7		SS.TM.histone.ANF_receptor.guanylate_cy	ESTs	3.3
	414575 H1			SS,pkinase,lg,	Homo sapiens clone IMAGE:451939, mRNA se	3.3
10		079905 Hs.			transforming growth factor, beta 1	3.3
10	422128 AV			SS	gb:QV0-OT0033-010400-182-a07 OT0033 Homo	3.3
				SS,SS,lipoxygenase,PLAT	ESTs	3.3
		267371 Hs.			ESTs	3.3
		123317 Hs.		SS,T-box,UDPGT		3.3
1.5		161293 Hs.:			aminopeptidase	3.3
15		547306 Hs.		SS	ESTs	
		052152 Hs.		,pkinase,	Homo saplens clone 24628 mRNA sequence	3.3
	426501 AV	V043782 Hs.:	293616	SS	ESTs	3.3
	456508 AA	.502764 Hs.		SS	ESTs, Weakly similar to AF208855 1 BM-01	3.3
	434228 Z42	2047 Hs.:	283978	,SS,TM,7tm_1	Homo sapiens PRO2751 mRNA, complete cds	3.3
20	415752 BE	314524 Hs.	78776	TM	putative transmembrane protein	3.3
	400419 AF	084545		,SS,Peptidase_M1,	Target	3.3
		359053 Hs.		,TM,Integrin_B,Ricin_B_lectin,rrm	Homo sapiens mRNA full length insert cDN	3.3
		.137326 Hs.		SS,TM	Homo sapiens mRNA; cDNA DKFZp434B0650 (f	3.3
		V236861 Hs.		,SS,START,NNMT_PNMT_TEMT,	ESTs	3.3
25		852773 Hs.		SS	KIAA1866 protein	3.3
23	448988 YO			SS,TM,TM	gamma-aminobutyric acid (GABA) A recepto	3.3
					ESTs	3.3
	432072 N6			Sema,ig,	5T4 oncofetal trophoblast glycoprotein	3.3
		270266 Hs.		SS,TM,LRRCT,LRRNT,LRR,TM,LRRCT,		3.2
20		694413 Hs.		,SS,TM,7tm_3,ANF_receptor,sushi	olfactory receptor, family 2, subfamily	
30	444051 N4			,SS,lg,	activated leucocyte cell adhesion molecu	3.2
		V015140 Hs.		,SS,CUB,	ESTs	3.2
		921270 Hs.		SS,TM,SS,TM,G-patch	hypothetical protein FLJ14251	3.2
	421458 NN	/_003654Hs.	.104576	SS	carbohydrate (keratan sulfate Gal-6) sul	3.2
	431104 AV	V970859 Hs.	.313503	,Sema,ig,	ESTs	3.2
35	443767 BE	562136 Hs.	.9736	,SS,PCI,RasGEF,hormone_rec,zf-C4,	proteasome (prosome, macropain) 26S subu	3.2
	419589 AV	N973708 Hs.	.201925	FGF,	Homo sapiens cDNA FLJ13446 fis, clone PL	3.2
	415447 Z9			SS,OLF,OLF,OLF,Ribosomal_L4	myocilin, trabecular meshwork inducible	3.2
		548446 Hs.		SS,TM,SSF,SS,TM	Homo sapiens mRNA; cDNA DKFZp434F152 (fr	3.2
	423431 AA			,SS,p450,p450	gb:EST29171 Cerebellum II Homo sapiens c	3.2
40		5563085 Hs.		,SS,TM,ubiquitin,laminin_G,laminin_EGF,k	interferon-stimulated protein, 15 kDa	3.2
70		N297181 Hs.		SS,Ribosomal_L14	ESTs	3.2
		\885430 Hs.		FGF.	Homo sapiens cDNA FLJ13446 fis, clone PL	3.2
				SS,laminin_EGF,laminin_Nterm,adh_short,S	laminin, beta 3 (nicein (125kD), kalinin	3.2
	413753 U1					3.2
AF		160477 Hs.		,SS,HLH	Ig superfamily receptor LNIR	3.2
45		213457 Hs.		SS,lg,SS,TM	triggering receptor expressed on myeloid	
	415773 R2			,SS,TM,Ribosomal_S3Ae,G-gamma	ESTs, Moderately similar to A47582 B-cel	3.2
		/658411 Hs.		SS	KIAA1681 protein	3.2
	450847 NN	<b>V_003155Hs</b> .	.25590	,SS,homeobox,	stanniocalcin 1	3.2
	426075 AV	<i>N</i> 513691 Hs.	.270149	,SS,fn3,	ESTs, Weakly similar to 2109260A B cell	3.2
50	452110 T4	17667 Hs.		,SS,TM,Activin_recp,pkinase	Homo sapiens cDNA FLJ11309 fis, clone PL	3.2
	439963 AV	N247529 Hs.	.6793	,TM,p450,Ets	platelet-activating factor acetylhydrola	3.2
	402837 NA	4		SS	ENSP00000241312*:DJ947L8.1.8 (novel Sush	3.2
	439451 AF	086270 Hs.	.278554	,SS,Chromo_shadow,chromo,	heterochromatin-like protein 1	3.1
	406664 L3		.9739	.SS TM transport prof.SWIB.RhoGAP.DAG 1	PEglycerol-3-phosphate dehydrogenase 1 (so	3.1
- 55	417315 All		.336901	,SS,RNA_pol_A,RNA_pol_A2,Ribosomal_S2	4e ribosomal protein S24	3.1
- 55				SS,LRR,LRRNT,SS,LRRNT,LRR,	biglycan	3.1
		N068115 Hs.		,SS,connexin,hormone_rec,zf-C4,connexin	hypothetical protein FLJ14950	3.1
		A524394 Hs.	.234022			3.1
	429197 H2		.26930	,SS,Gelsolin,	ESTs, Weakly similar to T20272 hypotheti	
٠.	448030 N3		.325960	,SS,TM	membrane-spanning 4-domains, subfamily A	3.1
60		N191962 Hs.		,SS,TM,C1q,	collagen, type VIII, alpha 2	3.1
	419092 J0		.89603	SS,TM,SEA,	mucin 1, transmembrane	3.1
	456672 AF	K002016 Hs.	.114727	,SS,PK,PK	Homo saplens, done MGC:16327, mRNA, com	3.1
	443171 BE	E281128 Hs.	.9030	SS,TM,7tm_1,rm,SS	TONDU	3.1
		K000933 Hs.		,TM,GDI,7tm_1,	Homo sapiens cDNA FLJ10071 fis, clone HE	3.1
65	432201 Al			SS,TM,trypsin,SS,TM,trefoll,trypsin,tref	Transmembrane protease, serine 3	3.1
	406642 AJ			SS	gb:Homo sapiens mRNA for immunoglobulin	3.1
	400903 NA			SS	Target Exon	3.1
	ANI COCOOL	•			<b>→</b>	

		Al031771		,SS,Glyco_hydro_2	ESTs	3.1
		AW962597		SS,WD40,SS,WD40,	KIAA1547 protein	3.1
	445903	A1347487	Hs.132781	fn3,SS,TM,EF1BD	class I cytokine receptor	3.1
_	424364	AW383226		SS	ESTs, Weakly similar to G01763 atrophin-	3.1
5	410196	AI936442	Hs.59838	UBACT_repeat,SS,UBACT_repeat,ThiF_famil	lyhypothetical protein FLJ10808	3.1
	419150	T29618	Hs.89640	,TM,pkinase,fn3,	TEK tyrosine kinase, endothellal (venous	3.1
	433417	AA587773	Hs.8859	,SS,SRCR,	Homo sapiens, Similar to RIKEN cDNA 5830	3.1
	418624	A1734080	Hs.104211	,Sema,ig,	ESTs	3.1
	436291	BE568452	Hs.5101	,SS,abhydrolase,	protein regulator of cytokinesis 1	3.1
10	411000	N40449	Hs.201619	SS	ESTs, Weakly similar to S38383 SEB4B pro	3.1
	412519	AA196241	Hs.73980	SS,Troponin,Hemagglutinin,SS,TM,C2,Tropo	troponin T1, skeletal, slow	3.1
	450223	AA418204	Hs.241493	,SS,pro_isomerase,	natural killer-tumor recognition sequenc	3.1
	422790	AA809875		,TM,histone,Sec1,histone,sugar_tr	ESTs	3.1
	424269	AW137691	Hs.199754	,SS,TM,7tm 2,GPS	ESTs	3.1
15	435854	AJ278120	Hs.4996	,SS,WD40	putative ankyrin-repeat containing prote	3.1
	447388	AW630534	Hs.76277	,SS,TM,rrm,oxidored_q6,oxidored_q6	Homo sapiens, clone MGC:9381, mRNA, comp	3.1
	451631			SS	gb:ye79c02.s1 Soares fetal liver spleen	3.0
	448105	AW591433	Hs.298241	,SS,TM,trefoil,trypsin,trefoil	Transmembrane protease, serine 3	3.0
	438637	BE500941	Hs.126730	,TM,PH,	ESTs, Weakly similar to KIAA1214 protein	3.0
20	423024	AA593731		,SS,TM,CD36	ESTs, Moderately similar to ALU5_HUMAN A	3.0
	456592	R91600		,SS,Ran_BP1,LIM,Ran_BP1,GRIP,TPR,LIM	gb:yq10c02.r1 Soares fetal liver spleen	3.0
	425920	AL049977	Hs.162209	SS,TM,SS,TM,PMP22_Claudin,PMP22_Claud		3.0
	444670	H58373	Hs.332938	,SS,TM	hypothetical protein MGC5370	3.0
	401197			arf,arf,	ENSP00000229263*:HSPC213.	3.0
25	437755	AW204256	Hs.291887	,wnt,	ESTs	3.0
	452560	BE077084	Hs.336432	,SS,mm,zf-RanBP,pkinase,C2,pkinase_C,DA	ESTs	3.0
	410274	AA381807	Hs.61762	SS,SS	hypoxia-inducible protein 2	3.0
	450098	W27249	Hs.8109	SS	hypothetical protein FLJ21080	3.0
	404826			,SS,TM	Target Exon	3.0
30	458389	H70284	Hs.160152	,SS,RA	ESTs, Weakly similar to FPHU alpha-fetop	3.0
	408196	AL034548	Hs.43627	HMG_box,pkinase,zf-CCHC,SS,TM,HMG_box	x,SRY (sex determining region Y)-box 22	3.0
	433675	AW977653	Hs.75319	,SS,ribonuc_red_sm,	ribonucleotide reductase M2 polypeptide	3.0
	418848	AI820961	Hs.193465	death, ZU5, pkinase, Activin_recp,	ESTs	3.0
	422095	AI868872	Hs.282804	SS,Cu-oxidase,SS,Cu-oxidase,Cu-oxidase	hypothetical protein FLJ22704	3.0
35	415992	C05837	Hs.145807	,SS,TM	hypothetical protein FLJ13593	3.0
	424631	AA688021	Hs.179808	SS	ESTs	3.0
	409956	AW103364	Hs.727	SS,TGF-beta,TGFb_propeptide,SS,TGF-beta	inhibin, beta A (activin A, activin AB a	3.0
	419667	AU077005	Hs.92208	SS, disintegrin, Reprolysin, Pep_M12B_prope	a disintegrin and metalloproteinase doma	3.0
	450946	AA374569	Hs.127698	SS	ESTs, Moderately similar to 2109260A B c	3.0
40	447770	AB032417	Hs.19545	Frizzled,Fz,SS,TM,Frizzled,Fz,	frizzled (Drosophila) homolog 4	3.0
	423826	U20325	Hs.1707	SS,SS	cocaine- and amphetamine-regulated trans	3.0
	418838	AW385224	Hs.35198	,SS,TM,Phosphodiest,	ectonucleotide pyrophosphatase/phosphodi	3.0
		AW300118		,SS,TM,G-gamma	ESTs	3.0
	432284	AA532807	Hs.105822	,SS,TM,pkinase,	ESTs	3.0
_						

### TABLE 20A

Table 20A shows the accession numbers for those pkeys lacking unigeneID's for Table 20.

For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

Pkey: Unique Eos probeset identifier number

CAT number: Gene cluster number

Accession: Genbank accession numbers

15

	Pkey	CAT number	Accessions
20	410785 411667 418636	1221055_1 1253334_1 177402_1 197072_1	AW803341 AW803265 AW803403 AW803466 AW803402 AW803413 AW803268 AW803396 AW803334 AW803355 BE160198 AW935898 T11520 AW935930 AW856073 AW861034 AW749855 AA225995 AW750208 AW750206 AW296927 AI684514 AI263168 AA281079
25	420854 422128 423431 423945 426878 433687	211994_1 228162_1 233566_1 273265_1 373061_1	AW881145 AA490718 M85637 AA304575 T06067 AA331991 AA326062 AA325758 AW962182 AA410943 AW948953 AA334202 AA332882 BE069341 AW748403 AL044891 Al908240 AA393080 AA743991 AA604852 AW272737
30	447197 451631 456207 456592	711623_1 878098_1 1650781 202684_1	R36075 Al366546 R36167 R00866 R01523 Al806815 AA193450 R91600 T87079 AA291455

#### TABLE 20B

Table 20B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 20. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

10	Pkey: Ref:	Unique number corresponding to an Eos probeset Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.
	Strand: Nt_position:	Indicates DNA strand from which exons were predicted. Indicates nucleotide positions of predicted exons.

15 Pkey Ref Strand Nt\_position 400608 9887666 Minus 96756-97558 400903 2911732 Plus 59112-59228 20 401045 8117619 90044-90184,91111-91345 Plus 401093 8516137 22335-23166 Minus 176341-176452 401197 9719705 Plus 401747 9789672 Minus 118596-118816,119119-119244,119609-119761,120422-120990,130161-130381,130468-130593,131097-131258,131866-131932,132451-132575,133580-134011 25 401780 7249190 28397-28617,28920-29045,29135-29296,29411-29567,29705-29787,30224-30573 Minus 401781 7249190 Minus 83215-83435,83531-83656,83740-83901,84237-84393,84955-85037,86290-86814 401866 8018106 73126-73623 402230 9966312 Minus 29782-29932 402408 9796239 110326-110491 Minus 30 402578 9884928 66350-66496 Plus 402606 9909429 Minus 81747-82094 402837 9369121 Minus 2013-2186,9570-9758,11136-11309,19429-19677,21210-21455,23368-23562,24342-24527,29132-29320 403199 9958183 58895-59036,66618-66789 Minus 403329 8516120 Plus 96450-96598 35 403593 6862650 Minus 62554-62712,69449-69602 403943 7711864 100742-100904,101322-101503 Plus 82121-83229 404091 7684554 Minus 404347 9838195 Plus 74493-74829 404826 6572184 Plus 47726-48046 40 405366 2182280 Plus 22478-22632

405654 4895155

Minus

53624-53759

# TABLE 21: 210 GENES UP-REGULATED IN BREAST CANCER COMPARED TO NORMAL ADULT TISSUES THAT ARE LIKELY TO ENCODE EITHER ENZYMES OR PROTEINS AMENABLE TO MODULATION BY SMALL MOLECULES

Table 21 shows 210 genes up-regulated in breast cancer compared to normal adult tissues that are likely to encode either enzymes or proteins amenable to modulation by small molecules. These were selected as for Table 19, except that the ratio was greater than or equal to 3.0, the "average" normal adult tissue level was set to the 85<sup>th</sup> percentile value amongst 144 non-malignant tissues, and the 96<sup>th</sup> percentile value amongst 73 breast cancers was greater than or equal 80 units, and the predicted protein contained a structural domain that is indicative of enzymatic function or of being modulatable by small molecules (e.g. pkinase, peptidase, phosphatase, ATPase, or ion\_transporter domains). The predicted protein domains are noted.

Pkey: Unique Eos probeset identifier number

ExAccn: Exemplar Accession number, Genbank accession number

Unigene Title: Unigene number Unigene gene title

5

R1: Ratio of 93rd percentile tumor to 85th percentile of normal body tissue

25						
	Pkey	ExAccn	UnigeneiD	Predicted Protein Domains	UnigeneTitle	R1
	449746	AI668594	Hs.176588	SS,p450	ESTs, Weakly similar to CP4Y_HUMAN CYTOC	65.7
	400292	AA250737	Hs.72472	death,ZU5,TM,Activin_recp,pkinase,	BMP-R1B	55.9
30	424735	U31875	Hs.272499	ŞS,TM	short-chain alcohol dehydrogenase family	53.8
	407178	AA195651	Hs.104106	SS,Dihydroorotase,	ESTs	39.3
	408045	AW138959	Hs.245123	Phosphodiest,Somatomedin_B,	ESTs	34.9
		AA009647		SS,TM,disintegrin,Pep_M12B_propep,Reprol	a disintegrin and metalloproteinase doma	25.7
	429170	NM_00139	4Hs.2359	DSPc,Rhodanese,	dual specificity phosphatase 4	24.9
35	445730	A1624342	Hs.170042	SS,TM,Cation_efflux	ESTs	24.1
	424634	NM_00361	3Hs.151407	ig,tsp_1,SS,AAA	cartilage intermediate layer protein, nu	21.7
	420757	X78592	Hs.99915	hormone_rec,Androgen_recep,zf-C4,	androgen receptor (dihydrotestosterone r	21.7
	424399	A1905687	Hs.2533	SS	aldehyde dehydrogenase 9 family, member	20.3
	447350	Al375572	Hs.172634	pkinase,	ESTs	19.2
40		AA193450		SS,TM,p450,p450	gb:zr40e07.r1 Soares_NhHMPu_S1 Homo sapi	18.3
		X52509	Hs.161640	SS,TM,aminotran_1_2,Cadherin_C_term,cadl		18.1
	402578			SS,p450,SS,TM,p450	Č1001134:gi 2117372 pir   65981 fatty ac	17.8
		D90041	Hs.155956	SS,Acetyltransf2,	N-acetyltransferase 1 (arylamine N-acety	16.7
4.0		W67883	Hs.137476	pkinase,	paternally expressed 10	16.5
45		M13509	Hs.83169	SS,hemopexin,Peptidase_M10,SS,Peptidase_		15.7
		Y13153	Hs.107318		kynurenine 3-monooxygenase (kynurenine 3	15.3
		W20027	Hs.23439	SS,Peptidase_M1,	ESTs	13.9
		X07820	Hs.2258	hemopexin,Peptidase_M10,SS,Peptidase_M1		13.5
~~		AW873596		SS,DENN	calmodulin 2 (phosphorylase kinase, delt	13.0
50		A1351010		SS,Lysyl_oxidase	lysyl oxidase	12.8
		W72838	Hs.2533	SS	aldehyde dehydrogenase 9 family, member	12.7
		AW732573		TM,K_tetra,ion_trans,SS,TM,K_tetra,ion_t	potassium voltage-gated channel, delayed	11.9
		H87879	Hs.102267	SS,Lysyl_oxidase,Aldose_epim,Epimerase,S	tysyl oxidase	11.8
		NM_00249		pkinase,SS,TM,pkinase,polyprenyl_synt,	NIMA (never in mitosis gene a)-related k	11.7
55		R28363	Hs.24286	SS,TM,7tm_1,p450,rrm	ESTs	11.5
		Al907673		pkinase,	gb:IL-BT152-080399-004 BT152 Homo saplen	11.5
		AA410943		death,ZU5,TM,Activin_recp,pkinase,	gb:zt32h03.r1 Soares ovary tumor NbHOT H	11.4
	445263	H57646	Hs.42586	SS,Acyltransferase,	KIAA1560 protein	11.2

	423887 AL08			SS,TM,BRCT,ank,ABC_tran,ABC_tran	DKFZP434G232 protein	10.9
	429859 NM_			SS,TM,Y_phosphatase,MAM,fn3,	protein tyrosine phosphatase, receptor t	10.4
	428368 BE4			SS,Peptidase_M10,hemopexin,SS,Peptidase		10.3
5	418912 NM_			SS,TM,7tm_1,SS,TM,7tm_1,	angiotensin receptor 1	10.3
<i>.</i>	451952 AL12	01/3	HS.301663	SS,pkinase,	ESTs	10.3
	402408 NA 415539 Al73	2004	Un 72472	SS,carb_anhydrase	NM_030920*:Homo sapiens hypothetical pro	9.8
	406687 M31		Hs.72472 Hs.272620	death,ZU5,TM,Activin_recp,pkinase, SS,Peptidase_M10,hemopexin,SS,Peptidase	BMP-R1B	9.4 9.1
	419948 ABO			Ferric_reduct,TM,Ferric_reduct,	NM_016931:Homo sapiens NADPH oxidase 4 (	9.1
10	400285 NA	11000	110.00047	TM,ABC_tran,ABC_membrane,	Eos Control	8.8
	408380 AF12	23050	Hs 44532	SS,TM,ubiquitin,7tm_3,ANF_receptor,sushi	diubiquitin	8.6
	409203 AA7			SS,p450,SS,p450	cytochrome P450, subfamily IVB, polypept	8.3
	424902 NM			SS,SS	inositol polyphosphate-4-phosphatase, ty	8.3
	431725 X657	24	Hs.2839	SS,Cys_knot,SS	Norrie disease (pseudoglioma)	8.3
15	418092 R45	54	Hs.106604	death,ZU5,pkinase,Activin_recp,	ESTs "	8.3
	427811 M81		Hs.180884	SS,Zn_carbOpept,Propep_M14,SS,Propep_t	M14carboxypeptidase B1 (tissue)	8.2
	423554 M90		Hs.1674	GATase_2,SIS,	glutamine-fructose-6-phosphate transamin	8.1
	426261 AW2			SS,TM,WD40,ubiquitin,E1-E2_ATPase,Catio		7.8
20	413374 NM_			SS	ribonucleotide reductase M2 polypeptide	7.6
20	432677 NM_ 456986 D383			SS,TM,Glycos_transf_2,Ricin_B_lectin,DPP		7.6
	453331 AI24		Hs.170917 Hs.8895	SS,TM,7tm_1, SS,TM,disintegrin,Pep_M12B_propep,Repro	prostaglandin E receptor 3 (subtype EP3)	7.5
	407721 Y127		Hs.38018	pkinase,	dual-specificity tyrosine-(Y)-phosphoryl	7.3 7.2
	418004 U37		Hs.87539	SS,aldedh,SS,aldedh,	aldehyde dehydrogenase 3 family, member	7.2
25	410555 U92		Hs.64311	TM,disintegrin,Reprolysin,	a disintegrin and metalloproteinase doma	7.1
	443695 AW2			, maiounogram, toproryour,	ESTs, Weakly similar to AF126780 1 retin	6.9
	423545 APO			GAF,PDEase	chromosome 21 open reading frame 5	6.8
	401045			ICE_p20,SS,ICE_p10,ICE_p20,ICE_p10,ICE	_р	
			3*:gi 6753278 r	ef[NP_033938.1] c	6.7	
30	442082 R418		Hs.7413	TM,EPH_lbd,pkinase,SAM,fn3,	ESTs; calsyntenin-2	6.7
	418836 AI65	5499	Hs.161712	TM,Activin_recp,pkinase,death,ZU5,	ESTs	6.6
	404091 NA	0040	11 400500	TM,7tm_3,ANF_receptor,	Target Exon	6.6
	450865 AI24			zf-C2H2	ESTs, Weakly similar to I38588 reverse t	6.5
35	424085 NM_			SS,AAA,Virat_helicase1,rrm,	replication factor C (activator 1) 2 (40	6.5
33	449650 AF09 432304 AA99			TM,ion_trans,SS,TM,ion_trans, TM,7tm_1,	calcium channel, voltage-dependent, L ty ESTs	6.4
	415669 NM_			SS,serpin,	serine (or cysteine) proteinase inhibito	6.2 6.2
	442942 AW1			SS,ig,Sema,pkinase,	ESTs	6.2
	428795 R45		Hs.97469	SS.TM	ESTs, Highly similar to A39769 N-acetyll	6.1
40	428479 Y002		Hs.184572	SS,pkinase,pkinase	cell division cycle 2, G1 to S and G2 to	6.1
	400300 X03			SS,TM,pkinase,Recep_L_domain,SH2,PH,Ft	uriHER2 receptor tyrosine kinase (c-erb-b2,	6.1
	447359 NM_	01209	3Hs.18268	SS,adenylatekinase,	adenylate kinase 5	6.1
	402230 NA			SS,TM,p450,	Target Exon	6.1
4.5	424687 J050		Hs.151738	SS,Peptidase_M10,fn2,hemopexin,SS,TM,Pe	epmatrix metalloproteinase 9 (gelatinase B	5.8
45	432328 Al57		Hs.195471	6PF2K,PGAM,	6-phosphofructo-2-kinase/fructose-2,6-bi	5.8
	432239 X813	34	Hs.2936	SS,Peptidase_M10,hemopexin,SS,Peptidase		5.6
	400286 NA	00504	011- 455304	SS,TM,ABC_tran,ABC_membrane,SS	C16000922:gi 7499103 pir  T20903 hypothe	5.6
	425247 NM_ 434737 AA8			SS,Peptidase_M10,hemopexin,SS	matrix metalloproteinase 11 (MMP11; stro	5.4
50	439310 AF0			UCH-1,pkinase,OPR,Rhodanese,AMP-bindir		5.4
50	441111 AI80			SS,TM,UDPGT,casein_kappa SS,TM,Phosphodiest,	ESTs ESTs	5.2 5.2
	452355 N54		Hs.29202	TM,7tm_1,TM	G protein-coupled receptor 34	5.2 5.2
	427711 M31		Hs.180408	SS	solute carrier family 25 (mitochondrial	5.2
	429353 AL1			SS,TM,ABC_tran,ABC_membrane,	ATP-binding cassette transporter MRP8	5.1
55	425325 X52		Hs.1892	SS,NNMT_PNMT_TEMT,SS,NNMT_PNMT_		•
	pher	yletha	nolamine N-me	ethyltransferase	5.1	
	448706 AW2	91095	Hs.21814	SS,TM,pkinase,	interleukin 20 receptor, alpha	5.1
	403593 NA			CIDE-N,pkinase	Target Exon	5.1
	432777 AA5			alpha-amylase,	ESTs	5.0
60	446232 AI28			SS,TM,7tm_3,Ribosomal_L13	retinolc acid induced 3	4.9
	411165 NM	00016		SS,Melibiase,BTK,PH,pkinase,SH2,SH3,Rib		4.9
	414117 W88		Hs.1787	TM,lon_trans,K_tetra,	proteolipid protein 1 (Pellzaeus-Merzbac	4.9
	411096 U80		Hs.68583	Peptidase_M3,	mitochondrial intermediate peptidase	4.9
65	450506 NM_ 417975 AA6			SS,DPPIV_N_term,Peptidase_S9,SS,DPPIV SS,trypsin		4.9
05	417975 AA6 447752 M73	1 1030 700	Hs.105938	SS,transferrin,7tm_1,transferrin,	hypothetical protein FLJ23186	4.9 4.8
	447752 W/3	, 00 157736		SS,TM,pkinase,Recep_L_domain,SH2,PH,Fr	lactotransferrin	4.8 4.8
	421 122 AVV	J. 1 JC	. 10.020010		um it it is receptor tyrosine kindse (c-ero-oz,	4.0

	400181		•	SS,TM,3Beta_HSD,	ENSP00000171555:CDNA FLJ10727 fis, clone	4.6
,		AA447453		- · · - · - · · · · · · · · · · · · · ·	Homo sapiens mRNA; cDNA DKFZp586M0723 (f	4.6
		AA687376	Hs.269533	SS,pkinase,RhoGEF,ig,PH,SH3,	ESTs	4.6
_		AA339449		AIRS,formyl_transf,GARS,SS,GARS,AIRS,for		4.6
5		Al860021		pkinase	ESTs, Moderately similar to A47582 B-cel	4.6
		BE614743		SS,TM,MAPEG,	prostaglandin E synthase	4.5
	452190		Hs.91668		Homo sapiens clone PP1498 unknown mRNA	4.5
		Al345455		pkinase,OPR,	GA-binding protein transcription factor,	4.5
4.0		AI910275		SS,trefoil,SS,TM,ldl_recept_a,SRCR,tryps	trefoil factor 1 (pS2)	4.5
10		AA863360		SS,TM,p450,	ESTs, Weakly similar to fatty acid omega	4.4
	-	AW294092	Hs.21594	SS,ras,Y_phosphatase,ras	hypothetical protein MGC15754	4.4
	400205				NM_006265*:Homo sapiens RAD21 (S. pombe)	4.4
		AW296927			gb:UI-H-BW0-ajc-c-07-0-UI.s1 NCI_CGAP_Su	4.3
		AF181490		SS,pyr_redox,SS,Ribosomal_L39	prenylcysteine lyase	4.3
15		F13386	Hs.7888	pkinase,	Homo sapiens clone 23736 mRNA sequence	4.3
		AL043004		SS,pkinase,	KIAA0135 protein	4.3
		R96696	Hs.35598	SS,TM,trypsin,vwd,ig	ESTs	4.3
		NM_013257		pkinase,pkinase_C,	serum/glucocorticoid regulated kinase-li	4.2
		AW073310		pkinase,	Homo sapiens cDNA FLJ14142 fis, clone MA	4.2
20	453775	NM_002916	6Hs.35120	SS,AAA,PI3_PI4_kinase,PI3Ka,PI3K_rbd,PI3	replication factor C (activator 1) 4 (37	4.2
	431657	Al345227	Hs.105448	SS,TM,pkinase	ESTs, Weakly similar to B34087 hypotheti	4.1
		AA829286		SS,SAA_proteins,ABC_membrane,ABC_tran,	serum amyloid A1	4.1
	422938	NM_001809	9Hs.1594	SS,TM,thiolase,	centromere protein A (17kD)	4.1
		U38945	Hs.1174	ank,ank	cyclin-dependent kinase inhibitor 2A (me	4.1
25	406922	S70284		SS,TM,Desaturase,SS	gb:stearoyl-CoA desaturase [human, adipo	4.1
•	439285	AL133916	Hs.172572	SS,lg,pkinase,LRRNT,LRRCT,	hypothetical protein FLJ20093	4.1
	429922	Z97630	Hs.226117	SS,TM,linker_histone,7tm_1	H1 histone family, member 0	4.1
	420139	NM_00535	7Hs.95351	SS,TM,p450,	lipase, hormone-sensitive	4.0
	425071	NM_01398	9Hs.154424	SS,T4_deiodinase,T4_deiodinase,	deiodinase, lodothyronine, type II	4.0
30	424511	BE300512	Hs.193557	SS,Y_phosphatase,Band_41	ESTs, Moderately similar to ALU7_HUMAN A	4.0
		U76456	Hs.190787	SS,TIMP,	tissue inhibitor of metalloproteinase 4	3.9
	428330	L22524	Hs.2256	SS,Peptidase_M10,SS,Peptidase_M10,hemo	pematrix metalloproteinase 7 (MMP7; uterin	3.9
	414831	M31158	Hs.77439	SS,cNMP_binding,Rlla,HMG_box	protein kinase, cAMP-dependent, regulato	3.9
	413589	AW452631	Hs.313803	SS,abhydrolase	ESTs, Highly similar to AF157833 1 noncl	3.8
35		BE247550		SS,SH2,PH,SS,TM,PH,SH2,Furin-like,pkinas	growth factor receptor-bound protein 7	3.8
			Hs.128065	SS,Peptidase_C1,gpdh	ESTs	3.8
	403943			p450,SS,p450	C5000355:gi 4503225 ref NP_000765.1  cyt	3.8
	444618	AV653785	Hs.173334		ELL-RELATED RNA POLYMERASE II, ELONGATIO	3.8
			Hs.238936	SS,TM,7tm_1,	ESTs, Weakly similar to (defline not ava	3.8
40		M26380	Hs.180878	SS,lipase,PLAT,Sec7,PH,	lipoprotein lipase	3.7
		X54942	Hs.83758	CKS,SS,CKS,	CDC28 protein kinase 2	3.7
		AI041793	Hs.42502	TM,7tm_1,	ESTs	3.7
		Y08565	Hs.151678	Glycos_transf_2,Ricin_B_lectin,SS,Glycos	UDP-N-acetyl-alpha-D-galactosamine:polyp	3.7
			Hs.122908	SS,Pribosyltran,Sulfatase	DNA replication factor	3.7
45		NM_01473		PHD,pkinase,SS	KIAA0215 gene product	3.7
		AU076643		SS,TM,efhand,ion_trans	secreted phosphoprotein 1 (osteopontin,	3.7
		Y13647	Hs.119597	SS,TM,Desaturase,SS	stearoyl-CoA desaturase (delta-9-desatur	3.6
			Hs.106771	SS,7tm_1,SPRY,	ESTs	3.6
			9Hs.169266	SS,TM,7tm_1,	neuropeptide Y receptor Y1	3.6
50		NM_00315		SS,pkinase,vwa,vwa,Glyco_transf_8	serine/threonine kinase 2	3.6
		NM_01440		SS,PH,lactamase_B	GP1-anchored metastasis-associated prote	3.6
		Al791493	Hs.129873	SS,p450,p450	ESTs, Weakly similar to A36036 cytochrom	3.6
		AF059214	Hs.194687		cholesterol 25-hydroxylase	3.6
		AI308876	Hs.103849	TM,hemopexin,Peptidase_M10,hemopexin,Pe	ephypothetical protein DKFZp761D112	3.6
55		AW895719		TM,ion_trans,K_tetra,	gb:QV4-NN0039-290300-154-f06 NN0039 Homo	3.6
		NM_00381		,	a disintegrin and metalloproteinase doma	3.6
		U29344	Hs.83190	Acyl_transf,adh_zinc,ketoacyl-synt,pp-bi	fatty acid synthase	3.5
			Hs.271699	IMS.SS	polymerase (DNA directed) iota	3.5
		S57296	Hs.323910	SS,TM,SH2,PH,pkinase,Recep_L_domain,Fu		3.5
60			Hs.333526	SS	HER2 receptor tyrosine kinase (c-erb-b2,	3.5
00	473031	AA121098	He 3838	pkinase,POLO_box,SS,pkinase,POLO_box,	serum-inducible kinase	3.5
	454040	H22570	Hs.172572	SS.ig.pkinase,LRRNT,LRRCT,	hypothetical protein FLJ20093	3.5
		AA116021		SS,UCH-1,UCH-2,SS,TM,G_glu_transpept	ubiquitin specific protease 18	3.5
			Hs.9028	Peptidase M24.	histone deacetylase 5	3.5
65		AF039241		DSPc,Myosin_tail,	dual specificity phosphatase 10	3.5
UJ			Hs.177534 Hs.18268	SS,adenylatekinase,	adenylate kinase 5	3.5
		N53437	Hs.159499	SS,TM,7tm_2,SS,TM,7tm_2	parathyroid hormone receptor 2	3.4
	423//0	U25128	113.103433	المار المارا فالرحاض المارا فالرح	persona mannono receptor 2	J.7

•

	407846	AA426202 Hs.40403	TM,ABC_membrane,ABC_tran,Ribosomal_S	4eCbp/p300-interacting transactivator, wit	3.4
	406925	L34041 Hs.9739	SS.TM.transport_prof.SWIB.RhoGAP.DAG_F	PE-glycerol-3-phosphate dehydrogenase 1 (so	3.4
	445873	AA250970 Hs.251946	SS,rrm,PABP,pkinase,14-3-3,rrm	poly(A)-binding protein, cytoplasmic 1-l	3.4
	418054	NM_002318Hs.83354	SS,TM,mito_carr,Lysyl_oxidase	vsvl oxidase-like 2	3.4
5		AA833930 Hs.288036	SS,IPPT,	tRNA isopentenylpyrophosphate transferas	3.4
-		M25809 Hs.64173	ATP-synt_ab,SS,7tm_1,ATP-synt_ab	ATPase, H transporting, lysosomal (vacuo	3.4
		U52077	···· syncasynsynsicipiii syncas	gb:Human mariner1 transposase gene, comp	3.4
		AF182277 Hs.330780	SS,p450,SS	cylochrome P450, subfamily IIB (phenobar	3.4
		AA825686 Hs.321176	SS .	ESTs, Weakly similar to S65824 reverse t	3.4
10		AW968504 Hs.123073	pkinase.	CDC2-related protein kinase 7	3.4
-0		NM_001141Hs.111256	lipoxygenase,PLAT,	arachidonate 15-lipoxygenase, second typ	3.3
		AW797437 Hs.69771	SS,sushi,trypsin,vwa,rrm,fibrinogen_C,fn	B-factor, properdin	3.3
		H73505 Hs.117874	SS,Peptidase_S8,P,Peptidase_S8,P	ESTs	3.3
		NM_006456Hs.288215	SS.Pribosyltran.	sialvltransferase	3.3
15		AF037062 Hs.172914	SS,adh_short,TGF-beta,TGFb_propeptide	retinol dehydrogenase 5 (11-cis and 9-ci	3.3
13		H11257 Hs.22968		Homo sapiens clone IMAGE:451939, mRNA se	3.3 3.3
		Al267371 Hs.172636	SS,pkinase,ig,		3.3 3.3
			SS,SS,lipoxygenase,PLAT	ESTs	
		AI161293 Hs.280380	SS,SS,Peptidase_M1,EGF,ig,lectin_c,sushi	aminopeptidase	3.3
20		AF052152 Hs.159412	pkinase,	Homo sapiens clone 24628 mRNA sequence	3.3
20		Z42047 Hs.283978	SS,TM,7tm_1	Homo sapiens PRO2751 mRNA, complete cds	3.3
		D85782 Hs.3229	00 5 11 111	cysteine dioxygenase, type I	3.3
		AF084545	SS,Peptidase_M1,	Target	3.3
		AL359053 Hs.57664	TM,integrin_B,Ricin_B_lectin,rrm	Homo sapiens mRNA full length insert cDN	3.3
25		R19897 Hs.106604	death,ZU5,pkinase,Activin_recp,	ESTs	3.3
25		Al694413 Hs.332649	SS,TM,7tm_3,ANF_receptor,sushi	olfactory receptor, family 2, subfamily	3.2
		NM_003654Hs.104576	SS	carbohydrate (keratan sulfate Gal-6) sul	3.2
		BE562136 Hs.9736	SS,PCI,RasGEF,hormone_rec,zf-C4,	proteasome (prosome, macropain) 26S subu	3.2
		D86983 Hs.118893	peroxidase,LRRCT,	Melanoma associated gene	3.2
20		AA326062	SS,p450,p450	gb:EST29171 Cerebellum II Homo sapiens c	3.2
30		AI768235	SS,Trehalase	gb:wg82g08.x1 Soares_NSF_F8_9W_OT_PA_P_S	3.2
		T47667 Hs.28005	SS,TM,Activin_recp,pkinase	Homo sapiens cDNA FLJ11309 fis, clone PL	3.2
		AW247529 Hs.6793	TM,p450,Ets	platelet-activating factor acetylhydrola	3.2
		U39817 Hs.36820	SS,DEAD,HRDC,helicase_C,	Bloom syndrome	3.1
~ ~		L34041 Hs.9739	SS,TM,transport_prot,SWIB,RhoGAP,DAG_f	PE-	glycerol-3-
35	phospha	ate dehydrogenase 1 (so	3.1		
		R31770 Hs.23540	TM,7tm_1,	ESTs	3.1
		U77413 Hs.100293		O-linked N-acetylglucosamine (GlcNAc) tr	3.1
		BE281128 Hs.9030	SS,TM,7tm_1,rrm,SS	TONDU	3.1
	452256	AK000933 Hs.28661	TM,GDI,7tm_1,	Homo sapiens cDNA FLJ10071 fis, clone HE	3.1
40		Al538613 Hs.298241	SS,TM,trypsin,SS,TM,trefoil,trypsin,tref	Transmembrane protease, serine 3	3.1
	419150	T29618 Hs.89640	TM,pkinase,fn3,	TEK tyrosine kinase, endothelial (venous	3.1
	444443	Al149286 Hs.55099	SS	rab6 GTPase activating protein (GAP and	3.1
	426283	NM_003937Hs.169139		kynureninase (L-kynurenine hydrolase)	3.1
	436291	BE568452 Hs.5101	SS,abhydrolase,	protein regulator of cytokinesis 1	3.1
45	450223	AA418204 Hs.241493	SS,pro_isomerase,	natural killer-tumor recognition sequenc	3.1
	424269	AW137691 Hs.199754	SS,TM,7tm_2,GPS	ESTs	3.1
		AW591433 Hs.298241	SS,TM,trefoil,trypsin,trefoil	Transmembrane protease, serine 3	3.0
	452560	BE077084 Hs.336432	SS,rm,zf-RanBP,pkinase,C2,pkinase_C,DA		3.0
			•		

## TABLE 21A

Table 21 A shows the accession numbers for those pkeys lacking unigeneID's for Table 21. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

5

Unique Eos probeset identifier number Pkey: CAT number:

Gene cluster number Accession: Genbank accession numbers

15

	Pkey	CAT number	Accessions
	420854	197072_1	AW296927 Al684514 Al263168 AA281079
20	423431	228162_1	AA326062 AA325758 AW962182
	423945	233566_1	AA410943 AW948953 AA334202 AA332882
	451264	863988_1	AI768235 R31400 H29082 H23107
	455325	1279475_1	AW895719 N31451 N41451
	456207	1650781	AA193450 .

# TABLE 21B

Table 21B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 21. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

	Pkey:	Unique number corresponding to an Eos probeset					
10 Ref:		Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication					
	<b>-</b>	entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.					
	Strand:	Indicates DNA strand from which exons were predicted.					
	Nt_position:	Indicates nucleotide positions of predicted exons.					
1 =							
13							
	Pkey Ref	Strand Nt_position					

13	Pkey	Ref	Strand	Nt_position
		8117619	Plus	90044-90184,91111-91345
20	402230	9966312 9796239	Minus Minus	29782-29932 110326-110491
20		9884928	Plus	66350-66496
	403593	6862650	Minus	62554-62712,69449-69602
		7711864	Plus	100742-100904,101322-101503
	404091	7684554	Minus	82121-83229

# TABLE 22: 739 GENES UP-REGULATED IN BREAST CANCER COMPARED TO NORMAL ADULT BREAST

Table 22 shows 739 genes up-regulated in breast cancer compared to normal adult breast. These were selected as for Table 19, except that the ratio was greater than or equal to 3.0, the denominator was the 85th percentile value for 12 non-malignant breast specimens, and the 96<sup>th</sup> percentile value amongst the 73 breast cancers was greater than or equal 100 units.

10		

5

Unique Eos probeset identifier number

ExAccn: UnigenelD: Exemplar Accession number, Genbank accession number

15 Unigene Title:

Pkey:

Unigene number Unigene gene title

Ratio of 90th percentile tumor to 85th percentile normal breast tissue

20	Pkey	ExAccn	UnigeneiD	UnigeneTitle	R1
20	400292	AA250737	Hs.72472	BMP-R1B	51.5
	424735	U31875	Hs.272499	short-chain alcohol dehydrogenase family	38.3
	400297		Hs.334473	hypothetical protein DKFZp564O1278	29.9
	431448		Hs.334473	hypothetical protein DKFZp564O1278	26.9
25		AI955040	Hs.265398	ESTs, Weakly similar to transformation-r	25.8
~~	431211		Hs.323733	gap junction protein, beta 2, 26kD (conn	23.2
		X54942	Hs.83758	CDC28 protein kinase 2	22.6
		AA046309		gb:zf12f01.s1 Soares_fetal_heart_NbHH19W	19.8
		AA353776	Hs.901	CD48 antigen (B-cell membrane protein)	18.9
30	446921		Hs.16530	small inducible cytokine subfamily A (Cy	18.0
	409041		Hs.50081	KIAA1199 protein	17.6
	412140	AA219691	Hs.73625	RAB6 Interacting, kinesin-like (rabkines	17.6
	407824	AA147884	Hs.9812	Homo sapiens cDNA FLJ14388 fis, clone HE	17.1
	453160	AI263307	Hs.239884	H2B histone family, member L	17.0
35	407137	T97307		gb:ye53h05.s1 Soares fetal liver spleen	16.1
	425692	D90041	Hs.155956	N-acetyltransferase 1 (arylamine N-acety	16.1
	438533	A1440266	Hs.170673		16.0
	428227		Hs.2248	small inducible cytokine subfamily B (CX	15.5
		NM_01439		similar to lysosome-associated membrane	15.1
40		AL120862	Hs.124165	programmed cell death 9 (PDCD9)	14.9
		AA746503	Hs.283313		14.7
		H60720	Hs.81892	KIAA0101 gene product	14.4
		AI267652	Hs.30504	Homo sapiens mRNA; cDNA DKFZp434E082	
4 =	412446		Hs.92127	ESTs	14.2
45	415539		Hs.72472	BMP-R1B	14.1
		AW840171			13.8
	438209		Hs.6111	aryl-hydrocarbon receptor nuclear transl	13.8
	400205			NM_006265*:Homo sapiens RAD21 (S. pomb	
50		AA489732	Hs.154918		13.4
50	415263		Hs.130853	= -	13.3 13.2
		AL120173	Hs.301663	<del></del>	13.2
	449722		Hs.23960	cyclin B1	13.2
	406685	M18728	U- 000000	gb:Human nonspecific crossreacting antig	12.8
55	406690	M29540	Hs.220529	carcinoembryonic antigen-related cell ad cytochrome P450, 51 (lanosterol 14-alpha	12.8
33	429925	U33632	6Hs.226213 Hs.79351	potassium channel, subfamily K, member 1	12.7
	416498	Al493046	Hs.146133		12.5
			Hs.202656		12.5
	441377 456207	AA193450	113.202030	gb:zr40e07.r1 Soares_NhHMPu_S1 Homo sa	
60	422805	AA436989	Hs.121017		12.2
UU	407811	AW190902		cysteine knot superfamily 1, BMP antagon	12.2
		AA195651	Hs.104106		12.2
	407 170	LAN 19909 1	3. 107 100	LOIG	

PCT/US02/02242

		AF044197	Hs.100431	small Inducible cytokine B subfamily (Cy	12.1
		Y13153	Hs.107318	kynurenine 3-monooxygenase (kynurenine 3	12.0
		Al031771	Hs.132586		12.0
_		H44186	Hs.15456	PDZ domain containing 1	11.9
5		BE178536		membrane-spanning 4-domains, subfamily A	11.8
				calmodulin 2 (phosphorylase kinase, delt	11.7
		NM_006159		nel (chicken)-like 2	11.7
		AF026944			11.6
10		AA156781		metallothionein 1E (functional)	11.5
10		AW975398		-	11.4
		H15261	Hs.21948	ESTs	11.3
		AW600291		hypothetical protein FLJ10430	11.3
		X78592 BE336654	Hs.99915	androgen receptor (dihydrotestosterone r H3 histone family, member A	11.3
15		AI633559	Hs.310359		11.2 11.2
13		AA765694			11.0
		A1684808		programmed cell death 9 (PDCD9)	10.9
				transcription factor	10.7
		AA576953		hypothetical protein FLJ13352	10.6
20		AW965339			10.6
			Hs.36563	hypothetical protein FLJ22418	10.4
		W67883		paternally expressed 10	10.4
	447342	Al199268	Hs.19322	Homo sapiens, Similar to RIKEN cDNA 2010	10.4
	424905	NM_002497	Hs.153704	NIMA (never in mitosis gene a)-related k	10.1
25		H87648	Hs.33922	Homo sapiens, clone MGC:9084, mRNA, com	p10.1
		AW167087			10.1
	434377	AW137148	Hs.306593	Homo sapiens cDNA FLJ11382 fis, clone HE	10.1
		AA399272			10.1
20		AI624342	Hs.170042		10.0
30		Al926047	Hs.162859		10.0
		AL355715		programmed cell death 9	9.9
		AW966399		hypothetical protein FLJ20086	9.9
	432169		Hs.2910	phosphoribosyl pyrophosphate synthetase	9.9
35		H23789 Al655499	Hs.144530 Hs.161712		9.9
55		AV660345	He 238126	CGI-49 protein	9.8 9.8
		BE613126	Hs.47783	B aggressive lymphoma gene	9.7
		C16391	110.11700	gb:C16391 Clontech human aorta polyA mRN	
		AA151342	Hs.12677	CGI-147 protein	9.7
40		AI064690	Hs.171176		9.7
_		AI022650	Hs.8117	erbb2-interacting protein ERBIN	9.7
	435570	AF212222	Hs.177812	uncharacterized bone marrow protein BM04	9.7
		AL360204		Homo sapiens mRNA full length insert cDN	9.6
	428966	AF059214	Hs.194687	cholesterol 25-hydroxylase	9.6
45		D60730	Hs.57471	ESTs	9.6
		Al375499	Hs.27379	ESTs	9.5
		R31178		fibronectin 1	9.3
		AA156679		leucine-rich repeat-containing 2	9.3
50		R17798	Hs.7535	COBW-like protein	9.3
20				trinucleotide repeat containing 9	9.2
		AJ224741	Hs.278461		9.2
	439451	AF086270 AA410943	ns.2/0004	heterochromatin-like protein 1 gb:zt32h03.r1 Soares ovary tumor NbHOT H	9.2
		BE093589	Un 20170	hypothetical protein FLJ23468	
55		AI337735	Hs.38178	ESTs, Moderately similar to ZN91_HUMAN Z	9.1
55		AW732573		potassium voltage-gated channel, delayed	9.0
		AI076089	Hs.292239		9.0
		Y00272		cell division cycle 2, G1 to S and G2 to	8.9
		A1767756	Hs.82302	Homo sapiens cDNA FLJ14814 fis, clone NT	8.9
60	402408			NM_030920*:Homo sapiens hypothetical pro	
- <del>-</del>		AA279490	Hs.86368	calmedin	8.8
		W03242	Hs.44898	Homo sapiens clone TCCCTA00151 mRNA se	
		Al198719	Hs.176376		8.8
<i>-</i> -		AW296024	Hs.150434	ESTs	8.8
65		Al754693	Hs.145968		8.8
•		A1745649	Hs.26549	KIAA1708 protein	8.7
	ΔΔ717Ω	AW504641	He 102/117	EQTe	87

	427585	D31152	Hs.179729	3-1, 7,	8.6
	415857	AA866115			8.6
		AI651474	Hs.163944		8.6
_					8.4
5		AW067903			8.4
		AA382207			8.3
		AA767373	Hs.35669	ESTs, Moderately similar to ALU1_HUMAN A DKFZP434G232 protein	6.3 8.2
		AL080207 BE268362			8.2
10				protein tyrosine phosphatase, receptor t	8.2
10		AJ132592		zinc finger protein 281	8.2
	431725		Hs.2839	Norrie disease (pseudoglioma)	8.1
		A1283476	Hs.263478		8.1
	416747	AW876523	Hs.15929	hypothetical protein FLJ12910	8.1
15		AI811202		Homo sapiens cDNA: FLJ23523 fis, clone L	8.1
		AA781795			8.0
				ESTs, Weakly similar to 2109260A B cell	8.0
				DNA replication factor	8.0
20		AW293165		HSPC150 protein similar to ubiquitin-con	8.0 8.0
20		AA379597		AF15q14 protein	8.0
		U29926	Hs.83918	adenosine monophosphate deaminase (isofo	
	400285		, 15,000 10	Eos Control	7.9
		AF039241	Hs.9028	histone deacetylase 5	7.9
25	407242	M18728		gb:Human nonspecific crossreacting antig	7.8
		D43945		transcription factor EC	7.8
		AA993527		hypothetical protein FLJ23403	7.8
		AI161293		aminopeptidase	7.8
30		A1683487		wingless-type MMTV integration site fami	7.7 7.6
30		AL110216 H69912	Hs.12285 Hs.48269	ESTs, Weakly similar to I55214 salivary vaccinia related kinase 1	7.6 7.6
		T27503	Hs.15929	hypothetical protein FLJ12910	7.6
		AK001741		hypothetical protein FLJ10879	7.6
				kynureninase (L-kynurenine hydrolase)	7.5
35	424687			matrix metalloproteinase 9 (gelatinase B	7.5
		NM_016293		bridging integrator 2	7.5
		H69125	Hs.133525		7.5
		M97711	LI= 07707	gb:Human T-cell receptor (V beta 18.1, J	7.5
40		AW512260		ESTS	7.4 7.4
40		NM_001809		kinesin protein 9 gene centromere protein A (17kD)	7. <del>4</del> 7.4
		Al391662		Homo sapiens, clone MGC:12318, mRNA, con	
				ELL-RELATED RNA POLYMERASE II, ELON	
		BE391804		guanylate binding protein 1, interferon-	7.3
45	400268			NM_003292:Homo sapiens translocated prom	7.3
		AF086332	Hs.58314	ESTs	7.3
		AL138272	Hs.62713	ESTs	7.3
		N58172	Hs.109370		7.3 7.2
50		AF129535		carboxylesterase 2 (intestine, liver) F-box only protein 5	7.2 7.1
50		A1073913	Hs 100686	ESTs, Weakly similar to JE0350 Anterior	7.1
	430287	AW182459	Hs.125759	ESTs, Weakly similar to LEU5_HUMAN LEUK	
		AA398155		ESTs	7.0
		Al475858		gb:tc87d07.x1 NCI_CGAP_CLL1 Homo sapie	ns7.0
55	407277	AW170035	Hs.326736	Homo sapiens breast cancer antigen NY-BR	
		BE062906		KIAA1546 protein	7.0
		AK001468		anillin (Drosophila Scraps homolog), act	7.0
		AA808229			6.9
60		AW241821		cytochrome P450, subfamily IIJ (arachido	6.9 6.8
UU		Al263293 AW500106		serine/threonine protein kinase MASK	6.8
		AW449211			6.8
	414080	AA135257	Hs.47783	B aggressive lymphoma gene	6.8
	441243	AI767056	Hs.193002		6.7
65	408380	AF123050	Hs.44532	diubiquitin	6.7
	422956	BE545072	Hs.122579	hypothetical protein FLJ10461	6.7
	446651	AA393907	Hs.97179	ESTs	6.7

	419839		Hs.93304	phospholipase A2, group VII (platelet-ac	6.7
		AA810265	Hs.122915		6.7
		AI910275	Hs.1406	trefoil factor 1 (pS2)	6.7
5		AW023482		ESTs	6.6
5		NM_003816 NM_016010		a disintegrin and metalloproteinase doma	6.6
		Al215069	Hs.89113	CGI-62 protein ESTs	6.6 6.5
		A1798680	Hs.25933	ESTS	6.5
	411000			ESTs, Weakly similar to S38383 SEB4B pro	6.5
10		Al151418	Hs.272458		6.4
	409757	NM_001898			6.4
	447164		Hs.17518	Homo sapiens cig5 mRNA, partial sequence	6.4
	456938	X52509	Hs.161640	tyrosine aminotransferase	6.4
		AI820961	Hs.193465		6.4
15				Inositol polyphosphate-4-phosphatase, ty	6.4
	452838		Hs.30743	preferentially expressed antigen in mela	6.4
			Hs.57987	B-cell CLL/lymphoma 118 (zinc finger pro	6.4
		AJ235664 Al222020	Un 1000C4	gb:Homo sapiens mRNA for immunoglobulin CocoaCrisp	6.3 6.3
20		AF217513		clone HQ0310 PRO0310p1	6.3
20		Al193043		ESTs, Weakly similar to T17226 hypotheti	6.2
		AA394183	Hs.26873	ESTs	6.2
	402578			C1001134:gi[2117372 pir ][65981 fatty ac	6.2
		AW161391	Hs.709	deoxycytidine kinase	6.1
25	430447	W17064	Hs.332848	SWI/SNF related, matrix associated, acti	6.1
	432415	T16971		ESTs, Weakly similar to A43932 mucin 2 p	6.1
		Al082692	Hs.134662		6.1
		Al694143		programmed cell death 4	6.1
20		BE440042	Hs.83326	matrix metalloproteinase 3 (stromelysin	6.1
30		Al126772 BE463721	Hs.40479 Hs.97101	ESTs	6.0 6.0
		U23752	Hs.32964	putative G protein-coupled receptor SRY (sex determining region Y)-box 11	6.0
	425397	J04088		topoisomerase (DNA) II alpha (170kD)	6.0
	418007		Hs.83169	matrix metalloproteinase 1 (MMP1; inters	6.0
35	428585	AB007863		KIAA0403 protein	6.0
	437608	AA761605	Hs.292308	ESTs, Weakly similar to ALU1_HUMAN ALU	S6.0
		AA583206		RAR-related orphan receptor A	6.0
		M31126		matrix metalloproteinase 11 (MMP11; stro	6.0
40		R45154	Hs.106604		6.0
40				ESTs, Weakly similar to Con1 [H.sapiens]	6.0
		AA972965 X81334	Hs.2936		6.0 6.0
		AA100847		matrix metalloproteinase 13 (collagenase ESTs, Highly similar to AF174600 1 F-box	5.9
		AI831297	Hs.123310		5.9
45		AW972512		sin3-associated polypeptide, 30kD	5.9
		AW803341		gb:lL2-UM0079-090300-050-D03 UM0079 Ho	
			Hs.118554	CGI-83 protein	5.9
		AI793124	Hs.144479		5.9
50				hypothetical protein FLJ22624	5.8
50		AI005043	Hs.24143	Wiskott-Aldrich syndrome protein interac	5.8
		N32536	Hs.42645	solute carrier family 16 (monocarboxylic	5.8
		Al375572 AA305599	Hs.172634 Hs.238205		5.8 5.8
	409151	AA306105		SEC22, vesicle trafficking protein (S. c	5.8
55		A1571940	Hs.7549	ESTs	5.8
		T93500	Hs.28792	Homo sapiens cDNA FLJ11041 fis, clone PL	5.8
		Al299139	Hs.17517	ESTs	5.8
		A1033965	Hs.239926	sterol-C4-methyl oxidase-like	5.8
		X07820	Hs.2258	matrix metalloproteinase 10 (MMP10; str	5.7
60		AV657117		ESTs, Moderately similar to S65657 alpha	5.7
		AA831879			5.7
		W47595		transforming growth factor, beta 2	5.7 5.7
	402401	NM_00711	บ⊓5.∠9302 He 1∩ฅถาว	tumor necrosis factor, alpha-induced pro hypothetical protein MGC14797	5.7 5.7
65		AW016531			5.7 5.7
05		Z47553	Hs.14286	flavin containing monooxygenase 5	5.7
	428336	AA503115		microseminoprotein, beta-	5.6
				• • • • • • • • • • • • • • • • • • • •	

	420270	AF424440	U= 04020E	and and the share of a shift of the state of	- 0
	430379	AF134149	HS.240395	potassium channel, subfamily K, member 6	5.6
				metallothionein-like 5, testis-specific	5.6
		AL044878	Hs.11899	3-hydroxy-3-methylglutaryl-Coenzyme A re	5.6
_	443426	AF098158		chromosome 20 open reading frame 1	5.6
5		X03635	Hs.1657	estrogen receptor 1	5.6
	447078	AW885727	Hs.301570	ESTS	5.6
	432015	AL157504	Hs.159115	Homo sapiens mRNA; cDNA DKFZp586O072	4 (f5.5
	438691	AA906288	Hs.212184	ESTs	5.5
	439809	R41396	Hs.101774	hypothetical protein FLJ23045	5.5
10	415786	AW419196		hypothetical protein FLJ13782	5.5
		BE247706		membrane-spanning 4-domains, subfamily A	
	401645			C16001440*:gil12330704 gb AAG52890.1 AF	
		BE277414	He 50/7	mel transforming oncogene (derived from	5.5
		A1734009			
15				KIAA1603 protein	5.4
13		AI742605	Hs.193696		5.4
		NM_015986		cytokine receptor-like molecule 9	5.4
		X91221	Hs.144465		5.4
		R28363	Hs.24286	ESTs	5.4
00		BE392914		Homo sapiens cDNA FLJ11344 fis, clone PL	5.4
20		H59846	Hs.128355		5.4
	413554	AA319146	Hs.75426	secretogranin II (chromogranin C)	5.4
	422867	L32137	Hs.1584	cartilage oligomeric matrix protein (COM	5.4
	434263	N34895	Hs.44648	ESTs	5.4
	446382	AW205168	Hs.150823	ESTs	5.4
25		AF025441		Opa-interacting protein 5	5.3
		AA576635		CGI-48 protein	5.3
		AA814100		ESTs	5.3
		U91616	Hs.91640	nuclear factor of kappa light polypeptid	5.3
		H39960	Hs.288467		
30		AF070526			
50				Homo sapiens clone 24787 mRNA sequence	
				HER2 receptor tyrosine kinase (c-erb-b2,	5.2
				hypothetical protein DKFZp434J037	5.2
				transcription factor 19 (SC1)	5.2
25		U65590	Hs.81134	interleukin 1 receptor antagonist	5.2
35		AF013758		, , ,	5.2
		AK000713			5.2
	427427	AF077345	Hs.177936	ESTs	5.2
	403485			C3001813*:gi[12737279]ref[XP_012163.1] k	5.2
	422168	AA586894	Hs.112408	S100 calcium-binding protein A7 (psorias	5.1
40	421937	AI878857	Hs.109706	hematological and neurological expressed	5.1
	426752	X69490	Hs.172004	titin	5.1
	453310	X70697	Hs.553	solute carrier family 6 (neurotransmitte	5.1
		M81933	Hs.1634	cell division cycle 25A	5.1
		AI810054	Hs.14119	ESTs	5.1
45				ESTs, Moderately similar to ALU7_HUMAN A	
		AL121278	Hs.25144	ESTs	5.1
	404347	ACILIZIO	113.20177	Target Exon	5.1
		M30703	Hs.270833		5.1
		D28235	Hs.196384		
50		BE568452		prostaglandin-endoperoxide synthase 2 (p	5.1
50			Hs.5101	protein regulator of cytokinesis 1	5.1
		R43646	Hs.12422	ESTs	5.1
		AK000796	Hs.4104	hypothetical protein	5.0
	435981		Hs.188620		5.0
E E		AA993138	Hs.142287	ESTs, Weakly similar to ALUF_HUMAN !!!!	5.0
55			Hs.267695	UDP-Gal:betaGlcNAc beta 1,3-galactosyltr	5.0
	405348			C7001664:gi 12698061 dbj BAB21849.1  (AB	5.0
		AK001084	Hs.333498	Homo saplens cDNA FLJ10222 fis, clone HE	5.0
	437065	AL036450	Hs.103238	ESTs	5.0
	410196	A1936442	Hs.59838	hypothetical protein FLJ10808	5.0
60	429412	NM_006235	Hs.2407	POU domain, class 2, associating factor	5.0
		AU076643		secreted phosphoprotein 1 (osteopontin.	4.9
	403329			Target Exon	4.9
		BE623003	Hs.23625	Homo sapiens clone TCCCTA00142 mRNA se	enu4 Q
		AI820662	Hs.129598		4.9
65		AW371048		H4 histone family, member H	4.9
55		AW966163	0.00	gb:EST378236 MAGE resequences, MAGI Ho	mot 0
			He 182279	calmodulin 2 (phosphorylase kinase, delt	
	400013	VF0400 11	113.104210	odanioddiai z (phosphorylase Kinase, delf	4.9

	407910	AA650274	Hs.41296	fibronectin leucine rich transmembrane p	4.9
	432606	NM_002104	1Hs.3066	granzyme K (serine protease, granzyme 3;	4.9
		R10799	Hs.191990		4.8
_				ESTs, Weakly similar to AT2A_HUMAN POTE	
5	449048		Hs.22920	similar to S68401 (cattle) glucose induc	4.8
	408369		Hs.182575	solute carrier family 15 (H??? transport	4.8
				dynein light chain-A	4.8
	423575 444246		Hs.103443	Homo sapiens cDNA FLJ11576 fis, clone HE hypothetical protein FLJ20417	
10				GDNF family receptor alpha 1	4.8 4.8
10		AI571835	Hs.55468	ESTs	4.8
		AL135173		sorbitol dehydrogenase	4.8
		AL161999		eukaryotic translation termination facto	4.8
		M93119	Hs.89584	insulinoma-associated 1	4.8
15			Hs.191518		4.8
	447033	Al357412	Hs.157601	ESTs	4.8
		AI879148	Hs.26770	fatty acid binding protein 7, brain	4.7
		X04430	Hs.93913	interleukin 6 (interferon, beta 2)	4.7
20				disintegrin protease	4.7
20	431585	BE242803	Hs.262823	hypothetical protein FLJ10326	4.7
	429294	AAU959/1	HS.198/93	Homo sapiens cDNA: FLJ22463 fis, clone H	4.7
		AW192307 NM_015310		dolichyl-P-Glc:Man9GlcNAc2-PP-dolichylgl KIAA0942 protein	4.7
		A1675749	Hs.211608		4.7 4.7
25			Hs.121524		4.7
25	405801	711 220104	113.12.1024	NM_000390:Homo sapiens choroideremia (Ra	
		BE218886	Hs.282070		4.6
		W26354	Hs.28891	hypothetical protein FLJ11360; artemis p	4.6
	425354	U62027	Hs.155935	complement component 3a receptor 1	4.6
30	436027	AI864053	Hs.39972	ESTs, Weakly similar to 138588 reverse t	4.6
			Hs.337404		4.6
	403366	NA		Target Exon	4.6
	402542		11 45007	Target Exon	4.6
35		AI916071	Hs.15607	Homo sapiens Fanconi anemia complementat	
33		Al907114 Al264155	Hs.71465	squalene epoxidase	4.6
		A1459306	Hs.24908	CDP-diacylglycerol synthase (phosphatida ESTs	4.6 4.5
			Hs.245123		4.5
		AI472209	Hs.323117		4.5
40			Hs.76277	Homo sapiens, clone MGC:9381, mRNA, com	
		AF146761		BCM-like membrane protein precursor	4.5
	452561	Al692181	Hs.49169	KIAA1634 protein	4.5
		AW962128	S	gb:EST374201 MAGE resequences, MAGG H	
A.E			Hs.254881		4.5
45		A1815395		fatty acid desaturase 2	4.5
				ESTs, Weakly similar to 2109260A B cell	4.4
		AI377755	Hs.120695	Homo sapiens winged helix/forkhead trans	4.4 4.4
		AA121673		zinc finger protein 281	4.4
50		AI815206	Hs.99395	ESTs	4.4
- •	401866			Target Exon	4.4
	418819	AA228776	Hs.191721		4.4
	406348			Target Exon	4.4
~ ~	412138	AW895387		gb:QV4-NN0038-300300-157-c10 NN0038 Ho	mo4.4
55		AW297880	Hs.98661	ESTs	4.4
		AW862214		gb:QV4-CT0361-301299-074-b05 CT0361 Ho	
				HSPC039 protein	4.4
		NM_004129 AL110151		guanylate cyclase 1, soluble, beta 2	4.4
60		H26735	Hs.128797 Hs.91668	DKFZP586D0824 protein Homo sapiens clone PP1498 unknown mRNA	4.4
00				low density lipoprotein-related protein	4.3
		AA706003		ESTs	4.3 4.3
		Z97630		H1 histone family, member 0	4.3
		Y15221		small inducible cytokine subfamily B (Cy	4.3
65		X03363		HER2 receptor tyrosine kinase (c-erb-b2,	4.3
		AL041243	Hs.174104		4.3
	446595	T57448	Hs.15467	hypothetical protein FLJ20725	4.3

	403011	NA		ENSP00000215330*:Probable serine/threoni	4.3
	419055	AI365384	Hs.11571	Homo sapiens cDNA FLJ11570 fis, clone HE	4.3
		NM_001949		E2F transcription factor 3	4.3
5		AA687538		tetraspan 1	4.3
5		ABU14604 AW188551		KIAA0704 protein hypothetical protein FLJ14007	4.3 4.3
		AI091795	Hs.179246		4.3
		AI694413		olfactory receptor, family 2, subfamily	4.3
		M63835	Hs.77424	Fc fragment of IgG, high affinity la, re	4.2
10	410102	AW248508	Hs.279727	Homo sapiens cDNA FLJ14035 fis, clone HE	4.2
		T47667	Hs.28005	Homo sapiens cDNA FLJ11309 fis, clone PL	4.2
				nucleolar phosphoprotein Nopp34	4.2
		AW953937		ESTs. Weakly similar to T47184 hypotheti	4.2 4.2
15		AI085198	Hs.164226		4.2
				ESTs, Weakly similar to S72482 hypotheti	4.2
		BE091926		mitotic spindle coiled-coll related prot	4.2
	423242	AL039402	Hs.125783	DEME-6 protein	4.2
			Hs.308538		4.2
20		T97490	Hs.50002	small inducible cytokine subfamily A (Cy	4.2
			Hs.288529	**	4.2 4.2
		BE247676	Hs.325820	protease, serine, 23 E-1 enzyme	4.2
		AK001376		hypothetical protein FLJ10514	4.1
25		AW779318		ESTs	4.1
	430486	BE062109	Hs.241551	chloride channel, calcium activated, fam	4.1
			Hs.132208		4.1
		BE244074		regulator of Fas-induced apoptosis	4.1
30			Hs.290585	matrix metalloproteinase 11 (MMP11; stro	4.1 4.1
50		AF041163		Human T-cell receptor active alpha-chain	4.1
		BE562826	110.1 1011	gb:601336534F1 NIH_MGC_44 Homo sapien	
	444301	AK000136		asporin (LRR class 1)	4.1
0.5			Hs.180669	conserved gene amplified in osteosarcoma	4.1
35	405850			Target Exon	4.1
		A1732892	Hs.190489		4.0
	400284		Hs.163484	estrogen receptor 1	4.0 4.0
		N91453	Hs.102987		4.0
40		U20158	Hs.2488	lymphocyte cytosolic protein 2 (SH2 doma	4.0
-		AW797437		B-factor, properdin	4.0
		U79293	Hs.159264		4.0
		AA013051		topoisomerase (DNA) II binding protein	4.0
45	419092		Hs.89603	mucin 1, transmembrane	4.0
43		AI034351 AW963372	Hs.19030	ESTs PRO2000 protein	4.0 4.0
		T32982	Hs.102720		4.0
		BE302796		thymidine kinase 1, soluble	4.0
		BE250127		CDC20 (cell division cycle 20, S. cerevi	3.9
50		AW630088		Homo sapiens mRNA; cDNA DKFZp564B126-	
		AW411479	Hs.848	FK506-binding protein 4 (59kD)	3.9
	404580	A D04024E	Un 27657	NM_014112*:Homo saplens trichorhinophala	3.9
		AB018345 AA031956	NS.2/03/	KIAA0802 protein gb:zk15e04.s1 Soares_pregnant_uterus_NbH	3.9
55		U03272	Hs.79432	fibrillin 2 (congenital contractural ara	3.9
-		AA243464	Hs.294101		3.9
	429353	AL117406	Hs.200102	ATP-binding cassette transporter MRP8	3.9
			Hs.190325		3.9
60		X07871	Hs.89476	CD2 antigen (p50), sheep red blood cell	3.9
60		W94197		ribosomal protein L26 homolog	3.9
		AI201183 AF182277	Hs.130251 Hs.330780	cytochrome P450, subfamily IIB (phenobar	3.9
		AW935490		Human chromosome 5q13.1 clone 5G8 mRNA	3.9 13.0
		BE019020		solute carrier family 16 (monocarboxylic	3.9
65		NM_002543		oxidised low density lipoprotein (lectin	3.9
		AA809875		ESTs	3.9
	419741	NM_007019	Hs.93002	ubiquitin carrier protein E2-C	3.9

	430017	AA263172 Hs	35	protein tyrosine phosphatase, non-recept	3.9	
				ESTs, Weakly similar to Z195_HUMAN ZINC	3.8	
		AW236861 Hs		ESTs	3.8	
5		NM_002267Hs		karyopherin alpha 3 (importin alpha 4)	3.8	
3	409425			zinc finger protein, subfamily 1A, 1 (lk	3.8	
			5.74899 5.453602	hypothetical protein FLJ12820 Homo sapiens cDNA FLJ14354 fis, clone Y7	3.8 3.8	
	400021	AFU000004 FIS		AFFX control - HUMISGF3A/M97935_MA	3.8	
		BE466639 Hs		Homo saplens cDNA FLJ13591 fis, clone PL	3.8	
10			.172636		3.8	
		AA631739 Hs			3.8	
		AW207206 Hs			3.8	
		A1446444 Hs	.190394	ESTs, Weakly similar to B28096 line-1 pr	3.8	
1.5	401045			C11001883*:gi 6753278 ref NP_033938.1  c	3.8	
15		AW449612 Hs			3.8	
		NM_001838Hs		chemokine (C-C motif) receptor 7	3.8	
			s.44865 s.146274	lymphoid enhancer-binding factor 1	3.8 3.8	
		AW068115 Hs		biglycan	3.8	
20			.179833		3.8	
		NM_003512Hs		H2A histone family, member L	3.8	
				carboxypeptidase B1 (tissue)	3.8	
		AA165232 Hs			3.8	
0.5			5.50115	Homo sapiens mRNA; cDNA DKFZp761J1112		3.8
25			323910	HER2 receptor tyrosine kinase (c-erb-b2,	3.7	
	400286		404500	C16000922:gi 7499103 pir  T20903 hypothe	3.7	
		A1623693 Hs AW900992 Hs	3.191533	DKFZP586D2223 protein	3.7 3.7	
				hypothetical protein FLJ22439	3.7	
30			3.125056		3.7	
				kinectin 1 (kinesin receptor)	3.7	
	457001		3.2062	vitamin D (1,25- dihydroxyvitamin D3) re	3.7	
		AW406878		gb:UI-HF-BL0-adg-g-06-0-UI.r1 NIH_MGC_37		
35		NM_014737Hs		Ras association (RalGDS/AF-6) domain fam	3.7	
33				Homo sapiens cDNA FLJ11489 fis, clone HE		
			s.13303 s 278732	Homo sapiens cDNA: FLJ21784 fis, clone H hypothetical protein FLJ20285	3.7 3.7	
			s.75615	apolipoprotein C-II	3.7	
				cell recognition molecule Caspr2	3.7	
40		AW958544 Hs		normal mucosa of esophagus specific 1	3.7	
	408761	AA057264 Hs	3.238936	ESTs, Weakly similar to (defline not ava	3.7	
	406153			Target Exon	3.7	
		AW873606 Hs			3.7	
45			3.32989	receptor (calcitonin) activity modifying	3.7	
43		AB011152 Hs AF113676 Hs		KIAA0580 protein serine (or cysteine) proteinase inhibito	3.7 3.6	
			s.20191	seven in absentia (Drosophila) homolog 2	3.6	
				hypothetical protein FLJ22490	3.6	
	425234	AW152225 Hs		ESTs, Weakly similar to I38022 hypotheti	3.6	
50			s.93837	phosphatidylinositol transfer protein, m	3.6	
	402397		s.189507	phospholipase A2, group IID	3.6	
*	430378		3.2556	tumor necrosis factor receptor superfami	3.6	
			3.171941	transcription factor 2, hepatic; LF-B3;	3.6	
55				ESTs, Weakly similar to I38022 hypotheti	3.6 3.6	
55		BE069341	J. 1000L0	gb:QV3-BT0381-270100-073-c08 BT0381 Ho		i
			s.283675	NPD009 protein	3.6	
	445292	AV653264 Hs	s.13982	Homo sapiens cDNA FLJ14666 fis, clone NT	3.6	
<b>60</b>			s.10844	Homo sapiens cDNA FLJ14476 fis, clone MA	3.6	
60				KIAA0129 gene product	3.6	
		AW961434 Hs		ESTs	3.6	
		NM_000402Hs W26187 Hs	s.80206 s.3327	glucose-6-phosphate dehydrogenase Homo sapiens cDNA: FLJ22219 fis. clone H	3.6	
			s.3327 s.161	cadherin 2, type 1, N-cadherin (neurona)	3.6 3.6	
65		AW015415 Hs			3.6	
			s.194691		3.6	
			s.22895	hypothetical protein FLJ23548	3.6	

	409619	AK001015	Hs.55220	BCL2-associated athanogene 2	3.6	
	430044	AA464510	Hs.152812	ESTs	3.6	
			Hs.194024		3.6	
<b>E</b>		AA380731		interteukin 2 receptor, gamma (severe co	3.6	
5		AF088020		EST	3.6	
		H63010 AA351647	Hs.5740	ESTs eukaryotic translation elongation factor	3.5 3.5	
		AI418055	Hs.161160		3.5	
		AF234882		suppression of tumorigenicity 7	3.5	
10	418322	AA284166	Hs.84113	cyclin-dependent kinase inhibitor 3 (CDK	3.5	
			Hs.222399		3.5	
		AI907673		gb:IL-BT152-080399-004 BT152 Homo sapler		
	403212	A1/00070E	U- C0570	NM_019595:Homo sapiens intersectin 2 (IT	3.5	
15 ·		AK000725 AA847843		hypothetical protein FLJ20718 Homo sapiens, clone IMAGE:3351295, mRNA	3.5	
13		W92147	Hs.118394		3.5	
		Z43784	Hs.75893	ankyrin 3, node of Ranvier (ankyrin G)	3.5	
		AI827248		Homo sapiens cDNA FLJ11469 fis, clone HE		
		AA641836		hypothetical protein FLJ23186	3.5	
20	433730	AK002135	Hs.3542	hypothetical protein FLJ11273	3.5	
			Hs.137007		3.5	
				poly(A)-binding protein, cytoplasmic 1-l	3.4	
		BE311926	HS.15830	hypothetical protein FLJ12691	3.4	3.4
25		AW881145 BE390551	He 77628	gb:QV0-OT0033-010400-182-a07 OT0033 Ho steroidogenic acute regulatory protein r	3.4	3.4
20		W29092	Hs.7678	cellular retinoic acid-binding protein 1	3.4	
		AI167877	Hs.143716		3.4	
	402470	NA		Target Exon	3.4	
••		AA213437			3.4	
30		AW875237		ESTs	3.4	
		AI681545		hypothetical protein FLJ13117	3.4 3.4	
		U61412	Hs.51133	PTK6 protein tyrosine kinase 6 fucosyltransferase 8 (alpha (1,6) fucosy	3.4	
		M90516	Hs.1674	glutamine-fructose-6-phosphate transamin	3.4	
35		AA447492		ESTs, Weakly similar to AF164793 1 prote	3.4	
	402359	NA		C19001991*:gi 12656111 gb AAK00751.1 AF	23.4	
			Hs.221504		3.4	
		F01020	Hs.172004		3.4	
40		AA812633 R11141		ESTs hypothetical protein	3.4 3.4	
70		AJ271216		dipeptidylpeptidase III	3.4	
		AK001763		hypothetical protein FLJ10901	3.4	
		Y18418		RuvB (E coli homolog)-like 1	3.4	
			Hs.194698		3.4	
45		U58766		tissue specific transplantation antigen	3.4	
		AF037335		Homo sapiens, clone IMAGE:3616574, mRNA carbonic anhydrase XII (tumor antigen H	3.4 3.4	
		AW392550		proteasome (prosome, macropain) subunit,	3.4	
				KIAA0175 gene product	3.3	
50			Hs.200266		3.3	
		Al335773	Hs.270123		3.3	
		NM_00050		coagulation factor XII (Hageman factor)	3.3	
		AW160375		amyloid beta (A4) precursor-like protein paired-like homeodomain transcription fa	3.3	
55		U70370 Al627393	Hs.84136	ESTs, Weakly similar to high mobility gr	3.3 3.3	
55				ESTs, Weakly similar to I38022 hypotheti	3.3	
				Interleukin 7 receptor	3.3	
	407777	AA161071	Hs.71465	squalene epoxidase	3.3	
				glutamic-oxaloacetic transaminase 2, mit	3.3	
60		A1086138	Hs.204044		3.3	
				ras-related C3 botulinum toxin substrate myosin-binding protein C, slow-type	3.3	
•		X73114 AA026880		prolactin receptor	3.3 3.3	
		U41763		clathrin, heavy polypeptide-like 1	3.3	
65		BE243136		a disintegrin and metalloproteinase doma	3.3	
	436293	Al601188	Hs.120910		3.3	
	411257	AA628967	Hs.115274	ESTs, Highly similar to IHH_HUMAN INDIAN	3.3	

		AK001514		hypothetical protein FLJ10652	3.3
		AI929659 AK001455	Hs.5198	signal recognition particle 72kD  Down syndrome critical region gene 2	3.3 3.3
		BE142681		polymerase (DNA directed), eta	3.3
5		H09048	Hs.23606	ESTs	3.3
	457183	H91882	Hs.118569	Dvl-binding protein IDAX (inhibition of	3.3
		AA496078	Hs.121554	Human DNA sequence from clone RP11-2180	213.3
		AA446932			3.3
10			Hs.193804		3.3
10		R43409 AW978484	Hs.6829	Homo sapiens mRNA for KIAA1644 protein, Homo sapiens cDNA: FLJ22554 fis, clone H	3.3 3.3
		AI015709		Homo sapiens colva. FL322334 iis, clone H Homo sapiens mRNA; cDNA DKFZp58612022	
			Hs.318893	ESTs, Weakly similar to A47582 B-cell gr	3.3
			Hs.118725		3.3
15	443247	BE614387	Hs.333893	c-Myc target JPO1	3.3
		U24683		immunoglobulin heavy constant mu	3.3
		AA907734			3.3
				ESTs, Weakly similar to A47582 B-cell gr	3.3
20		C01765 AA912183	Hs.38750	hypothetical protein FLJ11526 ESTs	3.3 3.3
20		U46258	Hs.339665		3.3
	404755		110.000000	Target Exon	3.3
	451871		Hs.118599		3.2
		AW406289		hypothetical protein	3.2
25	430580	AA806105	Hs.300697	immunoglobulin heavy constant gamma 3 (G	
	400202			NM_002795*:Homo sapiens proteasome (pro:	
	400222			NM_002082*:Homo sapiens G protein-couple	
		BE045897		ESTs, Weakly similar to 138022 hypotheti	3.2
30		BE550224 AJ002744		metallothionein 1E (functional)	3.2 3.2
50	431563		Hs.120912	UDP-N-acetyl-alpha-D-galactosamine:polyp	3.2
		BE379594	Hs.49136	ESTs, Moderately similar to ALU7_HUMAN A	
		U79745		solute carrier family 16 (monocarboxylic	3.2
		AI793257	Hs.128151		3.2
35	420380	AA640891	Hs.102406	ESTs	3.2
		H04588	Hs.30469	ESTs	3.2
		Al244459	Hs.110826	trinucleotide repeat containing 9	3.2
	432745		11- 440053	gb:nt78f05.x5 NCI_CGAP_Pr3 Homo sapiens	
40			Hs.110857	polymerase (RNA) III (DNA directed) poly	3.2
40	415339 426384		Hs.303662	KIAA0071 protein	3.2 3.2
		N30714		membrane-spanning 4-domains, subfamily A	
		AA310964		SHP2 interacting transmembrane adaptor	3.2
		R35343	Hs.24968	Human DNA sequence from clone RP1-233G	
45	434747	AA837085	Hs.220585		3.2
	427297		Hs.334907	Homo sapiens, clone MGC:17333, mRNA, co	
	412228			complement component (3d/Epstein Barr vi	3.2
	452304	AA025386 AW408337		ESTs, Weakly similar to S10590 cysteine	3.2
50		D50915	Hs.38365	CD7 antigen (p41) KIAA0125 gene product	3.2 3.2
50		AL047586	Hs.10283	RNA binding motif protein 8B	3.2
	430015	AW768399	Hs.112157	ESTs	3.2
		W20128	Hs.296039		3.2
	418334	AA319233	Hs.5521	ESTs	3.2
55	450223		Hs.241493	· · · · · · · · · · · · · · · · · · ·	3.2
	454365		Hs.54642	methionine adenosyltransferase II, beta	3.2
	451128		H- OOFTE	gb:DKFZp761I0310_r1 761 (synonym: hamy2	
	417793		Hs.334345	small nuclear ribonucleoprotein polypept	3.2 3.2
60	428027 441197	BE244638	Hs.166	cytochrome P450, subfamily IIA (phenobar sterol regulatory element binding transc	3.2
O	424634		3Hs.151407	cartilage intermediate layer protein, nu	3.2
	419986	AI345455	Hs.78915	GA-binding protein transcription factor,	3.2
	416714	AF283770		CD79A antigen (immunoglobulin-associated	3.2
	449465	NM_00438		CREB binding protein (Rubinstein-Taybi s	3.2
65	422166	W72424		S100 calcium-binding protein A9 (calgran	3.2
	409079		Hs.82065	interleukin 6 signal transducer (gp130,	3.2
	423551	AA327598	Hs.233785	E315	3.2

	453553	AA036849	Hs.61829	Homo sapiens cDNA FLJ12763 fis, clone NT	
		AI733682	Hs.130239		3.2
		A1796870	Hs.54277	DNA segment on chromosome X (unique) 992	
5			Hs.159251 Hs.25338	forkhead box H1 ESTs	3.2 3.2
,	407104			v-erb-b2 avian erythroblastic leukemia v	3.2
		AI703172		ESTs, Weakly similar to 2109260A B cell	3.1
	430271				3.1
				interleukin 21 receptor	3.1
10		A1278023	Hs.89986	ESTs	3.1
		BE388898		hypothetical protein FLJ11307	3.1 3.1
		AL137589 BE379335		hypothetical protein DKFZp434K0410 proteasome (prosome, macropain) 26S subu	3.1
		AA247152		ESTs, Weakly similar to KIAA1074 protein	3.1
15				hypothetical protein dJ434O14.3	3.1
	436876	AI124756	Hs.5337	isocitrate dehydrogenase 2 (NADP), mitoc	3.1
	405017			Target Exon	3.1
		AA706910			3.1
20		AL353957		hypothetical protein DKFZp434P0531	3.1 3.1
20	430105		Hs.2540	cholinergic receptor, nicotinic, alpha p arachidonate 15-lipoxygenase, second typ	3.1
		BE145360			3.1
		Al267700	Hs.317584		3.1
	422907	AI879263	Hs.6986	Human glucose transporter pseudogene	3.1
25		AA890023	Hs.1906	prolactin receptor	3.1
		BE387202			3.1 3.1
		AW247529 Al638516	Hs.22630	platelet-activating factor acetylhydrola cofactor required for Sp1 transcriptiona	3.1
	458021		Hs.156089		3.1
30	418478		Hs.1174	cyclin-dependent kinase inhibitor 2A (me	3.1
	400814	NA		Target Exon	3.1
	402327			Target Exon	3.1
		AA190712		gb:zp87f09.r1 Stratagene HeLa cell s3 93	3.1 3.1
35		AL355722 Al571514	Hs.133022	Homo sapiens EST from clone 35214, full ESTs	3.1
55		NM_000579		chemokine (C-C motif) receptor 5	3.1
		AJ245210		gb:Homo sapiens mRNA for immunoglobulin	3.1
	406624	AF052762		gb:Homo sapiens clone csneg8-1 immunoglo	
40		BE514514		coronin, actin-binding protein, 1A	3.1
40		AU076633		serine (or cysteine) proteinase inhibito	3.1 3.1
	416379	D89974	Hs.203933 Hs.121102		3.1
		Al399956	Hs.208956		3.1
		BE143533		hypothetical protein FLJ20035	3.1
45	428834		Hs.339315		3.1
				Homo sapiens cDNA FLJ12136 fis, clone MA	
		AB012124	Hs.30696	transcription factor-like 5 (basic helix	3.1
	405381		He 102861	Target Exon Spi-B transcription factor (Spi-1/PU.1 r	3.1 3.1
50		AL133731	Hs.4774	Homo sapiens mRNA; cDNA DKFZp761C171	
50		U66468		cell growth regulatory with EF-hand doma	3.1
	423306	W88562	Hs.108198		3.1
	419123			ESTs	3.1
55	438581			ESTs, Moderately similar to 178885 serin	3.1
55	417105 428361		Hs.81226 5Hs.183858	CD6 antigen transcriptional intermediary factor 1	3.0 3.0
	417880	BE241595		selectin L (lymphocyte adhesion molecule	3.0
	402606		1.0.02010	NM_024626:Homo sapiens hypothetical prot	3.0
	401451			NM_004496*:Homo saplens hepatocyte nucle	3.0
60	421878	AA299652	Hs.111496	Homo saplens cDNA FLJ11643 fis, clone HE	
	409518	BE384836	Hs.3454	KIAA1821 protein	3.0
	416933	BE561850	Hs.80506	small nuclear ribonucleoprotein polypept lymphotoxin beta (TNF superfamily, membe	3.0 3.0
	414324 425081	Y14768 X74794	Hs.890 Hs.154443		3.0
65	401519	, (1 T) UT	113.137773	C15000476*:gi 12737279 ref XP_012163.1	3.0
00		Al499220	Hs.71573	hypothetical protein FLJ10074	3.0
	428819	AL135623		KIAA0575 gene product	3.0

	428423	AU076517	Hs.184276	solute carrier family 9 (sodium/hydrogen	3.0	
	413835	AI272727	Hs.249163	fatty acid hydroxylase	3.0	
	412600	L28824	Hs.74101	spleen tyrosine kinase	3.0	
_	410491	AA465131	Hs.64001	Homo sapiens clone 25218 mRNA sequence	3.0	
5	433658	L03678	Hs.156110	immunoglobulin kappa constant	3.0	
	427666	AI791495	Hs.180142	calmodulin-like skin protein	3.0	
	452514	AI904898		gb:RC-BT068-130399-085 BT068 Homo sapid	en3.0	
	429500	X78565	Hs.289114	hexabrachion (tenascin C, cytotactin)	3.0	
	432485	N90866	Hs.276770	CDW52 antigen (CAMPATH-1 antigen)	3.0	
10	437400	AB011542	Hs.5599	EGF-like-domain, multiple 5	3.0	
	452234	AW084176	Hs.223296		3.0	
	413269	BE167526		gb:CM4-HT0509-080300-107-g07 HT0509 Ho	omo	3.0
	453216	AL137566	Hs.32405	Homo sapiens mRNA; cDNA DKFZp586G032	1 (f	3.0
	400929			ENSP00000252232*:Sterol regulatory eleme	3.0	
15	445145	Al961702	Hs.147434	ESTs	3.0	
	432615	AA557191	Hs.55028	ESTs, Weakly similar to I54374 gene NF2	3.0	
	423279	AW959861	Hs.290943	ESTs	3.0	
	429392	AL109712	Hs.296506	Homo sapiens mRNA full length insert cDN	3.0	
	408548	AA055449	Hs.63187	ESTs, Weakly similar to ALUC_HUMAN !!!!	3.0	
20	451346	NM_006338	8Hs.26312	glioma amplified on chromosome 1 protein	3.0	
	413109	AW389845	Hs.110855	ESTs	3.0	
	401714	NA		ENSP00000241802*:CDNA FLJ11007 FIS, C	LON	3.0
	421462	AF016495	Hs.104624	aquaporin 9	3.0	
~-	421750	AK000768	Hs.107872	hypothetical protein FLJ20761	3.0	
25	453293	AA382267	Hs.10653	ESTs	3.0	
	457085	AA412446	Hs.98138	ESTs	3.0	
	438930	AW843633	Hs.306163	hypothetical protein AL110115	3.0	

#### TABLE 22A

Table 22A shows the accession numbers for those pkeys lacking unigeneID's for Table 22.

For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

Pkey: Unique Eos probeset identifier number CAT number: Gene cluster number Accession: Genbank accession numbers

10

15 CAT number Accessions 407980 103087\_1 AA046309 Al263500 AA046397 AW803341 AW803265 AW803403 AW803466 AW803402 AW803413 AW803268 AW803396 AW803334 AW803355 410785 1221055\_1 20 411743 1256098\_1 AW862214 AW859811 AW862215 412138 1279172\_1 AW895387 AW895547 AW895564 AW895323 AW895405 AW895539 AW895538 413269 1356961\_1 BE167526 BE167651 BE076401 R24654 416935 163179\_1 AA190712 AA190665 AA252564 422128 211994\_1 AW881145 AA490718 M85637 AA304575 T06067 AA331991 AA410943 AW948953 AA334202 AA332882 AW406878 AW966560 AW966151 AW966496 AA336174 AA335376 AA335537 25 423945 233566\_1 424109 235506\_1 424128 235728\_1 AW966163 AA335983 AA336011 AA335668 AA335973 425331 250199\_1 AW962128 AA355353 AA427363 BE069341 AW748403 AL044891 Al908240 AA393080 426878 273265\_1 30 432745 353673\_1 AI821926 AA658826 AA564492 AA635129 AI791191 441153 51084\_2 BE562826 BE378727 448212 755099\_1 AI475858 AW969013 451128 859865\_1 AL118668 D78823 AI762176 452514 920172\_1 Al904898 Al904849 Al904899 35 456207 165078\_-1 AA193450

# TABLE 22B

Table 22B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 22. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

10	Pkey: Ref:	Unique number corresponding to an Eos probeset  Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.
	Strand: N_position:	Indicates DNA strand from which exons were predicted. Indicates nucleotide positions of predicted exons.

15				
	Pkey	Ref	Strand	Nt_position
	400814	8569925	Minus	72840-72924,74761-74849
• •	400929	7651921	Minus	122033-122241,123483-124028
20	401045	8117619	Plus	90044-90184,91111-91345
	401451	6634068	Minus	119926-121272
	401519		Plus	157315-157950
		7657839	Minus	34986-35133
0.5		6715702	Plus	96484-96681
25		8018106	Plus	73126-73623
		7656695	Minus	108675-108770,109801-109910
		9211204	Minus	40403-41961
		9796239	Minus	110326-110491
20		9797107	Plus	195129-195776
30	_	9801558	Minus	67076-67594
		9884928	Plus	66350-66496
	402606		Minus	81747-82094
	403011	6693597	Minus	3468-3623
2.5		7630897	Minus	156037-156210
35		8516120	Plus	96450-96598
		8783692	Minus	49323-49652
		9966528	Plus	2888-3001,3198-3532,3655-4117
	404347		Plus	74493-74829
40		6539738	Minus	240588-241589
40		7706327	Minus	53729-53846
	405017		Plus	35551-35690
	405348	2914717	Minus	43310-43462
	405381	6006920	Minus	7636-8054
4 =	405801	2924321	Plus	63469-63694
45		6164995	Plus	13871-14110
		9929734	Minus	12902-13069
	406348	9255985	Minus	71754-71944

# TABLE 23: 320 GENES DOWN-REGULATED IN BREAST CANCER COMPARED TO NORMAL ADULT BREAST

Table 23 shows 320 genes down-regulated in breast cancer compared to normal adult breast. These were selected as for Table 22, except that the numerator was set to the median value for 12 non-malignant breast specimens, the denominator was set to the median value amongst the 73 breast cancers, the 90<sup>th</sup> percentile value amongst the 12 non-malignant breast specimens was greater than or equal 80 units, and the ratio was greater than or equal to 4.0 (i.e. 4-fold down-regulated in tumor vs. normal breast).

•	Pkey:	Unique Eos probeset identifier number
	ExAccn:	Exemplar Accession number, Genbank accession number
15	UnigenelD:	Unigene number
	Unigene Title:	Unigene gene title
	D1.	Patio of 50th percentile normal body tissue to 75th percentile tumor

20	Pkey	ExAccn	UnigenelD	UnigeneTitle	Ratio
•	428722	U76456	Hs.190787	tissue inhibitor of metalloproteinase 4	22.4
		NM_000230	Hs.194236	leptin (murine obesity homolog)	17.4
		H57646	Hs.42586	KIAA1560 protein	15.4
25	418935	T28499	Hs.89485	carbonic anhydrase IV	15.0
	407228	M25079	Hs.155376	hemoglobin, beta	14.6
	417511	AL049176	Hs.82223	chordin-like	14.6
	439285	AL133916	Hs.172572	hypothetical protein FLJ20093	14.3
	412442	A1983730	Hs 26530	serum deprivation response (phosphatidy)	13.6
30	410544	A1446543	Hs.95511	ESTs	12.6
	412047	AA934589	Hs.49696	ESTs	12.2
	422667	H25642	Hs.133471	ESTs	12.0
	406664	L34041	Hs.9739	glycerol-3-phosphate dehydrogenase 1 (so	12.0
	423201	NM_000163	Hs.125180	growth hormone receptor	11.7
35	422163	AF027208	Hs.112360	prominin (mouse)-like 1	10.8
	428769	AW207175	Hs.106771	ESTs	10.6
		X72632		NM_021724*:Homo sapiens nuclear receptor	10.1
	412295	AW088826	Hs.117176	poly(A)-binding protein, nuclear 1	9.8
	425126	N32759	Hs.172944	chorionic gonadotropin, beta polypeptide	9.8
40	406791	AI220684	Hs.272572	hemoglobin, alpha 2	9.5
	447471	AF039843	Hs.18676	sprouty (Drosophila) homolog 2	9.5
	451533	NM_004657	Hs.26530	serum deprivation response (phosphatidyl	9.4
	419407	AW410377	Hs.41502	hypothetical protein FLJ21276	9.0
	411939	Al365585	Hs.146246	ESTs	9.0
45	410532	T53088	Hs.155376	hemoglobin, beta	8.9
	425707	AF115402	Hs.11713	E74-like factor 5 (ets domain transcript	8.8
	416585	X54162	Hs.79386	leiomodin 1 (smooth muscle)	8.7
	443060	D78874	Hs.8944	procollagen C-endopeptidase enhancer 2	8.6
	435265	AA779958	Hs.185932	ESTs	8.5
50	422511	AU076442	Hs.117938	collagen, type XVII, alpha 1	8.4
	433138	AB029496	Hs.59729	semaphorin sem2	8.3
	402195			NM_004497*:Homo sapiens hepatocyte nucle	8.1
	429350	AI754634	Hs.131987	ESTs	8.1
	445107	A1208121	Hs.147313	ESTs, Weakly similar to I38022 hypotheti	8.1
55		N77976	Hs.272572	hemoglobin, alpha 2	8.0
		AW377424	Hs.205126	Homo sapiens cDNA: FLJ22667 fis, clone H	8.0
		AA815048	Hs.24078	hypothetical protein FLJ12649	7.8
		AA760849	Hs.294052	EŜTs	7.5
		AK000027	Hs.98633	ESTs	7.5
60	425078		Hs.154437	phosphodiesterase 2A, cGMP-stimulated	7.5
	430327		Hs.55931	ESTS	7.4

	AA7577	Al393693	He 193207	DI/C7DECCC0404 paralain	7.4
		Al150491	Hs.183297 Hs.90756	DKFZP566F2124 protein ESTs	7.4 7.2
		R20893	Hs.325823	ESTs, Moderately similar to ALU5_HUMAN A	7.2
_	424455	AA452006	Hs.333199	ESTs	7.1
5		AW956360	Hs.4748	adenylate cyclase activating polypeptide	7.1
		Al352340	Hs.131194	ESTs	7.0
		Al219304	Hs.283108	hemoglobin, gamma G	6.9
		A1446183	Hs.9572	ESTs, Highly similar to CYA5_HUMAN ADENY	6.8
10 .		AA346839	Hs.209100	DKFZP434C171 protein	6.7
		AI478427 AB002058	Hs.43125 Hs.113275	esophageal cancer related gene 4 protein	6.7
		AA256395	Hs.88156	purinergic receptor P2X-like 1, orphan r ESTs	6.7 6.6
	404368		113.00130	ENSP00000241075*:TRRAP PROTEIN.	6.6
		NM_006691	Hs.17917	extracellular link domain-containing 1	6.5
15		AA193282	Hs.85863	ESTs, Weakly similar to B34612 zinc fing	6.5
	410677	NM_003278	Hs.65424	tetranectin (plasminogen-binding protein	6.5
	427283	AL119796	Hs.174185	ectonucleotide pyrophosphatase/phosphodi	6.5
	415011	AW963085		gb:EST375158 MAGE resequences, MAGH Hor	
	412068	S72043	Hs.73133	metallothionein 3 (growth inhibitory fac	6.4
20		BE250659	Hs.15463	Homo sapiens, clone IMAGE:2959994, mRNA	6.4
		AA701483	Hs.36341	ESTs	6.3
	402779			Target Exon	6.3
		AA213626	Hs.136204	EST Weekly in the Papage III	6.3
25		AA742697 AA001732	Hs.62492 Hs.173233	ESTs, Weakly similar to B39066 proline-r	6.3
		BE143068	HS. 173233	hypothetical protein FLJ10970	6.2
		BE004783		gb:MR0-HT0158-030200-003-b09 HT0158 Hom gb:MR2-BN0114-270400-004-e11 BN0114 Hom	
		NM_012093	Hs.18268	adenylate kinase 5	6.1
		NM_014759	Hs.334688	KIAA0273 gene product	6.1
0		H15968	Hs.293845	Homo sapiens, clone IMAGE:3502329, mRNA.	6.1
	417011	F08212	Hs.234898	ESTs, Weakly similar to 2109260A B cell	6.0
	400089	·NA		Eos Control	6.0
		W07475	Hs.277101	cytochrome c oxidase subunit IV isoform	5.9
. ~		N92818	Hs.64754	ESTs, Weakly similar to potential CDS [H	5.9
55		BE067414		gb:MR4-BT0355-200100-201-e05 BT0355 Home	
		AA062610	Hs.148050	EST	5.9
	406563		U- CE040	Target Exon	5.9
		AW451023 AA843387	Hs.65848 Hs.87279	hypothetical protein DKFZp761O132	5.9
10		NM_001874	Hs.334873	ESTs carboxypeptidase M	5.9 5.8
		AW809163	113.554075	gb:MR4-ST0118-261099-012-a03 ST0118 Homo	
		AB014533	Hs.33010	KIAA0633 protein	5.8
		Al372588	Hs.8022	TU3A protein	5.8
	426210	AA372052	Hs.334559	Homo sapiens cDNA FLJ14458 fis, clone HE	5.8
5	413065	BE063555		gb:CM1-BT0283-081199-033-d09 BT0283 Homo	5.8
	454192	AW876813	Hs.3343	phosphoglycerate dehydrogenase	5.7
		AW014486	Hs.22509	ESTs	5.7
		AW452355	Hs.256037	ESTs	5.7
0		AL036557	Hs.95910	putative lymphocyte G0/G1 switch gene	5.7
U		AI695473	Hs.298006	ESTs	5.7
	426555	AA181641	Hs.184907	G protein-coupled receptor 1	5.6
		R68857 AC	Hs.265499	Target Exon ESTs	5.6
		S47833	Hs.82927	adenosine monophosphate deaminase 2 (iso	5.6
5		H23963	Hs.32043	ESTs	5.6 5.6
-		R50253	Hs.249129	cell death-inducing DFFA-like effector a	5.5
		C15819		gb:C15819 Clontech human aorta polyA mRN	5.5
		AW444613	Hs.288809	hypothetical protein FLJ20159	5.5
_		AB020629	Hs.38095	ATP-binding cassette, sub-family A (ABC1	5.5
0		AI668605	Hs.60380	ESTs, Moderately similar to ALU6_HUMAN A	5.5
		AA345824	Hs.76688	carboxylesterase 1 (monocyte/macrophage	5.5
	401665	<b>T</b>		C11000703:gi 10048448 ref NP_065258.1  g	5.5
	436107		Hs.191194	ESTs	5.5
5		AI161428	Hs.75916	splicing factor 3b, subunit 2, 145kD	5.5
5		BE005346	Hs.116410	ESTs	5.5
		BE617015	Hs.11006	ESTs, Moderately similar to T17372 plasm	5.5
	408722	AI432652	Hs.42824	hypothetical protein FLJ10718	5.5
				336	•

	454016	AW016806	Hs.233108	20.0	5.5
	414913	R25621		gorjii i o o o o o o o o o o o o o o o o o	5.4
	459033	AA017590	Hs.129907		5.4
_	441003	BE172240	Hs.126379	2012, 110212, 01111121 22 12 12 12 12 12 12 12 12 12 12	5.4
5	450637		Hs.18602		5.4
		AA994520		gb:ou42g09.s1 Soares_NFL_T_GBC_S1 Homo s	
	403612			· saiges amon	5.3
		AA007629	Hs.9739	glycerol-3-phosphate dehydrogenase 1 (so	5.3
10		R66634	Hs.268107	multimerin	5.3
10		BE272452	Hs.183109	11101102111111	5.3 5.3
		AA620814	Hs.144959		5.3
		R99530	Hs.272572	hemoglobin, alpha 2 integrin cytoplasmic domain-associated p	5.3
		AF012023	Hs.173274 Hs.158196	transcriptional adaptor 3 (ADA3, yeast h	5.3
15		BE261320	Hs.194915	ESTs	5.3
13		AW613948 AI809481	Hs.131227	ESTs	5.3
	402054		П5. 13 1221	Target Exon	5.3
		AF212829	Hs.272406	potassium channel, subfamily K, member 9	5.3
		R59638	Hs.6181	ESTs	5.2
20		AI904646	113.0101	gb:QV-BT065-020399-103 BT065 Homo saplen	5.2
20		AB037721	Hs.173871	KIAA1300 protein	5.2
		BE467930	Hs.170381	ESTs	5.2
		Al285901	Hs.181297	ESTs	5.2
	402698			ENSP00000251335*:DJ1003J2.1 (sodium and	5.2
25	401810			Target Exon	5.2
		AA827674	Hs.189073	ESTs	5.2
	414657	AA424074	Hs.76780	protein phosphatase 1, regulatory (inhib	5.2
		M26380	Hs.180878	lipoprotein lipase	5.1
	456063	NM_006744	Hs.76461	retinol-binding protein 4, interstitial	5.1
30	451186	AW023469	Hs.65256	ESTs, Weakly similar to leucine-rich gli	5.1
	451882	AI821324	Hs.100445	ESTs	5.1
	402583	NA		THE SECTION OF SECTION	.5.1
		NM_006103	Hs.2719	HE4; WFDC2; putative ovarian carcinoma m	5.1
25		AI435179	Hs.126820	ESTs	5.1
35		R53467 .	Hs.269122	ESTs, Weakly similar to ALU1_HUMAN ALU S	5.1
		BE143867	11- 4	gb:MR0-HT0164-070100-013-h02 HT0164 Homo	5.1
		X03350	Hs.4	alcohol dehydrogenase 1B (class I), beta	5.1
		BE244537	Hs.167382	natriuretic peptide receptor A/guanylate	5.0
40		AA486620 AW026692	Hs.41135 Hs.224829	endomucin-2 ESTs	5.0
40		D59597	Hs.118821	CGI-62 protein	5.0
		AI524307	Hs.162870	ESTs	5.0
		AI076012	Hs.121388	ESTs, Weakly similar to MDHC_HUMAN MALAT	
		BE160229	110.121000	gb:QV1-HT0413-090200-062-a12 HT0413 Homo	5.0
45		AF012626	Hs.54472	fragile X mental retardation 2	5.0
		AW502327		gb:UI-HF-BR0p-aka-a-07-0-UI.r1 NIH_MGC_5	5.0
	405062			Target Exon	5.0
		AK000706	Hs.15125	hypothetical protein FLJ20699	5.0
	417622	AW298163	Hs.82318	WAS protein family, member 3	5.0
50	421978	AJ243662	Hs.110196	NICE-1 protein	5.0
		R62431	Hs.12758	ESTs	5.0
		R35009	Hs.24903	ESTs	5.0
	417574	R00348		gb:ye69e06.r1 Soares fetal liver spleen	5.0
	409882	AJ243191	Hs.56874	heat shock 27kD protein family, member 7	5.0
55		AI768289	Hs.304389	ESTs	4.9
		BE550889	Hs.158491	ESTs	4.9
		AW341470	Hs.144907	ESTs	4.9 4.9
		A1783600	Hs.208052	ESTs	4.9
60		AW014734	Hs.157969	ESTs	4.9
60		AI989812	Hs.199850	ESTs	4.9
		N94587 AW973716	Hs.55063	ESTs KIAA1577 protein	4.9
	42/23T	AA682722	Hs.13913 Hs.192725	ESTs	4.9
	43320U 430793	AF026263	Hs.247920	cholinergic receptor, muscarinic 5	4.8
65		AW137094	Hs.97990	ESTs	4.8
05		AA868510	Hs.112496	ESTs	4.8
	420334	AI349351	Hs.118944	hypothetical protein FLJ22477	4.8
	,_0001		, <del></del>	··^	

	421795	X63094	Hs.283822	Rhesus blood group, D antigen	4.8
		N77624	Hs.173717	phosphatidic acid phosphatase type 2B	4.8
	413072	BE063965		gb:QV3-BT0296-140200-085-h01 BT0296 Homo	4.8
_		AW450451	Hs.266355	ESTs	4.8
5		AW139474	Hs.246862	ESTs	4.8
		AA843716	Hs.177927	ESTs	4.7
		Al025499	Hs.132238	ESTs	4.7
		Al383475	Hs.171697	ESTs, Weakly similar to T13924 sdk prote	4.7
10		BE386764		gb:601273249F1 NIH_MGC_20 Homo sapiens c	
10		AA398716	Hs.97418	ESTs	4.7
		AW292618	Hs.113011	ESTs	4.7
	401590			Target Exon	4.7
		AW134679	Hs.242849	ESTs	4.7
15		AK000123	Hs.180479	hypothetical protein FLJ20116	4.6
15		AA045290	Hs.25930	ESTs, Weakly similar to 2109260A B cell	4.6
		R49187	Hs.6659	ESTs	4.6
		AA972327	Hs.142903	ESTs	4.6
		AW298235	Hs.101689	ESTs	4.6
20	403017	Al382726	Hs.182434	ESTs Tamet Even	4.6
20		N40087	Hs.15248	Target Exon ESTs	4.6 4.6
		H58589	Hs.35156	Homo sapiens cDNA FLJ11027 fis, clone PL	4.6
		M31158	Hs.77439	protein kinase, cAMP-dependent, regulato	4.6
		NM_001546	Hs.34853	inhibitor of DNA binding 4, dominant neg	4.6
25		Al142027	Hs.146650	ESTs	4.6
		AL137698	Hs.46531	Homo sapiens mRNA; cDNA DKFZp434C1915 (1	
		AW204277	Hs.250723	hypothetical protein MGC2747	4.6
		AF134707	Hs.278679	a disintegrin and metalloproteinase doma	4.6
		Al375984	Hs.167216	ESTs	4.6
30		F00312		gb:HSBB0D101 STRATAGENE Human skeletal	
	440698	Al348455	Hs.147492	Homo sapiens cDNA FLJ11777 fis, clone HE	4.6
	451199	AI290653	Hs.124758	ESTs	4.6
	438338	NM_014861	Hs.6168	KIAA0703 gene product	4.6
	433756	AW015933	Hs.112654	Homo sapiens, clone MGC:9764, mRNA, comp	4.5
35	423301	S67580	Hs.1645	cytochrome P450, subfamily IVA, polypept	4.5
	417237	H86385	Hs.81737	palmitoyl-protein thioesterase 2	4.5
	439745	AL389981	Hs.149219	Homo sapiens mRNA full length insert cDN	4.5
	424137	AA335769	Hs.16262	ESTs	4.5
40		H73444	Hs.394	adrenomedullin	4.5
40		N94835	Hs.283828	Homo sapiens genomic DNA, chromosome 21q	4.5
		AF035303		gb:Homo sapiens clone 23943 mRNA sequenc	4.5
		NM_012190	Hs.9520	formyltetrahydrofolate dehydrogenase	4.5
		AA169114	Hs.12247	hypothetical protein FLJ11413	4.5
15		Z43619	11. 00054	gb:HSC1GE121 normalized infant brain cDN	4.5
45		BE142052	Hs.62654	kringle-containing transmembrane protein	4.5
		BE387287	Hs.83384	\$100 calcium-binding protein, beta (neur	4.4
		A1356125	Hs.157767	ESTs, Weakly similar to HXA2_HUMAN HOMEC	
		AA156998	Hs.211568	eukaryotic translation initiation factor	4.4
50	401093	AW206494	He SESECO	C12000586*:gi 6330167 dbj BAA86477.1  (A ESTs	4.4
50		AW842353	Hs.253560 Hs.321717	ESTs, Weakly similar to S22765 heterogen	4.4 4.4
		AL133112	Hs.183085	Homo sapiens mRNA; cDNA DKFZp434K098 (fr	
		Al264634	Hs.131127	ESTs	4.4
		AL359599	Hs.283850	Homo sapiens mRNA; cDNA DKFZp547C126 (fr	
55		Al380906	Hs.158436	ESTs	4.4
55		H03589	113.100-100	gb:yj42d08.r1 Soares placenta Nb2HP Homo	4.4
		R37101	Hs.20982	ESTs FLORID	4.4
		AA807958	Hs.314232	ESTs	4.4
		Al499723	Hs.135089	ESTs	4.4
60		H87407	Hs.172944	chorionic gonadotropin, beta polypeptide	4.4
		AF147401	Hs.23917	ESTs	4.3
	400870			C11000905:gi 11692565 gb AAG39879.1 AF28	4.3
		AA933590	Hs.28937	homeobox protein from AL590526	4.3
		H45384		gb:yn99c10.r1 Soares adult brain N2b5HB5	4.3
65	407262	M12873		gb:Human Ig rearranged H-chain mRNA VDJ4	4.3
	444567	AV654020	Hs.184261	ESTs, Weakly similar to T26686 hypotheti	4.3
	403263	NA		Target Exon	4.3

	410034	BE067414		child DT0255 000400 004 -05 DT0255 I	
		Al421645	Hs.139851	gb:MR4-BT0355-200100-201-e05 BT0355 Hom caveolin 2	10 4.3
		BE395260	Hs.309438	EST	4.3
		D45371	Hs.80485	adipose most abundant gene transcript 1	4.3
5		NM_002666	Hs.103253	perilipin	4.3
	400973			ENSP00000236667*:Mucin 5B (Fragment).	4.3
		AW366194	Hs.55962	ESTs	4.3
		NM_005100	Hs.788	A kinase (PRKA) anchor protein (gravin)	4.3
10	405016			CY000171*:gi 9280405 gb AAF86402.1 AF245	4.3
10		AI475671	Hs.88607	ESTs, Highly similar to F-box protein FB	4.3
	406118			ENSP00000246632:CDNA FLJ20261 fis, clone	4.3
		T02850 AA480818	Un 004700	gb:FB12A9 Fetal brain, Stratagene Homo s	4.3
		AW451206	Hs.221736 Hs.115899	ESTs ESTs	4.3
15		AA342329	Hs.115920	Homo sapiens cDNA: FLJ22816 fis, clone K	4.3
		AI803166	Hs.28462	ESTs, Weakly similar to (38022 hypotheti	4.3 4.3
		Al377221	Hs.40528	ESTs	4.2
		BE293116	Hs.76392	aldehyde dehydrogenase 1 family, member	4.2
	444975	AV652165	Hs.182482	ESTs, Weakly similar to T00362 hypotheti	4.2
20	403921	NA		C5000212*:gi[10047237[db][BAB13407.1] (A	4.2
		AI798425	Hs.42710	ESTs	4.2
	406344			C5001660:gi[11611537 dbj]BAB18935.1  (AB	4.2
		AA191201	Hs.35861	DKFZP586E1621 protein	4.2
25		BE155866	Hs.25522	KIAA1808 protein	4.2
25	404682	AW070634	Hs.144794	ESTS	4.2
		NA N69913	Hs.6858	C9001188*:gi 12738842 ref NP_073725.1  p	4.2
	403433	1103313	HS.0000	ESTs, Weakly similar to 178885 serine/th NM_001622:Homo sapiens alpha-2-HS-glycop	4.2
•		AW975460	Hs.143563	ESTs	4.2 4.2
30		Al309298	Hs.279898	Homo sapiens cDNA: FLJ23165 fis, clone L	4.2
		A1871247	Hs.6262	hypothetical protein MGC8407	4.2
	419589	AW973708	Hs.201925	Homo sapiens cDNA FLJ13446 fis, clone PL	4.2
		AA397789	Hs.161803	ESTs	4.2
25		AF193807	Hs.131835	Rhesus blood group, B glycoprotein	4.2
35		Y09763	Hs.22785	gamma-aminobutyric acid (GABA) A recepto	4.2
		AI733098	Hs.130800	ESTs	4.2
		AF086410 AA399975	Hs.274151	gb:Homo sapiens full length insert cDNA	4.2
		AW594172	Hs.278513	ligatin TP53TG3 protein	4.2
40	436112		Hs.187559	ESTs	4.2 4.2
. •		AI144152	Hs.58246	ESTs	4.2
	456716	AA318060	Hs.135121	hypothetical protein FLJ22415	4.2
	419846	NM_015977	Hs.285681	Williams-Beuren syndrome chromosome regi	4.2
4-	410036		Hs.57975	calsequestrin 2 (cardiac muscle)	4.1
45	400545			Target Exon	4.1
	403051			Target Exon	4.1
		NM_005357	Hs.95351	lipase, hormone-sensitive	4.1
		AA007534 AA034116	Hs.125062	ESTs	4.1
50	440246		Hs.118494 Hs.191379	ESTs ESTs	4.1
-		AI307802	Hs.135560	ESTs, Weakly similar to T43458 hypotheti	4.1
		Al150595	Hs.122226	ESTs	4.1 4.1
		AA082947		gb:zn10g07.s1 Stratagene hNT neuron (937	4.1
	412179	BE270758	Hs.69428	hypothetical protein MGC3020	4.1
55	441871	Al306150	Hs.153450	ESTs, Weakly similar to 1909123A Na gluc	4.1
		AK000708	Hs.169764	hypothetical protein FLJ20701	4.1
		AL110416		gb:DKFZp434K0431_r1 434 (synonym: htes3)	4.1
		AW817177	Hs.102558	Homo sapiens, clone MGC:5352, mRNA, comp	4.1
60		AA203281	Hs.21798	ESTs	4.1
JU		AW118878 AW807116	Hs.110835	ESTS	4.1
		AW807116 AW631296		gb:MR4-ST0062-040100-024-b12 ST0062 Homo	4.1
	435942		Hs.191215	gb:hh83c09.y1 NCI_CGAP_GU1 Homo sapiens ESTs	
	417629		113.101213	gb:yc92c07.r1 Soares infant brain 1NIB H	4.1
65	403593				4.1 4.0
-	402690	<del>-</del>		_ ·	4.0 4.0
	418190	R49591	Hs.270425	50T	4.0

	408641 AW245207	Hs.5555	hypothetical protein MGC5347	4.0
	427899 AA829286	Hs.332053	serum amyloid A1	4.0
5	445975 Al811536	Hs.145734	ESTs	4.0
	438831 BE263273	Hs.6439	synapsin II	4.0
	455578 BE006350	Hs.14355	Homo sapiens cDNA FLJ13207 fis, clone NT	4.0
	401840 NA		Target Exon	4.0
	413753 U17760	Hs.75517	laminin, beta 3 (nicein (125kD), kalinin	4.0
	445030 Al205925	Hs.147238	ESTs, Highly similar to AAC3_HUMAN ALPHA	4.0
	433873 AW156913	Hs.150478	ESTs, Weakly similar to A Chain A, Cryst	4.0
10	456736 AW248217	Hs.1619	achaete-scute complex (Drosophila) homol	4.0
	450112 BE047734	Hs.5473	ESTs, Moderately similar to ALU5_HUMAN A	4.0
	448906 AI589567	Hs.309719	ESTs	4.0

# TABLE 23A

Table 23A shows the accession numbers for those pkeys lacking unigeneID's for Table 23.

For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

Pkey: Unique Eos probeset identifier number

CAT number: Gene cluster number
Accession: Genbank accession numbers

15

	Pkey	CAT number	Accessions
	409853	1156226_1	AW502327 AW502488 AW501829 AW502625 AW502687
20	410034	1170594_1	BE067414 BE067958 BE067419 BE067963 AW577127 AW601412
	410233	118656_1	AA082947 AA083036
	410490	1205347_1	H03589 AW750687 AW750688
	410882	1225686_1	AW809163 AW809247 AW809177 AW809190 AW809225
	411478	1247073_1	BE143068 AW849143 AW848705 AW848569 AW848071 AW848475 AW848092 AW848005
25	413065	1347960_1	BE063555 BE151321 BE151319 BE151657 BE151655 BE063556 BE151322
	413072	1348163_1	BE063965 BE063968 BE064034 BE064028 BE063874 BE063966 BE063869 BE064043 BE064033 BE063884
	414593	1464909_1	BE386764 BE387560
	414913	1506721_1	R25621 C03959 C04010
	415011	151328_1	AW963085 AA159005 AW963073
30		1564410_1	Z43619 R61274 H12206 R12883
		1583547_1	H45384 H49125 H41699
		1687770_1	R00348 R09593
		1690392_1	T76945 R20210 R05755
25		17678661	T02850
35		186198_1	F00312 AA247490 F31427 AA383663 F22045
		264901_1	AW631296 AA375484
		47413_1	AF086410 W94386 W74609
		541271_1	AA994520 AW393574
40		90415_1	C15819 AA024741 AA024742
40		925931_1	BE004783 BE004947 AI911790
		977825_1	AL110416 AW876759 AW807116 AW807569 AW807415 AW807338 AW807288 AW807263 AW807316 AW177402 AW807413 AW807068 BE141561
	454183	1049636_1	BE141569 AW807401 AW807310 BE141565 AW807318 AW807119 AW807299 AW807241 AW807225 AW807204 AW807345
			AW807103 BE141615 AW807431 AW807393 AW807313 AW807259 AW807259 AW807259 AW807220 AW807399
45			AW807105 BE141615 AW807431 AW807395 AW807037 AW807027 AW807112 AW807378 AW807202 BE141593 AW807216
43			AW807138 AW807244 AW807221 AW807297 AW807050 AW807248 AW807404 AW807075 AW807237 AW807212 AW807308
			AW807110 AW807104 BE140912 AW807301 AW807382 AW807294 AW807026 AW807020 AW807108 AW807025 AW807433
			AW807124 AW807419 AW807031 AW807264 AW807032 AW807029 AW807052 AW807391 AW807207 AW807215 AW807019
			AW807238 AW807201 BE141590 AW807302 AW807323 AW807380 AW807109 BE141588 AW845877 AW807418 AW807407
50			AW807309 BE141614 AW845861 AW807396 AW807300 AW807348 AW807311 AW807214 AW807132 AW807402 AW807350
50			AW807028 AW807298 AW807291 AW807305 AW807217 AW807312 AW807261 AW807268 AW807260 AW807266 AW807198
			AW807346 AW807315 BE140940 AW807351 AW807122 AW807235 AW807076 AW807314 AW807213 AW807143 AW807131
			AW800079 AW807066 AW807077 AW845923 AW807421 BE141619 BE140943 AW807420 AW807381 BE141621 AW845921
			BE141629 BE141625 BE141624 BE141636 BE141630 AW807405 AW807290 AW807353
55	454404	1170594_1	BE067414 BE067958 BE067419 BE067963 AW577127 AW601412
33		1234106_1	BE160229 AW819879 AW820179 AW819882 AW819876 AW820169 BE153201 AW993736 BE152911
		1273020_1	BE143867 AW935060 AW886684
		919998_1	AI904646 BE179494 BE179421

## TABLE 23B

Table 23B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 23. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

10	Pkey: Ref:	Unique number corresponding to an Eos probeset  Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.
	Strand: Nt_position:	Indicates DNA strand from which exons were predicted. Indicates nucleotide positions of predicted exons.

15				
10	Pkey	Ref	Strand	Nt_position
	400545	9800107	Minus	124618-124881
	400870	9838306	Minus	34081-35027
20	400973	7960452	Minus	98119-98253
	401093	8516137	Minus	22335-23166
	401590	9966320	Minus	33547-33649
	401665	7145001	Plus	121591-122537
	401810	7342191	Plus	129063-129476
25	401840	7684597	Plus	56283-56439
	402054	8083691	Minus	8288-8806
	402195	7689778	Minus	147901-148884
	402583	7684486	Plus	94883-95003
	402690	8348058	Plus	13368-13998
30	402698	8570304	Minus	108641-108903
	402779	9588555	Minus	38173-39210
	403017	6693623	Plus	78630-79367
	403051	4827080	Minus	5269-5411
	403263	7770677	Plus	52431-52737
35	403433	9719611	Minus	72225-72437
	403593	6862650	Minus	62554-62712,69449-69602
	403612	8469060	Minus	94723-94859
	403921	7711590	Minus	3297-3536
	404368	7630956	Minus	102053-102199
40	404682	9797231	Minus	40977-41150
	404689	7534100	Plus	119461-119717
	405016	6524300	Plus	51997-53308
	405062	7657730	Plus	101283-101432
	406118	9143818	Plus	53997-54629
45	406344	9255974	Plus	20254-20374,20526-20659,20835-21097
	406563	7711604	Plus	34401-34538

## **TABLE 24:**

Unique Eos probeset identifier number

Pkey:

Table 24 depicts Seq ID No., UnigeneID, UnigeneTitle, Pkey, Pred.Cell.Loc., and ExAccn for all of the sequences in Table 25. The information in Table 24 is linked by Seq ID No. to Table 25.

10	ExAccn: Unigene Unigene	ID: L	xemplar Access Inigene number Inigene gene titl			
	Pred.Ce	II.Loc.: F	redicted Cellula	r Localization		
	Seq.ID.t	No.:	Sequence	Identification Number found in Table 25		
15	Pkey	ExAccn	UnigenelD	Unigene Title	Pred.Cell.Loc.	Seq. ID. No.
	449746	A1668594	Hs.176588	ESTs, Weakly similar to CP4Y_HUMAN CYT	oc	Seq ID 1 & 2
		AI951118		Homo sapiens breast cancer antigen NY-BR		Seq ID 3 & 4
20		AI733881		BMP-R1B		Seq ID 5 & 6
			Hs.334473	hypothetical protein DKFZp564O1278		Seq ID 7 & 8
		AA009647		a disintegrin and metalloproteinase doma		Seq ID 9 & 10
		NM_0013		dual specificity phosphatase 4	nuclear	Seq ID 11 & 12
		NM_0013		dual specificity phosphatase 4	nuclear	Seq ID 11 & 12
25		AI905687		aldehyde dehydrogenase 9 family, member	cytoplasm	Seq ID 13 & 14
20			Hs.124165	ESTs	C) COPILION	Seq ID 15 & 16
		N92293	Hs.206832	ESTs, Moderately similar to ALU8_HUMAN A		Seq ID 17 & 18
		D90041	Hs.155956	N-acetyltransferase 1 (arylamine N-acety		Seq ID 19 & 20
			9 Hs.155223	stanniocalcin 2		Seq ID 21 & 22
30			1 Hs.105445	GDNF family receptor alpha 1		Seg ID 23 & 24
50			8 Hs.279727	Homo sapiens cDNA FLJ14035 fis, clone HE		Seq ID 25 & 26
			6 Hs.136319	ESTs		Seq ID 27 & 28
		U41060	Hs.79136	LIV-1 protein, estrogen regulated		Seq ID 29 & 30
		W87707	Hs.82065	interleukin 6 signal transducer (gp130,		Seq ID 31 & 32
35		AK001741		hypothetical protein FLJ10879		Seq ID 33 & 34
55		R41823	Hs.7413	ESTs		Seq ID 35 & 36
			Hs.283713	ESTs, Weakly similar to S64054 hypotheti		Seq ID 37 & 38
			Hs.25252	Homo sapiens cDNA FLJ13603 fis, clone PL		Seq ID 39 & 40
		N32536	Hs.42645	solute carrier family 16 (monocarboxylic		Seq ID 41 & 42
40			4 Hs.128899	ESTs		Seq ID 43 & 44
		W57554	Hs.125019	lymphoid nuclear protein (LAF-4) mRNA		Seq ID 45 & 46
			Hs.200102	ATP-binding cassette transporter MRP8		Seq ID 47 & 48
		H26735	Hs.91668	Homo sapiens clone PP1498 unknown mRN/	<b>A</b>	Seq ID 49 & 50
			Hs.26040	ESTs, Weakly similar to fatty acid omega		Seq ID 51 & 52
45			5 Hs.61460	lg superfamily receptor LNIR		Seg ID 53 & 54
			Hs.125783	DEME-6 protein		Seq ID 55 & 56
			6 Hs.82128	5T4 oncofetal trophoblast glycoprotein		Seq ID 57 & 58
			Hs.298241	Transmembrane protease, serine 3		Seq ID 59 & 60
		D13666	Hs.136348	osteoblast specific factor 2 (fasciclin		Seq ID 61 & 62
50			6 Hs.222399	CEGP1 protein		Seq ID 63 & 64
• •			3 Hs.151678	UDP-N-acetyl-alpha-D-galactosamine:polyp		Seq ID 65 & 66
	404561			NM_014112*:Homo sapiens trichorhinophala	mitochodria	Seq ID 67 & 68
	325372	NA		Phase 2 & 3 Exons	nuclear	Seq ID 69 & 70
			Hs.334806	KIAA1238 protein		Seq ID 71 & 72
55	335824			ENSP00000249072*:DJ222E13.1 (N-TERMII	NAL.	Seq ID 73 & 74
		U31875	Hs.272499	short-chain alcohol dehydrogenase family		Seq ID 75 & 76
		X07820	Hs.2258	matrix metalloproteinase 10 (stromelysin		Seq ID 77 & 78
		D31152	Hs.179729	collagen, type X, alpha 1 (Schmid metaph		Seq ID 79 & 80
			86Hs.226213	cytochrome P450, 51 (lanosterol 14-alpha	ER	Seq ID 81 & 82
60			Hs.204096	lipophilin B (uteroglobin family member)	• •	Seq ID 83 & 84
		H87879	Hs.102267	lysyl oxidase	extracellular	Seq ID 85 & 86
			7 Hs.100431	small inducible cytokine B subfamily (Cy		Seq ID 87 & 88
		X51501	Hs.99949	prolactin-induced protein	nuclear	Seq ID 89 & 90
		Al267652		Homo sapiens mRNA; cDNA DKFZp434E082		Seq ID 91 & 92
				,	•	•

				•		
	420757	X78592	Hs.99915	androgen receptor (dihydrotestosterone r	cytoplasm	Seq ID 93 & 94
	424905	NM_00249	7Hs.153704	NIMA (never in mitosis gene a)-related k	nuclear	Seg ID 95 & 96
	429859	NM_007050	0Hs.225952	protein tyrosine phosphatase, receptor t		Seq ID 97 & 98
	446921	AB012113	Hs.16530	small inducible cytokine subfamily A (Cy	extracellular	Seq ID 99 & 100
5	445537	AJ245671	Hs.12844	EGF-like-domain, multiple 6	CAR LOCALIDA	Seg ID 101 & 102
_	428227	AA321649	Hs.2248	small inducible cytokine subfamily B (Cy	extracellular	Seg ID 103 & 104
	424001	W67883	Hs.137476	patemaily expressed 10	extracentrial	
		Y13153				Seq ID 105 & 106
			Hs.107318	kynurenine 3-monooxygenase (kynurenine 3		Seq ID 107 & 108
1:0			Hs.30743	preferentially expressed antigen in mela	nuclear	Seq ID 109 & 110
10	419667	AU077005	Hs.92208	a disintegrin and metalloproteinase doma		Seq ID 111 & 112
	414812	X72755	Hs.77367	monokine induced by gamma interferon	extracellular	Seq ID 113 & 114
	426320	W47595	Hs.169300	transforming growth factor, beta 2	extracellular	Seq ID 115 & 116
	422867	L32137	Hs.1584	cartilage oligomeric matrix protein (pse	extracellular	Seq ID 117 & 118
	411558	AA102670	Hs.70725	gamma-aminobutyric acid (GABA) A recepto		Seq ID 119 & 120
15	417866	AW067903	Hs.82772	collagen, type XI, alpha 1		Seq ID 121 & 122
	428398	AI249368	Hs.98558	ESTs		Seq ID 123 & 124
	431958	X63629	Hs.2877	cadherin 3, type 1, P-cadherin (placenta	plasma membrane	Seq ID 125 & 126
	428722	U76456	Hs.190787	tissue inhibitor of metalloproteinase 4		Seq ID 127 & 128
	412970	AB026436	Hs.177534	dual specificity phosphatase 10		Seq ID 129 & 130
20	421379	Y15221	Hs.103982	small inducible cytokine subfamily B (Cy	extracellular	Seq ID 131 & 132
	415752	BE314524	Hs.78776	putative transmembrane protein		Seq ID 133 & 134
	444051	N48373	Hs.10247	activated leucocyte cell adhesion molecu		Sea ID 135 & 136
	451110	AI955040	Hs.265398	ESTs, Weakly similar to transformation-r		Sea ID 137 & 138
		, 400000		CO13, TTGGRY SHINGI TO BAISIONNABBUIM		350 ID 13/ 01/30

## TABLE 24A

Table 24A shows the accession numbers for those pkeys lacking unigeneID's for Table 24. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10 Pkey: Unique Eos probeset identifier number

CAT number: Gene cluster number
Accession: Genbank accession numbers

15 Pkey CAT number Accession

335824 CH22\_3197FG\_619\_11\_LINK\_E 325372 c12\_hs

#### TABLE 24B

Table 24B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 24. For each predicted exon, we have listed the genomic 5 sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

Pkey: Ref: 10

Unique number corresponding to an Eos probeset

Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.

Strand:

Indicates DNA strand from which exons were predicted.

Nt\_position:

Indicates nucleotide positions of predicted exons.

15

Pkey Ref Strand Nt\_position


404561 9795980 Minus 69039-70100

#### Table 25

5

The 69 gene sequences identified to be overexpressed in breast cancer may be used to identify coding regions from the public DNA databases (nr and htgs in Genbank). The sequences may be used to either identify genes that encode known proteins, or they may be used to predict the coding regions from genomic DNA using exon prediction algorithms, such as FGENESH (Salamov and Solovyev, 2000, Genome Res. 10:516-522)

Seq ID NO: 1 DNA sequence Nucleic Acid Accession #: FGENESH predicted ORF Coding sequence: 1-1518 (underlined sequences correspond to start and stop codons) 10 31 41 51 ATGGAGCCCT CCTGGCTTCA GGAACTCATG GCTCACCCCT TCTTGCTGCT GATCCTCCTC 60 TGCATGTCTC TGCTGCTGTT TCAGGTAATC AGGTTGTACC AGAGGAGGAG ATGGATGATC 120 15 AGAGCCCTGC ACCTGTTTCC TGCACCCCCT GCCCACTGGT TCTATGGCCA CAAGGAGTTT 180 TACCCAGTAA AGGAGTTTGA GGTGTATCAT AAGCTGATGG AAAAATACCC ATGTGCTGTT 240 CCCTTGTGG TTGGACCCTT TACGATGTTC TTCAGTGTCC ATGACCCAGA CTATGCCAAG 300
ATTCTCCTGA AAAGACAAGA TCCCAAAAGT GCTGTTAGCC ACAAAATCCT TGAATCCTGG 360
GTTGGTCGAG GACTTGTGAC CCTGGATGGT TCTAAATGGA AAAAGCACCG CCAGATTGTG 420
AAACCTGGCT TCAACATCAG CATTCTGAAA ATATTCATCA CCATGATGTC TGAGAGTGTT 480
CGGATGATGC TGAACAAATG GGAGGAACGC ATTGCCCAAA ACTCACGTCT GGAGCTCTTT 540 20 CAACATGTCT CCCTGATGAC CCTGGACAGC ATCATGAAGT GTGCCTTCAG CCACCAGGGC 600 AGCATCCAGT TGGACAGTAC CCTGGACTCA TACCTGAAAG CAGTGTTCAA CCTTAGCAAA 660 ATCTCCAACC AGCGCATGAA CAATTTTCTA CATCACAACG ACCTGGTTTT CAAATTCAGC 720 TCTCAAGGCC AAATCTTTTC TAAATTTAAC CAAGAACTTC ATCAGTTCAC AGGAAAAGTA 780
ATCCAGGACC GGAAGGAGTC TCTTAAGGAT AAGCTAAAAC AAGATACTAC TCAGAAAAGG 840
CGCTGGGATT TTCTGGACAT ACTTTTGAGT GCCAAAAGCG AAAACACCAA AGATTTCTCT 900
GAAGCAGATC TCCAGGCTGA AGTGAAAACG TTCATGTTTG CAGGACATGA CACCACATCC 960 25 AGTGCTATCT CCTGGATCCT TTACTGCTTG GCAAAGTACC CTGAGCATCA GCAGAGATGC 1020 30 CGAGATGAAA TCAGGGAACT CCTAGGGGAT GGGTCTTCTA TTACCTGGGA ACACCTGAGC 1080 CAGATGCCTT ACACCACGAT GTGCATCAAG GAATGCCTCC GCCTCTACGC ACCGGTAGTA 1140 AACATATCCC GGTTACTCGA CAAACCCATC ACCTTTCCAG ATGGACGCTC CTTACCTGCA 1200
GGAATAACTG TGTTTATCAA TATTTGGGCT CTTCACCACACA ACCCCTATTT CTGGGAAGAC 1260
CCTCAGGTCT TTAACCCCTT GAGATTCTCC AGGGAAAATT CTGAAAAAAAT ACATCCCTAT 1320
GCCTTCATAC CATTCTCAGC TGGATTAAGG AACTGCATTG GGCAGCATTT TGCCATAATT 1380 35 GAGTGTAAAG TGGCAGTGGC ATTAACTCTG CTCCGCTTCA AGCTGGCTCC AGACCACTCA 1440 AGGCCTCCC AGCCTGTTCG TCAAGTTGTC CTCAAGTCCA AGAATGGAAT CCATGTGTTT 1500 AGCAAAAAAAG TTTGC<u>TAA</u>TT TTAAGTCCTT TCGTATAAGA ATTAATGAGA CAATTTTCCT 1560
ACCAAAGGAA GAACAAAAGG ATAAATATAA TACAAAAATAT ATGTATATGG TTGTTTGACA 1620
AATTATATAA CTTAGGATAC TTCTGACTGG TTTTGACATC CATTAACAGT AATTTTAATT 1680
TCTTTGCTGT ATCTGGTGAA ACCCACAAAA ACACCTGAAA AAACTCAAGC TGACTTCCAC 1740
TGCGAAGGGA AATTATTGGT TTGTGTAACT AGTGGTAGAG TGGCTTTCAA GCATAGTTTG 1800 40 ATCAAAACTC CACTCAGTAT CTGCATTACT TTTATCTCTG CAAATATCTG CATGATAGCT 1860 TTATTCTCAG TTATCTTTCC CCAATAATAA AAAA 45 Seq ID NO: 2 Protein sequence: Protein Accession #: FGENESH predicted 50 11 31 41 MEPSWLQELM AHPFLLLILL CMSLLLFQVI RLYQRRRWMI RALHLFPAPP AHWFYGHKEF 60 YPVKEFEVYH KLMEKYPCAV PLWVGPFTMF FSVHDPDYAK ILLKRQDFKS AVSHKILESW 120
VGRGLVTLDG SKWKKHRQIV KPGFNISILK IFITMMSESV RMMLNKWEER IAQNSRLELF 180
QHVSLMTLDS IMKCAFSHQG SIQLDSTLDS YLKAVFNLSK ISNQRMNNFL HHNDLVFKFS 240
SQGQIFSKFN QELHQFTEKV IQDRKESLKD KLKQDTTQKR RWDFLDILLS AKSENTKDFS 300
EADLQAEVKT FMFAGHDTTS SAISWILYCL AKYPEHQQRC RDEIRELLGD GSSITWEHLS 360 55 QMPYTTMCIK ECLRLYAPVV NISRLLDKPI TFPDGRSLPA GITVFINIWA LHHNPYFWED 420 POVFNPLRFS RENSEKIHPY AFIPFSAGLR NCIGQHFAII ECKVAVALTL LRFKLAPDHS 480 60 RPPQPVRQVV LKSKNGIHVF AKKVC Seq ID NO: 3 DNA sequence NM 052997 Nucleic Acid Accession #: 100-4125 (underlined sequences correspond to start and stop codons) Coding sequence: 65 11 31 CTAGTCTATA CCAGCAACGA CTCCTACATC GTCCACTCTG GGGATCTTAG AAAGATCCAT 60 AAAGCTGCCT CCCGGGGACA AGTCCGGAAG CTGGAGAAGA TGACAAAGAG GAAGAAGC 120
ATCAACCTTA ATATACAAGA CGCCCAGAAG AGGACTGCTC TACACTGGGC CTGTGTCAAT 180
GGCCATGAGG AAGTAGTAAC ATTTCTGGTA GACAGAAAGT GCCAGCTTGA CGTCCTTGAT 240
GGCGAACACA GGACACCTCT GATGAAGGCT CTACAATGCC ATCAGGAGGC TTGTGCAAAT 300 70 ATTCTGATAG ATTCTGGTGC CGATATAAAT CTCGTAGATG TGTATGGCAA CATGGCTCTC 360 75 CATTATGCTG TTTATAGTGA GATTTTGTCA GTGGTGGCAA AACTGCTGTC CCATGGTGCA 420 GTCATCGAAG TGCACAACAA GGCTAGCCTC ACACCACTTT TACTATCCAT AACGAAAAGA 480



70 Seq ID NO: 4 <u>Protein sequence:</u>
Protein Accession #: NP\_443723.1

1 11 21 31 41 51

75 MTKRKKTINL NIQDAQKRTA LHWACVNGHE EVVTFLVDRK CQLDVLDGEH RTPLMKALQC 60 HQEACANILI DSGADINLVD VYGNMALHYA VYSEILSVVA KLLSHGAVIE VHNKASLTPL 120 LLSITKRSEQ IVEFLLIKNA NANAVNKYKC TALMLAVCHG SSEIVGMLLQ QNVDVFAADI 180

CGVTAEHYAV TCGFHHIHEQ IMEYIRKLSK NHQNTNPEGT SAGTPDEAAP LAERTPDTAE 240
SLVEKTPDEA APLVERTPDT AESLVEKTPD EAASLVEGTS DKIQCLEKAT SGKFEQSAEE 300
TPREITSPAK ETSEKFTWPA KGRPRKIAWE KKEDTPREIM SPAKETSEKF TWAAKGRPRK 360
IAWEKKETPV KTGCVARVTS NKTKVLEKGR SKMIACPTKE SSTKASANDQ RFPSESKQEE 420
DEEYSCDSRS LFESSAKIQV CIPESIYQKV MEINREVEEP PKKPSAFKPA IEMQNSVPNK 480
AFELKNEQTL RADPMFPPES KQKDYEENSW DSESLCETVS QKDVCLPKATH HQKEIDKING 540
KLEESPNKDG LLKATCGMKV SIPTKALELK DMQTFKAEPP GKPSAFEPAT EMQKSVPNKA 600
LELKNEQTWR ADEILPSESK QKDYEENSWD TESLCETVSQ KDVCLPKATH QKEIDKINGK 660
LEGSPVKDGL LKANCGMKVS IPTKALELMD MQTFKAEPPE KPSAFEPAIE MQKSVPNKAL 720
ELKNEQTLRA DEILPSESKQ KDYEESSWDS ESLCETVSQK DVCLPKATHQ KEIDKINGKL 780
EESPDNDGFL KAPCRMKVSI PTKALELMDM QTFKAEPPEK PSAFEPAIEM QKSVPNKALE 840
LKNEQTLRAD QMFPSESKQK KVEENSWDSE SLRETVSQKD VCVPKATHQK EMDKISGKLE 900
DSTSLSKILD TVHSCERARE LQKDHCEQRT GKMEQMKKKF CVLKKKLSEA KEIKSQLENQ 960
KVKWEQELCS VRLTLNQEEE KRRNADILNE KIREELGRIE EQHRKELEVK QQLEQALRIQ 1020
DIELKSVESN LNQVSHTHEN ENYLLHENCM LKKEIAMLKL EIATLKHQYQ EKENKYFEDI 1080
KILKEKNAEL QMTLKLKEES LTKRASQYSG QLKVLIAENT MLTSKLKEKQ DKEILEAEIE 1140
SHIPRLASAV QDHDQIVTSR KSQEPAFHIA GDACLQRKMN VDVSSTIYNN EVLHQPLSEA 1200
QRKSKSLKIN LNYAGDALRE NTLVSEHAQR DQRETQCQMK EAEHMYQNEQ DNVNKHTEQQ 1260
ESLDQKLFQL QSKNMWLQQQ LVHAHKKAADN KSKITIDIHF LERKMQHHLL KEKNEEIFNY 1320
NNHLKNRIYQ YEKEKAETEN S

Seq ID NO: 5 DNA sequence
Nucleic Acid Accession #: none found
Coding sequence: 273-1785 (underlined sequences correspond to start and stop codons)

1 11 21 31 41 51

25

CGCGGGGCGC GGAGTCGGCG GGGCCTCGCG GGACGCGGGC AGTGCGGAGA CCGCGGCGCT 60 30 GAGGACGCGG GAGCCGGGAG CGCACGCGCG GGGTGGAGTT CAGCCTACTC TTTCTTAGAT 120 GTGAAAGGAA AGGAAGATCA TTTCATGCCT TGTTGATAAA GGTTCAGACT TCTGCTGATT 180 CATAACCATT TGGCTCTGAG CTATGACAAG AGAGGAAACA AAAAGTTAAA CTTACAAGCC 240 TGCCATAAGT GAGAAGCAAA CTTCCTTGAT AACATGCTTT TGCGAAGTGC AGGAAAATTA 300 AATGTGGGCA CCAAGAAAGA GGATGGTGAG AGTACAGCCC CCACCCCCG TCCAAAGGTC 360 GATGCCTCCAT TGAAAAACA GATTTTGTT GATGGACCTA TACACCACAG GGCTTTACTT 660 35 40 ATATCTGTGA CTGTCTGTAG TTTGCTCTTG GTCCTTATCA TATTATTTTG TTACTTCCGG 720 TATAAAAGAC AAGAAACCAG ACCTCGATAC AGCATTGGGT TAGAACAGGA TGAAACTTAC 780
ATTCCTCCTG GAGAATCCCT GAGAGACTTA ATTGAGCAGT CTCAGAGCTC AGGAAGTGGA 840
TCAGGCCTCC CTCTGCTGGT CCAAAGGACT ATAGCTAAGC AGATTCAGAT GGTGAAACAG 900
ATTGGAAAAG GTCGCTATGG GGAAGTTTGG ATGGGAAAGT GGCGTGGCGA AAAGGTAGCT 960
GTGAAAGTGT TCTTCACCAC AGAGGAAGCC AGCTGGTTCA GAGAGACAGA AATATATCAG 1020 45 ACAGTGTTGA TGAGGCATGA AAACATTTTG GGTTTCATTG CTGCAGATAT CAAAGGGACA 1080 GGGTCCTGGA CCCAGTTGTA CCTAATCACA GACTATCATG AAAATGGTTC CCTTTATGAT 1140 TATCTGAAGT CCACCACCCT AGACGCTAAA TCAATGCTGA AGTTAGCCTA CTCTTCTGTC 1200 AGTGGCTTAT GTCATTTACA CACAGAAATC TITAGTACTC AAGGCAAACC AGCAATTGCC 1260 50 CATCGAGATC TGAAAAGTAA AAACATTCTG GTGAAGAAAA ATGGAACTTG CTGTATTGCT 1320 GACCTGGGCC TGGCTGTTAA ATTTATTAGT GATACAAATG AAGTTGACAT ACCACCTAAC 1380 ACTCGAGTTG GCACCAAACG CTATATGCCT CCAGAAGTGT TGGACGAGAG CTTGAACAGA 1440 AATCACTTCC AGTCTTACAT CATGGCTGAC ATGTATAGTT TTGGCCTCAT CCTTTGGGAG 1500 GTTGCTAGGA GATGTGTATC AGGAGGTATA GTGGAAGAAT ACCAGCTTCC TTATCATGAC 1560 CTAGTGCTAGGA GATGTGTATC AGGAGGTATA GTGGAAGAAT ACCAGCTICC TTATCATGAC 1560
CTAGTGCCCA GTGACCCCTC TTATGAGGAC ATGAGGAGA TTGTGTCAT CAAGAAGTTA 1620
CGCCCCTCAT TCCCAAACCG GTGGAGCAGT GATGAGTGTC TAAGGCAGAT GGGAAAACTC 1680
ATGACAGAAT GCTGGGCTCA CAATCCTGCA TCAAGGCTGA CAGCCCTGCG GGTTAAGAAA 1740
ACACTTGCCA AAATGTCAGA GTCCCAGGAC ATTAAACTCT GATAGGAGAG GAAAAGTAAG 1800
CATCTCTGCA GAAAGCCAAC AGGTACTCTT CTGTTTGTGG GCAGAGCAAA AGACATCAAA 1860
TAAGCATCCA CAGTACAAGC CTTGAACATC GTCCTGCTTC CCAGTGGGTT CAGACCTCAC 1920 55 60 CTTTCAGGGA GCGACCTGGG CAAAGACAGA GAAGCTCCCA GAAGGAGAGA TTGATCCGTG 1980

65 Seq ID NO: 6 Protein sequence:
Protein Accession #: none found

70 | 1 11 21 31 41 51 | MLLRSAGKLN VGTKKEDGES TAPTPRPKVL RCKCHHHCPE DSVNNICSTD GYCFTMIEED 60 DSGLPVVTSG CLGLEGSDFQ CRDTPIPHQR RSIECCTERN ECNKDLHPTL PPLKNRDFVD 120 GPIHHRALLI SVTVCSLLLV LIILFCYFRY KRQETRPRYS IGLEQDETYI PPGESLRDLI 180 EQSQSSGSGS GLPLLVQRTI AKQIQMVKQI GKGRYGEVWM GKWRGEKVAV KVFFTTEEAS 240 WFRETEIYQT VLMRHENILG FIAADIKGTG SWTQLYLITD YHENGSLYDY LKSTTLDAKS 300 MLKLAYSSVS GLCHLHTEIF STQGKPAIAH RDLKSKNILV KKNGTCCIAD LGLAVKFISD 360 TNEVDIPPNT RVGTKRYMPP EVLDESLNRN HFQSYIMADM YSFGLILWEV ARRCVSGGIV 420

TCTGTTTGTA GGCGGAGAAA CCGTTGGGTA ACTTGTTCAA GATATGATGC AT

Seq ID NO: 7 DNA sequence

Nucleic Acid Accession #:

5

EEYQLPYHDL VPSDPSYEDM REIVCIKKLR PSPPNRWSSD ECLRQMGKLM TECWAHNPAS 480 RLTALRVKKT LAKMSESQDI KL

none found

482-3007(underlined sequences correspond to start and stop codons) Coding sequence: 11 21 31 41 51 10 AACTGAGCTA ACAAGAAATA CTAGAAAAGG AGGAAGGAGA ACATTGCTGC AGCTTGGATC 60 TACAACCTAA GAAAGCAAGA GTGATCAATC TCAGCTCTGT TAAACATCTT GTTTACTTAC 120 TGCATTCAGC AGCTTGCAAA TGGTTAACTA TATGCAAAAA AGTCAGCATA GCTGTGAAGT 180 ATGCCGTGAA TTTTAATTGA GGGAAAAAGG GACAATTGCT TCAGGATGCT CTAGTATGCA 240 CTCTGCTTGA AATATTTTCA ATGAAATGCT CAGTATTCTA TCTTTGACCA GAGGTTTTAA 300 CTTTATGAAG CTATGGGACT TGACAAAAAG TGATATTTGA GAAGAAAGTA CGCAGTGGTT 360 15 GGTGTTTTCT TTTTTTAAT AAAGGAATTG AATTACTTTG AACACCTCTT CCAGCTGTGC 420 ATTACAGATA ACGTCAGGAA GAGTCTCTGC TTTACAGAAT CGGATTTCAT CACATGACAA 480 CATGAAGCTG TGGATTCATC TCTTTTATTC ATCTCTCTT GCCTGTATAT CTTTACACTC 540 20 CCAAACTCCA GTGCTCTCAT CCAGAGGCTC TTGTGATTCT CTTTTGCAATT GTGAGGAAAA 600
AGATGGCACA ATGCTAATAA ATTGTGAAGC AAAAGGTATC AAGATGGTAT CTGAAAATAAG 660
TGTGCCACCA TCACGACCTT TCCAACTAAG CTTATTAAAT AACGGCTTGA CGATGCTTCA 720
CACAAATGAC TTTTCTGGGC TTACCAATGC TATTTCAATA CACCTTGGAT TTAACAATAT 780
TGCAGATATT GAGATAGGTG CATTTAATGG CCTTGGCCTC CTGAAACAAC TTCATATCAA 840 25 TCACAATTCT TTAGAAATTC TTAAAGAGGA TACTTTCCAT GGACTGGAAA ACCTGGAATT 900 CCTGCAAGCA GATAACAATT TTATCACAGT GATTGAACCA AGTGCCTTTA GCAAGCTCAA 960 CAGACTCAAA GTGTTAATTT TAAATGACAA TGCTATTGAG AGTCTTCCTC CAAACATCTT 1020 CCGATTTGTT CCTTTAACCC ATCTAGATCT TCGTGGAAAT CAATTACAAA CATTGCCTTA 1080
TGTTGGTTTT CTCGAACACA TTGGCCGAAT ATTGGATCTT CAGTTGGAGG ACAACAAATG 1140
GGCCTGCAAT TGTGACTTAT TGCAGTTAAA AACTTGGTTG GAGAACATGC CTCCACAGTC 1200
TATAATTGGT GATGTTGTCT GCAACAGCCC TCCATTTTTT AAAGGAAGTA TACTCAGTAG 1260 30 ACTAAAGAAG GAATCTATTT GCCCTACTCC ACCAGTGTAT GAAGAACATG AGGATCCTTC 1320 AGGATCATTA CATCTGGCAG CAACATCTTC AATAAATGAT AGTCGCATGT CAACTAAGAC 1380 CACGTCCATT CTAAAACTAC CCACCAAAGC ACCAGGTTTG ATACCTTATA TTACAAAGCC 1440 ATCCACTCAA CTTCCAGGAC CTTACTGCCC TATTCCTTGT AACTGCAAAG TCCTATCCCC 1500 35 ATCAGGACTT CTAATACATT GTCAGGAGCG CAACATTGAA AGCTTATCAG ATCTGAGACC 1560
TCCTCCGCAA AATCCTAGAA AGCTCATTCT AGCGGGAAAT ATTATTCACA GTTTAATGAA 1620
GTCTGATCTA GTGGAATATT TCACTTTGGA AATGCTTCAC TTGGGAAACA ATCGTATTGA 1680
AGTTCTTGAA GAAGGATCGT TTATGAACCT AACGAGATTA CAAAAACTCT ATCTAAATGG 1740
TAACCACCTG ACCAAATTAA GTAAAGGCAT GTTCCTTGGT CTCCATAATC TTGAATACTT 1800 40 ATATCTTGAA TACAATGCCA TTAAGGAAAT ACTGCCAGGA ACCTTTAATC CAATGCCTAA 1860 ACTTAAAGTC CTGTATTTAA ATAACAACCT CCTCCAAGTT TTACCACCAC ATATTTTTTC 1920 AGGGTTCCT CTAACTAAGG TAAATCTTAA AACAAACCAG TTTACCCATC TACCTGTAAG 1980
TÄATATTTTG GATGATCTTG ATTTACTAAC CCAGATTGAC CTTGAGGATA ACCCCTGGGA 2040
CTGCTCCTGT GACCTGGTTG GACTGCAGCA ATGGATACAA AAGTTAAGCA AGAACACAGT 2100
GACAGATGAC ATCCTCTGCA CTTCCCCCGG GCATCTCGAC AAAAAGGAAT TGAAAGCCCT 2160
AAATAGTGAA ATTCTCTGTC CAGGTTTAGT AAATAACCCA TCCATGCCAA CACAGACTAG 2220 45 TTACCTTATG GTCACCACTC CTGCAACAAC AACAAATACG GCTGATACTA TTTTACGATC 2280 TCTTACGGAC GCTGTGCCAC TGTCTGTTCT AATATTGGGA CTTCTGATTA TGTTCATCAC 2340 50 TATTGTTTTC TGTGCTGCAG GGATAGTGGT TCTTGTTCTT CACCGCAGGA GAAGATACAA 2400 AAAGAAACAA GTAGATGAGC AAATGAGAGA CAACAGTCCT GTGCATCTTC AGTACAGCAT 2460 GTATGGCCAT AAAACCACTC ATCACACTAC TGAAAGACCC TCTGCCTCAC TCTATGAACA 2520 GCACATGGTG AGCCCCATGG TTCATGTCTA TAGAAGTCCA TCCTTTGGTC CAAAGCATCT 2580 GGAAGAGGAA GAAGAGAGGA ATGAGAAAGA AGGAAGTGAT GCAAAACATC TCCAAAGAAG 2640 55 TCTTTTGGAA CAGGAAAATC ATTCACCACT CACAGGGTCA AATATGAAAT ACAAAACCAC 2700 GAACCAATCA ACAGAATTTT TATCCTTCCA AGATGCCAGC TCATTGTACA GAAACATTTT 2760 AGAAAAGAA AGGGAACTTC AGCAACTGGG AATCACAGAA TACCTAAGGA AAACATTGC 2820
TCAGCTCCAG CCTGATATGG AGGCACATTA TCCTGGAGCC CACGAAGAGC TGAAGTTAAT 2880
GGAAACATTA ATGTACTCAC GTCCAAGGAA GGTATTAGTG GAACAGACAA AAAATGAGTA 2940
TTTTGAACTT AAAGCTAATT TACATGCTGA ACCTGACTAT TTAGAAGTCC TGGAGCAGCA 3000
AACATAGATG GAGAGTTTGA GGGCTTTCGC AGAAATGCTG TGATTCTGTT TTAAGTCCAT 3060 60 ACCTTGTAAA TAAGTGCCTT ACGTGAGTGT GTCATCAATC AGAACCTAAG CACAGCAGTA 3120 AACTATGGGG AAAAAAAAG AAGAAGAAAA GAAACTCAGG GATCACTGGG AGAAGCCATG 3180 GCATTATCTT CAGGCAATTT AGTCTGTCCC AAATAAAATC AATCCTTGCA TGTAAATC 65 Seq ID NO: 8 Protein sequence: Protein Accession #: none found 70

51

MKLWIHLFYS SLLACISLHS QTPVLSSRGS CDSLCNCEEK DGTMLINCEA KGIKMVSEIS 60 WALLWHLFTS SELACISHS QIPVESSAGE COSTCHER DISTRICTION AND ASSESSED SO VPPSRFFQLS LINNGLTMLH TNDFSGLTNA ISHLGFNNI ADIEIGAFNG LGLLKQLHIN 120 HNSLEILKED TFHGLENLEF LQADNNFITV IEPSAFSKLN RLKVLILNDN AIESLPPNIF 180 RFVPLTHLDL RGNQLQTLPY VGFLEHIGRI LDLQLEDNKW ACNCDLLQLK TWLENMPPQS 240

IIGDVVCNSP PFFKGSILSR LKKESICPTP PVYEEHEDPS GSLHLAATSS INDSRMSTKT 300

75

PPQNPRKLIL AGNIIHSLMK SDLVEYFTLE MLHLGNNRIE VLEEGSFMNL TRLQKLYLNG 420
NHLTKLSKGM FLGLHNLEYL YLEYNAIKEI LPGTFNPMPK LKVLYLNNNL LQVLPPHIFS 480
GVPLTKVNLK TNQFTHLPVS NILDDLDLLT QIDLEDNPWD CSCDLVGLQQ WIQKLSKNTV 540
TDDILCTSPG HLDKKELKAL NSEILCPGLV NNPSMPTQTS YLMVTTATT TNTADTILRS 600
LTDAVPLSVL ILGLLIMFIT IVFCAAGIVV LVLHRRRRYK KKQVDEQMRD NSPVHLQYSM 660
YGHKTTHHTT ERPSASLYEQ HMVSPMVHVY RSPSFGPKHL EEEEERNEKE GSDAKHLQRS 720
LLEQENHSPL TGSNMKYKTT NQSTEFLSFQ DASSLYRNIL EKERELQQLG ITEYLRKNIA 780
QLQPDMEAHY PGAHEELKLM ETLMYSRPRK VLVEQTKNEY FELKANLHAE PDYLEVLEQQ 840

10

5

Seq ID NO: 9 DNA sequence Nucleic Acid Accession #: NM\_003474 Coding sequence: 307-3036 (underlined sequences correspond to start and stop codons)

15

41 51 CACTAACGCT CTTCCTAGTC CCCGGGCCAA CTCGGACAGT TTGCTCATTT ATTGCAACGG 60 TCAAGGCTGG CTTGTGCCAG AACGGCGCGC GCGCGACGCA CGCACACAC CGGGGGGAAA 120 20 CTTTTTTAAA AATGAAAGGC TAGAAGAGCT CAGCGGCGGC GCGGGCCGTG CGCGAGGGCT 180 CCGGAGCTGA CTCGCCGAGG CAGGAAATCC CTCCGGTCGC GACGCCCGGC CCCGCTCGGC 240 GCCCGCGTGG GATGGTGCAG CGCTCGCCGC CGGGCCCGAG AGCTGCTGCA CTGAAGGCCG 300 GCGACGATGG CAGCGCCCC GCTGCCCGTG TCCCCCGCC GCGCCCTCT GCTCGCCCTG 360
GCCGGTGCTC TGCTCGCGCC CTGCGAGGCC CGAGGGGTGA GCTTATGGAA CGAAGGAAGA 420
GCTGATGAAG TTGTCAGTGC CTCTGTTCGG AGTGGGGACC TCTGGATCCC AGTGAAGAGC 480
TTCGACTCCA AGAATCATCC AGAAGTGCTG AATATTCGAC TACAACGGGA AAGCAAAGAA 540 25 CTGATCATAA ATCTGGAAAG AAATGAAGGT CTCATTGCCA GCAGTTTCAC GGAAACCCAC TATCTGCAAG ACGGTACTGA TGTCTCCCTC GCTCGAAATT ACACGGTAAT TCTGGGTCAC TGTTACTACC ATGGACATGT ACGGGGATAT TCTGATTCAG CAGTCAGTCT CAGCACGTGT 30 TCTGGTCTCA GGGGACTTAT TGTGTTTGAA AATGAAAGCT ATGTCTTAGA ACCAATGAAA 780 AGTGCAACCA ACAGATACAA ACTCTTCCCA GCGAAGAAGC TGAAAAGCGT CCGGGGATCA 840 TOTGGATCAC ACACATACAA ACTCTTCCCA GCGAAGAAGA ATGTGTTTTCC ACCACCCTCT 900
CAGACATGGG CAAGAAGACACCTC GCTGCAAAGA ATGTGTTTTCC ACCACCCTCT 900
CAGACATGGG CAAGAAGACACCG AGACTTCAG AGCCACCTCAAGG CAACTAAGTA TGTGGAGCTG 960
GTGATCGTGG CAGACAACCG AGAGTTTCAG AGGCAAGGAA AAGATCTGGA AAAAGTTAAG 1020
CAGCGATTAA TAGAGATTGC TAATCACGTT GACAAGTTTT ACAGACCACT GAACATTCGG 1080 35 ATCGTGTTGG TAGGCGTGGA AGTGTGGAAT GACATGGACA AATGCTCTGT AAGTCAGGAC 1140 CCATTCACCA GCCTCCATGA ATTTCTGGAC TGGAGGAGGA TGAAGCTTCT ACCTCGCAAA 1200
TCCCATGACA ATGCGCAGCT TGTCAGTGGG GTTTATTTCC AAGGGACCAC CATCGGCATG 1260
GCCCCAATCA TGAGCATGTG CACGGCAGAC CAGTCTGGGG GAATTGTCAT GGACCATTCA 1320
GACAATCCCC TTGGTGCAGC CGTGACCCTG GCACATGAGC TGGGCCACAA TTTCGGGATG 1380
AATCATGACA CACTGGACAG GGGCTGTAGC TGTCAAATGG CGGTTGAGAA AGGAGGCTGC 1440 40 ATCATGAACG CTTCCACCGG GTACCCATTT CCCATGGTGT TCAGCAGTTG CAGCAGGAAG 1500 GACTTGGAGA CCAGCCTGGA GAAAGGAATG GGGGTGTGCC TGTTTAACCT GCCGGAAGTC 1560 AGGGAGTCTT TCGGGGGCCA GAAGTGTGGG AACAGATTTG TGGAAGAAGG AGAGGAGTGT 1620 45 GACTGTGGGG AGCCAGAGGA ATGTATGAAT CGCTGCTGCA ATGCCACCAC CTGTACCCTG 1680 AAGCCGGACG CTGTGTGCGC ACATGGGCTG TGCTGTGAAG ACTGCCAGCT GAAGCCTGCA 1740
GGAACAGCGT GCAGGGACTC CAGCAACTCC TGTGACCTCC CAGAGTTCTG CACAGGGGCC 1800
AGCCCTCACT GCCCAGCCAA CGTGTACCTG CACGATGGGC ACTCATGTCA GGATGTGGAC 1860
GGCTACTGCT ACAATGGCAT CTGCCAGACT CACGAGCAGC AGTGTGTCAC ACTCTGGGGA 1920 50 CCAGGTGCTA AACCTGCCCC TGGGATCTGC TTTGAGAGAG TCAATTCTGC AGGTGATCCT 1980 TATGGCAACT GTGGCAAAGT CTCGAAGAGT TCCTTTGCCA AATGCGAGAT GAGAGATGCT 2040 AAATGTGGAA AAATCCAGTG TCAAGGAGGT GCCAGCCGGC CAGTCATTGG TACCAATGCC 2100 GATTICCATAG AAACAAACAT CCCCTGCAG CAAGGAGGC GAATTCTGTG CCGGGGGACC 2160
CACGTGTACT TGGGCGATGA CATGCCGGAC CCAGGGCTTG TGCTTGCAGG CACAAAGTGT 2220
GCAGATGGAA AAATCTGCCT GAATCGTCAA TGTCAAAATA TTAGTGTCTT TGGGGTTCAC 2280
GAGTGTGCAA TGCAGTGCCA CGGCAGAGGG GTGTGCAACA ACAGGAAGAA CTGCCACTGC 2340 55 GAGGCCCACT GGGCACCTCC CTTCTGTGAC AAGTTTGGCT TTGGAGGAAG CACAGACAGC 2400 GGCCCCATCC GGCAAGCAGA TAACCAAGGT TTAACCATAG GAATTCTGGT GACCATCCTG 2460 TGTCTTCTTG CTGCCGGATT TGTGGTTTAT CTCAAAAGGA AGACCTTGAT ACGACTGCTG 2520 60 TTTACAAATA AGAAGACCAC CATTGAAAAA CTAAGGTGTG TGCGCCCTTC CCGGCCACCC 2580 CGTGGCTTCC AACCCTGTCA GGCTCACCTC GGCCACCTTG GAAAAGGCCT GATGAGGAAG 2640 CGTGGCTTCC AACCCTGTCA GGCTCACCTC GGCCACCTTG GAAAAAGGCCT GATGAGGAAG 2640
CCGCAGATT CCTACCCACC GAAGGACAAT CCCAGGAGAT TGCTGCAGTG TCAGAAATGTT 2700
GACATCAGCA GACCCCTCAA CGGCCTGAAT GTCCCTCAGC CCCAGTCAAC TCAGCGAGTG 2760
CTTCCTCCCC TCCACCGGGC CCCACGTGCA CCTAGCGTCC CTGCCAGACC CTGCCAGCC 2820
AAGCCTGCAC TTAGGCAGGC CCAGGGGACC TGTAAGCCAA ACCCCCCTCA GAAGCCTCTG 2880 65 CCTGCAGATC CTCTGGCCAG AACAACTCGG CTCACTCATG CCTTGGCCAG GACCCCAGGA 2940 CAATGGGAGA CTGGGCTCCG CCTGGCACCC CTCAGACCTG CTCCACAATA TCCACACAA 3000 GTGCCCAGAT CCACCCACAC CGCCTATATT AAGTAGAAG CCGACACCTATAT ICCACACCCAA 3000
GTGCCCAGAT CCACCCACAC CGCCTATATT AAGTAGAAG CCGACACCTT TTTTCAACAG 3060
GAATTTTTTT TAATGTTTAA AACATCATTA CTCACAGTTGGA GTTTTTTGTA CCACACTTTTA 3120
GCTGTGCTGT GCTATGGTGC TCTGTCTACT TGCACAGGTA CTTGTAAATT ATTAATTTAT 3240
GCAGAATGTT GATTACAGTG CAGTGCGCTG TAGTAGGCAT TTTTACCATC ACTGAGTTTT 3300 70 CCATGGCAGG AAGGCTTGTT GTGCTTTTAG TATTTTAGTG AACTTGAAAT ATCCTGCTTG 3360 ATGGGATTCT GGACAGGATG TGTTTGCTTT CTGATCAAGG CCTTATTGGA AAGCAGTCCC 3420 75 CCAACTACCC CCAGCTGTGC TTATGGTACC AGATGCAGCT CAAGAGATCC CAAGTAGAAT 3480 CTCAGTTGAT TTTCTGGATT CCCCATCTCA GGCCAGAGCC AAGGGGCTTC AGGTCCAGGC 3540
TGTGTTTGGC TTTCAGGGAG GCCCTGTGCC CCTTGACAAC TGGCAGGCAG GCTCCCAGGG 3600

ACACCTGGGA GAAATCTGGC TTCTGGCCAG GAAGCTTTGG TGAGAACCTG GGTTGCAGAC 3660 AGGAATCTTA AGGTGTAGCC ACACCAGGAT AGAGACTGGA ACACTAGACA AGCCAGAACT 3720 TGACCCTGAG CTGACCAGCC GTGAGCATGT TTGGAAGGGG TCTGTAGTGT CACTCAAGGC 3780
GGTGCTTGAT AGAAATGCCA AGCACTTCTT TTTCTCGCTG TCCTTTCTAG AGCACTGCCA 3840 5 CCAGTAGGTT ATTTAGCTTG GGAAAGGTGG TGTTTCTGTA AGAAACCTAC TGCCCAGGCA 3900 CTGCAAACCG CCACCTCCCT ATACTGCTTG GAGCTGAGCA AATCACCACA AACTGTAATA 3960 CAATGATCCT GTATTCAGAC AGATGAGGAC TTTCCATGGG ACCACAACTA TITTCAGATG 4020 TGAACCATTA ACCAGATCTA GTCAATCAAG TCTGTTTACT GCAAGGTTCA ACTTATTAAC 4080 AATTAGGCAG ACTCTTTATG CTTGCAAAAA CTACAACCAA TGGAATGTGA TGTTCATGGG 4140 10 TATAGTTCAT GTCTGCTATC ATTATTCGTA GATATTGGAC AAAGAACCTT CTCTATGGGG 4200
CATCCTCTTT TTCCAACCTTG GCTGCAGGAA TCTTTAAAAG ATGCTTTTAA CAGAGTCTGA 4260
ACCTATTTCT TAAACACTTG CAACCTACCT GTTGAGCATC ACAGAATGTG ATAAGGAAAT 4200 CAACTTGCTT ATCAACTTCC TAAATATTAT GAGATGTGGC TTGGGCAGCA TCCCCTTGAA 4380 CTCTTCACTC TTCAAATGCC TGACTAGGGA GCCATGTTTC ACAAGGTCTT TAAAGTGACT 4440 15 AATGGCATGA GAAATACAAA AATACTCAGA TAAGGTAAAA TGCCATGATG CCTCTGTCTT 4500 CTGGACTGGT TTTCACATTA GAAGACAATT GACAACAGTT ACATAATTCA CTCTGAGTGT 4560 TTTATGAGAA AGCCTTCTTT TGGGGTCAAC AGTTTTCCTA TGCTTTGAAA CAGAAAAATA 4620 TGTACCAAGA ATCTTGGTTT GCCTTCCAGA AAACAAAACT GCATTTCACT TTCCCGGTGT 4680 TCCCCACTGT ATCTAGGCAA CATAGTATTC ATGACTATGG ATAAACTAAA CACGTGACAC 4740 20 AAACACACA AAAAGGGAAC CCAGCTCTAA TACATTCCAA CTCGTATAGC ATGCATCTGT 4800 TTATTCTATA GTTATTAAGT TCTTTAAAAT GTAAAGCCAT GCTGGAAAAT AATACTGCTG 4860 AGATACATAC AGAATTACTG TAACTGATTA CACTTGGTAA TTGTACTAAA GCCAAACATA 4920 TATATACTAT TAAAAAGGTT TACAGAATTT TATGGTGCAT TACGTGGGCA TTGTCTTTTT 4980 AGATGCCCAA ATCCTTAGAT CTGGCATGTT AGCCCTTCCT CCAATTATAA GAGGATATGA 5040 25 ΑССΑΑΑΑΑΑΑ ΑΑΑΑΑΑΑΑΑΑ ΑΑ

Seq ID NO: 10 <u>Protein sequence:</u> Protein Accession #: NP\_003465.2

1 11 21 31 41 51

30

MAARPLPVSP ARALLLALAG ALLAPCEARG VSLWNEGRAD EVVSASVRSG DLWIPVKSFD 60
SKNHPEVLNI RLQRESKELI INLERNEGLI ASSFTETHYL QDGTDVSLAR NYTVILGHCY 120
YHGHVRGYSD SAVSLSTCSG LRGLIVFENE SYVLEPMKSA TNRYKLFPAK KLKSVRGSCG 180
SHHNTPNLAA KNVFPPPSQT WARRHKRETL KATKYVELVI VADNREFQRQ GKDLEKVKQR 240
LIEIANHVDK FYRPLNIRIV LVGVEVWNDM DKCSVSQDPF TSLHEFLDWR KMKLLPRKSH 300
DNAQLVSGVY FQGTTIGMAP IMSMCTADQS GGIVMDHSDN PLGAAVTLAH ELGHNFGMNH 360
DTLDRGCSCQ MAVEKGGCIM NASTGYPFPM VFSSCSRKDL ETSLEKGMGV CLFNLPEVRE 420
SFGGQKCGNR FVEEGEECDC GEPEECMNRC CNATTCTLKP DAVCAHGLCC EDCQLKPAGT 480
ACRDSSNSCD LPEFCTGASP HCPANVYLHD GHSCQDVDGY CYNGICQTHE QQCVTLWGPG 540
AKPAPGICFE RVNSAGDPYG NCGKVSKSSF AKCEMRDAKC GKIQCQGGAS RPVIGTNAVS 600
IETNIPLQQG GRILCRGTHV YLGDDMPDPG LVLAGTKCAD GKICLNRQCQ NISVFGVHEC 660

AMQCHGRGVC NNRKNCHCEA HWAPPFCDKF GFGGSTDSGP IRQADNQGLT IGILVTILCL 720 LAAGFVVYLK RKTLIRLLFT NKKTTIEKLR CVRPSRPPRG FQPCQAHLGH LGKGLMRKPP 780 DSYPPKDNPR RLLQCQNVDI SRPLNGLNVP QPQSTQRVLP PLHRAPRAPS VPARPLPAKP 840 ALRQAQGTCK PNPPQKPLPA DPLARTTRLT HALARTPGQW ETGLRLAPLR PAPQYPHQVP 900 RSTHTAYIK

Seq ID NO; 11 DNA sequence Nucleic Acid Accession #:

Coding sequence:

sion #: "NM\_001394 400-1584(underlined sequences correspond to start and stop codons)

55 GGAGCCGCGC GACCGGCAAA AATACACGGG AGGCCGTCGC CGAAAAGAGT CCGCGGTCCT CTCTCGTAAA CACACTCTCC TCCACCGGCG CCTCCCCCTC CGCTCTGCGC GCCGCCCGGC 180 TGGGCGCCCG AGGCCGCTCC GACTGCTATG TGACCGCGAG GCTGCGGGAG GAAGGGACA 240
GGGAAGAAGA GGCTCTCCCG CGGGAGGCCCT TGAGGACCAA GTTTGCGGCC ACTTCTGCAG 300
GCGTCCCTTC TTAGCTCTCG CCTGCCCCTT TCTGCAGCCT AGGCGGCCCA GGTTCTCTTC 360
TCTTCCTCGC GCGCCCAGCC GCCTCGGTTC CCGGCGACCA TGGTGACGAT GGAGGAGCTG 420
CGGGAGATGG ACTGCAGTGT GCTCAAAAGG CTGATGAACC GGGACGAGAA TGGCGGCGCC 480 60 GCGGGCGGCA GCGCAGCCA CGGCACCCTG GGGCTGCCGA GCGGCGGCAA GTGCCTGCTG 540 65 CTGGACTGCA GACCGTTCCT GGCGCACAGC GCGGGCTACA TCCTAGGTTC GGTCAACGTG 600 CGCTGTAACA CCATCGTGCG GCGGCGGGCT AAGGGCTCCG TGAGCCTGGA GCAGATCCTG 660 CCCGCCGAGG AGGAGGTACG CGCCCGCTTA CGCCCGGCC TCTACTCGC GGTCATCGTC 720
TACGACGAGC GCAGCCCGC GCCCGAGAGC CTCCGCGAGG ACAGCACCGT GTCGCTGGTG 780
GTGCAGGCGC TGCGCCGCAA CGCCGAGCGC ACCGACATCT GCCTGCTCAA AGGCGGCTAT 840
GAGAGGTTTT CCTCCGAGTA CCCAGAATTC TGTTCTAAAA CCAAGGCCCT GGCAGCCATC 900 70 CCACCCCGG TTCCCCCCAG CGCCACAGAG CCCTTGGACC TGGGCTGCAG CTCCTGTGGG 960
ACCCCACTAC ACGACCAGGG GGGTCCTGTG GAGATCCTTC CCTTCCTCTA CCTCGGCAGT 1020 GCCTACCATG CTGCCGGAG AGACATGCTG GACGCCCTGG GCATCACGGC TCTGTTGAAT 1080 GTCTCCTCGG ACTGCCCAAA CCACTTTGAA GGACACTATC AGTACAAGTG CATCCCAGTG 1140 75 GAAGATAACC ACAAGGCCGA CATCAGCTCC TGGTTCATGG AAGCCATAGA GTACATCGAT 1200 GCCGTGAAGG ACTGCCGTGG GCGCGTGCTG GTGCACTGCC AGGCGGGCAT CTCGCGGTCG 1260 GCCACCATCT GCCTGGCCTA CCTGATGATG AAGAAACGGG TGAGGCTGGA GGAGGCCTTC 1320

5	GAGTTCGTTA AGCAGCGCCG CAGCATCATC TCGCCCAACT TCAGCTTCAT GGGGCAGCTG 1380 CTGCAGTTCG AGTCCCAGGT GCTGGCCACG TCCTGTGCTG CGGAGGCTGC TAGCCCCTCG 1440 GGACCCCTGC GGGAGCGGGG CAAGACCCCC GCCACCCCCA CCTCGCAGTT CGTCTTCAGC 1500 TTTCCGGTCT CCGTGGGCGT GCACTCGGCC CCCAGCAGCC TGCCCTACCT GCACAGCCCC 1560 ATCACCACCT CTCCCAGCTG TAGAGCCCC CCTGGGGGCC CCAGAACCAG AGCTGGCTCC 1620
	CAGCAAGGGT AGGACGGGCC GCATGCGGCA GAAAGTTGGG ACTGAGCAGC TGGGAGCAGG 1680 CGACCGAGCT CCTTCCCCAT CATTTCTCCT TGGCCAACGA CGAGGCCAGC CAGAATGGCA 1740 ATAAGGACTC CGAATACATA ATAAAAGCAA ACAGAACACT CCAACTTAGA GCAATAACCG 1800 GTGCCGCAGC AGCCAGGGAA GACCTTGGTT TGGTTTATGT GTCAGTTTCA CTTTTCCGAT 1860
10	AGAAATTTCT TACCTCATTT TTTTAAGCAG TAAGGCTTGA AGTGATGAAA CCCACAGATC 1920 CTAGCAAATG TGCCCAACCA GCTTTACTAA AGGGGGGGGA AGGGAGGCA AAGGGATGAG 1980 AAGACAAGTT TCCCAGAAGT GCCTGGTTCT GGGTACTTGT CCCTTTIGTTG TCGTTGTTGT 2040 AGTTAAAGGA ATTTCATTTT TAAAAGAAAT CTTCGAAGGT GTGGTTTTCA TTTCTCAGTC 2100 ACCAACAGAT GAATAATTAT GCTTAAATAAT AAAGTATTTA TTAAGACTTT CTTCAGAGTA 2160
15	TGAAAGTACA AAAAGTCTAG TTACAGTGGA TTTAGAATAT ATTTATGTTG ATGTCAAACA 2220 GCTGAGCACC GTAGCATGCA GATGTCAAGG CAGTTAGGAA GTAAATGGTG TCTTGTAGAT 2280 ATGTGCAAGG TAGCATGATG AGCAACTTGA GTTTGTTGCC ACTGAGAAGC AGCGGGGTTG 2340 GGTGGGAGGA GGAAGAAGG CAGAATTAG GTTTGAATTG CTTTTTAAAA AAAAAAGAAA 2400 AGAAAAAAGAC AGCATCTCAC TATGTTGCCA AGGCTCATCT TGAGAAGCAG GCGGGTTGGG 2460
20	TGGGAGGAGG AAGAAAGGGA AGAATTAGGT TTGAATTGCT TTTTTAAAAA AAAA
	Seq ID NO: 12 Protein sequence: Protein Accession #: NP_001385
25	1 11 21 31 41 51
30	MVTMEELREM DCSVLKRLMN RDENGGGAGG SGSHGTLGLP SGGKCLLLDC RPFLAHSAGY 60 ILGSVNVRCN TIVRRAKGS VSLEQILPAE EEVRARLRSG LYSAVIVYDE RSPRAESLRE 120 DSTVSLVVQA LRRNAERTDI CLLKGGYERF SSEYPEFCSK TKALAAIPP VPPSATEPLD 180
30	LGCSSCGTPL HDQGGPVEIL PFLYLGSAYH AARRDMLDAL GITALLNVSS DCPNHFEGHY 240 QYKCIPVEDN HKADISSWFM EAIEYIDAVK DCRGRVLVHC QAGISRSATI CLAYLMMKKR 300 VRLEEAFEFV KQRRSIISPN FSFMGQLLQF ESQVLATSCA AEAASPSGPL RERGKTPATP 360 TSQFVFSFPV SVGVHSAPSS LPYLHSPITT SPSC
35	Seq ID NO: 13 DNA sequence Nucleic Acid Accession #: none found Coding sequence: 68-340(underlined sequences correspond to start and stop codons)
40	1 11 21 31 41 51              AGCGCCTTGC CTTCTCTTAG GCTTTGAAGC ATTTTTTGTCT GTGCTCCCTG ATCTTCAGGT 60
45	CACCACCATG AAGTTCTTAG CAGTCCTGGT ACTCTTGGGA GTTTCCATCT TTCTGGTCTC 120 TGCCCAGAAT CCGACAACAG CTGCTCCAGC TGACACGTAT CCAGCTACTG GTCCTGCTGA 180 TGATGAAGCC CCTGATGCTG AAACCACTGC TGCTGCAACC ACTGCGACCA CTGCTGCTCC 240 TACCACTGCA ACCACCGCTG CTTCTACCAC TGCTCGTAAA GACATTCCAG TTTTACCCAA 300
50	ATGGGTTGGG GATCTCCCGA ATGGTAGAGT GTGTCCC <u>TGA</u> GATGGAATCA GCTTGAGTCT 360 TCTGCAATTG GGTCACAACT ATTCATGCTT CCTGTGATTT CATCCAACTA CTTACCTTGC 420 CTACGATATC CCCTTTATCT CTAATCAGTT TATTTTCTTT CAAATAAAAA ATAACTATGA 480 GCGAGCTAAC AT
55	Seq ID NO: 14 Protein sequence: Protein Accession #: none found
60	1 11 21 31 41 51 
65	Seq ID NO: 15 DNA sequence Nucleic Acid Accession #: NM_016640.2 Coding sequence: 39-1358(underlined sequences correspond to start and stop codons)
	1 11 21 31 41 51
70	
75	CGACGGTGCA CGCTGCGGAG TCGGTAGACG AGAAGCTGCG AATCCTCACC AAGATGCAGT 300 TTATGAAGTA CATGGTTTAC CCGCAGACCT TCGCACTGAA TGCCGACCG TGGTACCAGT 360 ACTTCACCAA GACCGTGTTC CTGTCGGGTC TGCCGCCGC CCCAGCGGAG CCCGAGCCCG 420 AGCCCGAACC CGAACCTGAA CCTGCGCTGG ACCTCGCGCG GCTGCGTGCG GTCGCCTGCG 480 ACTGCCTGCT GCAGGAGCAC TTCTACCTGC GGCGCAGGCG GCGCGTGCAC CGTTACGAGG 540

AGAGCAGAGT CATATCTITG CCCTTCCTGG ATCAGCTGGT GTCAACCCTC GTGGGCCTCC 600
TCAGCCCACA CAACCCGGCC CTGGCCGCTG CCGCCCTCGA TTATAGATGC CCAGTTCATT 660
TTTACTGGGT GCGTGGTGAA GAAATTATTC CTCGTGGTCA TCGAAGAGGT CGAATTGATG 720
ACTTGCGATA CCAGATAGAT GATAAACCAA ACAACCAGAT TCGAATATCC AAGCAACTCG 780
CAGAGTTTGT GCCATTGGAT TATTCTGTTC CTATAGAAAT CCCCACTATA AAATGTAAAC 840
CAGACAAACT TCCATTATTC AAACCGCAGT ATGAAAACCA CATATTTGTT GGCTCAAAAA 960
CTGCAGATCC TTGGTGTTAC GGTCACACCC AGTTTCATCT GTTACCTGAC AAATTAAGAA 960
GGGAAAGGCT TTTGAGACAA AACTGTGCTG ATCAGATAGA AGTTGTTTTT AGAGCTAATG 1020
CTATTGCAAG CCTTTTTGCT TGGACTGGAG CACAAGCTAT GTATCAAGGA TTCTGGAGTG 1080
AAGCAGATGT TACTCGACCT TTTGTCTCCC AGGCTGTGAT CACAGATGGA AAATAACC 1200
CTCGTAAAAA TATATGTTGG GGTACACAAA GTAAGCCTCT TTATGAAACA ATTGAGGATA 1260
ATGATGTGAA AGGTTTTAAT GATGATGTTC TACTTCAGAT AGTTCACTTT CTACTGAATA 1320
GACCAAAGA AGAAAAATCA CAGCTGTTGG AAAACTGAAA AAGCATATTT GATTGAGAAC 1380
TGTGGGAATA TTTAAATTTT ACTGAAGGAA CAATAATGAT GAGCATTATTA AACTTTT GATAAAATTT ACTGAAGAAA AACCTGTAAA AGCCATATTTT TAGATCCACT 1440
ATTAAATACA TTGATTTTTG AGACAAATAA GACAAATTAG CACCTGTTAT TAGATCTCTT 1500
ACTCTGCTCA AATTCATCAC TGAAAGATTT AATTTTAGTT ACCTTTTTTTT GATTAAAATTT 1680
ACATTTTAAT ATAAATGCAG AAATCCCAAA TAAAATGCTA ACATACTGAG TATTAAAATGC 1620
ACATTTTAAT ATAAATGCAG AAATCCCAAA TAAAATGCTA ACATACTGAA TTCAGTAATT 1680
AAAAGAACCC ACTGC

Seq ID NO: 16 <u>Protein sequence</u>; Protein Accession #: NP\_057724.1

25 Protein Accession #: NP\_05//24.1

40

MAAARCWRPL LRGPRLSLHT AANAAATATE TTSQDVAATP VARYPPIVAS MTADSKAARL 60
RRIERWQATV HAAESVDEKL RILTKMOFMK YMVYPQTFAL NADRWYQYFT KTVFLSGLPP 120
PPAEPEPEP PEPEPALDLA ALRAVACDCL LQEHFYLRRR RRVHRYEESE VISLPFLDQL 180
VSTLVGLLSP HNPALAAAAL DYRCPVHFYW VRGEEIIPRG HRRGRIDDLR YQIDDKPNNQ 240
IRISKQLAEF VPLDYSVPIE IPTIKCKPDK LPLFKRQYEN HIFVGSKTAD PCCYGHTQFH 300
LLPDKLRRER LLRQNCADQI EVVFRANAIA SLFAWTGAQA MYQGFWSEAD VTRPFVSQAV 360
ITDGKYFSFF CYQLNTLALT TQADQNNPRK NICWGTQSKP LYETIEDNDV KGFNDDVLLQ 420
IVHFLLNRPK EEKSQLLEN

Seq 1D NO: 17 DNA sequence
Nucleic Acid Accession #: NM\_025059.1
Coding sequence: 3-2150 (underlined sequences correspond to start and stop codons)

21 31 41 51 GCATGAGCCT GGACTGCACC AGCCATATCG CGCTGGGTGC CGCTTCGCCA GCGCCCGAGG 60 45 AAACTTACGA TCATCTTTCG GAAGTCCCGG TCACGCGGGA GCAGTTAAAC CACTATCGGA 120 ATGTGGCTCA AAATGCTCGA AGTGAACTTG CAGCAACTTT GGTCAAATTT GAATGTGCTC AGTCTGAGCT TCAAGACCTC CGATCCAAGA TGCTTTCTAA AGAAGTCTCC TGTCAAGAAC 240
TGAAAGCTGA AATGGAGAGC TACAAGGAAA ACAATGCCAG AAAATCATCT CTCCTTACCT 300
CTTTGAGAGA CAGAGTTCAG GAACTAGAAG AAGAATCAGC AGCACTTTCC ACTTCTAAAA 360
TCAGAAACAGA AATCACAGCT CACGCTGCAA TCAAGGAGAAA CCAGGAATTA AAGAAGAAAG 420 50 TTGTAGAGTT AAATGAAAAA TTACAAAAGT GTTCAAAAGA AAATGAGGAG AATAAGAAAC 480 AAGTTTCAAA GAATTGCAGG AAACATGAGG AATTTCTGAC TCAACTGCGT GACTGCTTGG 540 ATCCAGATGA GAGGAATGAC AAGGCATCAG ATGAAGATTT AATTTTAAAG CTTAGAGACC TGCGCAAAGA AAATGAATTC GTGAAAGGAC AAATTGTTAT TCTTGAAGAG ACTATAAATG 660 55 TCCATGAGAT GGAAGCAAAA GCTAGCAGAG AAACGATCAT GAGGCTGGCT TCAGAAGTCA 720
ACAGAGAGCA GAAAAAAGCT GCCTCCTGTA CTGAAGAGAA AGAGAAGCTG AACCAGGACC 780
TGCTCAGTGC TGTAGAAGCA AAAGAAGCTC TTGAAAGGGA AGTTAAGATC TTCCAAGAAA 840 GGCTGCTTGC TGGCCAGCAG GTCTGGGATG CCTCAAAGCA GGAAGTGAGC CTCCTGAAGA 900 AAAGCTCTTC TGAGTTGGAG AAGAGTTTGA AGGCCAGTCA GGATGCAGTC ACAACCTCAC 960 60 AAAGCCAGTA CTCCTCATTT AGGGAGAAAA TCGCAGCCCT CCTTAGGGGC AGATTGAGCA 1020 TGACTGGGTC CACTGAGGAC ACCATTTTGG AGAAGATTCG AGAAATGGAC AGCCGGGAAG 1080 TITTGCGAGA CACTTGAGAAC ACCATTIGG AGAAGATA AGAATAGAC AGCAGAAA AAGAAGAGAGAAAAAAAATATTCTG GATCAGCTTTTTGAACAGT 1140
TGTGGAAAGGA CCGGATGGTT CACCAGAAAG CTCTCCAGAG GGCCCAGAAA GCAGAGAATA 1200
TGTTGGAGAC TCTTCAGGGT CAGCTGACAC ACCTGGAGGC AGAGCTGGTT TCTGGAGGTG 1260
TTTTGCGAGA CAACTTGAAT TTTGAGAAAC AAAAATATCT TAAATTTCTG GATCAGCTTT 1320 65 CTCAGAAAAT GAAGTTGGAC CAGATGGCTG CCGAACTTGG CTTTGACACG CGGCTGGACG 1380 TGGTTTTAGC TCGAACAGAG CAGCTGGTTC GTCTTGAGAG CAATGCAGTC ATTGAGAACA 1440
AGACCATTGC CCACAATTTG CAGAGAAAGC TAAAGACAA GAAAGAGAGA CTGGAGAGCA 1500 AGACATTOC CCACATTTO CAGAGAAGC TAAAGACACA GAAAGAGAGA CTIGAGAGGCA 1500
AAGAATTACA CATGAGCCTC CTCCGGCAGA AAATAGCCCA GCTGGAGAGG AGGAAGCAGG 1560
CACGCACGGC CTTGGTGGTT GAGAGGGACA ACGCGCATCT TACCATCAGG AACTTGCAGA 1620
AGAAGGTGGA GAGGCTGCAG AAAGAGCTGA ACACGTGTCG AGACTTGCAC ACCGAGCTCA 1680
AAGCCAAACT GGCCGACACC AATGAACTGA AGATTAAAAC TTTGGAACAG ACTAAAGCCA 1740
TTGAAGATCT AAACAAATCC AGAGACCAAC TGGAGAAGAT GAAGGAGAAA GCTGAGAAAA 1800 70 AGCTCATGTC TGTCAAGTCA GAACTGGATA CCACAGAACA TGAGGCTAAG GAGAATAAAG 1860 75 AAAGGCCAG AAACATGATA GAAGTGGTAA CCAGTGAAAT GAAGACACTA AAAAAATCTC 1920 TGGAAGAAGC AGAAAAGAGA GAAAAGCAGC TGGCAGACTT CAGGGAGGTG GTGTCGCAGA 1980 TGCTAGGCTT GAACGTGACC AGCCTTGCTC TTCCTGATTA TGAAATCATC AAGTGTCTTG 2040

AAAGATTGGT CCATTCACAT CAGCATCACT TTGTTACCTG TGCCTGCCTC AAAGATGTGA 2100 CTACTGGGCA AGAGAGGCAC CCACAAGGCC ATTTACAGCT TCTTCATTGA ACACTGTATC 2160
TCTTGAGAGA GGTGGCCATA AGACATGGCA CACAATTCCC AATTTCACAA ATTCCTCATG 2220
TCTTTGAGAT TTGATCAGTT TGTGAATATT TTATGCTTTG ATGATATAGT GAGAATGCAT 2280
CACTTGCAAA AACGATCTCA AAAGTGTCAG CCTTAGATAA ACGTCAGCAT TAAAAAACGC 2340 5 CAAAAAAAA AAAAAAAAGC ATTTTAGGAT CCAGAAGAAT TCCACCAGAT TGCATGAGTT 2400 AGATTGGGAA ATGGGAGTGG GAGATAATAT TGGGAGGTAT CTATTTTAAG TCAGGGGCTT 2460 TACTAGCCGA TTTAGTTCTC ACAATAACCA TGTGGAGAAG CTGTGACATT TTTAATTTAC 2520 AACCTTTCTG GGGCTCAGAC ATAAAGTTAC CTATCCAAGG TTGCAGTTGG GTAGTGGTGG 2580 10 GACCAGGATG GACAACTCAT TGGCCCTGCC TCAAAAGCCA TACCTCTTCT CCTGCTATGC 2640 AGAATCTGTT TCTCCTGAAT CTCTGTGATG CTGGTGGGAA TTGCTTTCT CCTGCTATGC 2840
AGAATCTGTT TCTCCTGAAT CTCTGTGATG CTGGTGGGAA TTGTTTGCAT AGAGGAAGGA 2700
CAATAACCCT GCCATCGTGA GTTAATGTCC GGGCTGGTCA CAGTGGTTCA TGCCTGTAAT 2760
CCCAGCACTT TGGGAGTCCA AGGCAGGCAT ATCATTTGAG GTCAGGAGTT TAAGACCAGC 2820
CTGGCTAACA TAGTGAGACC CTGTTTCTAC TAAAAATACA AAAATAAGCC AGGTGTGGTG 2880
GTGCATGACT GTAATCCCAA CTACTCAGCA GGAGAAGCAC TTGAACCCAG GAGACGGAGG 2940
CGGCAGTGAG CCAAGATTGT GCCACTGCAC TCCAGCCTGG GCGACAGAGT GAAACTACAT 3000 15 CTCAGAAAAA AAAAAAAAAA AAAAAAAAAA AAGTTAATGT CCAAAAATGA CAGATTTACA 3060 CTCAGAAAAA AAAAAAAAAA AAAAAAAAAA AAGTTAATGT CCAAAAATGA CAGATTACA 30
AGTGTAAGCT ATATGATTTC TTCAAAAAGC AAAAGCAATA TACCTAATTC ATTTGGATCA 3120
AACTTACATA GGTCTCAGGT CCTGTAAGAA ACTTGCCTGT TCTAACTGTT GCTACCAGAT 3180
TATATCTGGT GGTAATTGTT AATGTTTCAG CAGGGCTGGT CTCAGTCCTT TAAAATGGAA 3240
AGCTTTATTT GGAGCCCAAC CCTATAAGAT GAAGAAATCC TATATAGTCT TATTCACCAA 3300
TATATCCAAT ACACCCACAG CAATGGTACC TTTTTAAGAT CAGGATTTTA TTATGAATTC 3360
CTGTCACTTT CTGTTTTCCA TTTAAAATTC TATTTTACAA ATTTTTCAGG GAATCATATT 3420 20 CTTAACTTCA CTGAGAAAAA TGTGTTACTC TTTTGGACAA TTTATCTTAT TTCTATCATA 3480 25 TAAGATGTAT TTTTTATTG TCCTTAAAAG AAGCTCTAGC ATGAAATTAA AGGAAAGGGA 3540 AAGAAATAGA TCTGGTGCAC CCGAACATTA GGAGAAAATG AAAAATATAC AACCAACCGT 3600 AGGAATTAGA TCTGGTGCAC CCGAACATTA GGAGAAAATG AAAAATTATAC AACCAACCGT 3600
TCGTGAGTCA TCAAAAAGTC AAAGTCAGCC TGGCCAACACT GGCAAAACTC CGTCTCTGCA 3660
AAAATACAA AAATGAGCCC GGTATGTTGG CATATGCCTG TAATCCCAGC TACTCGAGAG 3720
GCTGAGACAC GAAAATTGCT TGAACCTGGG AGGCGGAGGT TGCAATGAGC CGAGATCGCG 3780
CTACTGCACT CCAGCCTGGG CAACAGAGAG AGACCTTGTC TCAAAAAACCA ACAACAACAA 3840
AAAGTCAAAG TCATAATAAG CAAATTATTG GCTTCTTTCT TCTAGACYAA AAGAAATTAA 3900
AGGATGAAA CAATCAATTG CAAGGGTCAA AACTAGATTG GATCTTGGTT TGAATGAAAA 3960 30 AAAGCATAAA ATATTCTTGC AATAATTGTA AAAATTTGAA TGTGGACTAA GTCCTAGATT 4020 ATATTAAAAT ATTTTTAATT TTTTAAGCTT GACAAATGCA CTGATTGTTA TACTTTAAAT 4080 35 AACTAAAAAT CTGAGAATCC ACAGTGCTAC AGACAATAAA TGATAAAATG GGAAAAAAAA 4140 ΑΑΑΑΑΑΑΑΑ Α

Seq ID NO: 18 <u>Protein sequence:</u>
Protein Accession #: NP\_079335.1 40

MSLDCTSHIA LGAASPAPEE TYDHLSEVPV TREQLNHYRN VAQNARSELA ATLVKFECAQ 60 SELQDLRSKM LSKEVSCQEL KAEMESYKEN NARKSSLLTS LRDRVQELEE ESAALSTSKI 120 RTEITAHAAI KENQELKKKV VELNEKLQKC SKENEENKKQ VSKNCRKHEE FLTQLRDCLD 180 45 PDERNDKASD EDLILKLRDL RKENEFVKGQ IVILEETINV HEMEAKASRE TIMRLASEVN 240 PDERNDKASD EDLILKLRDL RKENEFVKGQ IVILEETINV HEMEAKASRE TIMRLASEVN 240
REQKKAASCT EEKEKLNQDL LSAVEAKEAL EREVKIFQER LLAGQQVWDA SKQEVSLLKK 300
SSSELEKSLK ASQDAVTTSQ SQYSSFREKI AALLRGRLSM TGSTEDTILE KIREMDSREE 360
SRDRMVSQLE AQISELVEQL GKESGFHQKA LQRAQKAENM LETLQGQLTH LEAELVSGGV 420
LRDNLNFEKQ KYLKFLDQLS QKMKLDQMAA ELGFDTRLDV VLARTEQLVR LESNAVIENK 480
TIAHNLQRKL KTQKERLESK ELHMSLLRQK IAQLEEEKQA RTALVVERDN AHLTIRNLQK 540
KVERLQKELN TCRDLHTELK AKLADTNELK IKTLEQTKAI EDLNKSRDQL EKMKEKAEKK 600
LMSVKSELDT TEHEAKENKE RARNMIEVVT SEMKTLKKSL EEAEKREKQL ADFREVVSQM 660 50 55 LGLNVTSLAL PDYEIIKCLE RLVHSHQHHF VTCACLKDVT TGQERHPQGH LQLLH

Seq ID NO: 19 DNA sequence AF071552, NM\_000662 Nucleic Acid Accession #: 60 Coding sequence: 441-1313 (underlined sequences correspond to start and stop codons)


21 31 41 65 CTTTGTATÁA GGCTCAGCTA AAAGGGAAAT TGAGTGGGTC AGGTACCACG GATACTATAC 60 ACTCTATTGC ATGATTCTCC TGCCTACATC AGAAGACGTT TATAAAGCCTA TTTTAAAGGA 120
TACCAGTTGG AATCTCTCTT TTATTAATCA CCAAGAGAAC CATGAACAAG CTGTTTATCA 180
TTTGACTCAT CATTTAATCT TGATTTCCAG CTTCTCACAC TTGAAAGAAG ACATAATACA 240
TTTCTCACAG GATTCTGGGA CTATTAACTG AACTTATGTG TGTAAAAGGA ATTCATACAA 300
TGAAAGCACT AGAAATAATT ATTATACTTA TAACCATTGT ATTTTTACAT GTTTAAAATA 360 70 TAGCCATAAT TAGCCTACTC AAATCCAAGT GTAAAAGTAA AATGATTTGC TTTCGTTTTG 420 TTTTCCTTGC TTAGGGGATC ATGGACATTG AAGCATATCT TGAAAGAATT GGCTATAAGA 480 AGTCTAGGAA CAAATTGGAC TTGGAAACAT TAACTGACAT TCTTCAACAC CAGATCGGAG 540
CTGTTCCCTT TGAGAACCTT AACATCCATT GTGGGATGC CATGGACTTA GGCTTAGAGG 600
CCATTTTTGA TCAAGTTGTG AGAAGAAATC GGGGTGGATG GTGTCTCCAG GTCAATCATC 660
TTCTGTACTG GGCTCTGACC ACTATTGGTT TTGAGACCAC GATGTTGGGA GGGTATGTTT 720
ACAGCACTCC AGCCAAAAAA TACAGCACTG GCATGATTCA CCTTCTCCTG CAGGTGACCA 780 75

TTGATGGCAG GAACTACATT GTCGATGCTG GGTTTGGACG CTCATACCAG ATGTGGCAGC 840 CTCTGGAGTT AATTTCTGGG AAGGATCAGC CTCAGGTGCC TTGTGTCTTC CGTTTGACGG 900 AAGAGAATGG ATTCTGGTAT CTAGACCAAA TCAGAAGGGA ACAGTACATT CCAAATGAAG 960 AATTTCTTCA TTCTGATCTC CTAGAAGACA GCAAATACCG AAAAATCTAC TCCTTTACTC 1020 TTAAGCCTCG AACAATTGAA GATTTTGAGT CTATGAATAC AAAAATCTAC AACAATCACATTACTC 1020
TTAAGCCTCG AACAATTGAA GATTTTGAGT CTATGAATAC ATACCTGCAG ACCATCTCCAT 1080
CATCTGTGTT TACTAGTAAA TCATTTTGTT CCTTGCAGAC CCCAGATGGG GTTCACTGTT 1140
TGGTGGGCTT CACCCCTCACC CATAGGAGAT TCAATTATAA GGACAATACA GATCTAATAG 1200
AGTTCAAGAC TCTGAGTGAG GAAGAAATAG AAAAAGTGCT GAAAAATATA TTTAATATTT 1260
CCTTGCAGAG AAAACTTGTCTAT TTGTCATCCA GCTCACCAGT TATCAACTGA CGACCTACAA 1380
TGTATCTTCT GTACCCCTTAC CTTATTTTGA AGAAAATCCT AGACATCAAA TCATTTCACC 1440 5 10 TGTATCTTCT GTACCCTTAC CTTATTTTGA AGAAAATCCT AGACATCAAA TCATTTCACC 1440 TATAAAAATG TCATCATATA TAATTAAACA GCTTTTTAAA GAAACATAAC CACAAACCTT 1500 TTCAAATAAT AATAATAATA ATAATAA ATGTATTTTA AAGATGGCCT GTGGTTATCT 1560 TGGAAATTGG TGATTTATGC TAGAAAGCTT TTAATGTTGG TTTATTGTTG AATTC 15 Seq ID NO: 20 <u>Protein sequence:</u>
Protein Accession #: NP\_000653.1 20 41 51 21 31 MDIEAYLERI GYKKSRNKLD LETLTDILQH QIRAVPFENL NIHCGDAMDL GLEAIFDQVV 60
RRNRGGWCLQ VNHLLYWALT TIGFETTMLG GYVYSTPAKK YSTGMIHLLL QVTIDGRNYI 120
VDAGFGRSYQ MWQPLELISG KDQPQVPCVF RLTEENGFWY LDQIRREQYI PNEEFLHSDL 180
LEDSKYRKIY SFTLKPRTIE DFESMNTYLQ TSPSSVFTSK SFCSLQTPDG VHCLVGFTLT 240 25 HRRFNYKDNT DLIEFKTLSE EEIEKVLKNI FNISLQRKLV PKHGDRFFTI Seq ID NO: 21 DNA sequence Nucleic Acid Accession #: NM\_003714 30 Coding sequence: 123-1031 (underlined sequences correspond to start and stop codons) 41 21 31 35 CGGCACGAGC AAAAAGGAAG AGTGGGAGGA GGAGGGGAAG CGGCGAAGGA GGAAGAGGAG GAGGAGGAAG AGGGAGCAC AAAGGATCCA GGTCTCCCGA CGGGAGGTTA ATACCAAGAA 120
CCATGTGTGC CGAGCGGCTG GGCCAGTTCA TGACCCTGGC TTTGGTGTTG GCCACCTTTG 180
ACCCGGCGCG GGGGACCGAC GCCACCAACC CACCCGAGGG TCCCCAAGAC AGGAGCTCCC 240
AGCAGAAAGG CCGCCTGTCC CTGCAGAATA CAGCGGAGAT CCAGCACTGT TTGGTCAACG 300 40 CTGGCGATGT GGGGTGTGGC GTGTTTGAAT GTTTCGAGAA CAACTCTTGT GAGATTCGGG 360 GCTTACATGG GATTTGCATG ACTTTTCTGC ACAACGCTGG AAAATTTGAT GCCCAGGGCA AGTCATTCAT CAAAGACGCC TTGAAATGTA AGGCCCACGC TCTGCGGCAC AGGTTCGGCT 480 GCATAAGCCG GAAGTGCCCG GCCATCAGGG AAATGGTGTC CCAGTTGCAG CGGGAATGCT 540 ACCTCAAGCA CGACCTGTGC GCGGCTGCCC AGGAGAACAC CCGGGTGATA GTGGAGATGA 600 TCCATTTCAA GGACTTGCTG CTGCACGAAC CCTACGTGGA CCTCGTGAAC TTGCTGCTGA 660 CCTGTGGGGA GGAGGTGAAG GAGGCCATCA CCCACAGCGT GCAGGTTCAG TGTGAGCAGA 720 45 ACTGGGGAAG CCTGTGCTCC ATCTTGAGCT TCTGCACCTC GGCCATCCAG AAGCCTCCCA 780 CGGCGCCCC CGAGCGCCAG CCCCAGGTGG ACAGAACCAA GCTCTCCAGG GCCCACCACG 840 GGGAAGCAGG ACATCACCTC CCAGAGCCCA GCAGTAGGGA GACTGGCCGA GGTGCCAAGG 900 50 GTGAGCGAGG TAGCAAGAGC CACCCAAACG CCCATGCCCG AGGCAGAGTC GGGGGCCTTG 960 GGGCTCAGGG ACCTTCCGGA AGCAGCGAGT GGGAAGACGA ACAGTCTGAG TATTCTGATA 1020
TCCGGAGGTG AAATGAAAGG CCTGGCCACG AAATCTTTCC TCCACGCCGT CCATTTTCTT 1080
ATCTATGGAC ATTCCAAAAC ATTTACCATT AGAGAGGGGG GATGTCACAC GCAGGATTCT 1140
GTGGGGACTG TGGACTTCAT CGAGGTGTGT GTTCGCGGAA CGGACAGGTG AGATGGAGAC 1200 55 CCCTGGGGCC GTGGGGTCTC AGGGGTGCCT GGTGAATTCT GCACTTACAC GTACTCAAGG 1260 GAGCGCCCC GCGTTATCCT CGTACCTTTG TCTTCTTTCC ATCTGTGGAG TCAGTGGGTG 1320 TCGGCCGCTC TGTTGTGGGG GAGGTGAACC AGGGAGGGGC AGGGCAAGGC AGGGCCCCCA 1380 GAGCTGGGCC ACACAGTGGG TGCTGGGCCT CGCCCCGAAG CTTCTGGTGC AGCAGCCTCT 1440 GGTGCTGTCT CCGCGGAAGT CAGGGCGGCT GGATTCCAGG ACAGGAGTGA ATGTAAAAAT 1500
AAATATCGCT TAGAATGCAG GAGAAGGGTG GAGAGGAGGC AGGGGCCGAG GGGGTGCTTG 1560
GTGCCAAACT GAAATTCAGT TTCTTGTGTG GGGCCTTGCG GTTCAGAGCT CTTGGCGAGG 1620
GTGGAGGGAG GAGTGTCATT TCTATGTGTA ATTTCTGAGC CATTGTACTG TCTGGGCTGG 1680 60 GGGGGACACT GTCCAAGGGA GTGGCCCCTA TGAGTTTATA TTTTAACCAC TGCTTCAAAT 1740 CTCGATTTCA CTTTTTTAT TTATCCAGTT ATATCTACAT ATCTGTCATC TAAATAAATG 1800 65 **GCTTTCAAAC AAAAAAAAAA AAAAAAAAAA AAAAAA** Seq ID NO: 22 Protein sequence:
Protein Accession #: NP\_003705 70 41 51

MCAERLGOFM TLALVLATFD PARGTDATNP PEGPQDRSSQ QKGRLSLQNT AEIQHCLVNA 60 GDVGCGVFEC FENNSCEIRG LHGICMTFLH NAGKFDAQGK SFIKDALKCK AHALRHRFGC 120 ISRKCPAIRE MVSQLQRECY LKHDLCAAAQ ENTRVIVEMI HFKDLLLHEP YVDLVNLLLT 180 CGEEVKEAIT HSVQVQCEQN WGSLCSILSF CTSAIQKPPT APPERQPQVD RTKLSRAHHG 240

EAGHHLPEPS SRETGRGAKG ERGSKSHPNA HARGRVGGLG AQGPSGSSEW EDEQSEYSDI 300

RR



5 GTTCATGGTG ACAGGGCGAC GGGAGGACGT GGCCACAGCC CGGCGGGAAA TCATCTCAGC 600 AGCGGAGCAC TTCTCCATGA TCCGTGCCTC CCGCAACAAG TCAGGCGCCG CCTTTGGTGT 660 GGCTCCTGCT CTGCCCGGCC AGGTGACCAT CCGTGTGCGG GTGCCCTACC GCGTGGTGGG 720 10 GCTGGTGGTG GGCCCCAAAG GGGCAACCAT CAAGCGCATC CAGCAGCAAA CCAACACATA 780 CATTATCACA CCAAGCCGTG ACCGCGACCC CGTGTTCGAG ATCACGGGTG CCCCAGGCAA 840 CGTGGAGCGT GCGCGCGAGG AGATCGAGAC GCACATCGCG GTGCGCACTG GCAAGATCCT 900 CGAGTACAAC AATGAAAACG ACTTCCTGGC GGGGAGCCCC GACGCAGCAA TCGATAGCCG 960 CTACTCCGAC GCCTGGCGGG TGCACCAGCC CGGCTGCAAG CCCCTCTCCA CCTTCCGGCA 1020 15 GAACAGCCTG GGCTGCATCG GCGAGTGCGG AGTGGACTCT GGCTTTGAGG CCCCACGCCT 1080 GGGTGAGCAG GGCGGGGACT TTGGCTACGG CGGGTACCTC TTTCCGGGCT ATGGCGTGGG 1140 CAAGCAGGAT GTGTACTACG GCGTGGCCGA GACTAGCCCC CCGCTGTGGG CGGGCCAGGA 1200 GAACGCCACG CCCACCTCCG TGCTCTTCTC CTCTGCCTCC TCCTCCTCCT CCTCTTCCGC 1260 CAAGGCCCGC GCTGGGCCCC CGGGCGCACA CCGCTCCCCT GCCACTTCCG CGGGACCCGA 1320 GCTGGCCGGA CTCCCGAGGC GCCCCCGGG AGAGCCGCTC CAGGGCTTCT CTAAACTTGG 1380 20 TGGGGGCGGC CTGCGGAGCC CCGGCGGCGG GCGGGATTGC ATGGTCTGCT TTGAGAGCGA 1440 AGTGACTGCC GCCCTTGTGC CCTGCGGACA CAACCTGTTC TGCATGGAGT GTGCAGTACG 1500 CATCTGCGAG AGGACGGACC CAGAGTGTCC CGTCTGCCAC ATCACAGCCA CGCAAGCCAT 1560 CCGAATATTC TCCTAA 25 Seq ID NO: 26 <u>Protein sequence:</u>
Protein Accession #: FGENESH predicted 30 21 31 FCFAMPSLVV SGIMERNGGF GELGCFGGSA KDRGLLEDER ALQLALDQLC LLGLGEPPAP 60 RAGEDGGGG GGAPAQPTAP PQPAPPPPPA APPAAPTTAP AAQTPQPPTA PKGASDAKLC 120 ALYKEAELRL KGSSNTTECV PVPTSEHVAE IVGRQGCKIK ALRAKTNTYI KTPVRGEEPV 180 FMVTGRREDV ATARREIISA AEHFSMIRAS RNKSGAAFGV APALPGQVTI RVRVPYRVVG 240 35 LVVGPKGATI KRIQQQTNTY IITPSRDRDP VFEITGAPGN VERAREEIET HIAVRTGKIL 300 EYNNENDFLA GSPDAAIDSR YSDAWRVHOP GCKPLSTFRQ NSLGCIGECG VDSGFEAPRL 360 GEQGGDFGYG GYLFPGYGVG KQDVYYGVAE TSPPLWAGQE NATPTSVLFS SASSSSSSA 420 KARAGPPGAH RSPATSAGPE LAGLPRRPPG EPLQGFSKLG GGGLRSPGGG RDCMVCFESE 480 40 VTAALVPCGH NLFCMECAVR ICERTDPECP VCHITATQAI RIFS Seq ID NO: 27 DNA sequence FGENESH predicted Nucleic Acid Accession #: 1-2070 (underlined sequences correspond to start and stop codons) Coding sequence: 45 31 51 ATGAGCGGTG CGGGGGTGGC GGCTGGGACG CGGCCCCCA GCTCGCCGAC CCCGGGCTCT CGGCGCCGGC GCCAGCGCCC CTCTGTGGGC GTCCAGTCCT TGAGGCCGCA GAGCCCGCAG 120 50 CTCAGGCAGA GCGACCCGCA GAAACGGAAC CTGGACCTGG AGAAAAGCCT GCAGTTCCTG CAGCAGCAGC ACTCGGAGAT GCTGGCCAAG CTCCATGAGG AGATCGAGCA TCTGAAGCGG 240 GAAAACAAGG GTGAGCCGGC GCGGGGCCCT AGGCCGGCCC TGCCTCCCCA GGCACACTCA 300
ACACTGCCGC TCCCGCAGCA CAGAAACACA GCCATCAACT CCAGCACACG CCTGGGCTCA 360
GGGGGAACAC AGGACGGGGA GCCCCTCCAG ACTGTCCTTG CCCACCTGGC TGCACTGGCC 420
CCTGTATGCC AACCCAGTGG GTACAGGTTC TGGGGGACCT GGACAGATGC CGCTACCTCT 480
AGCCGTGGCT GGACGATGTT ATGCAGCCAA GCACAGCACG TGCTGCTCTC GGGAAGCCCA 540 55 GGGCCTGAGG TCATTGCAGG GCGGCAGGTG GCCACAGGGT GCTCCCCAGA CCTCCCTCCT CCTCAGATTG CTGCTGTGGC CAGGCCCAGG ATTTCCAGCC CTATGGCTCT GAGTCCTCAC 720
ATGCTGGGGG CCCAGGGGAT ATGGACACAC TCCATCCAGG GATCCCTTCC TGCCATCTGG 780
GCAGCAACCA TGGGGACAAA GGGAGGAAGC AGAGTCCTGT TTCCTTGCCA CTTGTCCAAG 840
GCACTTCCCC ATCCTGACAG CGGCCCCAC CCAGCCCAGG ATCCTGGGCT GTGGTCTCAA 900 60 GCTCACTTCC CATTATCTTT GGGGCTGGGG CTGACATCAG GAGGACATCT GACTGGTGGA 960 TGGAGCCAGC CTGGGAACAT CGCAGCTGGG GCAGTGCCTA GGGCTCTCCC TTCCCAGGGA 1020 65 GACATGGAGA AGGGGGTTGA GGGAGGGCCC TTCCCTAGCC GCTGTGGCAA CTCCAGTGAG 1080 GACAGGAA AGGGGTGAG CCCAAGTCGG CAGCCCCAGC CCTGCAGTGC TGGGGACGCT 1140
GACAGGACAC GGGAAGAGGC CATGCTTTCC CTCGGGACCT GCTGTTCCAT GTGTCCCAAG 1200
CCCTCCTGCT TTCCAGATGG CCCCTCAGGA AACCACCTTT CCAGGGCCTC TGCTCCCTTG 1260
GGCGCTCGCT GGGTCTGCAT CAACGGAGTG TGGGTAGAGC CGGGAGGACC CAGCCCTGCC 1320
AGGCTGAAGG AGGGCTCCTC ACGGACACAC AGGCCAGGAG GCAAGCGTGG GCGTCTTTGCG 1380 70 GGCGGTAGCG CCGACACTGT GCGCTCTCCT GCAGACAGCC TCTCCATGTC AAGCTTCCAG 1440 TCCTTCAACA AGCAAGATTC AAAAGCTGAC GTCTCCCAGA AGGCGGACCT GGAAGAGGAG 1560 CCCTACTTC ACAACAGCAA GCTGGACAAA GTTCCTGGGG TACAAGGGCA GGCCAGAAAG 1620 GAGAAAGCAG AGGCCTCTAA TGCAGGAGCT GCCTGTATGG GGAACAGCCA GCACCAGGGC 1680 AGGCAGATGG GGGCGGGGGC ACACCCCCCA ATGATCCTGC CCCTTCCCCT GCGAAAGCCC 1740 75 ACCACACTTA GGCAGTGCGA AGTGCTCATC CGCGAGCTGT GGAATACCAA CCTCCTGCAG 1800

ACCCAAGAGC TGCGGCACCT CAAGTCCCTC CTGGAAGGGA GCCAGAGGCC CCAGGCAGCC 1860 CCGGAGGAAG CTAGCTTTCC CAGGGACCAA GAAGCCACGC ATTTCCCCAA GGTCTCCACC 1920 AAGAGCCTCT CCAAGAAAATG CCTGAGCCCA CCTGTGGCGG AGCGTGCCAT CCTGCCCGCA 1980 CTGAAGCAGA CCCCGAAGAA CAACTTTGCC GAGAGGCAGA AGAGGCTGCA GGCAATGCAG 2040 AAACGGCGCC TGCATCGCTC AGTGCTT<u>TGA</u>

Seq 1D NO: 28 <u>Protein sequence:</u>
Protein Accession #: FGENESH predicted

10

5

1 11 21 31 41 51

MSGAGVAAGT RPPSSPTPGS RRRRQRPSVG VQSLRPQSPQ LRQSDPQKRN LDLEKSLQFL 60
QQQHSEMLAK LHEEIEHLKR ENKGEPARGP RPALPPQAHS TLPLPQHRNT AINSSTRLGS 120
GGTQDGEPLQ TVLAHLAALA PVCQPSGYRF WGTWTDAATS SRGWTMLCSQ AQHVLLSGSP 180
GPEVIAGRQV ATGCSPDLPP PSRAEMGRNP WDSPCPARSL PQIAAVARPR ISSPMALSPH 240
MLGAQGIWTH SIQGSLPAIW AATMGTKGGS RVLFPCHLSK ALPHPDSGPH PAQDPGLWSQ 300
AHPPLSLGLG LTSGGHLTGG WSQPGNIAAG AVPRALPSQG DMEKGVEGGP FPSRCGNSSE 360
LFWAKCGPSR QPQPCSAGDA DRTREEAMLS LGTCCSMCPK PSCFPDGPSG NHLSRASAPL 420
GARWVCINGV WVEPGGPSPA RLKEGSSRTH RPGGKRGRLA GGSADTVRSP ADSLSMSSFQ 480
SVKSISNSAN SQGKARPQPG SFNKQDSKAD VSQKADLEEE PLLHNSKLDK VPGVQGQARK 540
EKAEASNAGA ACMGNSQHQG RQMGAGAHPP MILPLPLRKP TTLRQCEVLI RELWNTNLLQ 600
TQELRHLKSL LEGSQRPQAA PEEASFPRDQ EATHFPKVST KSLSKKCLSP PVAERAILPA 660
LKQTPKNNFA ERQKRLQAMQ KRRLHRSVL

25

Seq ID NO: 29 DNA sequence
Nucleic Acid Accession #: NM\_012319.2
Coding sequence: 138-2405 (underlined sequences correspond to start and stop codons)

51

30

CTCGTGCCGA ATTCGGCACG AGACCGCGTG TTCGCGCCTG GTAGAGATTT CTCGAAGACA 60 CCAGTGGGCC CGTGTGGAAC CAAACCTGCG CGCGTGGCCG GGCCGTGGGA CAACGAGGCC 120 35 GCGGAGACGA AGGCGCAATG GCGAGGAAGT TATCTGTAAT CTTGATCCTG ACCTTTGCCC 180 TCTCTGTCAC AAATCCCCTT CATGAACTAA AAGCAGCTGC TTTCCCCCAG ACCACTGAGA 240 AAATTAGTCC GAATTGGGAA TCTGGCATTA AAGCAGCTGC FTTCCCCCAG ACCACTGAGA 240
AAATTAGTCC GAATTGGGAA TCTGGCATTA ATGTTGACTT GGCAATTTCC ACACGGCAAT 300
ATCATCTACA ACAGCTTTTC TACCGCTATG GAGAAAATAA TTCTTTGTCA GTTGAAGGGT 360
TCAGAAAAAT ACTTCAAAAT ATAGGCATAG ATAAGATTAA AAGAATCCAT ATACACCATG 420
ACCACGACCA TCACTCAGAC CACGAGCATC ACTCAGACCA TGAGCGTCAC TCAGACCATG 480
AGCATCACTC AGACCACGAG CATCACTCTG ACCATGATCA TCACTCTCAC CATAATCATG 540
CTGCTTCTGG TAAAAATAAG CGAAAAAGCTC TTTGCCCCAGA CCATGACTCA GATAGTTCAG 600 40 GTAAAGATCC TAGAAACAGC CAGGGGAAAG GAGCTCACCG ACCAGAACAT GCCAGTGGTA 660 GAAGGAATGT CAAGGACAGT GTTAGTGCTA GTGAAGTGAC CTCAACTGTG TACAACACTG 720 GAAGGAATGT CAAGGACAGT GTTAGTGCTA GTGAAGTGAC CTCAACTGTG TACAACACTG 720
TCTCTGAAAGG AACTCACTTT CTAGAGACAÁ TAGAGACTCC AAGACCTGGA AAACTCTTC 780
CCAAAGAGTA AAGCAGCTCC ACTCCACCCA GTGTCACATC AAAGAGCCGG GTGAGCCGGC 840
TGGCTGGTAG GAAAACAAAT GAATCTGTGA GTGAGCCCCG AAAAGGCTTT ATGTATTCCA 900
GAAACACAAA TGAAAATCCT CAGGAGTGTT TCAATGCATC AAAGCTACTG ACATCTCATG 960
GCATGGGCAT CCAGGTTCCG CTGAATGCAA CAGAGTTCAA CTATCTCTGT CCAGCCATCA 1020
TCAACCAAAT TGATGCTAGA TCTTGTCTGA TTCATACAAG TGAAAAGAAG GCTGAAATCC 1080
CTCCAAAGAC CTATTCATTA CAAATAGCCT GGGTTGGTGG TTTTATAGCC ATTTCCATCA 1140
TCAGTTTCCT GTCTCTGCTG GGGGTTATCT TAGTGCCTCT CATGAATCGG GTGTTTTTCA 1200
AATTTCCCT GAGTTTCCTT GTGGCACTGG CCGTTGGGAC TTTGAGTGGT GATGCTTTTT 1260
TACACCTTCT TCCACATTCT CATGCAAGTC ACCACCATAG TCATAGCCAT GAAGAACAAG 1320
CAATGGAAAT GAAAAGAGGA CCACTTTTCA GTCATCTGTC TTCCAAAAC ATAGAAGAAA 1380
GTGCCTATTT TGATTCCACG TGGAAGGGCT TAACAGCCTT AGGAGGCCTG TATTTCATTGT 1440
TTCTTGTTGA ACATGTCCTC ACATTGATCA AACAACTTTAA AGGATAAGAAG AAAAAGAATC 1500 45 50 55 TICTIGTIGA ACATGICCTC ACATTGATCA AACAATTTAA AGATAAGAAG AAAAAGAATC 1500 AGAAGAAACC TGAAAATGAT GATGATGTGG AGATTAAGAA GCAGTTGTCC AAGTATGAAT 1560 CTCAACTTTC AACAAATGAG GAGAAAGTAG ATACAGATGA TCGAACTGAA GGCTATTTAC 1620 GAGCAGACTC ACAAGAGCC TCCCACTTTG ATTCTCAGCA GCCTGCAGTC TTGGAAGAAG 1680
AAGAGGTCAT GATAGCTCAT GCTCATCCAC AGGAAGTCTA CAATGAATAT GTACCCAGAG 1740
GGTGCAAGAA TAAATGCCAT TCACATTTCC ACGATACACT CGGCCAGTCA GACGATCTCA 1800
TTCACCACCA TCATGACTAC CATCATATTC TCCATCATCA CCACCACCAA AACCACCATC 1860 60 CTCACAGTCA CAGCCAGCGC TACTCTCGGG AGGAGCTGAA AGATGCCGGC GTCGCCACTT 1920
TGGCCTGGAT GGTGATAATG GGTGATGGCC TGCACAATTT CAGCGATGGC CTAGCAATTG 1980 65 GTGCTGCTT TACTGAAGGC TTATCAAGTG GTTTAAGTAC TTCTGTTGCT GTGTTCTGC 2040
ATGAGTTGCC TCATGAATTA GGTGACTTTG CTGTTTCACT ATGACGCATGC ATGACCGTTA 2100
AGCAGGCTGT CCTTTATAAT GCATTGTCAG CCATGCTGGC GTATCTTGGA ATGGCAACAG 2160
GAATTTTCAT TGGTCATTAT GCTGAAAATG TTTCTATGTG GATATTTGCA CTTACTGCTG 2220
GCTTATTCAT GTATGTTGCT CTGGTTGATA TGGTACCTGA AATGCTGCAC AATGATGGCTA 2280 70 GTGACCATGG ATGTAGCCGC TGGGGGTATT TCTTTTTACA GAATGCTGGG ATGCTTTTGG 2340 GTTTTGGAAT TATGTTACTT ATTTCCATAT TTGAACATAA AATCGTGTTT CGTATAAATT 2400 TCTAGTTAAG GTTTAAATGC TAGAGTAGCT TAAAAAGTTG TCATAGTTTC AGTAGGTCAT: 2460 AGGGAGATGA GTTTGTATGC TGTACTATGC AGCGTTTAAA GTTAGTGGGT TTTGTGATTT 2520 TTGTATTGAA TATTGCTGTC TGTTACAAAG TCAGTTAAAG GTACGTTTTA ATATTTAAGT 2580
TATTCTATCT TGGAGATAAA ATCTGTATGT GCAATTCACC GGTATTACCA GTTTATTATG 2640 75

TAAACAAGAG ATTTGGCATG ACATGTTCTG TATGTTTCAG GGAAAAATGT CTTTAATGCT 2700

	444000	044000	11 400054	144.44070		- 4	
		NM_014906		KIAA1072 protein	1	5.4	
	111951	-		KIAA0902 protein	1	3.8	
		AW137198		Phosphatidylglycerophosphate Synthase	1.4	3.5	
_		R49499	Hs.138238		1.5	3.6	
5		NM_003655	Hs.5637	ESTs	4.6	2	
		AW500106	Hs.23643	serine/threonine protein kinase MASK	3.3	10.5	
		Z42387	Hs.83883	transmembrane, prostate androgen induced	3.2	3	
		T16971		ESTs, Weakly similar to A43932 mucin 2 p	3.7	10.8	
10		AF019226	Hs.8036	glioblastoma overexpressed	4.5	3.7	
10		AW160683		hypothetical protein	1.2	4.4	
		AF143321	Hs.15572	hypothetical protein IMAGE 109914	0.9	3.6	
	113508	AL042936	Hs.211571	holocytochrome c synthase (cytochrome c	1.1	3.5	
	113531	AK001898	Hs.16740	hypothetical protein FLJ11036	1.2	3.9	
	113604	A1075407	Hs.296083	ESTs, Moderately similar to 154374 gene	1.7	5.3	
15	113674	NM_014214	Hs.5753	inositol(myo)-1(or 4)-monophosphatase 2	0.8	6.1	
	113841	W30681	Hs.146233	Homo sapiens cDNA: FLJ22130 fis, clone H	1.7	6.2	
	113857	AW243158	Hs.5297	DKFZP564A2416 protein .	1.2	4.6	
	113931	BE255499	Hs.3496	hypothetical protein MGC15749	1.5	4	
	113936	W17056	Hs.83623	nuclear receptor subfamily 1, group 1, m	3.8	1	
20	113987	AA345519	Hs.9641	complement component 1, q subcomponent,	1.2	4.7	
	114132	Al342493	Hs.24192	Homo sapiens cDNA FLJ20767 fis, clone CO	0.3	4.3	
	114156	BE179882	Hs.336920	glutathione peroxidase 3 (plasma)	1.1	4.3	
	114213	N58309	Hs.19575	CGI-11 protein	1.6	9.2	
	114636	AA075488		gb:zm88d01.s1 Stratagene ovarian cancer	1.6	3.7	
25	114760	AI929382	Hs.252692	hypothetical protein FLJ20343	1.4	4	
	114781	T10446	Hs.95388	ESTs	1	4.3	
	114795	AB037858	Hs.173484	hypothetical protein FLJ10337	1.6	9.2	
	114901	AV660012		hypothetical protein FLJ10788	1.4	5.2	
	115096	AI683069	Hs.175319	ESTs	3.7	1	
30	115518	BE541042	Hs.23240	Homo sapiens cDNA: FLJ21848 fis, clone H	3.2	4.2	
	115646	N36110	Hs.305971	solute carrier family 2 (facilitated glu	1.5	3.9	
	115764	AW582256	Hs.91011	anterior gradient 2 (Xenepus laevis) hom	1.3	5.9	
	115802	AW410233	Hs.206521	YME1 (S.cerevisiae)-like 1	1.7	6.6	
	115994	AB037836	Hs.109315	KIAA1415 protein	1.5	9.1	
35	116032	BE383668	Hs.42484	hypothetical protein FLJ10618	0.9	4.3	
	116046	BE395293	Hs.94491	hypothetical protein FLJ20297	1.6	5.5	
	116274	Al129767	Hs.182874	guanine nucleotide binding protein (G pr	3.2	2.4	
	116310	Z24854	Hs.42299	ESTs	0.8	4.7	
40	116356	AI371223	Hs.288671	Homo sapiens cDNA FLJ11997 fis, clone HE		3.9	
40		AF191018		putative nucleotide binding protein, est	5.5	5.5	
		AA313607	Hs.58633	Homo sapiens cDNA: FLJ22145 fis, clone H	5	1.3	
	116470	AI272141	Hs.83484	SRY (sex determining region Y)-box 4	8.7	4.5	
		D21262	Hs.75337	nucleolar and coiled-body phosphprotein	3.2	6.9	
4.5		AW888411	Hs.81915	leukemia-associated phosphoprotein p18 (	3.2	3	
45		AI557212	Hs.17132	ESTs, Moderately similar to 154374 gene	3.1	8.3	
		H25836		ESTs, Moderately similar to unknown [H.s	3.2	4.5	
		N25929	Hs.42500	ADP-ribosylation factor-like 5	7	5.5	
		N20066		PTPRF interacting protein, binding prote	1.2	6.2	
<b>~</b> ^		M18217		Homo sapiens cDNA: FLJ21409 fis, clone C	4.5	2.4	
50		Al383467	Hs.44597	ESTs	1.4	4.2	
	117667	U59305	Hs.44708	Ser-Thr protein kinase related to the my	4.3	0.5	
		AF161470		butyrate-induced transcript 1	2.1	5.7	
		BE327311	Hs.47166	HT021	3.6	7.7	
		N66845		gb:za46c11.s1 Soares fetal liver spleen	4.2	0.5	
55		AL353944	Hs.50115	Homo sapiens mRNA; cDNA DKFZp761J111		3.5	3.3
		N67343		gb:yz50b07.s1 Morton Fetal Cochlea Homo	2.1	3.8	
		AF142419	Hs.15020	homolog of mouse quaking QKI (KH domain	3.7	1.5	
		BE048061	Hs.37054	ephrin-A3	3	1.1	
		BE218319	Hs.5807	GTPase Rab14	1.1	5.6	
60		BE041667	Hs.314544		1.4	4.3	
		A1905687	Hs.2533	EST	3.2	1	
		AL050097	Hs.272531	DKFZP586B0319 protein-	4.3	0.7	
		BE565849	Hs.14158	copine III	3.5	1.9	
65		AA235207		hypothetical protein DKFZp762F2011	1.5	3.7	
65		AW968080		Homo sapiens clone 24630 mRNA sequence		1.4	
		AF150208		damage-specific DNA binding protein 1 (1	1.6	6.8	
	120867	AA350781	Hs.96967	ESTs	1.1	3.6	

					4.5	4.4	
		3E262956		· · · · · · · · · · · · · · · · · · ·	1.5 2.2	4.1 5.5	
					2.2 3.4	3.2	
	122223			.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	3.9	3.9	
5		AB032948			1.4	7.1	
	122946 /				1.4	3.7	
	123155 /	AF121856			1.2	4.9	
		AF161426		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2.4	3.6 5.2	
10		AA421581	Hs.178443		0.9 1.3	5.2 5.1	
10	123495	w28673 AA608657		serine carboxypeptidase 1 precursor prot qb:ae55d04.s1 Stratagene lung carcinoma	2.1	5.2	
		AA608751		J	2.1	9.3	
		A1932318	Hs.188762	ESTs, Moderately similar to H2BL_HUMAN H	1.1	3.6	
		AL050184		DKFZP434B203 protein	1.1	3.5	
15	123999	AF084555		cyclic AMP phosphoprotein, 19 kD	1.4	3.8	
		BE563957		activated RNA polymerase II transcriptio	1.9	11.2	
		AB037860	HS.1/3933	nuclear factor I/A	1.5 14.8	4.4 11.5	
		BE387335		ESTs, Weakly similar to S64054 hypotheti hypothetical protein FLJ22174	1.2	6.2	
20		AW195237 BE300094		lectin, galactoside-binding, soluble, 1	2.5	12.7	
20		AU077333		erythrocyte membrane protein band 7.2 (s	1	4.1	
		BE613340		Homo sapiens, Similar to RIKEN cDNA 9430	1.5	8.4	
		AK001552	Hs.215766	GTP-binding protein	1.8	10.2	
	124375			KIAA0265 protein	1.1	4.8	
25	124432			ESTs, Weakly similar to ALUC_HUMAN !!!!	1.3	4.1 4.3	
	124447			gb:yy98e12.s1 Soares_multiple_sclerosis_ cell division cycle 42 (GTP-binding prot	2.7 2.1	5.7	
	124539	A1393320	Hs.104573		1	4.1	
	124564		Hs.108275		1.4	4	
30		AL036596		A kinase (PRKA) anchor protein 2	0.7	4	
		AA749315	Hs.77171	minichromosome maintenance deficient (S.	1.1	3.5	
	124639	H60193	Hs.21143	DKFZP586C1324 protein	1.4	3.6	
		AI680737		Homo sapiens cDNA FLJ11918 fis, clone HE		9.9	
25		BE270465	Hs.78793	protein kinase C, zeta	0.7	4 3.6	
35		AW408586	Hs.76288	ESTs, Moderately similar to ALU5_HUMAN A calpain 2, (m/II) large subunit	1.3	3.9	
	124703	BE410405	Hs.48712	hypothetical protein FLJ20736	1.8	4.2	
	124842		110110112	gb:yg93h09.s1 Soares infant brain 1NIB H	1	3.6	
		AF068846	Hs.103804	heterogeneous nuclear ribonucleoprotein	3.2	3.4	
40	124949	A1903210	Hs.336780	tubulin, beta polypeptide	1	4.4	
		AL023513		seizure related gene 6 (mouse)-like	0.9	5.2	
	124995		Hs.110044		0.9 1.2	3.5 5	
		AA610577	Hs.187775 Hs.5167	Homo sapiens mRNA; cDNA DKFZp434F152		1.5	3.7
45	125054	BE548446	Hs.3343	phosphoglycerate dehydrogenase	0.9	6	•
73		AA973971	113.00 10	gb:oq02h08.s1 NCI_CGAP_Lu5 Homo sapier		1 3.7	
	125090			gb:ye20f05.s1 Stratagene lung (937210) H	3.2	2.5	
•	125103	AA570056	Hs.122730	ESTs, Moderately similar to KIAA1215 pro	5.3	6.6	
~~		W38419		gb:zc78a07.s1 Pancreatic Islet Homo sapl	0.9	6.1	
50		AA837043	Hs.143669		1.1 1.1	4.3 4.1	
		AK000669 AL020996	Hs.8518	TRF2-interacting telomeric RAP1 protein selenoprotein N	1.1	3.8	
	125181		Hs.12396	ESTs, Weakly similar to 2004399A chromos	1	3.6	
		W67577	Hs.84298	CD74 antigen (invariant polypeptide of m	1.2	7.8	
55		H05635	Hs.294030	topolsomerase-related function protein 4	1	4.9	
		AW884980	Hs.171957		1.3	4.8	
		BE612888	Hs.180224		1.1	16.1	
		W27235	Hs.64311	a disintegrin and metalloproteinase doma	1.4	5.3 8.7	
60		Z45258	Hs.286013 Hs.76550	short coiled-coil protein Homo sapiens mRNA; cDNA DKFZp564B126	2.4 34 (f	1.8	4.6
60		AW630088 AW504721		high density lipoprotein binding protein	1.9	3.8	,.0
		AW160399	Hs.30376	hypothetical protein	1.4	4.1	
		BE384361		ESTs, Weakly similar to JC5024 UDP-galac	2	3.7	
		AA057593	Hs.334762	hypothetical protein FLJ14735	1.3	4.1	
65	127095	AA340277	Hs.10248	Homo sapiens cDNA FLJ20167 fis, done CO	1.3	5	
		AI243596	Hs.94830	ESTs, Moderately similar to T03094 A-kin	4.3 1.5	0.9 4.7	
	128312	J04182	Hs.150101	lysosomal	1.0	7.7	

	400450			en			
	128453				1.2	4.3	
	128460			ESTs, Highly similar to LDHH_HUMAN L-LAC		44.4	
	128491				0.6	13.1	
5		NM_005904			1.3	4	
J		NM_003478	Hs.101299		1	5.1	
		AI185977 NM_014721			0.8 1.3	4 3.7	
		AA432202			1.3	3.9	
	128653				1.2	3.6	
10			He 324275		0.8	4.1	
10		BE246444	Hs.283685		3	1.6	
		AK001564	Hs.104222		2.8	4.8	
		AA476220			1.1	10.6	
		AF026692			1	3.8	
15	128805	AA194554			5.3	5.3	
	128827	A1638184		Homo sapiens clone 23836 mRNA sequence		5.3	
	128840	Al917602	Hs.106440		1	4.5	
	128869	AA768242	Hs.80618	hypothetical protein DKFZP566D193 protein CoopaCrisp	0.8	3.6	
	128889	D60985	Hs.106909	DKFZP566D193 protein	4.6	3.7	
20	128890	Al222020	Hs.182364	CocoaCrisp hypothetical protein programmed cell death 5 hypothetical protein FLJ20585 MDS023 protein hypothetical protein	3	1.5	
	128915	AK000140	Hs.107139	hypothetical protein	0.2	3.9	
		AA622037	Hs.166468	programmed cell death 5	2.5	15.2	
		AF155096	Hs.107213	hypothetical protein FLJ20585	4	4	
25		AA298958	Hs.10724	MDS023 protein	1.2	4.5	
25						5	
		AW953622			2.3	5.6	
		AB020716			0.9	3.9	
		AW271217		Homo sapiens cDNA FLJ14028 fis, clone HE		3.6	20
30		AA258924		NM_002495*:Homo sapiens NADH dehydroge		0.8	3.8
50	129005	AI770025		hypothetical protein FLJ22059 Homo sapiens cDNA FLJ14368 fis, clone HE	1.2	5.7 9.9	
		AA371156			2.1	3.8	1
		A1634522			1.2	3.8	
		AW504486			1.2	5.5	
35		BE543205			0.5	3.7	
-		AB002450		CGI-109 protein	1	5.2	
		AW881089		Homo sapiens mRNA; cDNA DKFZp566M094		1.5	7
	129151			C-terminal binding protein 2	2.1	9.7	
	129230	AA335362			0.9	8.6	
40	129234	M18916		glucosidase, beta; acid (includes glucos	1.1	3.5	
	129238	BE542214	Hs.109697	ESTs	1.1	12.8	
		W57656			3.2	5.1	
		AI878857		hematological and neurological expressed	1.9	5.7	
4.5		BE169531		TAK1-binding protein 2; KIAA0733 protein	1.2	6.6	
45		R49920		CGI-131 protein	1.5	3.5	
		AA344367		Empirically selected from multiple AFFX	1	5.4	
		AA250970		poly(A)-binding protein, cytoplasmic 1-l	1.3	4.1	
		AF077200		hypothetical protein ras homolog gene family, member H	1.6	3.9	
50		AA357185			1.8	4.2	
50		AB007896 AA318224	Hs.110 Hs.296141	putative L-type neutral amino acid trans	1.1	6.1 4.8	
		W94197	He 110166	ribosomal protein L26 homolog	2.5 1.6	5.1	
		AF189062		tumor metastasis-suppressor	1.8	6.5	
		AW511656	Hs 170177		0.9	4	
55		U30246	Hs.110736	solute carrier family 12 (sodium/potassi	1.4	9.2	
		BE278964		CGI-111 protein	1	4.8	
		AA318271	Hs.250905	hypothetical protein	1	4.1	
	129416	AA016188		hypothetical protein	1.8	10.7	
	129427	AI498631	Hs.111334	ferritin, light polypeptide	1.1	4.8	
60	129470	W92931	Hs.250899	heat shock factor binding protein 1	1.8	9.3	
	129472	AL050260	Hs.323817	DKFZP547E1010 protein	1	5	
		NM_004477		FSHD region gene 1	1.1	4.2	
		AA449789	Hs.75511	connective tissue growth factor	1.9	6.8	
<i>( 5</i>		A1631811		STRIN protein	1.1	9.7	
65		AA769221		delta-tubulin	1.1	4.3	
		R18087		cisplatin resistance related protein CRR junctional adhesion molecule 1	1 2.3	4.2	
	1293/9	AW517695	113.200210	juneaunai aunesiun muiecuid 1	د.ن	3.5	

		AW968941	Hs.166254	hypothetical protein DKFZp566I133	2.4	4.4
		AA209534		tetraspan NET-6 protein	3.2	13
		D79338		CCR4-NOT transcription complex, subunit	1.6	4.6
_		AL110212		purine-rich element binding protein B	1.1	5.7
5		AB020335		sel-1 (suppressor of lin-12, C.elegans)-	0.9	4.3
		A1207406	Hs.11866	translocase of inner mitochondrial membr	1.9	4.8
		AW889132	Hs.11916	ribokinase	0.9	4.1
		U53209	Hs.24937	transformer-2 alpha (htra-2 alpha)	1.3	4.7
10		M26939 U46386	Hs.119571	• • • • • • • • • • • • • • • • • • • •	4.7	3.7
10		AL050272	Hs.12102 Hs.12305	sorting nextin 3	1.2 1	3.6
		BE397454		DKFZP566B183 protein Homo sapiens clone 24707 mRNA sequence		8.9
		BE218319	Hs.5807	GTPase Rab14	2.9	3.6 5.1
		M62839	Hs.1252	apolipoprotein H (beta-2-glycoprotein I)	0.3	5.1
15		AF052112	Hs.12540	lysosomal	1.6	8.8
		AL080084		CGI-100 protein	0.9	5.3
		AW410233	Hs.206521	YME1 (S.cerevisiae)-like 1	1.8	9.9
		NM_014840		KIAA0537 gene product	0.9	3.6
		AA626937		hypothetical protein MGC2594	1.4	9.5
20	129878	Z43161		30 kDa protein	1.1	6.3
	129904	AL119499	Hs.13285	neuronal potassium channel alpha subunit	1	3.5
	129917	M30773	Hs.278540		2	5.1
,	129976	X14008	Hs.234734	lysosomal	0.9	4.9
	129982	Z14221		gb:H.sapiens germline transcript of lg h	1.2	3.6
25	130007	R15917	Hs.142570	Homo sapiens clone 24629 mRNA sequence	4.3	1.3
		BE277024	Hs.146381	RNA blnding motif protein, X chromosome	1.6	3.8
		X57815.comp		Empirically selected from AFFX single pr	1.2	8.2
		M93143		plasminogen-like	1.4	7.9
20		H97878		zinc finger protein 36 (KOX 18)	1.4	12.3
30		AK001635	Hs.14838	hypothetical protein FLJ10773	0.2	4.6
		W61005	Hs.14896	DHHC1 protein	1.	4.1
		AA916785		splicing factor proline/glutamine rich (	1.2	5.3
		T47294		X-box binding protein 1	3.8	0.8
35		NM_005095 BE094848		zinc finger protein 262	1	4.2
55		R42678	Hs.15113	homogentisate 1,2-dioxygenase (homogenti KIAA0564 protein	0.5 1	4
		M23115	Hs.1526	ATPase, Ca++ transporting, cardiac muscl	0.4	3.7 4.4
		BE278370	Hs.15265	heterogeneous nuclear ribonucleoprotein	1.7	7.5
		BE301883		glioblastoma amplified sequence	1	5.6
40		U29463		gb:Human cytochrome b561 gen	1.2	4.2
		U92014	Hs.153527	Homo sapiens pTM5 mariner-like transposo	1.3	3.6
	130281	W78907	Hs.15395	similar to arginyl-tRNA synthetase (argi	1.5	4.4
	130343	AB040914	Hs.278628	KIAA1481 protein	2.9	7.5
	130385	AW067800	Hs.155223	stanniocalcin 2	3.2	0.2
45		AW842182	Hs.241392	small inducible cytokine A5 (RANTES)	1.4	10.6
		AW163518		huntingtin interacting protein 2	1.7	11.7
		AA852868	Hs.132853	KIAA0171 gene product	1.1	5
		NM_006245		protein phosphatase 2, regulatory subuni	1.4	4.3
50		AW362955	Hs.15641		1.6	7.6
50	130479		Hs.12457	hypothetical protein FLJ10814	0.9	4.1
		AB007915	MS.158286	KIAA0446 gene product	1	3.8
		AI598022 AA232119		TAR DNA binding protein	1.3	4.7
	_		Hs.16085	putative G-protein coupled receptor	1.2	9.4
55		Al652143 BE242873		hypothetical protein FLJ13111	1	4.1
55		AL049963	Hs.16677	WD repeat domain 15 up-regulated by BCG-CWS	1.1	3.6
		AL045128	Hs.1691	glucan (1,4-alpha-), branching enzyme 1	0.6 0.9	3.8 6.6
		AL042896	Hs.1697	ATPase, H+ transporting, lysosomat (vacu	0.9	3.9
		AW073971		ESTs, Weakly similar to KiAA1204 protein	0.9	5.9 6.9
60		AI557212	Hs.17132	ESTs, Moderately similar to 154374 gene	2.6	3.9
		AF158555		glutaminase	1.2	13.8
		Al861791	Hs.278479		1.3	4
		Al831962	Hs.17409	cysteine-rich protein 1 (intestinal)	2.5	4
	130666	AL117508		KIAA0737 gene product	1.3	6.2
65		AI928985	Hs.17680	hypothetical protein MGC1314 similar to	1.4	3.9
	130693		Hs.17962	ESTs	3.2	0.8
	130694	NM_014827	Hs.17969	KIAA0663 gene product	1.1	4.8

	130696	AA325308	Hs.18016	Homo sapiens mRNA; cDNA DKFZp586H032	4 (f	1.8
		Z98883	Hs.18079	phosphatidylinositol glycan, class Q	1.1	6.7
		AW190925		hypothetical protein FLJ12701	1.2	4.1
5		AI932971	Hs.18593	Homo sapiens cDNA: FLJ21449 fis, clone C	1.4	6.9
,		AF072813 AA088809	Hs.252831 Hs.19525	hypothetical protein FLJ22794	1.2 1.8	11.2 6.8
		NM_001761	Hs.1973	cyclin F	1.3	4.1
		Y10805	Hs.20521	HMT1 (hnRNP methyltransferase, S. cerevi	3.2	5.9
		AB037750	Hs.21061	KIAA1329 protein	1	3.8
10	130908	AW195747	Hs.21122	hypothetical protein FLJ11830 similar to	1.3	7.9
	130911	BE409769	Hs.21189	DnaJ (Hsp40) homolog, subfamily A, membe	2.7	3.7
		BE390905	Hs.21198	translocase of outer mitochondrial membr	1.9	4
		H96115	Hs.21293		1.9	10.3
15		AB023182	HS.184523	KIAA0965 protein	1.5	6.8
13		AA393071 AA099923		leucine aminopeptidase PEST-containing nuclear protein	1.4 1.3	5.5 3.8
		BE243101	Hs.22391	chromosome 20open reading frame 3	1.9	4.1
		D87436	Hs.166318		1.6	3.5
		AA194422	Hs.22564	myosin VI	4.5	5
20		AL137682	Hs.22937	I-kappa-B-interacting Ras-like protein 2	2	3.7
		BE387561	Hs.22981	DKFZP586M1523 protein		4.5
		W27770		ESTs, Weakly similar to T31475 hypotheti	0.9	3.5
		BE620886	Hs.75354	GCN1 (general control of amino-acid synt	2.1	4.5
25		BE564123 AB033099	Hs.23060 Hs.23413	DKFZP564F0522 protein	1.1 1.2	4.6 4.2
23		AW953575		KIAA1273 protein p53-induced protein PIGPC1	4.5	13.5
		X77753	Hs.23582	tumor-associated calcium signal transduc	3.4	0.4
		Al472209	Hs.323117		0.8	4.9
	131164	AW013807	Hs.182265	keratin 19	3.3	2.4
30		H25094		ESTs, Moderately similar to I38022 hypot	0.6	4
		AW864222	Hs.24083	KIAA0997 protein	1.4	3.8
		AW979155		amino acid transporter 2	1.2	8.5
		AL050107 Al815486	Hs.24341	transcriptional co-activator with PDZ-bi Homo sapiens cDNA FLJ20738 fis, clone HE	0.7 2.1	4.7
35		D89053		fatty-acid-Coenzyme A ligase, long-chain	1.7	8.2 3.5
20		AW956868	Hs.24608	DKFZP564D177 protein	1.3	5.4
		AU077158	Hs.24930	tubulin-specific chaperone a	1.6	4.8
	131263	AU077002	Hs.24950	regulator of G-protein signalling 5	1.4	4.4
40		AI750575		nuclear factor I/A	3.3	2.2
40		AW293399		nuclear receptor co-repressor 1	1.6	3.9
		NM_006052	Hs.26146	Down syndrome critical region gene 3	1	11.1
		NM_014810 Al452601	Hs.92200	KIAA0480 gene product nuclear receptor subfamily 2, group F, m	5 0.9	2 3.5
		AW960146		hypothetical protein FLJ12888	1	3.5
45		BE270734	Hs.2795	lactate dehydrogenase A	2	6.5
	131524	AB040927	Hs.301804	KIAA1494 protein	1.5	10.7
		AU076408	Hs.28309	UDP-glucose dehydrogenase	1.3	4.7
		AF157326		TBP-Interacting protein	1.3	4.9
50		T47364		interferon, alpha-inducible protein 27	1.5	8
30		AA936296		DKFZP586G011 protein	1.8	3.5
		C18825 D83032	Hs.29191	epithelial membrane protein 2 nuclear protein	1.3 2.8	8.2 3.9
		BE514605		Homo sapiens cDNA: FLJ22380 fis, clone H	1.3	11.2
		H03514	Hs.10130	ESTs	1.3	4.8
55		C19034		Homo sapiens cDNA FLJ14175 fis, clone NT		9.7
		AF103798	Hs.30819	hypothetical protein	1.3	5.2
		AW160865	Hs.30888	cytochrome c oxidase subunit VIIa polype	1.3	7.8
		AF017986	Hs.31386	secreted frizzled-related protein 2	10.6	14.7
60		AI805664	Hs.31731	peroxiredoxin 5	1.1	3.6
00		AF077036 X62111	Hs.31989	DKFZP586G1722 protein gb:H.sapiens VII-5 gene for immunoglobul	1.6 1.1	3.7 3.5
		Al681917	Hs.3321	ESTs, Highly similar to IRX1_HUMAN IROQU		3.5 1.2
		NM_014874	Hs.3363	KIAA0214 gene product	0.6	4.2
		NM_004642	Hs.3436	deleted in oral cancer (mouse, homolog)	2.4	4.9
65	131913	AW207440	Hs.185973	degenerative spermatocyte (homolog Droso	2.4	6
		AA772603	Hs.69476	Homo sapiens cDNA FLJ12758 fis, clone NT	1.7	9.2
	131941	BE252983	Hs.35086	ubiquitin specific protease 1	0.5	5.2

	404047	41400000	11 400007	FOT-	0.7	
		Al123939	Hs.182997		0.7	4.1
	131961	AA129782	Hs.3576	Homo saplens mRNA full length insert cDN	0.9	4.8
	131964	AW381148	Hs.198365	2,3-bisphosphoglycerate mutase	1.1	6.1
	131974	AF208856	Hs.268122	hypothetical protein	1.3	3.9
5		AF119665		pyrophosphatase (inorganic)	3.3	6.9
•		AF229181		CS box-containing WD protein	0.9	5.2
		AW162336	Hs.3709	low molecular mass ubiquinone-binding pr	1.2	3.6
		BE277910	Hs.3833	3'-phosphoadenosine 5'-phosphosulfate sy	3.2	1.8
	132065	BE379335	Hs.211594	proteasome (prosome, macropain) 26S subu	1.2	3.6
10	132071	AF217798	Hs.3850	LIS1-interacting protein NUDEL; endootig	0.7	5.2
	132079	AI701457	Hs.38694	ESTs	2	5.3
		NM_016045	Hs.3945	CGI-107 protein	1.2	4.3
		AW960474		ESTs		
			Hs.40289		3.1	3.1
1.		AI752235	Hs.41270	procollagen-lysine, 2-oxoglutarate 5-dio	1.8	3.7
15	132181	AW961231	Hs.16773	Homo sapiens clone TCCCIA00427 mRNA se	equ	1.2
	132208	AL031709	Hs.241575	hypothetical protein CAB56184	1.4	4.2
	132258	AA306325	Hs.4311	SUMO-1 activating enzyme subunit 2	2	10.3
		BE177330		Homo sapiens cDNA: FLJ21210 fis, clone C	1.2	4.1
		U28831			5.9	
20			Hs.44566	KIAA1641 protein		1.6
20		NM_003542	Hs.46423	H4 histone family, member G	5.8	1.5
	132384	AA312135	Hs.46967	HSPCO34 protein	2.1	9.3
	132397	AA021160	Hs.4750	hypothetical protein DKFZp564K0822	1.3	4.6
	132413	AW361383	Hs.260116	metalloprotease 1 (pitrilysin family)	2	4.9
		AW970859	Hs.313503		1.2	5
25		BE388673	Hs.5086	hypothetical protein MGC10433	2	3.9
2.5		BE396290		•••		
			Hs.5097	synaptogyrin 2	1.4	5.1
		AF065391		zinc finger protein 265	1.2	4
	132575	AV660538		60S ribosomal protein L30 isolog	3	1.7
	132585	AF029750	Hs.179600	TAP binding protein (tapasin)	1.8	4.7
30	132602	AW606927	Hs.5306	hypothetical protein DKFZp586F1122 simil	1.6	4.9
		AA353044	Hs.5321	ARP3 (actin-related protein 3, yeast) ho	1.8	8.1
		NM_004600	Hs.554	Slogren syndrome antigen A2 (60kD, ribon	4.2	2
		Al264357	Hs.55405	hypothetical protein MGC16212	1.1	5.3
25		AK000868	Hs.5570	hypothetical protein FLJ10006	1.4	5.2
35	132765	BE222975	Hs.56205	insulin induced gene 1	1.1	5.8
	132782	F07424	Hs.279840	zinc finger protein 222	1.3	3.7
	132793	AB020713	Hs.56966	KIAA0906 protein	2.3	6.3
		AW975748	Hs.5724	sclerostin	0.7	7.7
		BE268048				
40				RAB10, member RAS oncogene family	1.8	6.2
40		D63209	Hs.5944	solute carrier family 11 (proton-coupled	1.5	20.8
	132930	AA579258	Hs.6083	Homo sapiens cDNA: FLJ21028 fis, clone C	1	3.8
	132932	AW118826	Hs.6093	Homo saplens cDNA: FLJ22783 fis, clone K	0.7	5.4
	132933	BE263252	Hs.6101	hypothetical protein MGC3178	1.6	4.1
		Al248173		hypothetical protein MGC12936	1	4.2
45		BE539199	Hs.62112	zinc finger protein 207	1.5	4.4
73						
		X77343		transcription factor AP-2 alpha (activat	13.9	8.0
		Y00062	Hs.170121		0.6	4.6
	133002	AW499985	Hs.42915	ARP2 (actin-related protein 2, yeast) ho	1.5	11.1
	133011	NM_006379	Hs.171921	sema domain, immunoglobulin domain (Ig),	3.5	1
50	133012	AA847843	Hs.62711	Homo sapiens, clone IMAGE:3351295, mRNA	.1	4.5
	133040	AW502761	Hs.30909	KIAA0430 gene product	0.9	5.5
		H12028	Hs.6396	jumping translocation breakpoint	1.7	5.3
		AI654133	Hs.30212	thyroid receptor interacting protein 15	0.6	4.9
بر بر		AK000708	Hs.169764		1.2	3.5
55		AF089816	Hs.6454	chromosome 19 open reading frame 3	1.2	17.5
	133110	AA808177	Hs.65228	ESTs	0.9	5.1
	133150	AV655783	Hs.661	Empirically selected from AFFX single pr	1,1	4.5
		AW955632	Hs.66666	ESTs, Weakly similar to S19560 proline-r	1.5	4.8
		AF231981	He 250475	homolog of yeast long chain polyunsatura		
60					5.5	5.9
60		AA464362	Hs.6748	hypothetical protein PP1665	1.2	3.7
		AB037773	Hs.6762	hypothetical protein	1.6	8.6
		W32474	Hs.301746	RAP2A, member of RAS oncogene family	2.4	4.8
	133229	AL137480	Hs.6834	KIAA1014 protein	1	4.2
		AW796524	Hs.68644	Homo sapiens microsomal signal peptidase	1.3	3.9
65		BE617892	Hs.6895	actin related protein 2/3 complex, subun	1.4	5.4
55		Z48633		H.sapiens mRNA for retrotransposon		0.7
		N27672			3.1	
	133213	1421 01 2	Hs.69469	dendritic cell protein	2.5	6.5

	133287	AW797437	Hs.69771	B-factor, properdin	1.3	4	
		BE297855	Hs.69855	NRAS-related gene	1.4	5	
			Hs.699	peptidylprolyl isomerase B (cyclophilin	2.2	6.8	
			Hs.69997	zinc finger protein 238	1.5	4.3	
5			Hs.70333	hypothetical protein MGC10753	1.4	6.3	
				apolipoprotein A-II	0.2	3.6	
	133308			H factor 1 (complement)	0.6	5	
	133347	BE257758	Hs.71475	acid cluster protein 33	1.2	4.2	
	133370		Hs.72157	DKFZP564l1922 protein	3.7	5.8	
10	133404	AB007916	Hs.214646	KIAA0447 gene product	1.4	5.1	
	133408	Al738719	Hs.198427	hexokinase 2	0.9	6.3	
			Hs.73287	KIAA1235 protein	1.2	3.7	
			Hs.7378	Homo sapiens mRNA; cDNA DKFZp434G227	(fr	0.7	4.8
			Hs.288168	immunoglobulin lambda-like polypeptide 1	1.1	4.3	
15			Hs.7381	voltage-dependent anion channel 3	0.7	4.2	
			Hs.74284	hypothetical protein MGC2714	3.1	5.9	
		_	Hs.74316	desmoplakin (DPI, DPII)	4.3	11.5	
			Hs.74346	hypothetical protein MGC14353	1.8	19.7	
20			Hs.74579	KIAA0263 gene product	1.2	5.4	
20	133574			Empirically selected from AFFX single pr	1.4	3.9	
			Hs.225936		0.8	4.9	
	133589		Hs.75104	RNA-binding protein S1, serine-rich doma	2	10.8	
			Hs.75111	protease, serine, 11 (IGF binding)	2.1	4.5	
25·			Hs.75188	wee1+ (S. pombe) homolog	3.3	1.1	
23			Hs.75249	ADP-ribosylation factor-like 6 interacti	2.3	5.6	
			Un 2024EA	dihydropyrimidinase-like 2 popeye protein 3	0.8	13.5	
			Hs.75438	quinoid dihydropteridine reductase	1	9.1	
				mitogen-activated protein kinase 6	0.5 1.1	5.8	
30				zinc finger protein 146	1.8	6.9 3.8	
50			Hs.75544	tyrosine 3-monooxygenase/tryptophan 5-mo	1.5	11.1	
				heterogeneous nuclear ribonucleoprotein	2	3.9	
	133708		Hs.75667	synaptophysin	0.6	3.5	
			Hs.75824	KIAA0174 gene product	1.2	7.2	
35			Hs.75847	CREBBP/EP300 inhibitory protein 1	1.5	5	
			Hs.75873	zyxin	1.2	4.8	
	133765		Hs.75929		3.2	4.1	
	133776	BE268649	Hs.177766	ADP-ribosyltransferase (NAD+; poly (ADP-	2.1	3.8	
	133799		Hs.76285	DKFZP564B167 protein	1.9	12.6	
40			Hs.76293	thymosin, beta 10	2.6	6.6	
			Hs.76297	G protein-coupled receptor kinase 6	1	4.9	
	133806		Hs.76325		0.5	3.8	
			Hs.7644	H1 histone family, member 2	1.5	4.5	
15			Hs.76550	Homo sapiens mRNA; cDNA DKFZp564B1264		3.7	5.6
45			Hs.76688	carboxylesterase 1 (monocyte/macrophage	0.3	4.4	
			Hs.76704	ESTs	5.5	2.9	
			Hs.76930	synuclein, alpha (non A4 component of am	0.6	4.8	
	133887		Hs.77271	protein kinase, cAMP-dependent, catalyti	1	10.2	
50			Hs.301497	arginyltransferase 1 calumenin	0.9	4.8	
50			Hs.7753 Hs.77542	ESTs	2.8	10.5	
			Hs.7756	proteasome (prosome, macropain) 26S subu	1.8	5.6	
	133947		Hs.77810	nuclear factor of activated T-cells, cyt	1.5	6.6	
				v-Ki-ras2 Kirsten rat sarcoma 2 viral on	0.9	3.8 4.3	
55				von Hippel-Lindau syndrome	2.3	4.3	
			Hs.78202	SWI/SNF related, matrix associated, acti	3.3	3.4	
			Hs.7822	Homo sapiens mRNA; cDNA DKFZp564C121		1.3	5.7
			Hs.143601	hypothetical protein hCLA-iso	1	6.5	0.7
			Hs.78683	ubiquitin specific protease 7 (herpes vi	1.7	3.6	
60	134042		Hs.7869	lysosomal	1	7.5	
			Hs.78825	matrin 3	1.2	4	
	134095	NM_004354	Hs.79069	cyclin G2	2.7	4.8	
	134098		Hs.79086	mitochondrial ribosomal protein L3	3.3	2.1	
	134207	Z43039		KIAA0009 gene product	1.3	3.5	
65			Hs.80019	programmed cell death 6	1.7	6.9	
		U77735	Hs.80205	pim-2 oncogene	0.8	5.3	
	134270	X68194	Hs.80919	synaptophysin-like protein	1.4	11.4	

	404077	NINA 004260	Un 00000	collagen, type VI, aipha 3	2.6	3.5
		NM_004369 NM_000712	Hs.80988 Hs.81029	comegon, the sale con	1.8	5.8
		AI022650	Hs.8117		1.1	3.6
		R00603	Hs.8128		1.1	5.9
5		NM_001430	Hs.8136	F	0.5	4.8
•		AL037800	Hs.8148	selenoprotein T	1.7	7.9
	134343	D50683	Hs.82028		0.8	7.6
	134364	X76534	Hs.82226	glycoprotein (transmembrane) nmb	2.2	3.6
	134374	N22687	Hs.8236	ESTs	1.9	3.6
10		AL035786	Hs.82425	actin related protein 2/3 complex, subun	1.5	8.3
		BE512856			1.1	3.6
		A1750762	Hs.82911	protein tyrosine phosphatase type IVA, m	1.9 1.2	4.6 7.5
		NM_006416	Hs.82921 Hs.82985	solute carrier family 35 (CMP-sialic aci collagen, type V, alpha 2	6.6	8.7
15		AU077196 Z23024			2	3.9
13		NM_013230		CD24 antigen (small cell lung carcinoma	3.5	1.1
		D86981	Hs.84084	amyloid beta precursor protein (cytoplas	1.5	4.4
		W84869		eukaryotic translation initiation factor	1.2	5.7
		AW960673		ATP synthase, H+ transporting, mitochond	1.3	3.9
20	134520	BE091005	Hs.74861	activated RNA polymerase II transcriptio	1.8	4.3
	134528	M23161	Hs.84775	Human transposon-like element mRNA	0.8	5.6
		AI902899	Hs.85155	butyrate response factor 1 (EGF-response	1.4	5
		AI203545		S-phase response (cyclin-related)	0.8	3.9
25		NM_016142		steroid dehydrogenase homolog	1.3 0.9	5.7 3.7
25		AB033017	Hs.8594	KIAA1191 protein exportin, tRNA (nuclear export receptor	4	6.8
		BE244323 AW936928	Hs.85951 Hs.85963	DKFZP564M182 protein	2.2	4.3
		AA927177	Hs.86041	CGG triplet repeat binding protein 1	1.6	3.6
		AF078859	Hs.86347	hypothetical protein	2.1	3.5
30		AF265208		SWI/SNF related, matrix associated, acti	1.7	4.2
-		AK000606	Hs.8868	golgi SNAP receptor complex member 1	4.4	0.9
	134737	D17530	Hs.89434	drebrin 1	3.1	1.6
	134762	T51986	Hs.283108	hemoglobin, gamma G	0.5	4.6
~ ~		AA428520	Hs.90061	progesterone binding protein	1.3	3.7
35		J03464		collagen, type i, alpha 2	8.7	17.3
		AA587775	Hs.66295	multi-PDZ-domain-containing protein	1.7 3.4	4 0.9
		AB020689	Hs.90419 Hs.90458	KIAA0882 protein serine palmitoyltransferase, long chain	1.3	6.9
		Al803761 AJ002030	Hs.9071	progesterone membrane binding protein	1.4	9.6
40		R51083	Hs.90787	ESTs	1	10.1
40		BE089782	Hs.9877	hypothetical protein	1.9	3.9
		AF005043	Hs.91390	poly (ADP-ribose) glycohydrolase	1	4.3
	134970	BE560779	Hs.284233	NICE-5 protein	1.4	10.4
	134982	AK002085	Hs.92308	Homo sapiens cDNA FLJ11223 fis, clone PL	1.6	4.1
45		AB037835	Hs.92991	KIAA1414 protein	1.2	5.6
		AW301984		hypothetical protein FLJ12619	1.7	7.6
		AL034344		forkhead box C1	3.2 4.2	.0.6 4.1
		Al272141 AK001887	Hs.83484	SRY (sex determining region Y)-box 4 protein kinase, AMP-activated, gamma 2 n	1.3	4.8
50		AK000967	Hs.93872	KIAA1682 protein	2	3.7
50		AW503733	Hs.9414	KIAA1488 protein	2.8	3.7
		AB017363	Hs.94234	frizzled (Drosophila) homolog 1	2.4	4.8
		T97257		ESTs, Moderately similar to 138022 hypot	1.4	5.8
	135143	AA132813	Hs.69559	KIAA1096 protein	1.8	8.5
- 55 ·		BE563088	Hs.9552	binder of Arl Two	1.2	6.8
	135172	AB028956	Hs.12144	KIAA1033 protein	3.1	1.4
	135181	BE250865		px19-like protein	1.3	7.5
	135222	AA534009		interferon stimulated gene (20kD) ESTs, Moderately similar to ALU7_HUMAN A	1.3	3.8 3.9
60	135232	AL038812 AW372569	Hs.96800 Hs.9788	hypothetical protein MGC10924 similar to	0.9	8.4
60	135203	AA331901		hypothetical protein FLJ10097	1	3.8
	135201	T83882	Hs.97927	ESTs	1.2	3.5
	135349	AA114212	Hs.9930	serine (or cysteine) proteinase inhibito	2.6	8.9
	135357	AI565004	Hs.79572	cathepsin D (lysosomal aspartyl protease	2.5	5.4
65	135398	M16029		ret proto-oncogene (multiple endocrine n	0.4	7.9
	135399	W79431	Hs.326249		1.5	4.5
	135400	X78592	Hs.99915	androgen receptor (dihydrotestosterone r	3.2	1.8

	302892	R99693 AW176909 AW673106	Hs.42346	Homo sapiens cDNA FLJ12843 fis, clone NT calcineurin-binding protein calsarcin-1 mitochondrial ribosomal protein L43	3.6 3.3 0.9	3.6 1.6 4.2			
_	303131	AW081061		DC2 protein	3	17.3			
5	303150	AA887146	Hs.8217	stromal antigen 2	6.2	4			
	310125			mitochondrial import receptor Tom22	1.2	6.6			
•		AA233808	Hs.286241	protein kinase, cAMP-dependent, regulato	1	3.5			
	319429	BE616412	Hs.286218	junctional adhesion molecule 1	1.5	4.7			
10	320591	AA054761	Hs.169149	karyopherin alpha 1 (importin alpha 5)	1.2 .	5.6			
10		AA412048		CGI-39 protein; cell death-regulatory pr	1.3	3.5	•		
			Hs.65450	reticulon 4	1.2	13.9	•		
		AF279145	Hs.8966	hypothetical protein FLJ21776	2	5.1			
			Hs.295953		1.3	3.9			
1.5		-		liver-specific bHLH-Zip transcription fa	1.5	6.2			
15				putative heme-binding protein	2	11.3		•	
				ESTs, Moderately similar to 138022 hypot	1.7	3.6			
					3.3	2.8			
				calmodulin 1 (phosphorylase kinase, delt	1.3	4.7			
20		AA523543	Hs.7678	cellular retinoic acid-binding protein 1	1.1	3.7	* *		
20		AA361562		26S proteasome-associated pad1 homolog	3.2	2.5			
		Al355260		histone deacetylase 3	2.8	22			
		AW601325		Homo sapiens mRNA; cDNA DKFZp566M063		1.1	5.2		
		X99209			1.8	8.8			
25		R23553		hypothetical protein	1.1	5.6			
23		BE395875		mitochondrial carrier homolog 2	1.5	6.1			
		BE407127	Hs.8997	heat shock 70kD protein 1A	1.3	7.6			
		AB001636	Hs.5683	DEAD/H (Asp-Glu-Ala-Asp/His) box polypep	1.6	6.5			
		BE616412		junctional adhesion molecule 1	1.3	3.5			
30		R60366	Hs.5822	Homo sapiens cDNA: FLJ22120 fis, clone H	2	5.7			
30		BE513940 AL042986	Hs.6101	hypothetical protein MGC3178	1.1	6.2			
			Hs.7857	erythrocyte membrane protein band	0.5	3.7			
		BE281316 H51066	Hs.47334 Hs.23581	hypothetical protein FLJ14495	2.5	4.9			
				leptin receptor gene-related protein hypothetical protein FLJ10706	1.1 1.4	3.6 3.5			
35		N73222		matrix Gla protein	4 .	11.2			
55		Al634651	Hs.30250	v-maf musculoaponeurotic fibrosarcoma (a	0.8	5.6			
	402000	RC_H15847_s		peptidylprolyl isomerase B (cyclophilin B)	1.8	4.8			
		RC_W84712		calumenin	3.5	4.6			
		X14008_ma1_	f	lysozyme (renal amyloldosis)	0.9	4.5			
40		RC_H86543_f			1.8	6.6			
		H07011		ESTs; Weakly similar to SAS [H.sapiens]	1.8	3.9			
		RC_AA164586	s	To ref victing entines to orth [checkens]	ESTs	6.2	0.8		
		RC_AA070485		Homo sapiens clone 23967	3.4	2.6			
		RC_H98714_s		ESTs	1.6	3.5			
45		RC_AA406145			ESTs	4.6	3		
		AA458584		SRY (sex determining region Y)-box 4	3.4	0.4			
		AA031548		cell division cycle 42 (GTP-binding protein; 25	kD)	3.1	3.9		
		X02761		fibronectin 1	3.6	15.2			
		RC_AA487193	<b>.</b>	secreted frizzled-related protein 4	4.7	4			
50		R25326		Homo sapiens mRNA for putative vacuolar	0.9	5			
		RC_AA393805		ESTs; Weakly similar to (defline not	1.1	8.4			
		RC_AA449333		ESTs	2.9	4.6			
		RC_AA287681			ESTs	1.3	4		
		RC_AA490864		ESTs; Highly similar to heat shock factor	1.4	5			
55		RC_C14243_f		ESTs; Highly similar to heat shock factor	1.7	5			
		R21443		ESTs	1.6	3.7			
		RC_AA251902	!	Homo sapiens lysophospholipase (LPL1)	2.2	3.8			
		M21121_s	•	small inducible cytokine A5 (RANTES)	0.9	9.9			
60		C00038_s		ESTs	2.8	4.8			
60		Y00503		keratin 19	3.1	1.1			
		RC_R27006_f	•	ESTs	1.6	3.7			
		RC_AA416886 RC_AA460450		ESTs; Weakly similar to predicted using	3.1	3.1			
		RC_AA488433		fibroblast growth factor receptor 2 (bacteria- ESTs; Weakly similar to deduced amino acid	1.5	3.7 4			
65		RC_AA278400		2015, Weakly Similar to deduced an into acid			15 mRNA; partial cds	1.5	3.6
05		U28831	_	Human protein immuno-reactive with anti-PTH		0.6	o ministr, paruai cus	1.0	ن.ن
		RC_AA199588	}	Homo sapiens actin-related protein Arp3 (ARF		1.8	4.7		
				sapione acon rolates protein rupo (rati	-,		***		

AF	F006082	Homo sapiens actin-related protein Arp2 (ARI	P2)	1.6	10.9
		desmoplakin (DPI; DPII)	5.4	5.5	
•		desmoplakin (DPI; DPII)	5	2.6	
		Human mRNA for KIAA263 gene; complete of	ds	1.1	3.9
	37258	protease; serine; 11 (IGF binding)	2.4	3.5	
A	A313414_s	ESTs; Weakly similar to cDNA EST EMBL:T1	157	1.5	5.3
R	C_H73484_s	ESTs: Weakly similar to similar to Yeast	1.3	6.3	
A	FX-HUMISGF3A/M9793	5_3		2.3	13.5
Al	FX-HUMRGE/M10098_5	5	1.1	7.9	
• ^	FFX-M27830_5			0.5	7.4
	FFX-M27830 5			0.6	5.4
R	C AA063431_f		<b>ESTs</b>	0.8	4.1
	C_T63769_f	ferritin; light polypeptide	1.1	3.7	

### TABLE 8A

Table 8A shows the accession numbers for those pkeys lacking unigeneID's for Table 8. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

ı	Λ	
L	v	

40

45

50

60

5

10	
15	Pkey: Unique Eos probeset identifier number CAT number: Gene cluster number Accession: Genbank accession numbers
	Pkey CAT number Accessions
20	108469 116761_1
25	123526 genbank_AA608657 AA608657 123533 genbank_AA608751 AA608751 125090 genbank_T91518 T91518 125154 genbank_W38419 W38419 118475 genbank_N66845 N66845
30	118505 genbank_N67343 N67343 N67343 101046 entrez_K01160K01160 129982 221_267 Z14221 AW381862 M97920 AW401444 Z66542 M29470 AW406502 X61011 M34024 AA327072 Z14166 Z14167 Z14165 AW403806 Z14200 AA383972 Z14205 Z14201 M18513 Z14202 AW403684 X14584 AF062221 U43760 X65892 X65883 X6 Z80847 X65885 X65893 AF062142 X65891 X17675 Z47274 Z47277 Z47276 X65888 Z47275 X62109 AF062140 L01278
35	AF062139 X81723 Z80840 X81733 X81743 X81744 X81732 Z80843 AW402942 AW403516 X65919 AF062190 AF062177 AF062222 AF062115 Z47240 AF062263 AF062261 AF062223 AF062211 Z47238 AW401714 AW404008 AW404 AF062280 M99595 Z47214 Z47232 Z47218 M26995 AF062184 X65895 L38433 X81731 Z11946 Z47226 AF062205 AF1740

2107 991 L01276 AF062168 AF062136 X81755 X81748 AF174019 AF062285 L06924 L11699 AW402665 L09070 L28049 L08090 AW407843 Z14171 AW402944 L08083 AW405627 L33035 L26907 M17750 L28052 M17751 AJ239360 U19885 L14821 X56526 AB014341 L12087 L12098 U68231 L12184 AF062242 AF022000 U64499 U00570 Al268604 Y15773 X64239 X62969 U00506 X73605 X99360 U00577 D83677 AB021539 AF035796 Z33899 U00588 AJ239353 AF174062 Z33901 X98899 AF174058 X63080 D83676 AB021529 Z18318 U00488 L01412 X81746 U21262 U21272 U00560 AF174060 U00547 U00561 Z18321 S73957 M26435 AF115130 AF115117 Z92896 U21254 Z92895 AF115112 AF062290 T28938 Y09386 AF174067 U27189 Y09384 U77373 AF174057 M17749 X69692 AF174038 U64478 U64486 AF174098 X99365 AF174077 AF174083 AF174089 AF015133 AF127792 AJ006171 U00510 U58144 AF004323 AF115109 AF004324 AF015130 AF090414 AF090418 AB021536 AB021519 Z96957 AF021986 Z92898 Z96956 L34164 AF062251 AF052524 U00549 U00541 D83687 AF052522 AF087420 AF052520 AF022011 L43085 U00536 L19915 L43083 AF090420 AB021530 AB021534 Z96955 Z96954 Z33903 X62964 AF103282 U00509 AF062298 AF062289 AF062307 AW408326 L33037 L04337 L04328 X81742 L04336 L03385 AF032360 S56184 AF062191 AF191092 AI906954 AF103184 L04343 AW364860 AF001424 AF103163 Z98717 AF103143 AJ008250 L04323 AF103321 AF103335 L04342 L03818 L03817 AW404978 AW403690 U86801 AF103150 AJ010334 AF035027 AJ007327 AF103115 AF017458 AJ008207 AJ008183 AJ008196 AJ008241 AJ008208 AF103210 AF068668 AF068670 AF068671 AF068664 AF068669 AF068666 AF068665 AF068672 AW371244 AW403670 AW408074 AW404575 AW362153 AW403803 AW406702 AW351514 D78345 T29140 J00231 NM\_002179 AW405146 AA301091 X04646 H64660 AW402990 AW406534 T93007 Al857980 AW368899 Al905833 AW406586 AA482084 Al872299 AA715266 AW404328 Al831674 Al709348 AA603112 H64492 AW404789 AA487630 AA715498 AA295885 T27613 T98113

		, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
		AW514	864 AA485775 I
55	108470	genbank_AA079500	AA079500
		entrez_M21305	M21305
	124447	genbank_N48000	N48000
		entrez_M55998	M55998

131791 221\_260

X62111 S67984 AJ131056 Z47243 Z47235 AF062268 Z47237 AJ131058 AF062130 AF062282 X62108 AA385989 AA464794 X69861 AW402964 M90808 Z98735 Z98734 Z98736 AF035018 X79161 U00545 AF174046 AF174071 U00552 U96288 AF021989 AF062255 AF174061 S73953 AF062135 AF062155 X64147 U00555 AF174070 AF129754 U86789 Z98714 Z98738 S75886 AJ008175 AJ008186 AJ008188 Y08403 H15753 H22208 AA327241 AW405737 H42300 H39677 H26239 H26903

H45128 R86072 AA327565 AI660584 AW361537 AW383759 S71043 H15014 H45570 H42819 H45523 H45134 R72043 H24543 H27636 H27610 T28147 H25496 AW364071 AW364072 H45561 H45556 H42605 AI735017 T47421 R48719 H27570 H44599 Al459598 H42347 H41938 H24993 AA345888 H22339 Al538691 AJ012264 AA664201 Al880450 AA327310 Al991250 AI833028 AW001210 AI956075 H30467 AA326915 H41943 AI749266 AI744441 AA327377 AW512326 AI735170 H01634 5 AI587047 AI571623 AA327486 AA327103 AA327195 AA326973 T28143 124842 217726\_1 R56485 R37248 R59992 103758 AA084874\_f\_at AA084874\_f X57815 L29157 AA367448 AW328098 AW404536 L29156 L29163 H27683 R83195 AA295096 AW327822 H25458 AW404692 130064 221\_264 X57819 X57823 AW405604 AW404447 Z34914 AW406542 AA427726 AA604389 AW405606 AW405918 AW405117 AW407182 L03632 AW405058 L03627 AW407470 R72738 L21959 AW375738 X87888 AF124166 AF054638 AJ241406 10 U09902 AW405284 M12025 AA360219 L03631 L03629 AW327727 AF194810 AF058076 AF194686 AF063774 AF063737 AF063755 AF063740 AF063739 AF063738 S73129 L43088 AF063775 L33026 AF060138 AF194813 AF194812 AF194811 AF194809 AF194814 AF194808 AF064505 AF064503 AF063765 AF063757 AF063752 AF063716 AF063736 AF194806 AF058077 AF063747 AF063772 AF063781 AF060137 AF194805 AF060134 AF060132 AF058074 AF063754 AF063764 U38589 Z18332 AF060122 AF194807 AF060135 AF064506 AF064504 AF063773 L26540 AF058072 AF060131 AF064500 AF060136 AF064513 AF194683 AF194711 AF058075 AF063717 Z19546 AF194581 X72746 U96393 U09890 X98897 15 AF194592 M80916 AJ241405 AF194632 AJ388659 AF194625 Z74694 AF194588 AF194601 U09901 U09911 U09892 AJ010336 AJ006162 AJ249377 AJ241414 AA327392 U97248 X72747 Z46850 X95739 AW406701 AJ243109 AF194609 S80758 AF194595 AF194596 L22483 Z70262 D84141 AW405758 AF001788 AF194580 D84143 U76684 AF194593 L03630 X87892 X91134 U21249 Z46346 AJ132426 AF103659 AJ233718 AF021038 AJ233727 H24657 U09882 S75627 AA573599 20 AF047231 AF047232 AF103616 AW404484 Z46848 S76132 AF103663 AF103713 Y17940 AF047216 AF103595 Y17956 AF052799 AF052797 AF052802 AF052798 AF052801 AF052794 AF052796 AF047218 AF052800 AF047217 AF052795 AF032351 AF103701 AF103708 AF103710 AF103706 S62232 AF103645 AF103632 AF103647 AF103644 AF103640 AF103692 AF093581 AF103620 AW405934 AI445389 AW383753 AA360256 AF099676 H21654 H39501 AI820828 H53689 25 W26785 AW384496 AW407708 AA541663 AA911602 Al821461 AA588300 AA327050 H42717 Al951280 AA421322 Al923193 AA864302 H25133 D87023 J03011 M61771 D87017 AA526865 AA253450 U29463 U06715 W24970 AA584303 T39581 AA155603 AA305043 AA429426 W05664 AA102382 AA482044 W24487 AA319060 130232 18831\_2 T88946 F10106 AA232161 AA243117 AA158937 AA100864 109097 genbank\_AA167512 AA167512

# TABLE 9: Figure 9 from BRCA 001-2 US

5 Table 9 depicts a preferred group of genes upregulated in tumor tissue compared to normal breast tissue.

10	Pkey: ExAccn: UnigenelD:	Unique Eos probeset identifier number Exemplar Accession number, Genbank accession number Unigene number
	Unigene Title:	Unigene gene title

1.0				
15	Pkey	ExAccn	UnigenelD	UnigeneTitle
	100690	AA383256	Hs.1657	estrogen receptor 1
	102211	BE314524	Hs.78776	putative transmembrane protein
	103587	BE270266	Hs.82128	5T4 oncofetal trophoblast glycoprotein
20	104115	AF183810	Hs.26102	opposite strand to trichorhinophalangeal syndrome I
	105038	AW503733	Hs.9414	KiAA1488 protein
	105500	AW602166	Hs.222399	CEGP1 protein
	105990	A1690586	Hs.29403	hypothetical protein FLJ22060
	106155	AA425414	Hs.33287	nuclear factor I/B
25	106373	AW503807	Hs.21907	histone acetyltransferase
	106414	BE568205	Hs.28827	mitogen-activated protein kinase kinase kinase 2
	110009	BE075297	Hs.6614	ESTs, Weakly similar to A43932 mucin 2 precursor, intestinal
	111900	AF131784	Hs.25318	Homo sapiens clone 25194 mRNA sequence
	114540	Al904232	Hs.75323	prohibitin
30			Hs.83484	SRY (sex determining region Y)-box 4
	117280	M18217	Hs.172129	Homo sapiens cDNA: FLJ21409 fis, clone COL03924
	119771	A1905687	Hs.2533	EST
	121723	AA243499	Hs.104800	hypothetical protein FLJ10134
~ ~	124059			ESTs, Weakly similar to S64054 hypothetical protein YGL050w
35		AW953575		p53-induced protein PIGPC1
		AA235448		PRO2000 protein
	134169		Hs.178137	transducer of ERBB2, 1
		AL049987	Hs.166361	Homo sapiens mRNA; cDNA DKFZp564F112
	452410	AL133619	Hs.29383	Homo sapiens mRNA; cDNA DKFZp434

## TABLE 10: Figure 10 from BRCA 001-3 PCT

Table 10 depicts a preferred group of genes upregulated in tumor tissue compared to normal 5 breast tissue.

10	UnigenelD:	Unigene numbe					
	Unigene Title:	Unigene gene ti					
	R1:		normal body tissue				
1.5	R2:		0th percentile tumor to body				
15	R3:		5th percentile body to tumor				
	R4:	Ratio of ti	imor to normal breast tissue				
	Pkey ExAcc	n UnigenelD	Unigene Title	R1	R2	R3	R4
20	100082 AA130	080 Hs.4295	proteasome (prosome, macropain) 26S subu	4.2	152	36	12.2
	100103 AA380	1	dolichyl-phosphate mannosyltransferase p	9.8	123	13	5
	100131 D1248		ectonucleotide pyrophosphatase/phosphodi	13.2	244	19	9.9
	100147 D1366		osteoblast specific factor 2 (fasciclin	15.7	1030	66	5
25	100154 H6072		KIAA0101 gene product	4.1	320	· 78	10.6
	100157 D1466		Wilms' tumour 1-associating protein	4.7	119	26	3
	100169 AL037		D123 gene product	5.1	106	21	9.2
	100203 .BE242	2284 Hs.172199	adenylate cyclase 7	4.7	47	1	4.3
	100210 D2636		KIAA0042 gene product	4.7	47	4	0.7
30		2300 Hs.118110	bone marrow stromal cell antigen 2	3.8	350	93	1.9
	100234 D2967		KIAA0054 gene product; Helicase	4.1	64	16	3
		15156Hs.78398	KIAA0071 protein	3.4	77	23	5.9
		06207Hs.170040	platelet-derived growth factor receptor-	4.5	45	4	4
	100260 D3849		KIAA0117 protein	5.9	59	1	2.6
35	100279 D4208		KIAA0094 protein	3.5	96	28	1.3
		7550 Hs.86859	growth factor receptor-bound protein 7	3.1	306	98	1.5
		1881 Hs.75454	peroxiredoxin 3	12.8	128	1	11.7
	100335 AW24		platelet-activating factor acetylhydrola	4.2	187	44	5.4
	100365 AI878	927 Hs.79284	mesoderm specific transcript (mouse) hom	4.5	129	29	3.1
40	100375 D8000		KIAA0182 protein	3.5	78	23	4.8
	100409 D8695		KIAA0202 protein	10.2	102	1	4.8
	100410 D8696	61 Hs.79299	lipoma HMGIC fusion partner-like 2	4	40	1	3.8
		14735Hs.82292	KIAA0215 gene product	3.2	32	2	2.9
	100418 D8697	78 Hs.84790	KIAA0225 protein	3.6	36	7	3.2
45	100438 AA013	3051 Hs.91417	topoisomerase (DNA) II binding protein	5.6	76	14	2
	100439 AA347	7720 Hs.122669	KIAA0264 protein	3.5	35	9	3.1
	100448 AF234	1887 Hs.57652	cadherin, EGF LAG seven-pass G-type rece	5.5	145	27	2.2
	100449 D8747	70 Hs.75400	KIAA0280 protein	3.4	34	1	1.2
	100522 X5150	)1 Hs.99949	prolactin-induced protein	22.7	760	34	1.4
50	100552 AA019	9521 Hs.301946	lysosomal	14.4	144	9	4.7
	100643 NM_0	05032Hs.4114	plastin 3 (T isoform)	4.1	259	63	1.9
	100661 BE623	3001 Hs.132748	Homo sapiens ribosomal protein L39 mRNA,	3.3	116	36	2.2
	100666 L0542	4 Hs.169610	CD44 antigen (homing function and Indian	8.5	85	1	3.2
	100667 L0542	4 Hs.169610	CD44 antigen (homing function and Indian	3	594	201	2.3
55	100745 BE207	7168 Hs.144630	nuclear receptor subfamily 2, group F, m	5	82	17	0.9
	100774 J0558	1 Hs.89603	mucin 1, transmembrane	3.5	37	11	2.8
		8847 Hs.191356	general transcription factor IIH, polype	9.7	97	10	7.2
	100821 M264		gb:Homo sapiens (clone 104) retinoblasto	3.3	33	1	0.8
		3957 Hs.74861	activated RNA polymerase II transcriptio	3.7	477	130	3.1
60	100877 X8082		KIAA0874 protein	6.3	63	4	5.7
		5294 Hs.180789	S164 protein	4.7	47	1	4.2

Unique Eos probeset identifier number

Exemplar Accession number, Genbank accession number

3.8

3.9

115

390

7.1

11.1

3.6

30

100

100892 BE245294 Hs.180789 101038 BE297139 Hs.79411

101079 BE264901 Hs.250502

S164 protein

carbonic anhydrase VIII

replication protein A2 (32kD) NM\_002122:Homo saplens major histocompat

101046 K01160

Pkey:

ExAccn:

		AW409934 Hs.75528	nucleolar GTPase	4.1	53	13	4
		AW862258 Hs.169266	neuropeptide Y receptor Y1	15.3	153	1	14.1
		NM_001621Hs.170087	aryl hydrocarbon receptor	11.3	113	8	3.9
_		L20320 Hs.184298	cyclin-dependent kinase 7 (homolog of Xe	3.1	118	38	2
5		L22524 Hs.2256	matrix metalloproteinase 7 (MMP7; uterin	8.2	396	48	0.9
		AU077288 Hs.242894	ADP-ribosylation factor-like 1	4	110	28	10.7
		BE545277 Hs.3273	Ts translation elongation factor, mitoch	4.2	50	12	4.4
		BE535511 Hs.74137	transmembrane trafficking protein	6.6	135	21	13.1
10		BE267931 Hs.78996	proliferating cell nuclear antigen	6.4	249	39	22.4
10		M21305	gb:Human alpha satellite and satellite 3	6.5	878	135	0.8
	_	NM_000424Hs.195850	keratin 5 (epidermolysis bullosa simplex	4.8	622	130	0.7
		NM_000546Hs.1846	tumor protein p53 (Li-Fraumeni syndrome)	5.1	97 06	19	9.3
		NM_002890Hs.758 AA053486 Hs.20315	RAS p21 protein activator (GTPase activa	9.6	96	1	8.5
15		X16896 Hs.82112	interferon-induced protein with tetratri interleukin 1 receptor, type I	11.2	112 39	8	5.9
13		BE391804 Hs.62661	guanylate binding protein 1, interferon-	3.9	3 <del>9</del> 36	2	3.5
		M55998		3.6 3.1	2898	1 923	2.6
		AA436989 Hs.121017	gb:Human alpha-1 collagen type I gene, 3 H2A histone family, member A	5.1 6.9	103	923 15	2.2 8.4
		M63256 Hs.75124	cerebellar degeneration-related protein	6.4	64	2	4.9
20		L11690 Hs.620	bullous pemphigoid antigen 1 (230/240kD)	9.4	94	1	0.3
20		S70114 Hs.239489	TIA1 cytotoxic granule-associated RNA-bi	8.9	89	5	8
		M81057 Hs.180884	carboxypeptidase B1 (tissue)	3.6	824	227	1.4
		M83822 Hs.62354	cell division cycle 4-like	9	144	16	13
		M84605 Hs.957	putative opioid receptor, neuromedin K (	3.3	36	11	2.4
25		AW024390 Hs.155691	pre-B-cell leukemia transcription factor	5.4	180	34	15.9
		M86849 Hs.323733	gap junction protein, beta 2, 26kD (conn	12	120	8	9
		AA446644 Hs.692	GA733-2 antigen; epithelial glycoprotein	3.1	353	116	2.8
		AL049610 Hs.95243	transcription elongation factor A (SII)-	7.3	73	1	5.3
		AL036287 Hs.194662		3.8	399	105	3.3
30	102009	BE245149 Hs.82643	protein tyrosine kinase 9	4.6	148	32	11.3
	102095	U11313 Hs.75760	sterol carrier protein 2	9.5	95	4	8.8
	102123	NM_001809Hs.1594	centromere protein A (17kD)	4.2	42	7	3.4
	102125	NM_006456Hs.288215	sialyitransferase	9.3	93	4	3
2.5		NM_004419Hs.2128	dual specificity phosphatase 5	5.4	137	26	2.5
35		AA450274 Hs.1592	CDC16 (cell division cycle 16, S. cerevi	4.6	151	33	2
		BE313280 Hs.159627	death associated protein 3	9.3	93	5	8
		AL036335 Hs.313	secreted phosphoprotein 1 (osteopontin,	45.7	457	1	39.7
		BE314524 Hs.78776	putative transmembrane protein	3.9	442	114	1.3
40		NM_006769Hs.3844	LIM domain only 4	4.9	49	1	3.6
40		U27185 Hs.82547	retinoic acid receptor responder (tazaro	3.1	31	1	1.3
		NM_001546Hs.34853	inhibitor of DNA binding 4, dominant neg	3.8	163	43	0.5
		AA306342 Hs.69171 AF015224 Hs.46452	protein kinase C-like 2 mammaglobin 1	4.5	45 2058	1 243	3.6 1.4
		U37519 Hs.87539	aldehyde dehydrogenase 3 family, member	8.5 6.4	428	67	2.3
45		U39840 Hs.299867		6.7	67	9	6.3
-15		AW602154 Hs.82143	E74-like factor 2 (ets domain transcript	5.3	53	1	4.8
		BE300330 Hs.118725		3.3	111	34	7.5
		NM_001394Hs.2359	dual specificity phosphatase 4	20.2	202	5	1.3
		NM_003937Hs.169139		3.8	38	1	1.5
50		U63830 Hs.146847		8.2	82	1	6.8
		U60808 Hs.152981	CDP-diacylglycerol synthase (phosphatida	4.1	41	1	3.3
		AL037672 Hs.81071	extracellular matrix protein 1	10.2	628	62	17.2
		U67319 Hs.9216	caspase 7, apoptosis-related cysteine pr	5	66	13	5.3
		NM_002270Hs.168075		6.1	126	21	2.4
55		U71207 Hs.29279	eyes absent (Drosophila) homolog 2	4.5	45	1	2.8
	102742	U79293 Hs.159264		4.1	41	1	2.4
	102784	U85658 Hs.61796	transcription factor AP-2 gamma (activat	4.4	255	58	1.6
		U90304 Hs.25351	iroquois homeobox protein 5	3.6	142	39	1.6
	102813	BE242035 Hs.151461	embryonic ectoderm development	3.5	35	1	2.7
60		D85390 Hs.5057	carboxypeptidase D	5.6	56	1	5.3
		BE262386 Hs.7137	clones 23667 and 23775 zinc finger prote	4.2	42	7	3.7
		Al815559 Hs.75730	signal recognition particle receptor ('d	3.2	58	18	5
		NM_002275Hs.80342	keratin 15 .	5.8	753	131	0.4
65		BE512730 Hs.65114	keratin 18	3.1	815	266	1.7
65		AL119505 Hs.198166		3.2	32	4	2.6
		AU076611 Hs.154672		5.7	251 1346	44	6.6
	103003	Al910275 Hs.1406	trefoil factor 1 (pS2)	5.6	1346	239	5.4

	103023	AW500470	Hs.117950	mental perypopulation and the second	5.8	218	38	13
	103024	NM_002343	Hs.105938		3.7	1421	388	1.9
	103036	M13509	Hs.83169	matrix metalloproteinase 1 (MMP1; inters	3.1	94	30	5.8
	103038	AA926960	Hs.334883	CDC28 protein kinase 1	3.5	332	94	3.1
5	103119	X63629	Hs.2877	cadherin 3, type 1, P-cadherin (placenta	4.8	312	65	30.9
_	103134		Hs.2839		5.2	331	64	1.5
	103134		Hs.2839		4.9	49	5	3.8
		AW583058			3.3	1497	458	2.1
	103206		Hs.77367		3.5	796	228	3.2
10		AW411340			5.6	191	34	3.5
10				· · · · · · · · · · · · · · · · · · ·	4.1	53	13	4.9
	103226		Hs.44313			34	8	2.3
		AA206186			3.4			
		X87613	Hs.5464	thyroid hormone receptor coactivating pr	3.9	43	11	1
	103352		Hs.78853		9.3	93	8	8.2
15		NM_005982			9.7	97	1	9.3
	103376	AL036166	Hs.323378		6.3	98	16	9.1
	103391	X94453	Hs.114366	pyrroline-5-carboxylate synthetase (glut	4.3	77	18	7.2
	103438	AW175781	Hs.152720	M-phase phosphoprotein 6	4.9	153	31	2.4
		A1878922		SMT3 (suppressor of mif two 3, yeast) ho	4.9	261	53	3.7
20		Y00815	Hs.75216	protein tyrosine phosphatase, receptor t	3.5	564	162	1.7
		AW408009		alkylglycerone phosphate synthase	3.9	49	13	2.5
		AL133415		vimentin	7.5	136	18	3.4
		BE270266		5T4 oncofetal trophoblast glycoprotein	7.9	79	2	6.9
					3.3	745	229	1.8
25		BE409838		cadherin 1, type 1, E-cadherin (epitheli	3.2	41	13	2.8
25		AW403814		BCL2-associated athanogene		73	1	5.2
		NM_000346		SRY (sex determining region Y)-box 9 (ca	7.3			
		NM_00008		collagen, type I, alpha 1	3.8	1612	429	3.1
		NM_003528		H2B histone family, member Q	3.2	32	5	2.8
		AA314389		ADP-ribosylation factor-like 5	3.2	32	9	2.7
30		AB033112		bromodomain and PHD finger containing, 3	4.9	49	1	4.2
	104052	NM_002407	7Hs.97644	mammaglobin 2	7.2	498	69	9.3
	104115	AF183810	Hs.26102	opposite strand to trichorhinophalangeal	29	290	1	26.8
		H63349	Hs.98806	hypothetical protein	3.7	37	7	2.1
		AW880614	Hs.146381	RNA binding motif protein, X chromosome	5.2	52	1	4.3
35		BE081342		HSPC039 protein	8	84	11	6.3
00		AB012113		small inducible cytokine subfamily A (Cy	5.8	58	1	3.2
		AB002367		doublecortin and CaM kinase-like 1	6.4	64	8	3
		AW583693		N-terminal acetyltransferase complex ard	4.7	229	49	7.9
					3.2	32	7	2.4
40		AI337300	Hs.284123	hypothetical protein MGC4604	5.3	144	, 27	13.1
40		AA129551		Homo sapiens cDNA: FLJ21409 fis, clone C			218	1.3
		X51501	Hs.99949	prolactin-induced protein	6.9	1494		
		R56678	Hs.88959	hypothetical protein MGC4816	7.7	77	8	6.9
		AA040620		hypothetical protein AF140225	3.7	37	5	2.5
	104590	AW373062	Hs.83623	nuclear receptor subfamily 1, group 1, m	6.1	493	81	0.7
45	104602	H47610		gb:yp75f03.s1 Soares fetal liver spleen	3.8	38	4	1.2
	104613	AF123303	Hs.24713	hypothetical protein	4.8	231	49	7.3
	104633	H00820	Hs.30977	ESTs, Weakly similar to B34087 hypotheti	3.4	154	46	3
	104636	R82252	Hs.106106	protein kinase (cAMP-dependent, catalyti	5	468	94	4.7
		BE298665		Homo sapiens mRNA; cDNA DKFZp564D016 (fr	3.8	82	22	3.1
50		Al239923	Hs.30098	ESTs	14.9	149	1	6.4
		BE244072		macrophage erythroblast attacher	6.3	165	26	3.2
		AA027317	113.2.0010	gb:ze97d11.s1 Soares_fetal_heart_NbHH19W	3.8	40	11	3.8
			Hs.31803	ESTs, Weakly similar to N-WASP [H.sapien	7.7	77	1	5.1
				leucine-rich repeat-containing 2	7	70	i	6.5
<i>c</i>		Al139058	Hs.125790	•	4.7	201	43	4.5
55		AI250789		ESTs				
		AW015318		ESTs	7.4	74	1	6
		AA026880		prolactin receptor	3.9	280	72	3.3
	104926	BE298808	Hs.33363	DKFZP434N093 protein	4.2	135	32	4
	104943	AF072873	Hs.114218	frizzled (Drosophila) homolog 6	16.2	162	1	4.2
60	104968	A1249502	Hs.29669	ESTs	3.8	38	1	2.4
		Al392640	Hs.18272	amino acid transporter system A1	3.2	522	165	1.9
		AA121686		ESTs	3.2	32	4	2.9
		Al122691	Hs.13268	ESTs	3.7	157	43	3.6
		AW503733		KIAA1488 protein	5.5	55	1	5.2
65		AB037716		KIAA1295 protein	10.3	103	. 1	3.9
05		AA148710		lumican	6.6	66	i	5.4
			Hs.35156	Homo sapiens cDNA FLJ11027 fis, clone PL	3.1	31	i	2.5
	IUDUGO	H58589	115.55 130	Tiomo sapiono obrita i Lu i Tuzi ils, cione PL	J. 1	٠.	•	

	105004	AA148859	Un 170000	hypothetical protein FLJ22995	3.2	32	1	3
			Hs.24808	ESTs, Weakly similar to I38022 hypotheti	7.3	73	i	3.8
		AA307279		methyl-CpG binding domain protein 4	4.2	90	22	2.8
		AL133033		KIAA1025 protein	6	60	6	4.6
5		AW612147		Homo sapiens C1orf19 mRNA, partial cds	3.8	38	2	3.2
5		AA313825		AD036 protein	9.3	436	47	5.8
		AA975096		hypothetical protein PRO2849	5.7	57	8	5.3
		AA328102		cytoskeleton associated protein 2	4.5	45	1	3.6
		AW952479		tropomodulin 3 (ubiquitous)	4.3	43	i	3.9
10		AB039670		ALEX1 protein	8	80	6	7.3
10		AW997484		KIAA0456 protein	3.9	39	6	3.2
		AA894638		ESTs	3.5	35	7	2.7
	105288		Hs.3585	ESTs, Weakly similar to AF126743 1 DNAJ	4.5	45	10	
		AK000796		hypothetical protein	3.8	93	25	0.5
15		AA234561		ESTs	3.6 2.8	131	47	7.5 3.9
13		AF151073		hypothetical protein	3.9	79	20	5.5 6.5
		AW994032			5.5 5.1	181	36	
				hypothetical protein FLJ10849			2	15.8
		AW500718 AF198620		Homo sapiens, clone MGC:16169, mRNA, com	4.1	41		3.3
20				RNA binding motif protein 8A	6.2	62	6	5.6
20		W20027	Hs.23439	ESTS	3.3	206	63	2.2
		AL137257	Hs.23458	Homo sapiens cDNA: FLJ23015 fis, clone L	3.2	466	146	8.4
		AL117441 AW602166		hypothetical protein FLJ13033	16.6	166	8	12.7
				CEGP1 protein	25.4	508	20	3
25		AA173942		Homo sapiens mRNA; cDNA DKFZp564H1916 (f		117	13	10.6
25		AB037829		regulator of nonsense transcripts 2; DKF	3.2	32	6	1.5
		AK001269 AB040884		hypothetical protein FLJ10407	8.3	83	3	1.8
				KIAA1451 protein	3.5	73	21	1.6
		BE616694 AA280072		hypothetical protein FLJ14299 fetal Alzheimer antigen	5.8 3.2	336	58 1	2 1
30		R35343	Hs.24968	Human DNA sequence from clone RP1-233G16		32 79		5.2
50		AA281279		hypothetical protein FLJ14681	4.0	79 75	17 19	1.7
				**	1 .			
		AA001021		thyroid hormone receptor interactor 8	4.5	45 36	1	3.7
		AW294631 Al609530		ESTs	3.6	36 64	1	0.1
35			Hs.279789	histone deacetylase 3	6.4	64	8	6
23		NM_014517		upstream binding protein 1 (LBP-1a)	4.7	152	33	5.3
		Al680737	Hs.289068	Homo sapiens cDNA FLJ11918 fis, clone HE	5.7	57 60	8	4.1
		AW377314		DKFZP564l052 protein	6.9	69	1	4.4
		AA834664 BE246502		nuclear receptor coactivator 2	3.4	34 30	1 10	3.1
40		Al123118	Hs.15159	sema domain, immunoglobulin domain (lg),	3			0.9
<del>-1</del> 0		H57111	Hs.221132	chemokine-like factor, alternatively spl ESTs	5.4	54 67	1 13	4.4
		AW369278		hypothetical protein FLJ20160	5.3 4.9	67 49	13	5.3 4.5
		W84446	Hs.226434	hypothetical protein MGC4643	3.3	98	30	4.7
		AA878183		Homo sapiens cDNA FLJ13618 fis, clone PL	3.2	143		3.6
45		AF206019		REV1 (yeast homolog)- like	4	40	46 3	3.2
73		AA788946		ESTs, Moderately similar to CA1C RAT COL	4.7	747	158	5.7
		A1559444	Hs.293960	ESTs Woderately Similar to CATC RAT COL	3.9	371	94	4.6
		AW802282		pyruvate dehydrogenase phosphatase	3.6	68	19	6
		AA601518		secreted modular calcium-binding protein	4.8	134	28	3.2
50		Al827976	Hs.24391	hypothetical protein FLJ13612	4.3	772	179	1.7
<b>50</b> .		AI640775	Hs.28332	Homo sapiens cDNA: FLJ21560 fis, clone C	4.3	43	1	3.7
		AW021691		GCN5 (general control of amino-acid synt	3.6	36	7	3.1
		AK001708		hypothetical protein FLJ10846	3.4	34	8	2.9
		AK001735		UDP-glucose:glycoprotein glucosyltransfe	3.6	45	13	1.3
55		N25986	Hs.22380	ESTs	3.4	34	1	1.5
55		AI240665	Hs.8895	ESTs	21.2	212	6	17.4
		AA043039		hypothetical protein	3.9	47	12	4.4
		AL122072		heterogeneous nuclear ribonucleoprotein		174	40	1.6
		AW952005		hypothetical protein FLJ12903	4.4 4.7		1	4
60		AN952005 AA382267		ESTs	4.7 3.4	47 49	15	4.4
<del>UU</del>		AA417034	1 13. 10000	gb:zu04f10.s1 Soares_testis_NHT Homo sap			15 15	1.2
		BE614474	He 280074	F-box only protein 22	3.5 3.4	53 116		2.2
				C-terminal binding protein 2	3.4	116	35 125	
		NM_00132 T74445	Hs.5957	Homo sapiens clone 24416 mRNA sequence	3.6	444 365	125	4.6 6.9
65		AF115402		E74-like factor 5 (ets domain transcript	3.6	365 356	103	6.9 1
UJ		AFT15402 AW379378		protein tyrosine phosphatase, receptor t	26.3	356 367	14 83	
		AA576953		hypothetical protein FLJ13352	3.2	267 38	83 1	2.3 3.3
	100120		113.44314	hypothetical protest ruf 13352	3.8	38	•	J.J

	106155	AA425414	He 23287	nuclear factor I/B	9.9	483	49	1.8
		W37943	Hs.34892		6.7	94	14	8
		AI244563	Hs.325531		3.3	95	29	4.4
		AB040896			3.8	83	22	7.5
5			Hs.274422	· · · · · · · · · · · · · · · · · · ·	3.3	97	30	6.4
		AW961393		.,,p	4.5	116	26	4.5
	106310		Hs.17240		7	70	3	1.3
		AB007866			3.2	37	12	2.6
		AW977397			3.8	38	1	1.9
10		AA447453		Homo sapiens mRNA; cDNA DKFZp586M0723 (f	16	255	16	6.6
	106389	AW748420	Hs.6236	Homo sapiens cDNA: FLJ21487 fis, clone C	4.9	337	70	2.7
	106394	Z42993	Hs.25320	Homo sapiens clone 25142 mRNA sequence	3.1	72	23	5
	106432	AK000310	Hs.17138	hypothetical protein FLJ20303	3.1	165	54	1.6
	106459	AA789081	Hs.4029	glioma-amplified sequence-41	3.1	31	1	2.6
15	106503	AB033042	Hs.29679	cofactor required for Sp1 transcriptiona	5.5	147	27	4.4
	106508	AI205785	Hs.30348	ESTs ·	4.4	222	51	1.8
	106565	NM_014892	2Hs.227602	KIAA1116 protein	7.4	74	3	1.7
	106586	AA243837	Hs.57787	ESTs	15.2	152	1	12.6
		AK000933		Homo sapiens cDNA FLJ10071 fis, clone HE	3.8	263	69	3.9
20		AA452379		ESTs, Moderately similar to ALU7_HUMAN A	4.9	49	1	4.1
	106611	R49131	Hs.26267	ATP-dependant interferon response protei	5.8	58	5	3.1
		AW188205		Homo sapiens clone 23570 mRNA sequence	5.3	166	32	14.9
		AL049951		Homo sapiens mRNA; cDNA DKFZp564O0122 (f		75	14	0.8
~ ~		BE296396		DIPB protein	3.6	210	58	4.7
25		N28524	Hs.29403	hypothetical protein FLJ22060	5.7	57	10	4.8
		N38902	Hs.334437	hypothetical protein MGC4248	4.4	371	84	3.2
		AA600357		TIA1 cytotoxic granule-associated RNA-bi	4.3	101	24	1.6
		NM_00711		triple functional domain (PTPRF interact	4.6	46	1	4.
20		AL044182		KIAA0753 gene product	3.5	58	17	1.6
30		AB037744	Hs.34892	KIAA1323 protein	5.4	192	36	4.4
			Hs.301183	molecule possessing ankyrin repeats indu	3.3	696	214	1.8 1.6
		AA149537		hypothetical protein FLJ20477	3.8 4.3	38 43	1 10	2.2
		AA835868		mannosidase, alpha, class 1A, member 1	4.3 3.6	43 36	1	1.2
35			Hs.25245	hypothetical protein FLJ11269	4.5	45	1	3.8
33		AF039023		RAN binding protein 6 Homo sapiens, clone IMAGE:3685398, mRNA,	5.7	94	17	7.3
		AA134329 AI868648	Hs.22315	ESTs	3.5	180	52	2.3
		AF216751	Hs.26813	CDA14	5.5	130	24	12.5
		AA280722		ESTs, Weakly similar to I38022 hypotheti	3.2	266	83	1.8
40		AL157479	Hs.23740	KIAA1598 protein	5.1	298	59	4.4
40		AA598820	113.20140	gb:ae36h12.s1 Gessler Wilms tumor Homo s	3.3	228	69	2.8
		AV650537	Hs 247309	succinate-CoA ligase, GDP-forming, beta	3.1	55	18	3.8
		AW401864		programmed cell death 8 (apoptosis-induc	3.1	75	24	2.2
		AW385224		ectonucleotide pyrophosphatase/phosphodi	3.1	367	119	2.3
45		AL122043		hypothetical protein DKFZp566G1424	3.9	98	25	8.6
		AB037765		KIAA1344 protein	6.3	63	1	5.4
		AA249096		ESTs	4.6	71	16	3.6
_		AV661958		GK001 protein	2.5	392	155	4.3
	107151	AW378065	Hs.8687	ESTs	15.6	156	7	10.8
50	107217	AL080235	Hs.35861	DKFZP586E1621 protein	4.8	48	8	3.1
	107222	BE172058	Hs.82689	tumor rejection antigen (gp96) 1	3.4	251	74	23.7
	107240	AI290284	Hs.159872	ESTs	3.6	36	6	0.5
	107248	AW263124	Hs.315111	nuclear receptor co-repressor/HDAC3 comp	5.4	483	90	4
		AA186629		UDP-N-acetyl-alpha-D-galactosamine:polyp	4.6	199	44	19.2
55		BE277457		hypothetical protein MGC4606	12.5	156	13	2.9
		T63174	Hs.193700	Homo sapiens mRNA; cDNA DKFZp58610324 (f	3.2	110	35	9.6
		T74445	Hs.5957	Homo sapiens clone 24416 mRNA sequence	3.5	35	1	2.6
		AL042613		S-adenosylmethionine decarboxylase 1	5.8	151	26	11.4
		A1498986	Hs.60090	Homo saplens cDNA FLJ13595 fls, clone PL	3.2	32	5	2.1
60		A1580492	Hs.42743	hypothetical protein	4.4	73	17	6.2
		AA149707		ubiquitin-like 3	3.5	282	80 45	3.7
		AW732573		potassium voltage-gated channel, delayed	5.7	85 35	15 1	7.8 1
		AW372451		CGI-79 protein	3.5	35 43	10	2.7
65		AA054949		ESTs	4.3 3.1	43 31	9	2.2
65		AA025782 AF087999		ESTs ESTs	3.1 4.7	47	4	4.3
		BE153855		lg superfamily receptor LNIR	9	90	1	5.5
	10/922	DE 199099	115.01400	ig automaning receptor LIMIN	3	<b>V V</b>	•	

	107994	AA036811	Hs.48469	LIM domains containing 1	4.5	45	1	3.8
		AL121031		•	6.5	65	2	6
		AJ404672			7.4	74	8	6
_	108063	BE548479	Hs.14838	hypothetical protein FLJ10773	3.4	34	1	2.3
5	108339	AW151340	Hs.51615	ESTs, Weakly similar to ALU7_HUMAN ALU S	18.7	187	1	17
			Hs.94631	brefeldin A-inhibited guanine nucleotide	3.8	38	1	3.2
		AA084677		hypothetical protein FLJ22222	5.7	57	1	4.9
		AW022410		ESTs	3.2	32	5 .	1.7
10		BE546947			8.7	247	29	5.7
10		AB029000		•	3.7	625	168	3.8
		AF133123		general transcription factor IIIC, polyp	3.7	37	1	3.2
		AF070578		Homo saplens clone 24674 mRNA sequence	3.4	34	1	2.8
			Hs.49376	hypothetical protein FLJ20644	3.5	35	1	3.2
15		AW295647 AL117452			5.3	53	1 20	2.8
13		AK001468		DKFZP586G1517 protein	4.8 5.4	96 · 54	1	6.5 4
		BE276891		anillin (Drosophila Scraps homolog), act retinoic acid induced 3	3.1	529	170	4.1
			Hs.173648	ESTs, Weakly similar to Zinc-finger prot	3.3	33	5	1.7
		NM_007240		dual specificity phosphatase 12	3.4	34	1	2.6
20		BE062109			3.1	31	8	2.0
20		AW608930		hypothetical protein FLJ20618	3.4	71	21	2.4
		AW419196			4.1	334	82	3.4
		AK000684		hypothetical protein FLJ22104	3.3	33	1	2.9
		H89083	Hs.181915	ESTs	4	40	7	1.1
25	109160	BE220601		hypothetical protein FLJ13033	3.8	233	62	3.8
		AA219691		RAB6 interacting, kinesin-like (rabkines	8.8	199	23	16.1
	109173	AA179962	Hs.73643	EST	3.2	32	1	2.2
	109178	AW976516	Hs.283707	Homo sapiens cDNA: FLJ21354 fis, clone C	3.2	32	10	2.9
	109235	Al381800	Hs.300684	calcitonin gene-related peptide-receptor	4.9	121	25	10.4
30		AA375752		Homo saplens mRNA; cDNA DKFZp586F1822 (f	2.9	114	39	9.9
		AW975746		KIAA1702 protein	7.1	71	1	6.5
		AL096858		KIAA0929 protein Msx2 interacting nuclea	6.9	69	5	6.2
		R98881	Hs.109655	sex comb on midleg (Drosophila)-like 1	3.3	39	12	1.5
25		BE543313		hypothetical protein FLJ10520	4.2	56	14	2.2
35		U80736	Hs.110826	trinucleotide repeat containing 9	12.3	123	1	11.3
		AA878923		hypothetical protein FLJ21016	3.2	286	91	5.7
		A1631874	Hs.155140	casein kinase 2, alpha 1 polypeptide	8.3	83	8	1.9
		AA989362 F10024	Hs.268740	ESTs ESTs	5.9 3.2	59 41	10 13	4.2 3.3
40		AA173942		Homo sapiens mRNA; cDNA DKFZp564H1916 (1		208	36	1.8
70		AW965076		hypothetical protein 669	5	50 50	5	4.1
		R68827	Hs.95011	syntrophin, beta 1 (dystrophin-associate	3.7	37	4	2
		AW390822		L-kynurenine/alpha-aminoadipate aminotra	14.2	142	i	9.5
		AI084066	Hs.20072	myosin regulatory light chain interactin	4.1	41	7	1.7
45		AA001266		ESTs	4.2	58	14	0.8
	109984	Al796320	Hs.10299	Homo sapiens cDNA FLJ13545 fis, clone PL	3.2	136	43	3.6
	110009	BE075297	Hs.6614	ESTs, Weakly similar to A43932 mucin 2 p	6.3	693	110	7.2
	110240	A1668594	Hs.176588	ESTs, Weakly similar to CP4Y_HUMAN CYTOC	4.6	913	199	2.9
		AK000768	Hs.107872	hypothetical protein FLJ20761	3.8	38	7	2.8
50		Al610702	Hs.28212	ESTs, Weakly similar to TRHY_HUMAN TRICH		78	12	3
		H11236	Hs.31034	peroxisomal biogenesis factor 11A	3.7	37	1	2.1
		AF075089	Hs.36823	ESTs	3.6	36	10	2.5
		H61560	11- 40 400	gb:yr22g03.s1 Soares fetal liver spleen	3.3	33	1	1.8
55		AA071276		KIAA0859 protein	3.5	35	8	1.9
55		AB007902 H97678		KIAA0442 protein ESTs	3.6	282 103	79 24	1.7
		NM_01489	Hs.31319	KIAA0878 protein	4.4 3.3	138	24 42	3.8 3.6
		BE000831		Homo sapiens cDNA FLJ11812 fis, clone HE	13.5	135	1	5.1
		N22414	110.20007	gb:yw39a07.s1 Weizmann Olfactory Epithel	5.4	54	i	3.7
60		AA831267	Hs.12244	hypothetical protein FLJ20097	4.7	47	4	4.2
00		AI089660	Hs.323401	dpy-30-like protein	5	50	1	4.3
		AL157503		Homo sapiens mRNA; cDNA DKFZp586N2424 (		31	i	2.7
		AF153330		solute carrier family 19 (thiamine trans	8.4	84	1	5.3
		A1740792	Hs.167531	methylcrotonoyl-Coenzyme A carboxylase 2	10.5	105	4	7.1
65		BE612992		hypothetical protein FLJ10607 similar to	7.9	79	1	6.2
		AW963705		molecule possessing ankyrin repeats indu	3.9	353	90	1.2
	110908	AI433165	Hs.9856	ESTs	3.1	31	1	1.3

	110915	BE092285	He 20724	hypothetical protein FLJ13187	20.9	209	1	19.5
			Hs.14947	ESTs	3.4	115	34	2.4
		Y19062	Hs.96870	staufen (Drosophila, RNA-binding protein	3.5	35	9	3.2
	111084	H44186	Hs.15456	PDZ domain containing 1	4.3	43	1	2
5	111125	N63823	Hs.269115	ESTs, Moderately similar to Z195_HUMAN Z	5.4	54	1	4.3
			Hs.83293	hypothetical protein	7.2	72	10	6.1
		N46180	Hs.122489	Homo sapiens cDNA FLJ13289 fis, clone OV	7.7	77	1	5
		AK000136		asporin (LRR class 1)	25.1	288	12	6.7
10		AI815486	Hs.243901	Homo sapiens cDNA FLJ20738 fis, clone HE	3.9 6.3	146 63	37 1	9.8 5.8
10		AK002055		hypothetical protein FLJ11193 KIAA1361 protein	3.7	119	33	6.7
		AB037782 AA852773		KIAA1866 protein	3.6	402	112	4.9
		AW389845		ESTs	4.3	43	1	1
		AA902656		NIF3 (Ngg1 interacting factor 3, S.pombe	3.3	33	1	1.1
15		AA345644		PAN2 protein	4.8	61	13	5.6
		AW263155		hypothetical protein FLJ10540	4.3	43	5	2.2
	111353	W20090	Hs.6616	ESTs	4.1	41	1	2.6
		BE314949		hypothetical protein FLJ23309	3.8	425	111	4
20		AW160993		hypothetical gene DKFZp434A1114	4.3	65	15	5.7
<b>20</b> ·		AK000987		oxidation resistance 1	3.4	314	91	2.4
		U82670	Hs.9786	zinc finger protein 275	3.5 3.5	35 105	1 30	2.1 9.6
		BE071382 AW502285		hypothetical protein FLJ20170 hypothetical protein FLJ12879	3.2	37	12	3.5
		BE383234		Homo sapiens, clone MGC:15393, mRNA, com		62	2	5.9
25		AF027208		prominin (mouse)-like 1	8.1	328	41	1.7
		R40576	Hs.21590	hypothetical protein DKFZp564O0523	4.2	125	30	7.4
		NM_015310	OHs.6763	KIAA0942 protein	6.5	65	10	1.5
,		R44538		gb:yg29c02.s1 Soares infant brain 1NIB H	3.3	33	10	2.3
20		R41823	Hs.7413	ESTs; calsyntenin-2	6.1	185	31	6.6
30		NM_00365		ESTs	3.5	507	145	3.3
•			Hs.288539	hypothetical protein FLJ22191	3.5	40 507	12	2.5
		AB029000 R51818	HS.70823	KIAA1077 protein gb:yg77h12.s1 Soares infant brain 1NIB H	5.7 4	567 70	100 18	6.7 6.8
		R53734	Hs.25978	ESTs, Weakly similar to 2109260A B cell	3.7	37	1	3
35		AW972635		hypothetical protein FLJ12671	4.3	45	<b>i</b> 1	4.4
55		AA863360		ESTs, Weakly similar to fatty acid omega	2.8	751	270	1.3
		AK000914		hypothetical protein FLJ10052	3.5	41	12	3.7
	112483	AW969785	Hs.285885	Homo sapiens cDNA FLJ11321 fis, clone PL	4.2	42	6	3.6
	112513	R68425	Hs.13809	hypothetical protein FLJ10648	4.7	54	12	4.5
40		AA412205		ESTs	4:8	48	2	3.4
		Z42387	Hs.83883	transmembrane, prostate androgen induced	4.5	390	87	5.3
		AL134324		ESTs	3.2 9.6	99 124	31	3.1 9
		A1571940	Hs.7549	ESTs	9.1	91	13 6	8.3
45		N39342 AA283057	Hs.103042 Hs.266957	microtubule-associated protein 1B hypothetical protein FLJ14281	6.5	65	6	4.8
73		T66847	Hs.194040	ESTs, Weakly similar to I38022 hypotheti	3.5	35	1	1.4
		AW449560		inner mitochondrial membrane peptidase 2	3.5	35	4	3.3
		AI791905	Hs.95549	hypothetical protein	7.6	76	1	4.2
	113604	A1075407	Hs.296083	ESTs, Moderately similar to I54374 gene	3.1	453	148	7
50		AI869372	Hs.17207	Homo sapiens cDNA FLJ11922 fis, clone HE	3.6	36	4	2.6
		T97307		gb:ye53h05.s1 Soares fetal liver spleen	12.3	129	11	11.7
		AL359588	Hs.7041	hypothetical protein DKFZp762B226	4.6	46 36	4	4.3
		A1269096 T62849	Hs.135578 Hs.11090	chitobiase, di-N-acetyl- membrane-spanning 4-domains, subfamily A	3.6 3.3	36 744	1 227	1.2 2.5
55		BE247683		dual specificity phosphatase 11 (RNA/RNP	3.3	180	54	2.1
55		W44735	Hs.9286	Homo saplens cDNA: FLJ21278 fis, clone C	5.1	51	5	4.5
		NM_00503		plastin 3 (T isoform)	3.2	238	75	2.1
		AA457211		bromodomain adjacent to zinc finger doma	4.3	43	8	3.6
		AW002834	Hs.24095	ESTs	6.1	110	18	10.2
60		W76027	Hs.23920	hypothetical protein FLJ11105	4	48	12	4
		AW953484		hypothetical protein FLJ22041 similar to	3.7	239	65	3.6
		W17056	Hs.83623	nuclear receptor subfamily 1, group i, m	4.3	819	191	1.2
		AI267652	Hs.30504	Homo sapiens mRNA; cDNA DKFZp434E082 (fi		123 44	12	7
65		AI825386	Hs.164478 Hs.177534	hypothetical protein FLJ21939 similar to dual specificity phosphatase 10	4.4 4.5	44 45	6 4	2.3 2.6
UJ	114001	AF116653	He 34102	Homo sapiens PRO0823 mRNA, complete cds	3.5	35	6	3.2
	114037	AK001612	Hs.26962	Homo sapiens cDNA FLJ10750 fis, clone NT	3.1	31	5	1.5
	114002	, 1100 1012		supraise surface to tot ou say siend if			-	

		W57554	Hs.125019	lymphoid nuclear protein (LAF-4) mRNA	24.2	242	10	5.6
		AW384793		Homo sapiens mRNA; cDNA DKFZp434E033 (fr	_	67	1	6.3
		AF155661		pyruvate dehydrogenase phosphatase	3.8	73	19	1.8
_		AF017445		fucose-1-phosphate guanylyltransferase	4.4	104	24	5.1
5		AL049466		ESTs	5.7	57	1	4.9
		AL137667	Hs.267445	Homo sapiens mRNA; cDNA DKFZp434B231 (fr	3.3	33	1	2.4
	114251	H15261	Hs.21948	ESTs .	4.2	46	11	1.4
	114306	AF100143	Hs.6540	fibroblast growth factor 13	4.5	45	2	3
	114460	AF183810	Hs.26102	trichorhinophalangeal syndrome I	4.4	44	1	3
10	114542	AW970128	Hs.91011	anterior gradient 2 (Xenepus laevis) hom	4.7	770	166	5.8
	114652	AI521936	Hs.107149	novel protein similar to archaeal, yeast	5.2	52	3	2.3
	114767	A1859865	Hs.154443	minichromosome maintenance deficient (S.	4.6	196	43	10
		AF212848		ets homologous factor	13.7	137	1	8.9
		AV656017		CGI-76 protein	3.3	168	51	7.3
15		AA159181		serologically defined colon cancer antig	7.4	137	19	1.8
		AI648602	Hs.55468	ESTs	4.7	57	12	4.7
		AL157545		bromodomain and PHD finger containing, 3	9.1	91	1	7.6
		BE165762			10.1	111	11	10.2
				hypothetical protein from BCRA2 region			11	
20		BE092696		ESTs	6.4	67		5
20		A1733881	Hs.72472	BMP-R1B	35.9	359	10	29.7
		AW162998	HS.24684	KIAA1376 protein	9.4	94	8	7.3
		AA251089		gb:zs04f05.s1 NCI_CGAP_GCB1 Homo sapiens		115	1	6.9
		AA329340		mannosyl (alpha-1,3-)-glycoprotein beta-	4.2	42	9	1.1
0.5		AW265668		hypothetical protein FLJ12428	5.1	51	1	4.2
25		AI751438	Hs.41271	Homo sapiens mRNA full length insert cDN	4.5	290	65	3.7
	115140	NM_014158	3Hs.279938	HSPC067 protein	4.8	48	1	4.4
		AI623693	Hs.191533	ESTs	3.2	49	16	4.2
	115188	AK000219	Hs.88367	hypothetical protein FLJ20212	3.3	33	1	3 -
	115206	AW183695	Hs.186572	ESTs	5.8	58	1	5
30	115221	AW365434	Hs.79741	hypothetical protein FLJ10116	5.5	343	62	2.5
	115262	AI422867	Hs.88594	ESTs	11.2	112	1	10.3
	115291	BE545072	Hs.122579	hypothetical protein FLJ10461	4.5	96	21	7.8
		AK001468		anillin (Drosophila Scraps homolog), act	5.9	59	1	4.2
		NM_012317		leucine zipper, down-regulated in cancer	9.8	98	1	8.8
35		AA081395		Homo sapiens cDNA FLJ10366 fis, clone NT	4.6	46	2	1.8
		AI088691	Hs.208414	Homo sapiens mRNA; cDNA DKFZp564D0472 (1		44	7	1.1
		N36110	Hs.305971	solute carrier family 2 (facilitated glu	3.2	372	115	2.1
		AW992356		Homo sapiens pyruvate dehydrogenase kina	10.2	506	50	2.8
		W87707	Hs.82065	interleukin 6 signal transducer (gp130,	5.2	405	78	10.1
40		AW992405		Homo sapiens, clone IMAGE:3507281, mRNA,	7.6	144	19	13.9
		AW899053		F-box only protein 8	3.1	58	19	2.5
		AW582256		anterior gradient 2 (Xenepus laevis) hom	5.7	368	65	28.5
		AW338063		zinc-finger protein ZBRK1	3.9	39	8	2.2
		R50956	Hs.159993	gycosyltransferase	4.2	79	19	1.9
45		BE300266		transducin-like enhancer of split 1, hom			1	
43					5.8	58 60	1	4.4
		AI373062		hypothetical protein MGC5370	6.2	62		5.4
		AA291377		ESTS	3.2	40	13	0.7
	_	A1745379		ESTs	8.4	101	12	8.7
50		AW673312		hypothetical protein FLJ20331	3.6	36	1	2
30		Al198719	Hs.176376	ESTs	5.1	51	1	2
		AL133916		hypothetical protein FLJ20093	3.4	34	8	1
		AF126743		DNAJ domain-containing	3.5	35	8	3.3
		AF189011		putative ribonuclease III	4.5	45	9	3.4
		AW861622		Homo sapiens cDNA FLJ14934 fis, clone PL	5.2	52	4	3.9
55		AW976438		RBP1-like protein	3.8	38	7	2.1
	116238	AV660717	Hs.47144	DKFZP586N0819 protein	5.1	198	39	17.9
		N76712	Hs.44829	ESTs, Weakly similar to I38022 hypotheti	13.3	133	8	3.2
	116256	AA328153	Hs.88201	ESTs, Weakly similar to A Chain A, Cryst	3.3	106	33	9.8
	116298	Al955411	Hs.94109	Homo sapiens cDNA FLJ13634 fis, clone PL	4.8	179	38	2.8
60	116336	AL133033	Hs.4084	KIAA1025 protein	3.2	173	55	3
	116351	AL133623	Hs.82501	similar to mouse Xm1 / Dhm2 protein	3.7	37	1	1.8
		N50174	Hs.46765	ESTs	3.9	39	10	0.6
	116379	AA448588		hypothetical protein DKFZp761C169	5.6	106	19	9
		AF191018		putative nucleotide binding protein, est	3.6	256	72	3.7
65		A1654450	Hs.47274	Homo sapiens mRNA; cDNA DKFZp564B176 (fr		119	39	2
		AA313607		Homo sapiens cDNA: FLJ22145 fis, clone H	5.5	315	58	3.1
		Al272141	Hs.83484	SRY (sex determining region Y)-box 4	3.4	496	144	1.6

	116507	AI418366	Hs.68501	ESTs	3.1	31	4	1.9
		AW888411	Hs.81915	leukemia-associated phosphoprotein p18 (	3.3	931	279	5.6
		F01601	Hs.241567	RNA binding motif, single stranded inter	3.6	36	1	1.9
5		AI768015	Hs.92127	ESTS	4.5 4.2	96 42	22 1	6.9 2.7
5		AW902848		eSTs v-crk avian sarcoma virus CT10 oncogene	7.1	71	9	6.9
		F10577 AA741307	Hs.306088	hypothetical protein FLJ20073	4.3	190	44	5.4
		H25836	Hs.301527	ESTs. Moderately similar to unknown (H.s	22.8	228	9	12.4
		AW362955		Homo sapiens cDNA FLJ14415 fis, clone HE	4.9	108	22	9
10		AW161357		microtubule-associated protein tau	4.6	163	35	7.3
	116844	H64938	Hs.337434	ESTs, Weakly similar to A46010 X-linked	6.9	69	10	2.4
		AW085208		ESTs	4.8	48	1	2.5
		H91164	Hs.335797	ESTS	3.3 3.1	33 38	1 13	2.3 1.7
15		H95785 AW901347	Hs.167652	ESTs, Highty similar to 1819485A CENP-E hypothetical protein FLJ23342	4.8	48	1	0.9
15		N25929	Hs.42500	ADP-ribosylation factor-like 5	3.1	295	96	27.9
		W03011	Hs.306881	MSTP043 protein	3.6	41	12	2.8
		M18217	Hs.172129	Homo sapiens cDNA: FLJ21409 fis, clone C	3.9	322	83	4.4
	117367	AI041793	Hs.42502	ESTs	3.5	72	21	1.3
20		N32536	Hs.42645	solute carrier family 16 (monocarboxylic	17.4	174	9	6.9
		N30205	Hs.93740	ESTs, Weakly similar to 138022 hypotheti	3.2	35	11	0.7 4.7
		AW341639		hypothetical protein FLJ22059	5 4.5	50 211 <sub>1</sub>	1 47	4. <i>1</i> 5
		U59305	Hs.44708	Ser-Thr protein kinase related to the my	4.6	277 i 46	1	3.8
25		AW877787 N49967	Hs.46624	KIAA0853 protein HSPC043 protein	3.1	31	i	2.7
23		AI521436	Hs.38891	ESTs	4.9	49	i	4.4
		AA374756		Homo sapiens mRNA for KIAA1771 protein,	5	50	2	3.1
		AI813865	Hs.164478	hypothetical protein FLJ21939 similar to	3.6	89	25	0.9
		AF091434	Hs.43080	platelet derived growth factor C	3.2	378	117	2.8
30	118472	AL157545	Hs.42179	bromodomain and PHD finger containing, 3	14.5	145	1	2.4
		N66845		gb:za46c11.s1 Soares fetal liver spleen	3.1	199	64	1
		N22617	Hs.43228	Homo sapiens cDNA FLJ11835 fis, clone HE	6	60	5	3.7
		AI949952	Hs.49397	ESTS	3.3 3.4	81 740	25 217	1.5 2.8
35		N79496 AW134482	Hs.50824	EST, Moderately similar to I54374 gene N hypothetical protein FLJ13964	4.3	162	38	12.1
22		T58283	Hs.10450	Homo sapiens cDNA: FLJ22063 fis, clone H	3.4	118	35	2.3
		AI824009		ESTs	3.5	35	1	2.9
		Al191811	Hs.54629	ESTs	8.4	84	10	0.8
		AW292577		ESTs	7.3	73	3	5.4
40	118981	N29309	Hs.39288	ESTs	5	50	5	4.7
			7Hs.250696	KDEL (Lys-Asp-Glu-Leu) endoplasmic retic	3.7	37	6	0.5
		N98488	11. 00700	gb:zb82h01.s1 Soares_senescent_fibroblas	3.3	36 467	11	0.6
		R39261	Hs.90790	Homo sapiens cDNA: FLJ22930 fis, clone K	3.3 5.3	167 53	51 6	2.6 2.3
45		R45175 H09334	Hs.117183 Hs.92482	ESTs ESTs	3.7	37	4	3
43		Al061118	Hs.65328	Fanconi anemia, complementation group F	8.2	82	1	6.4
			1Hs.155478	cyclin T2	4	40	4	1.2
		BE048061		ephrin-A3	3.3	571	171	2
	119367	178324	Hs.250895	ribosomal protein L34	3.4	34	3	2.4
50		AW474547		Homo sapiens PIG-M mRNA for mannosyltran	4.6	60	13	4.8
	119580	AL079310	Hs.92260	high-mobility group protein 2-like 1	8.1	94 33	12	6.5 0.9
			Hs.159225	ESTS	3.3 3.3	33	8 10	0.9 0.5
		NM_01612		NY-REN-58 antigen ESTs	5.4	54	1	4.1
55		AA243837 AA918317		B-cell CLL/lymphoma 11B (zinc finger pro	4.6	46	<del>,</del>	0.8
55		A1905687		EST	3.5	2073	595	2.1
			5Hs.191381	hypothetical protein	4.4	44	1	3.1
			Hs.121281	prion protein 2 (dublet)	3.4	34	1	2.5
	119805	AJ223810	Hs.43213	ESTs, Weakly similar to IEFS_HUMAN TRANS	3.6	36	1	2.9
60		AW245741		ESTs, Weakly similar to A35659 krueppel-	5.2	52	6	1.8
	119899	A1057404	Hs.58698	ESTS	3.7	37 460	4	1.9
			Hs.272531	DKFZP586B0319 protein	6.9	162 500	24 150	2.6
		BE565849		copine III ymphoid nuclear protein (LAF-4) mRNA	3.7 6.9	590 319	159 47	3.8 2.1
65	120132	2 W57554 3 RF005771	Hs.125019 Hs.153746	hypothetical protein FLJ22490	5.3	53	5	0.9
UJ	120130	AF109219	Hs.108787	phosphatidylinositol glycan, class N	3.2	106	34	3.3
	120260	AK000061	Hs.101590	hypothetical protein	3.4	34	1	1.7
				₹°				

				•				
	120296	AW995911	Hs.299883	hypothetical protein FLJ23399	4.2	124	30	1.8
			Hs.193172	ESTs, Weakly similar to I38022 hypotheti	7.5	112	15	2.5
	120378	AA223249	Hs.285728	abl-interactor 12 (SH3-containing protei	3.3	33	10	2.8
_		AW966893		Homo sapiens mRNA; cDNA DKFZp586F1323 (f		48	1	0.5
5		AA251973		ESTs	3.4	34	4	0.1
		AW968080		Homo sapiens clone 24630 mRNA sequence	3.9	161	42	2
		AA261852		ESTs	6.8	68	1	0.2
		AA284447		ESTs	3.2	32	5	0.6
10		BE244580		hypothetical protein FLJ10330	8.5	127	15	1.6
10			Hs.34892	KIAA1323 protein	3.7	37	1	0.5
			Hs.294008	ESTs	3.6	36	8	0.2
		AA703226		Homo sapiens mRNA; cDNA DKFZp586B211 (fr		101	18	1.6
		AA687322		leucine zipper protein FKSG14	5.4	54	10	2.5
1.5			Hs.98267	ESTs	3.2	32	8	3
15		AW449855		Homo sapiens cDNA FLJ12727 fis, clone NT	5.3	58	11	3.3
		Y19062	Hs.96870	staufen (Drosophila, RNA-binding protein	3.3	33	3	0.2
		AA347422		EST, Weakly similar to B34087 hypothetic	3.8	38	7	0.2
		AL135556		ESTs	3.5	37	11	0.1
20		AA481003		ESTs	3.1	31	1	0.4
20		AA398155		ESTs	7.9	79	1	2.7
			Hs.29626	hypothetical brain protein my038	5.1	51	1	2.4
		AL042981		KIAA1201 protein	3.7	37	10	1
		AL121523		ESTs	7	70	1	0.9
25		AA970946		ESTs	3.9	39	1	0.2
25		AA406293		ESTs	3.4	34	1	8.0
		AF044197		B-cell attracting chemokine 1 (CXCL13;	3.5	35	1	2.6
		AK000282		hypothetical protein FLJ20275	10.3	103	1	9.3
		A1002968	Hs.235402	ESTs, Weakly similar to T26525 hypotheti	3.5	143	41	2.6
30		AA412488		TATA box binding protein (TBP)-associate	4.6	46	3	0.8
30		AA412494	H\$.96152	EST	4.2	77	19	1,4
		AA416568	Un 00244	gb:zu05c10.s1 Soares_testis_NHT Homo sap	3.2	32	1	0.8
		A1338247 AA243499	Hs.98314	Homo sapiens mRNA; cDNA DKFZp586L0120 (f hypothetical protein FLJ10134	2.9	34 214	10 74	0.7 3.7
		AA449644			3.9	39	.1	0.2
35		AA425887		Homo sapiens cDNA FLJ14201 fis, clone NT	4.4	48	11	0.2
55		AV650929		hypothetical protein FLJ14303 splicing factor (CC1.3)	3.6	150	42	3.2
		A1249368	Hs.98558	ESTs; protease inhibitor 15 (PI15)	2.7	864	321	0.6
		AW117207		ESTs	3.5	35	3	2.3
		AI810721	Hs.95424	ESTs	4.9	49	7	3.7
40		AW794215		KIAA1085 protein	3.2	88	28	1.2
-10		AF169797		adaptor protein containing pH domain, PT	12.6	126	7	7.5
		AA436475		membrane-associated nucleic acid binding	4.1	43	11	1.6
		AI298368	Hs.150926	fucose-1-phosphate guanylyltransferase	3.1	31	1	1
		AA446189		ESTs	3.3	53	16	4
45		BE567620		ESTs	3.2	291	91	4
		AA449453		ESTs, Weakly similar to ALU1_HUMAN ALU S	3.1	31	6	0.8
		AW651706		hypothetical protein FLJ14007	3.5	35	1	3
		AA454149		EST	3.2	32	10	3.1
		AW366286		splicing factor (CC1.3)	3.2	36	11	2.5
50		AA335721		ESTs	5.6	108	20	1.8
	122873	AA749382	Hs.118797	ubiquitin-conjugating enzyme E2D 3 (homo	3.6	36	1	3.4
	122946	A1718702	Hs.308026	major histocompatibility complex, class	3.7	162	44	12.4
		AA478446	Hs.69559	KIAA1096 protein	7.2	72	1	5.7
	122974	AA447871	Hs.194215	ESTs, Weakly similar to I38022 hypotheti	4.7	59	13	4.7
55	123016	AW338067	Hs.323231	Homo sapiens cDNA FLJ11946 fis, clone HE	3.3	207	63	3.5
	123090	AL135185	Hs.48778	niban protein	3.8	207	55	5.5
	123137	Al073913	Hs.100686	ESTs, Weakly similar to JE0350 Anterior	9.9	351	36	13.9
	123255	AA830335	Hs.105273	ESTs	4.1	72	18	1.5
	123284	AA488988	Hs.293796	ESTs	3.7	41	11	1.6
60		AA299652		Homo sapiens cDNA FLJ11643 fis, clone HE	6.7	67	2	2.1
	123449	AL049325	Hs.112493	Homo sapiens mRNA; cDNA DKFZp564D036 (fr	3.4	34	1	2.6
			Hs.250528	Homo sapiens, clone IMAGE:4098694, mRNA,	9.7	102	11	6
			Hs.112110	mitochondrial ribosomal protein L42	4.2	42	7	2.9
		AW975051		ESTs, Weakly similar to 178885 serine/th	3.9	39	1	3.2
65	123516	AB037860	Hs.173933	nuclear factor I/A	4.3	43	1	3.5
	123518	AL035414	Hs.21068	hypothetical protein	5.8	58	1	4.9
	123523	AA608588		gb:ae54e06.s1 Stratagene lung carcinoma	3.1	927	295	2.1

	123527	AF150208	Hs.108327	damage-specific DNA binding protein 1 (1	5	121	25	5.9
	123570	AA608955	Hs.109653	ESTs	6.8	68	10	6.1
	123619	AA602964		gb:no97c02.s1 NCI_CGAP_Pr2 Homo sapiens	8.5	85	1	4.3
		BE550112	Hs.158549		3.9	39	5	3.7
5		AA706910		ESTs	3.9	60	16	4.8
_		AA425769		Alg5, S. cerevisiae, homolog of	3.4	80	24	3.8
		AW082862		hypothetical protein FLJ23189	4.5	45	2	3.6
		AI147155	Hs.270016	ESTs	5.8	321	55	17
					10.4	880	85	5.3
10		BE387335		ESTs, Weakly similar to S64054 hypotheti	3.1	41	14	2.7
10		H88296	Hs.5123	inorganic pyrophosphatase				
	124292		Hs.13366	Homo saplens cDNA: FLJ23567 fis, clone L	3.2	32	1	1.5
		AA249027		ribosomal protein S6	10.5	105	1	9.9
	124315	NM_005402	2Hs.288757	v-ral simian leukemia viral oncogene hom	12.8	141	11	12.2
	124461	AF283776	Hs.80285	Homo sapiens mRNA; cDNA DKFZp586C1723 (f		31	1	1.8
15	124483	AI821780	Hs.179864	ESTs	3.3	33	1	1.7
	124677	R01073		gb:ye84c03.s1 Soares fetal liver spleen	4.2	42	7	3
	124777	R41933	Hs.140237	ESTs, Weakly similar to ALU1_HUMAN ALU S	3.4	210	63	3.3
	124940	AF068846		heterogeneous nuclear ribonucleoprotein	6.5	162	25	14.7
	125079		Hs.271396	ESTs	3.1	31	6	2.4
20	125091			gb:ye20f05,s1 Stratagene lung (937210) H	3.4	985	286	2.8
20		AA570056	He 122730	ESTs, Moderately similar to KIAA1215 pro	3.6	224	63	4
		AB037742		KIAA1321 protein	6.3	63	6	5
			115.24330		3.6	38	11	2.6
	-	W38240	11- 050700	Empirically selected from AFFX single pr		31	1	2.8
25		W93048	Hs.250723	hypothetical protein MGC2747	3.1		-	
25		AA782536		N-myristoyltransferase 2	3.2	37	12	3.6
		AW401809		KIAA1150 protein	13.1	131	1	5.1
		T32982	Hs.102720	ESTs	7.7	81	11	7.6
		AA173319		hypothetical protein MGC12217	14.3	143	9	13.1
	125377	W72949	Hs.77495	UBX domain-containing 1	3.3	34	11	3.2
30	125390	AL038165	Hs.75187	translocase of outer mitochondrial membr	8.2	124	15	11.5
	125471	AA421691	Hs.152601	UDP-glucose ceramide glucosyltransferase	3.7	224	61	21
	125617	AA287921	Hs.164950	ESTs	6.7	67	1	6
	125621	T62641	Hs.278544	acetyl-Coenzyme A acetyltransferase 2 (a	5.5	55	10	4.2
	125628	AA418069	Hs.241493	natural killer-tumor recognition sequenc	5.5	63	12	1
35		AW292171		scaffold attachment factor B	4.3	68	16	2.8
		AF078847		general transcription factor IIH, polype	4.8	48	5	4.1
		AI858032	Hs.75722	ribophorin II	6.8	223	33	2.8
		AA143045		v-kit Hardy-Zuckerman 4 feline sarcoma v	8.3	87	11	0.4
•		NM_00340		YY1 transcription factor	11.3	124	11	9.7
40				Homo sapiens mRNA; cDNA DKFZp564B1264 (I		306	4	26.5
40		AW630088			4.9	68	14	1.4
		T30968	Hs.13531	hypothetical protein FLJ10971	6.4	74	12	6.6
		AW090198		KIAA1150 protein			53	
		W78968	Hs.181307	H3 histone, family 3A	5	264		3.4
AF		AA316181		six transmembrane epithelial antigen of	3.8	38	1	2.7
45		AW518478		ESTs	3.6	36	6	2.9
		AA643322		a disintegrin and metalloproteinase doma	3.1	31	1	2.5
		AA036755		syntaxin 16	4.4	76	18	1
	126801	AW663887	Hs.7337	hypothetical protein FLJ10936	3.8	38_	1	3
	126813	AW163483	Hs.48320	double ring-finger protein, Dorfin	6.7	155	23	1.4
50	126838	AL043489	Hs.279609	mitochondrial carrier homolog 2	8.8	110	13	10.5
	126855	AA129640	Hs.128065	ESTs	3.6	36	10	1.9
	126971	T26989	Hs.283664	aspartate beta-hydroxylase	5.5	79	15	4.4
	127167	AA625690	Hs.190272	ESTs	3.1	33	11	2.3
			Hs.128638	ESTs	3.5	35	1	3.1
55			Hs.269350	ESTs	4.8	106	22	1
		D60237	Hs.14368	SH3 domain binding glutamic acid-rich pr	7.5	75	1	6.5
		Al926047	Hs.162859	ESTs	3.8	38	7	3.4
		AA703684		ESTs. Moderately similar to ALU5_HUMAN A	3.3	33	9	0.9
				vacuolar protein sorting 35 (yeast homol	4.3	152	35	12.5
60			Hs.264190		5.4	73	14	6.8
UU	12///4	AA313039	Hs.119488	cystein-rich hydrophobic domain 2				
	12/999	AW978827	MS.69851	nucleolar protein family A, member 1 (H/	5.2	81	16	1.1
			Hs.292154	stromal cell protein	3.9	220	57	2.5
		A1954968	Hs.279009	matrix Gla protein	9.4	94	3	5.3
		AL049974		Homo saplens mRNA; cDNA DKFZp564B222 (fr		46	8	3.9
65	128482	A1694143	Hs.296251	programmed cell death 4	7.2	72	1	5.8
	128501	AL133572	Hs.199009	protein containing CXXC domain 2	3.8	38	1	0.9
	128517	AW994403	Hs.100861	hypothetical protein FLJ14600	5.6	73	13	6.1

				Homo sapiens clone 25061 mRNA sequence	4.2	104	25	7.8
				Homo sapiens cDNA FLJ14232 fis, clone NT	3.1	172	55	3.1
			Hs.272499	short-chain alcohol dehydrogenase family	3.3	105	32	3
5		N48373 D87432	Hs.10247 Hs.10315	activated leucocyte cell adhesion molecu solute carrier family 7 (cationic amino	7.3 3.1	106 31	15 1	5 2.2
-		AA307211		proteasome (prosome, macropain) subunit,	3.6	130	36	3.5
		NM_004131		granzyme B (granzyme 2, cytotoxic T-lymp	3.9	43	11	1.8
		AF026692		secreted frizzled-related protein 4	17.4	409	24	7.8
		AB011125		KIAA0553 protein	3.1	34	11	2.7
10		NM_014720		Ste20-related serine/threonine kinase	3.6	36	5	1.5
	128835	AK001731	Hs.106390	Homo sapiens mRNA; cDNA DKFZp586H0924 (f	3.3	288	87	7.9
		R57988	Hs.10706	epithelial protein lost in neoplasm beta	11.3	113	8	2.5
			Hs.21851	Homo sapiens cDNA FLJ12900 fis, clone NT	7.1	392	56	3.6
1.5		AA009647		a disintegrin and metalloproteinase doma	4.6	132	29	9.7
15		AA115333		ESTs	8.2	82	1	7.4
		BE250162		dihydrofolate reductase	5	50	1	3.3
	129095		Hs.108623	thrombospondin 2	3.2 4.4	814 44	257 1	2.4 3.8
		N23018 Al132988	Hs.171391 Hs.109052	C-terminal binding protein 2 chromosome 14 open reading frame 2	14.2	142	6	3.6 9.4
20		AF013758		polyadenylate binding protein-interactin	7.1	71	1	6.2
20			Hs.109727	TAK1-binding protein 2; KIAA0733 protein	5	64	13	6.3
		AF220050		uncharacterized hematopoietic stem/proge	5.2	75	15	6.4
		NM_015344		leptin receptor overlapping transcript-l	3.7	39	11	3.2
	129337	NM_014918	3Hs.110488	KIAA0990 protein	9.5	95	1	8.5
25	129351	AL049538	Hs.62349	ras association (RalGDS/AF-6) domain con	7.6	92	12	1.4
	129366	BE220806	Hs.184697	Homo sapiens clone 23785 mRNA sequence	7.1	150	21	14.5
		BE219987		phosphatidylinositol glycan, class F	3.9	54	14	5.1
		X61959	Hs.207776	aspartylglucosaminidase	3.6	36	1	2.7
20		NM_005754		Ras-GTPase-activating protein SH3-domain	4	40	4	3.2
30		AW964541		hypothetical protein FLJ21127	4.6	199	44	2.3
		N30436 M26939	Hs.11556	Homo sapiens cDNA FLJ12566 fis, clone NT	4.2 6.4	42 1111	1 175	3.8 5
		BE242144	Hs.119571	collagen, type III, alpha 1 (Ehlers-Dani ATP-binding cassette, sub-family E (OABP	4.8	48	8	3.8
		NM_001415		eukaryotic translation initiation factor	5.8	171	30	2.9
35		BE165866		nuclear receptor subfamily 1, group I, m	4.5	45	1	2.4
•		R42216	Hs.12342	Homo sapiens clone 24538 mRNA sequence	5.3	53	9	3.6
		R39246	Hs.239666	Homo sapiens cDNA FLJ13495 fis, clone PL	3.1	31	2	2.5
	129821	AB028945	Hs.12696	cortactin SH3 domain-binding protein	11.4	114	1	10
4.0		AI222069	Hs.13015	hypothetical protein similar to mouse Dn	4.7	556	119	4.5
40		T71333	Hs.13854	ESTs	3.1	31	3	3
		NM_000399		early growth response 2 (Krox-20 (Drosop	3.2	32	1	0.2
		BE061916		chromosome 8 open reading frame 2	6.7	67	1	5.7
		AF027153		solute carrier family 5 (Inositol transp	1	1	1 15	1
45		AK001635 T47294	Hs.149923	hypothetical protein FLJ10773 X-box binding protein 1	14.6 3.1	219 1336	434	7.6 1.4
45		AW977534		calcium/calmodulin-dependent serine prot	5.3	53	9	3.2
		U38847	Hs.151518	TAR (HIV) RNA-binding protein 1	4.2	46	11	1.1
		AB040914		KIAA1481 protein	13.2	331	25	12.4
		AF127577		nuclear receptor interacting protein 1	3.3	354	108	4
50	130367	AL135301	Hs.8768	hypothetical protein FLJ10849	8.1	81	9	5.5
		AW067800		stanniocalcin 2	72.2	722	1	1.9
		BE385099		hypothetical protein MGC3017	6.5	65	4	5.3
		AW163518		huntingtin interacting protein 2	3.5	79	23	2.5
<i>5 5</i>		U63630	Hs.155637	protein kinase, DNA-activated, catalytic	6.1	61	1	5.7
55		D90041	Hs.155956	N-acetyltransferase 1 (arylamine N-acety	10.8	706	66	9.2
		W19744	Hs.180059	Homo sapiens cDNA FLJ20653 fis, clone KA	3.9	39	1	1.9
		AW876523		hypothetical protein FLJ12910 replication protein A3 (14kD)	3.9	39	1	2.6
		AA383092 AA383256		estrogen receptor 1	4.4 32.2	44 322	1	4.1 4.7
60		Al354355	Hs.16697	down-regulator of transcription 1, TBP-b	5.2	251	48	21
00		M90516	Hs.1674	glutamine-fructose-6-phosphate transamin	10	100	1	7.6
		AI963376	Hs.12532	chromosome 1 open reading frame 21	3.9	39	i	3.4
		AF176012		J domain containing protein 1	10.5	105	i	9
		AL161961		KIAA1554 protein	6.8	129	19	12.1
65		R62676	Hs.17820	Rho-associated, colled-coil containing p	4.1	41	1	3.6
		R68537	Hs.17962	ESTs	9.2	234	26	16.8
	130712	AJ271881	Hs.279762	bromodomain-containing 7	17.5	175	2	12.8
				004				

	130733	BE247676	He 18//2	E 1 onzume	8.1	81	3	2.8
		AF052105		E-1 enzyme chromosome 12 open reading frame	4.9	49	1	4.3
		AA197226		hypothetical protein MGC11321	3.6	100	28	6.6
		Y10805	Hs.20521	HMT1 (hnRNP methyltransferase, S. cerevi	3.4	525	154	5.3
5		AF080158		inhibitor of kappa light polypeptide gen	10.5	121	12	1.6
•		AL044315		Homo saplens mRNA for KIAA1750 protein,	6	202	34	3.7
		NM_003528		H2B histone family, member Q	7.1	100	14	7.5
		NM_012446		single-stranded-DNA-binding protein	3.2	87	27	1.7
		BE613269		hypothetical protein DKFZp761N0624	3.5	124	35	6.5
10		T97401	Hs.21929	ESTs	4.5	45	1	2.5
		AA749230		dolichyt-phosphate (UDP-N-acetylglucosam	3.2	210	66	3.8
		BE207357		KIAA1821 protein	3.8	42	11	0.6
		NM_016156		KIAA1073 protein	6.7	67	6	1.9
		BE541042		Homo sapiens cDNA: FLJ21848 fis, clone H	5.8	115	20	2.5
15		AW953575		p53-induced protein PIGPC1	3.8	585	153	3.7
		AW013807		keratin 19	5.2	1320	256	3.2
	131176	AA465113	Hs.23853	ESTs, Weakly similar to A34615 profilagg	3.8	38	1	3.3
	131200	BE540516	Hs.293732	hypothetical protein MGC3195	4.8	48	1	4.1
	131216	AI815486	Hs.243901	Homo sapiens cDNA FLJ20738 fis, clone HE	6.1	343	56	16.4
20	131245	AL080080	Hs.24766	thioredoxin domain-containing	8	100	13	2.9
	131248	AI038989	Hs.332633	Bardet-Bledl syndrome 2	4	95	24	1.1
	131273	AW206008	Hs.283378	Homo saplens cDNA: FLJ21778 fis, clone H	4.6	239	53	3.5
	131319	NM_003155	5Hs.25590	stanniocalcin 1	3.5	402	114	2.1
	131367	AI750575	Hs.173933	nuclear factor I/A	3.3	775	233	2.4
25	131375	AW293165	Hs.143134	ESTs	3.8	38	1	3
		AK001123		hypothetical protein FLJ10261	3.9	116	30	0.5
		NM_014810		KIAA0480 gene product	7.6	76	1	5
		AA992841		KIAA1458 protein	5.1	113	22	6.1
20		AI452601	Hs.288869	nuclear receptor subfamily 2, group F, m	8.4	169	20	4.6
30		AV661958		GK001 protein	3.1	197	63	18.7
		N22120	Hs.75277	hypothetical protein FLJ13910	5.9	59	1	4.4
		AL355715		programmed cell death 9 (PDCD9)	5.1	51	1	3.9 6.9
		AA093668		muscleblind (Drosophila)-like	3.8 4	79 350	21 88	3
35		NM_003512		H2A histone family, member L	4.7	381	81	6.4
22		T93500	Hs.28792	Homo sapiens cDNA FLJ11041 fis, clone PL	4. <i>1</i> 4.6	361 46	7	3.8
		AA306477		hypothetical protein FLJ10687	3.2	82	26	6.6
		NM_002104 BE297635		granzyme K (serine protease, granzyme 3; heat shock 70kD protein 9B (mortalin-2)	6.7	93	14	8.4
		AB012124		transcription factor-like 5 (basic helix	3.8	53 51	14	1.7
40		AW963776		SAR1 protein	7.2	72	4	5.7
40		AF017986		secreted frizzled-related protein 2	2.1	1561	757	1.7
		AA961420		ESTs	11.7	117	1	10.1
		AB014548		KIAA0648 protein	4.8	48	i	4.6
		D87077	Hs.196275	KIAA0240 protein	3.2	207	64	5.5
45		X86098	Hs.301449	adenovirus 5 E1A binding protein	3.4	115	34	9.1
		W00712	Hs.32990	DKFZP566F084 protein	5.8	91	16	1.4
	131853	Al681917	Hs.3321	ESTs, Highly similar to IRX1_HUMAN IROQU	4.9	632	129	1.7
	131877	J04088	Hs.156346	topoisomerase (DNA) II alpha (170kD)	6.8	68	1	5.6
	131881	AW361018	Hs.3383	upstream regulatory element binding prot	4	140	35	1.8
50	131885	BE502341	Hs.3402	ESTs	5.7	57	1	4.5
	131904	AF078866	Hs.284296	Homo sapiens cDNA: FLJ22993 fis, clone K	5.5	90	17	2.9
	131919	T15803	Hs.272458	protein phosphatase 3 (formerly 2B), cat	5.6	95	17	9.1
		BE252983		ubiquitin specific protease 1	7.4	103	14	6.5
		NM_00291		replication factor C (activator 1) 4 (37	3.7	37	1	3.4
55		AK000010		hypothetical protein FLJ20003	3.5	35	1	2.5
		W79283	Hs.35962	ESTs	5.5	168	31	4.4
		U90441	Hs.3622	procollagen-proline, 2-oxoglutarate 4-di	3.7	37	9	2.8
		AA503020		hypothetical protein FLJ22418	40.2	402	1	4
<b>6</b> 0		A1878910	Hs.3688	cisplatin resistance-associated overexpr	7.3	73	1	1.2
60	132064	AA121098	™8.3030 EU2 204E	serum-inducible kinase	22.6 3.1	226	10	0.9
		NM_01604		CGI-107 protein		227	73	16.8
		AW190902		cysteine knot superfamily 1, BMP antagon	3.5 3.6	73 141	21	6.3
	132110	AW960474		ESTs	3.6 4.9	141	39	12.6
65	132143	D52059	Hs.7972	KIAA0871 protein seven in absentia (Drosophila) homolog 1	4.4	49 53	1	4.1 2.1
UJ	132700	W26406 Al752235	Hs.295923 Hs.41270	procollagen-lysine, 2-oxoglutarate 5-dio	5	225	12	9.1
	132104	NM_00446	113.4121U	fibroblast activation protein, alpha	10.7	433	45 41	7.2
	132 100	.111_00710	0.19.710	norobasi doni dibita ilipita		700	7,	1.2

	132197	Al699482	Hs.42151	ESTs	3.4	58	17	4
			Hs.431	murine leukemia viral (bmi-1) oncogene h	4.2	42	i	2.2
		NM_01598		cytokine receptor-like molecule 9	3.4	34	2	3
	132316	U28831	Hs.44566	KIAA1641 protein	18.6	186	10	1.5
5		N37065	Hs.44856	hypothetical protein FLJ12116	5.5	323	59	10.5
	132358	NM_00354		H4 histone family, member G	3.3	979	298	2.2
		AA312135		HSPCO34 protein	3.6	36	1	3.1
	132388	W32624	Hs.278626	Arg/Abl-interacting protein ArgBP2	5.9	186	32	3.7
	132393	AL135094	Hs.47334	hypothetical protein FLJ14495	4.2	159 ,	38	7.1
10	132407	BE613126	Hs.47783	B aggressive lymphoma gene	4.6	46	1	4.3
	132425	N87549	Hs.125287	zinc finger protein ZNF140-like protein	3.6	146	41	1.1
	132440	AB020699	Hs.112751	KIAA0892 protein	3.3	33	4	2.9
	132465	AW169847	Hs.49169	KIAA1634 protein	8.3	145	18	3.7
	132522	AB023164	Hs.5070	KIAA0947 protein	4.6	46	1	4.4
15		T78736	Hs.50758	SMC4 (structural maintenance of chromoso	9.3	93	1	8.4
	132530	AA306105	Hs.50785	SEC22, vesicle trafficking protein (S. c	4.9	49	1	4.4
	132543	BE568452	Hs.5101	protein regulator of cytokinesis 1	11.8	201	17	19.1
	132572	Al929659	Hs.237825	signal recognition particle 72kD	3.8	38	1	3
••	132592	AW803564	Hs.288850	Homo sapiens cDNA: FLJ22528 fis, clone H	4.8	93	20	3.1
20		AW606927		hypothetical protein DKFZp586F1122 simil	6.1	61	2	5.9
		BE262677		hypothetical protein PRO1855	3.4	193	58	12.3
		AF037335		carbonic anhydrase XII	14.2	390	28	22.5
			Hs.279916	hypothetical protein FLJ20151	3.3	909	274	3.2
~-		AU076916		guanine monphosphate synthetase	5	50	1	4.1
25		AB018319		KIAA0776 protein	4.2	171	41	12.6
			Hs.292812	ESTs, Weakly similar to T33468 hypotheti	6.5	65	1	5.6
			Hs.168670	peroxisomal famesylated protein	3.7	37	1	2.2
	:	U25435	Hs.57419	CCCTC-binding factor (zinc finger protei	7	115	17	5.4
20		AL120050		Homo sapiens cDNA: FLJ23005 fis, clone L	3.3	61	19	5.1
30		NM_00144		glypican 4	4.8	48	1	3.6
			Hs.177537	hypothetical protein DKFZp761B1514	12.6	126	8	9.9
		AI936442		hypothetical protein FLJ10808	11	187	17	10.4
			Hs.234896	geminin	3.3	106	33	2.6
35		AL047045		Homo sapiens clone 122482 unknown mRNA	3.5	110	32	2.1
33		AF234532		myosin X	4.1	62	15	4.9
		X77343	Hs.301404	RNA binding motif protein 3	22.1 12.7	221 311	9 25	17.8 2.4
			Hs.334334 Hs.279905	transcription factor AP-2 alpha (activat clone HQ0310 PRO0310p1	3	380	127	5.5
			9Hs.171921	sema domain, immunoglobulin domain (ig),	7.3	271	37	2.3
40		. —	Hs.246315	UDP-N-acetyl-alpha-D-galactosamine:polyp	4.6	427	93	10.4
40		U92649	Hs.64311	a disintegrin and metalloproteinase doma	3.6	36	1	3.1
		AK001628		KIAA0483 protein	5.2	117	23	5
		AA218564		vacuolar protein sorting 26 (yeast homol	3.1	359	118	2.5
		AI275243	Hs.180201	hypothetical protein FLJ20671	5.1	58	12	5.7
45		AF231981		homolog of yeast long chain polyunsatura	3	816	275	3.9
		W32474	Hs.301746	RAP2A, member of RAS oncogene family	3.1	234	76	8.6
			Hs.242894	ADP-ribosylation factor-like 1	8.1	81	1	4.6
		Z48633	Hs.283742	H.sapiens mRNA for retrotransposon	12.4	124	6	10.8
		BE297855		NRAS-related gene	3.3	33	1	2.9
50	133294	AJ001388	Hs.69997	zinc finger protein 238	7.9	234	30	18.9
	133350	AI499220	Hs.71573	hypothetical protein FLJ10074	4.6	46	5	3.5
	133362	AK001519	Hs.7194	CGI-74 protein	5	110	22	9.7
	133370	AF245505	Hs.72157	DKFZP564I1922 protein	3.2	725	227	3.2
	133407	AF017987	Hs.7306	secreted frizzled-related protein 1	4.1	374	91	1.1
55	133422	AB033061	Hs.73287	KIAA1235 protein	4.3	43	1	3.9
	133435	Al929357	Hs.323966	Homo sapiens clone H63 unknown mRNA	5.5	186	34	16.5
	133479	W01556	Hs.238797	ESTs, Moderately similar to I38022 hypot	3.5	35	7	2.1
	133493	AW998046	6 Hs.194369	arginine-glutamic acid dipeptide (RE) re	3.6	39	11	0.4
	133504	NM_00441	5Hs.74316	desmoplakin (DPI, DPII)	4.1	640	158	3
60		NM_00016	55Hs.74471	gap junction protein, alpha 1, 43kD (con	3.2	351	111	5.2
		W25797	Hs.177486	amyloid beta (A4) precursor protein (pro	3.2	226	71	2.8
		AU077050	Hs.75066	translin	3.4	178	53	8.8
		D21262	Hs.75337	nucleolar and colled-body phosphprotein	4.7	47	1	4
~~		AW24642		ubiquitin-conjugating enzyme E2N (homolo	8.5	85	1	7.2
65			25Hs.166975	splicing factor, arginine/serine-rich 5	3.6	36	1	0.4
		Al352558		tyrosine 3-monooxygenase/tryptophan 5-mo	3.4	234	68	10.7
	133746	AW41003	Hs.75862	MAD (mothers against decapentaplegic, Dr	9.3	93	1	7.8

		M62194	Hs.75929	cadherin 11, type 2, OB-cadherin (osteob	3.2	560	174	2.6
		AA557660 BE622743		decorin arfaptin 1	5.4 4.7	144 47	27 1	13.3 4.1
		NM_00246		myxovirus (Influenza) resistance 1, homo	3.3	380	114	4.9
5		AW630088		Homo sapiens mRNA; cDNA DKFZp564B1264 (		304	46	7.8
	133845	AA147026	Hs.76704	ESTs	6.2	600	97	4.1
		AU076964		calumenin	3.3	889	267	5
		AA355986		transcription factor 8 (represses interl	3.7	91	25 .	2.6
10		R48316	Hs.7822	Homo sapiens mRNA; cDNA DKFZp564C1216 (		91	27	8.5
10		AA535244 NM_005025		RAB2, member RAS oncogene family serine (or cysteine) proteinase inhibito	7.8 5.9	78 59	1	5.6 3.3
		AF091622		KIAA0244 protein	5.8	58	1	4.9
		U51166	Hs.173824	thymine-DNA glycosylase	6.4	100	16	4.4
		R51273	Hs.79029	ESTs	5.1	51	9	3.8
15		NM_004354		cyclin G2	5	50	1	3.2
		BE513171		mitochondrial ribosomal protein L3	4.8	246	51	3.9
		U41060	Hs.79136	LIV-1 protein, estrogen regulated	4.5	1472	330	2.1
		NM_01478		KIAA0203 gene product	4.6 7	69 07	15 14	5.8 7.5
20		D28459 C05768	Hs.80612 Hs.8078	ubiquitin-conjugating enzyme E2A (RAD6 h Homo sapiens clone FBD3 Cri-du-chat crit	3.4	97 34	5	2.6
20		X76040	Hs.278614	protease, serine, 15	3.6	36	1	2.8
		R45621	Hs.81057	hypothetical protein MGC2718	6.7	67	9	5.7
		A1022650	Hs.8117	erbb2-interacting protein ERBIN	4.5	137	31	12
		BE538082		ESTs, Moderately similar to A46010 X-lin	5.2	52	1	4.9
25	134326	AW903838	Hs.81800	chondroitin sulfate proteoglycan 2 (vers	8.6	568	66	22.4
		AW959281		ESTs	4.8	53	11	3.7
		AW291946		interleukin 6 signal transducer (gp130,	7.1	71	4	6.4
		NM_00198		v-erb-b2 avian erythroblastic leukemia v	3	68	23	2.8
20		AA339449		phosphoribosylglycinamide formyltransfer	4.4	44	1	4.1
30		N22687 AU077143	Hs.8236	ESTs	13.3 4.5	445 45	34 2	6 3.4
		AA456539		minichromosome maintenance deficient (S. lysosomal	4.5 6	60	5	5.9
		AI916662		kinectin 1 (kinesin receptor)	4.1	301	73	6.1
		AW067903		collagen, type XI, alpha 1	4.6	1216	267	4.4
35		AI750762		protein tyrosine phosphatase type IVA, m	4.9	163	34	15.1
	134417	NM_00641	6Hs.82921	solute carrier family 35 (CMP-sialic acl	4.9	49	3	3.8
		W95642	Hs.82961	trefoil factor 3 (intestinal)	3.2	1872	592	3.3
		AU077196		collagen, type V, alpha 2	6.3	1075	171	3.8
40		U29344	Hs.83190	fatty acid synthase	3.3	710	217	2
40		X82153	Hs.83942	cathepsin K (pycnodysostosis)	34.3	411	12	5.1
		AF061739 D63477	Hs.84087	protein associated with PRK1 KIAA0143 protein	4.8 3.1	153 147	32 48	4.3 12.7
		BE091005		activated RNA polymerase II transcriptio	3.3	33	1	2
		M14156	Hs.85112	insulin-like growth factor 1 (somatomedi	4.2	42	5	2.6
45		U66615	Hs.172280	SWI/SNF related, matrix associated, acti	3.9	39	1	2.5
		AW903849	Hs.173840	HUEL (C4orf1)-interacting protein	3.7	41	11	0.6
	134604	NM_00288	4Hs.865	RAP1A, member of RAS oncogene family	5.2	52	1	3
		AW068223		ubiquitin C-terminal hydrolase UCH37	4.9	49	1	3.7
50		AW299723		bone morphogenetic protein receptor, typ	5.2	52	5	3.5
50		AK001741		hypothetical protein FLJ10879	6.4	64	1	5.1
		AI750878	Hs.87409	thrombospondin 1 disrupter of silencing 10	12.6	126	1 15	10.8 2.6
		AF271212 AK000606		golgi SNAP receptor complex member 1	5.4 3.4	81 179	52	1.5
		X04011	Hs.88974	cytochrome b-245, beta polypeptide (chro	3.2	143	45	13.9
55		AF129536		F-box only protein 6	7	70	6	6
		BE281128		TONDU	3.1	31	1	2.3
	134880	A1879195	Hs.90606	15 kDa selenoprotein	5.7	57	1	5
		X87241	Hs.166994	FAT tumor suppressor (Drosophila) homolo	3.2	153	48	4.7
<b>C</b> C		AL137491	Hs.125511	Homo sapiens mRNA; cDNA DKFZp434P1530 (		452	114	2
60		AK002085		Homo sapiens cDNA FLJ11223 fis, clone PL	5.1	150	30	7.2
		AW968058		nudix (nucleoside diphosphate linked moi	8.2	114	14	9.9
		H58818	Hs.187579	hydroxysteroid (17-beta) dehydrogenase 7	11.5	115	1 48	10
		AL034344 Al272141	Hs.284186 Hs.83484	forkhead box C1 SRY (sex determining region Y)-box 4	5.4 3.3	259 1296	46 394	1.4 2.2
65		AK000967		KIAA1682 protein	3.8	240	55 <del>4</del> 64	3.2
		W55956	Hs.94030	Homo sapiens mRNA; cDNA DKFZp586E1624		101	13	7.9
		AW274526		ovarian carcinoma antigen CA125	3.3	33	1	2.6
			•	•				

		_							
•	135117		Hs.94694	Homo sapiens cDNA FLJ10561 fis, clone NT	5.3	53	1	4.1	
-	`135144	NM_01625		Autosomal Highly Conserved Protein	7.4	74	5	2.4	
	135154	AK001835	Hs.267812	sorting nexin 4	6.6	69	11	6.3	
_	135155		Hs.166556	Homo sapiens, Similar to TEA domain fami	6.1	61	1	5.1	
5	135172	AB028956	Hs.12144	KIAA1033 protein	3.4	88	26	1.4	
		AI583187	Hs.9700	cyclin E1	3.1	31	1	2.3	
	135243			putative G protein-coupled receptor	3.4	169	50	9.1	
	135269			YY1 transcription factor	3.4	475	142	2.5	
10	135356		Hs.18104	hypothetical protein FLJ11274	3.1	31	10	1.7	
10	135357	A1565004	Hs.79572	cathepsin D (lysosomal aspartyl protease	4.7	710	151	2.5	•
	135389		Hs.99872	fetal Alzheimer antigen	20.6	206	4	19.1	
	135397		Hs.166563	replication factor C (activator 1) 1 (14	3.2	32	1	2.4	
	-135400		Hs.99915	androgen receptor (dihydrotestosterone r	3.2	117	37	9.4	
1.5	٠.	Al471525	Hs.247486	ESTs	3.8	58	16	5.5	
15		X70683	Hs.93668	ESTs	1.8	1047	596	1.6	
		L14922	Hs.82128	5T4 oncofetal trophoblast glycoprotein	5	285	58	1.2	
		M23263	Hs.904	amylo-1;6-glucosidase; 4-alpha-glucanotransfera		3.1	31	1	2.6
		A1267886	Hs.148027	polymerase (RNA) II (DNA directed) polypeptide	В	7.8	137	18	11.9
20		AA044840		stromal cell-derived factor 1	4.7	114	25	0.9	
20		N90960	Hs.227459	ESTs; Moderately similar to !!!! ALU SUBFAMIL	1	4.7	151	32	9.3
		AA873285		ESTs	4.7	47	3	4.4	
_		T56679	Hs.865	RAP1A; member of RAS oncogene family	4	40	1	3.4	
•		AA305536		"EST176522 Colon carcinoma (Caco-2) cell line		3.6	121	-34	11.8
25		AI369384		arylsulfatase D	3.5	113	33	1.7	
25		AA219081	Hs.242396	ESTs: Moderately similar to !!!! ALU SUBFAMILY	/1	3.4	107	32	9.9

#### TABLE 10A

Table 10 A shows the accession numbers for those pkeys lacking unigeneID's for Table 10. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

1	n	
ı	v	

5

Pkey:	Unique Eos probeset identifier number
CAT number	Gene cluster number

Accession:

Genbank accession numbers

15

	Pkey	CAT number	Accession
	123619	371681_1	AA602964 AA609200
20	104602	524482_2	H47610 R86920
	121581	283769_1	AA416568 AA442889 AA417233 AA442223
	123523	genbank_AA608588	AA608588
	100821	tigr_HT4306	M26460 U09116
	125091	genbank_T91518	
.25	125150	NOT_FOUND_entre	z_W38240 W38240
		genbank_N66845	
		genbank_AA027317	
	106055	genbank_AA417034	AA417034
	113702	genbank_T97307	T97307
30	101046	entrez_K01160	K01160
	101447	entrez_M21305	M21305
		entrez_M55998	
	124677	genbank_R01073	R01073
	110581	genbank_H61560	H61560
35		genbank_N98488	N98488
		genbank_N22414	N22414
		genbank_R44538	
		genbank_R51818	
		genbank_AA598820	
40	114988	genbank_AA251089	AA251089

# TABLE 11: Figure 11 from BRCA 001-3 PCT

5 **Table 11** depicts a preferred group of genes upregulated in tumor tissue compared to normal breast tissue.

10	Pkey: ExAccn: Unigene Unigene R1: R2: R3: R4:	Exemula: Unige Title: Unige Ratio Ratio	nplar Accessi ene number ene gene title of tumor to r of 90th perce of 75th perce	eset identifier number ion number, Genbank accession number enormal body tissue entile tumor to normal body entile normal body to tumor normal breast tissue				
				,				
20	Pkey	ExAccn	UnigeneiD	Unigene Title	R1	R2	R3	R4
20	100147 100522	D12485 D13666 X51501	Hs.99949	ectonucleotide pyrophosphatase/phosphodi osteoblast specific factor 2 (fasciclin protactin-induced protein	13.2 15.7 22.7	244 1030 760	34	9.9 5 1.4
25		L05424		CD44 antigen (homing function and Indian	8.5	85	1	3.2
23		NM_00289		neuropeptide Y receptor Y1 RAS p21 protein activator (GTPase activa	15.3 9.6	153 96	1	14.1 8.5
		L11690	Hs.620	bullous pemphigoid antigen 1 (230/240kD)	9.4	94	i	0.3
	101754	S70114			8.9	89	5	8
20		AL049610		transcription elongation factor A (SII)-	7.3	73	1	5.3
30			Hs.159627		9.3	93	5	8
		AF015224 U37519	Hs.46452 Hs.87539	mammaglobin 1	8.5 6.4	2058 428	67	1.4
		NM_00139		aldehyde dehydrogenase 3 family, member dual specificity phosphatase 4	20.2	202	5	2.3 1.3
		U63830	Hs.146847		8.2	82	1	6.8
35	102823	D85390	Hs.5057	carboxypeptidase D	5.6	56	1	5.3
			Hs.297753	vimentin	7.5	136	18	3.4
		NM_00034		SRY (sex determining region Y)-box 9 (ca	7.3	73	1	5.2
		AF183810		opposite strand to trichorhinophalangeal	29	290	1	26.8
40		Al239923 Al858702	Hs.30098 Hs.31803	ESTS	14.9 7.7	149 77	1	6.4 5.1
<del></del>		AI139058		ESTs, Weakly similar to N-WASP [H.sapien leucine-rich repeat-containing 2	7.7 7	70	1	6.5
		AW015318		ESTs	7.4	74	i	6
				frizzled (Drosophila) homolog 6	16.2	162	i	4.2
	105038	AW503733	Hs.9414	KIAA1488 protein	5.5	55	1	5.2
45		AA234561		ESTs	2.8	131	47	3.9
				CEGP1 protein	25.4	508	20	3
		AK001269		hypothetical protein FLJ10407	8.3	83	3	1.8
		AW377314 Al240665	Hs.8895	DKFZP5641052 protein	6.9 21.2	69	1	4.4
50		AF115402		ESTs E74-like factor 5 (ets domain transcript	26.3	212 356	6 14	17.4 1
-		AA425414		nuclear factor I/B	9.9	483	49	1.8
			Hs.30652	KIAA1344 protein	6.3	63	1	5.4
	107136	AV661958	Hs.8207	GK001 protein	2.5	392	155	4.3
		AW378065		ESTs	15.6	156	7	10.8
55		BE153855		lg superfamily receptor LNIR	9	90	1	5.5
		AW151340		ESTs, Weakly similar to ALU7_HUMAN ALU S	18.7	187	1	17
	109112	AW419190	MS.25/924	hypothetical protein FLJ13782	4.1	334	82	3.4
		U80736		KIAA1702 protein trinucleotide repeat containing 9	7.1 12.3	71 123	1	6.5 11.3
60			Hs.301528	L-kynurenine/alpha-aminoadipate aminotra	14.2	142	1	9.5
		BE075297		ESTs, Weakly similar to A43932 mucin 2 p	6.3	693	110	7.2
		BE092285		hypothetical protein FLJ13187	20.9	209	1	19.5
	111164	N46180	Hs.122489	Homo sapiens cDNA FLJ13289 fis, clone OV	7.7	77	1	5

	444470	*1/00043C	U- 40700	conside (I DD close 4)	25.1	200	12	6.7
		AK000136		asporin (LRR class 1)			1	
			Hs.151046	hypothetical protein FLJ11193	6.3	63		5.8
				KIAA1866 protein	3.6		112	4.9
~		BE314949		hypothetical protein FLJ23309	3.8	425	111	4
5			Hs.70823	KIAA1077 protein	5.7	567	100	6.7
		AI571940	Hs.7549	ESTs	9.6	124	13	9
	113702	T97307		gb:ye53h05.s1 Soares fetal liver spleen	12.3	129	11	11.7
		W57554		lymphoid nuclear protein (LAF-4) mRNA	24.2	242	10	5.6
	114138	AW384793	Hs.15740	Homo sapiens mRNA; cDNA DKFZp434E033 (fr		67	1	6.3
10	114768	AF212848	Hs.182339	ets homologous factor	13.7	137	1	8.9
	114860	AL157545	Hs.42179	bromodomain and PHD finger containing, 3	9.1	91	1	7.6
	114965	AI733881	Hs.72472	BMP-R1B	35.9	359	10	29.7
	114988	AA251089		gb:zs04f05.s1 NCI_CGAP_GCB1 Homo sapiens	11.5	115	1	6.9
	115206	AW183695	Hs.186572		5.8	58	1	5
15	115719	AW992405	Hs.59622	Homo sapiens, clone IMAGE:3507281, mRNA,	7.6	144	19	13.9
		A1373062		hypothetical protein MGC5370	6.2 ·	62	1	5.4
		AI272141	Hs.83484	SRY (sex determining region Y)-box 4	1.8	1047	596	1.6
		H25836		ESTs, Moderately similar to unknown [H.s	22.8	228	9	12.4
		M18217		Homo sapiens cDNA: FLJ21409 fis, clone C	3.9	322	83	4.4
20		N32536	Hs.42645	solute carrier family 16 (monocarboxylic	17.4	174	9	6.9
		AL157545	Hs.42179	bromodomain and PHD finger containing, 3	14.5	145	1	2.4
		AI061118	Hs.65328	Fanconi anemia, complementation group F	8.2	82	1	6.4
		AI905687	Hs.2533	EST	3.5	2073		2.1
•		BE244580		hypothetical protein FLJ10330	8.5	127	15	1.6
25		AK000282	Hs.239681	_ • • • · · · · · · · · · · · · · · · ·	10.3	103	1	9.3
23		AA243499		hypothetical protein FLJ10134	2.9	214	74	3.7
					7.2	72	1	5.7
		AA478446	Hs.69559	KIAA1096 protein	9.9	351	36	13.9
		A1073913	HS. 100000	ESTs, Weakly similar to JE0350 Anterior			1	
20		AA602964	11- 440740	gb:no97c02.s1 NCI_CGAP_Pr2 Homo sapiens	8.5	85		4.3
30		AA706910	Hs.112742		3.9	60	16	4.8
		Al147155	Hs.270016		5.8	321	55	17
		BE387335		ESTs, Weakly similar to S64054 hypotheti	10.4	880	85	5.3
		AA249027		ribosomal protein S6	10.5	105	1	9.9
25		AW401809		KIAA1150 protein	13.1	131	1	5.1
35		AA287921	Hs.164950		6.7	67	1	6
		D60237	Hs.14368	SH3 domain blinding glutamic acid-rich pr	30.6	306	4	26.5
		Al954968		matrix Gla protein	7.5	75	1	6.5
		A1694143		programmed cell death 4	7.2	72	1	5.8
40		AF026692		secreted frizzled-related protein 4	17.4	409	24	7.8
40		R67419	Hs.21851	Homo sapiens cDNA FLJ12900 fis, clone NT	7.1	392	56	3.6
			Hs.107968		8.2	82	1	7.4
				polyadenylate binding protein-interactin	7.1	71	1	6.2
				KIAA0990 protein	9.5	95	1	8.5
				Homo sapiens clone 23785 mRNA sequence	7.1	150	21	14.5
45	129821	AB028945	Hs.12696	cortactin SH3 domain-binding protein	11.4	114	1	10
				chromosome 8 open reading frame 2	6.7	67	1	5.7
	130057	AF027153	Hs.324787	solute carrier family 5 (Inositol transp	1	1	1	1
		AK001635		hypothetical protein FLJ10773	14.6	219	15	7.6
				KIAA1481 protein	13.2	331	25	12.4
50				stanniocalcin 2	72.2	722	1	1.9
	130407	BE385099	Hs.334727	hypothetical protein MGC3017	6.5	65	4	5.3
	130441	U63630	Hs.155637	protein kinase, DNA-activated, catalytic	6.1	61	1	5.7
	130455	D90041	Hs.155956	N-acetyltransferase 1 (arylamine N-acety	10.8	706	66	9.2
	130604	AA383256	Hs.1657	estrogen receptor 1	32.2	322	1	4.7
55		M90516	Hs.1674	glutamine-fructose-6-phosphate transamin	10	100	1	7.6
		AJ271881	Hs.279762	bromodomain-containing 7	17.5	175	2	12.8
				p53-induced protein PIGPC1	3.8	585	153	3.7
		NM_01481		KIAA0480 gene product	7.6 -	76	1	5
		T93500	Hs.28792	Homo sapiens cDNA FLJ11041 fis, clone PL	4.7	381	81	6.4
60		AA961420		ESTs	11.7	117	1	10.1
•		J04088		topoisomerase (DNA) Il alpha (170kD)	6.8	68	1	5.6
		AA503020		hypothetical protein FLJ22418	40.2	402	1	4
		U28831	Hs.44566	KIAA1641 protein	18.6	186	10	1.5
		T78736	Hs.50758	SMC4 (structural maintenance of chromoso	9.3	93	1	8.4
65		AA025480		ESTs, Weakly similar to T33468 hypotheti	6.5	65	i	5.6
05		X77343		transcription factor AP-2 alpha (activat	12.7	311	25	2.4
	133015	AJ002744		UDP-N-acetyl-alpha-D-galactosamine:polyp	4.6	427	93	10.4
	150015	,10002177	. 10.2.10010	accipanting galactering pulp				

	133199	AF231981	Hs.250175	homolog of yeast long chain polyunsatura	3	816	275	3.9
	133240			ADP-ribosylation factor-like 1	8.1	81	1	4.6
	133271	Z48633	Hs.283742	H.sapiens mRNA for retrotransposon	12.4	124	6	10.8
_	133640	AW246428	Hs.75355	ubiquitin-conjugating enzyme E2N (homolo	8.5	85	1	7.2
5	133746	AW410035	Hs.75862	MAD (mothers against decapentaplegic, Dr	9.3	93	1	7.8
	133999	AA535244	Hs.78305	RAB2, member RAS oncogene family	7.8	78	1	5.6
	134110	U41060	Hs.79136	LIV-1 protein, estrogen regulated	4.5	1472	330	2.1
	134485	X82153	Hs.83942	cathepsin K (pycnodysostosis)	34.3	411	12	5.1
	134654	AK001741	Hs.8739	hypothetical protein FLJ10879	6.4	64	1	5.1
10	134880	AI879195	Hs.90606	15 kDa selenoprotein	5.7	57	1	5
	135029	H58818	Hs.187579	hydroxysteroid (17-beta) dehydrogenase 7	11.5	115	1	10
	135389	U05237	Hs.99872	fetal Alzheimer antigen	20.6	206	4	19.1
	128305	AI954968	Hs.279009	matrix Gla protein	9.4	94	3	5.3

#### TABLE 11A

Table 11A shows the accession numbers for those pkeys lacking unigeneID's for Table 11.

For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

Pkey:

Unique Eos probeset identifier number

CAT number: Accession: Gene cluster number Genbank accession numbers

15

Pkey CAT number Accession

20 123619 371681\_1 AA602964 AA609200 113702 genbank\_T97307 T97307 114988 genbank\_AA251089 AA251089

## TABLE 12: Figure 12 from BRCA 001-3 PCT

5 **Table 12** depicts a preferred group of genes upregulated in tumor tissue compared to normal breast tissue.

10	Pkey: ExAccn: Unigene Unigene	ID: U	Unique Eos probeset identifier number Exemplar Accession number, Genbank accession number Unigene number Unigene gene title					
15	R1: R2: R3: R4:		atio of tumor Ratio of Ratio of	to normal body tissue 90th percentile tumor to body 75th percentile body to tumor tumor to normal breast tissue				•
	Pkey	ExAccn	UnigenelD	Unigene Title	R1	R2	R3	R4
20	114124 119771 121723 128790 131148 131985	AB029000 W57554 AI905687 AA243499 AF026692	Hs.303125 Hs.36563	ESTs ESTs secreted frizzled-related protein 4	13.2 25.4 5.7 24.2 3.5 2.9 17.4 3.8 40.2 3	244 508 567 242 2073 214 409 585 402 816	19 20 100 10 595 74 24 153 1	9.9 3 6.7 5.6 2.1 3.7 7.8 3.7 4 3.9

### TABLE 13: Table 1 from BRCA 001-5 US

5 Table 13 depicts a preferred group of genes upregulated in breast cancer cells.

••	Pkey:			eset identifier number			
10 ExAcon:			Exemplar Accession number, Genbank accession number				
	Unigene		nigene number				
	Unigene		nigene gene titl				
	R1:	R	atio of tumor to	normal body tissue			
15							
	Pkey	ExAccn	UniGene ID	Unigene Title	R1		
		M97935		control	16.7		
•		M97935	•	control	6.3		
20		M97935		control	8.3		
		M97935		control	14.8		
		AB003103		proteasome (prosome; macropain) 26S sub	7.5		
			Hs.111783	Lsm1 protein	4.9		
25		AF006084		actin related protein 2/3 complex; subunit	4.7		
25		AF007875		dolichyl-phosphate mannosyltransferase p	13.4		
		D00596	Hs.82962	thymidylate synthetase	15.9 4.6		
		D10495	Hs.155342	protein kinase C; delta	4.6 7.5		
		D10523	Hs.168669	oxoglutarate dehydrogenase (lipoamide)	7.5 4.4		
30		D11094	Hs.61153 Hs.11951	proteasome (prosome; macropain) 26S sub	8.7		
20		D12485 D13627	Hs.15071	phosphodiesterase l/nucleotide pyrophosp chaperonin containing TCP1; subunit 8 (t	9.5		
		D13643	Hs.75616	Human mRNA for KIAA0018 gene; comp	6		
		D13666	Hs.136348	osteoblast specific factor 2 (fasciclin I-like	8.5		
		D14657	Hs.81892	KIAA0101 gene product	10.5		
35		D14812	Hs.173714	MORF-related gene X	4.6		
-		D14878	Hs.82043	D123 gene product	7.9		
		D21090	Hs.178658	RAD23 (S. cerevisiae) homolog B	5.6		
		D25538	Hs.172199	adenylate cyclase 7	9.9		
	100209	D26308	Hs.76289	biliverdin reductase B (flavin reductase (N	4.9		
40	100215	D26598	Hs.82793	proteasome (prosome; macropain) subunit	14.2		
	100216	D26599	Hs.1390	proteasome (prosome; macropain) subunit	11.3		
	100219	D28137	Hs.118110	bone marrow stromal cell antigen 2	5.7		
		D28915	Hs.82316	interferon-induced; hepatitis C-associated	5.7		
4.5		D31888	Hs.78398	KIAA0071 protein	7.4		
45		D43950	Hs.1600	chaperonin containing TCP1; subunit 5 (e	5.6		
		D49396	Hs.75454	antioxidant protein 1	12.9		
		D50525	Hs.699	hypothetical protein	8.4		
		D63391	Hs.6793	platelet-activating factor acetylhydrolase;	6.8		
50		D63487	Hs.82563	KIAA0153 protein	4.4		
30		D78129	Hs.71465	Homo sapiens mRNA for squalene epoxid	12.6 4.6		
		D78514	Hs.78563	ubiquitin-conjugating enzyme E2G 1 (hom extra spindle poles; S. cerevisiae; homolo	4.0 6.5		
		D79987 D79997	Hs.153479 Hs.184339	KIAA0175 gene product	8.4		
		D80004	Hs.75909	KIAA0182 protein	4.5		
55		D82060	Hs.278721	Ke4 gene; mouse; human homolog of	8.1		
55	_	D83777	Hs.75137	KIAA0193 gene product	10.7		
		D84145	Hs.39913	novel RGD-containing protein	7.2		
		D84557	Hs.155462	minichromosome maintenance deficient (m	7.2		
		D86425	Hs.82733	nidogen 2	5.4		
60		D86479	Hs.118397	AE-binding protein 1	4.3		
- •		D86957	Hs.80712	KIAA0202 protein	11.9		
		D86985	Hs.79276	Human mRNA for KIAA0232 gene; comp	9.7		
		D87464	Hs.10037	KIAA0274 gene product	6.4		
		D87465	Hs.74583	KIAA0275 gene product	10		
65		D87469	Hs.57652	EGF-like-domain; multiple 2	6.2		
				015			

				•	
	100467	D89052	Hs.7476	ATPase; H+ transporting; lysosomal (vacu	7.5
		D89289	Hs.118722	fucosyltransferase 8 (alpha (1;6) fucosyltr	
					5
		HT1112	Hs.10842	Ras-Like Protein Tc4	16.9
~		HT1400	Hs.79137	Carboxyl Methyltransferase, Aspartate, A	5.6
5	100618	HT2710	Hs.114599	Collagen, Type Viii, Alpha 1	7.5
	100661	HT3018	Hs.132748	Ribosomal Protein L39 Homolog	4.4
	100667	HT3127	Hs.169610	Epican, Alt. Splice 11	4.6
		HT3938	Hs.169610	Epican, Alt. Splice 12	4.4
		HT3742			
10			Hs.287820	Fibronectin, Alt. Splice 1	9
10		HT26388	Hs.89603	Mucin 1, Epithelial, Alt. Splice 9	4.7
		HT4018	Hs.191356	Basic Transcription Factor, 44 Kda Subun	13.7
	100829	HT4343	Hs.278544	Cytosolic Acetoacetyl-Coenzyme A Thio	10.6
	100830	HT4344	Hs.4756	Rad2	5.5
	100840	HT4392	Hs.183418	Protein Kinase Pitslre, Alpha, Alt. Splice	4.1
15	100850		Hs.297939	Cathepsin B	4
10			Hs.75113		
		HT4582		Transcription Factor Ilia	4.9
		HT5158	Hs.5398	Guanosine 5'-Monophosphate Synthase	8.7
	100914		Hs.324178	Ras Inhibitor Inf	7.2
	100916	HT544	Hs.73946	Endothelial Cell Growth Factor 1	5.9
20	100945	HT884	Hs.180686	Oncogene E6-Ap, Papillomavirus	4.6
	100975	.102923	Hs.76506	lymphocyte cytosolic protein 1 (L-plastin	30.1
	100988		Hs.76480	ubiquitin-like 4	8.3
	100996			The state of the s	
			Hs.14623	interferon; gamma-inducible protein 30	6.9
25	100999		Hs.80706	diaphorase (NADH/NADPH) (cytochrom	4.3
25	101011	J04430	Hs.1211	acid phosphatase 5; tartrate resistant	5.9
	101017	J04599	Hs.821	biglycan	5.1
	101031	J05070	Hs.151738	matrix metalloproteinase 9 (gelatinase B;	37.2
	101038		Hs.79411	replication protein A2 (32kD)	6.1
		K02405	Hs.73931	Human MHC class II HLA-DQ-beta mRN	4.3
30		K03515			
50			Hs.180532	glucose phosphate isomerase	4.3
		L06132	Hs.149155	voltage-dependent anion channel 1	7.4
	101097	L06797	Hs.89414	chemokine (C-X-C motif); receptor 4 (fus	4.6
	101104	L07615	Hs.169266	Human neuropeptide Y receptor Y1 (NPY	18.3
	101143	L12723	Hs.90093	heat shock 70kD protein 4	17.4
35		L13800	Hs.9884	Homo sapiens liver expressed protein gen	7.6
		L19779	Hs.795	H2A histone family; member O	10.9
		L25876	Hs.84113	cyclin-dependent kinase inhibitor 3 (CDK	7.4
		L29008	Hs.878	sorbitol dehydrogenase	14.6
40		L33801	Hs.78802	glycogen synthase kinase 3 beta	7.5
40	101282	L38810	Hs.79387	proteasome (prosome; macropain) 26S sub	4.4
	101326	L42572	Hs.78504	inner membrane protein; mitochondrial (m	5.8
	101332	L47276	Hs.156346	Homo sapiens (cell line HL-6) alpha topo	18.9
		L77213	Hs.30954	phosphomevalonate kinase	7.5
		L77701	Hs.16297	COX17 (yeast) homolog; cytochrome c ox	9.3
45					
40		M13755	Hs.833	interferon-stimulated protein; 15 kDa	18.1
		M15796	Hs.78996	proliferating cell nuclear antigen	8.6
	101404	M16342	Hs.182447	heterogeneous nuclear ribonucleoprotein C	4.5
	101439	M20902	Hs.268571	apolipoprotein C-I	6.1
	101464	M22538	Hs.51299	NADH dehydrogenase (ubiquinone) flavo	8.7
50		M22877	Hs.169248	Human somatic cytochrome c (HCS) gene	4.2
• •		M22960	Hs.118126	protective protein for beta-galactosidase (	6.5
		M23379	Hs.758	RAS p21 protein activator (GTPase activa	14
		M24594	Hs.20315	interferon-induced protein 56	9.2
		M30818	Hs.926	myxovirus (influenza) resistance 2; homol	5.1
55	101540	M30938	Hs.84981	X-ray repair complementing defective rep	4.7
	101544	M31169		Human propionyl-CoA carboxylase beta-s	5.5
	101552	M31642	Hs.82314	hypoxanthine phosphoribosyltransferase 1	8.5
	101580	M34677	Hs.83363	DNA segment on chromosome X (unique)	
					4.5
60		M37583	Hs.119192	H2A histone family; member Z	5.7
UU		M60750	Hs.2178	H2B histone family; member A	5.8
		M60752	Hs.121017	H2A histone family; member A	13.5
	101667	M60858	Hs.79110	nucleolin	4
		M63256	Hs.75124	cerebellar degeneration-related protein (62	7.6
		M64929	Hs.179574	protein phosphatase 2 (formerly 2A); regu	4.2
65		M77142	Hs.239489	TIA1 cytotoxic granule-associated RNA-b	4.5
05					
	101/58	M77836	Hs.79217	pyrroline-5-carboxylate reductase 1	5.7
	101/67	M81057	Hs.180884	carboxypeptidase B1 (tissue)	21.7
				•	

	101770 M81601	Hs.78869	transcription elongation factor A (SII); 1	4.6
	101791 M83822	Hs.62354	cell division cycle 4-like	9.7
	101803 M86546	Hs.155691	pre-B-cell leukemia transcription factor 1	5.5
5	101809 M86849	Hs.323733	Homo sapiens connexin 26 (GJB2) mRNA	22.5 4
3	101839 M93036 101851 M94250	Hs.692 Hs.82045	membrane component; chromosomal 4; su midkine (neurite growth-promoting factor	7.6
	101888 M99701	Hs.95243	transcription elongation factor A (SII)-like	11.4
	101973 S82597	Hs.80120	UDP-N-acetyl-alpha-D-galactosamine:po	4.6
	101991 U00968	Hs.166	Human SREBP-1 mRNA; complete cds	4.1
10	102009 U02680	Hs.82643	protein tyrosine kinase 9	4.4
	102025 U03911	Hs.78934	mutS (E. coli) homolog 2 (colon cancer; n	4
	102047 U07158	Hs.83734	syntaxin 4A (placental)	6.1
	102051 U07550	Hs.1197	heat shock 10kD protein 1 (chaperonin 10	4.4 10.4
15	102083 U10323 102095 U11313	Hs.75117 Hs.75760	interleukin enhancer binding factor 2; 45k sterol carrier protein 2	9.5
13	102033 U11313	Hs.1575	small nuclear ribonucleoprotein D3 polyp	6.6
	102133 U15173	Hs.155596	BCL2/adenovirus E1B 19kD-interacting p	4.3
	102148 U16954	Hs.75823	ALL1-fused gene from chromosome 1q	6.9
	102179 U19713	Hs.76364	allograft inflammatory factor 1	4.8
20	102180 U19718	Hs.83551	microfibrillar-associated protein 2	7.2
	102193 U20758	Hs.313	secreted phosphoprotein 1 (osteopontin; b	7.2
	102198 U21090	Hs.74598	polymerase (DNA directed); delta 2; regu	4.3 4.5
	102202 U21931 102209 U22970	Hs.574 Hs.265827	fructose-bisphosphatase 1 Interferon; alpha-inducible protein (clone	9.9
25	102205 022570 102211 U23070	Hs.78776	putative transmembrane protein	4.9
23	102220 U24389	Hs.65436	lysyl oxidase-like 1	8.5
	102224 U24704	Hs.148495	proteasome (prosome; macropain) 26S sub	5.4
	102234 U26312	Hs.278554	chromobox homolog 3 (Drosophila HP1 g	7.7
20	102250 U28014		caspase 4; apoptosis-related cysteine prot	5.4
30	102260 U28386	Hs.159557	karyopherin alpha 2 (RAG cohort 1; impo	6.3
	102261 U28488	Hs.155935	complement component 3a receptor 1	5.7 6.1
	102273 U30888 102298 U32849	Hs.75981 Hs.54483	ubiquitin specific protease 14 (tRNA-guan N-myc (and STAT) interactor	4.1
	102302 U33052	Hs.69171	protein kinase C-like 2	4.3
35	102305 U33286	Hs.90073	chromosome segregation 1 (yeast homolo	5.4
	102320 U34683	Hs.82327	glutathione synthetase	4.1
	102330 U35451	Hs.77254	chromobox homolog 1 (Drosophila HP1 b	4
	102348 U37519	Hs.87539	aldehyde dehydrogenase 8	9.4 5.2
40	102361 U39400 102362 U39412	Hs.75859 Hs.75932	chromosome 11 open reading frame 4 N-ethylmaleimide-sensitive factor attachm	9.3
40	102369 U39840	Hs.299867	hepatocyte nuclear factor 3; alpha	7.7
	102395 U41767	Hs.92208	a disintegrin and metalloproteinase domai	10.4
	102409 U43286	Hs.118725	selenophosphate synthetase 2	6.2
	102418 U43923	Hs.79058	suppressor of Ty (S.cerevisiae) 4 homolog	. 4.1
45	102425 U44772	Hs.3873	palmitoyl-protein thioesterase (ceroid-lipo	4.8
	102457 U48807	Hs.2359	dual specificity phosphatase 4	6.3 9.4
	102465 U49352	Hs.81548 Hs.79356	2;4-dienoyl CoA reductase 1; mitochondri Lysosomal-associated multispanning mem	6.5
	102495 U51240 102534 U56833	Hs.198307	von Hippel-Lindau binding protein 1	8.6
50	102546 U57877	Hs.3577	succinate dehydrogenase complex; subuni	4.3
•	102549 U58046	Hs.198899	eukaryotic translation initiation factor 3; s	6.3
	102557 U58766	Hs.264428	tissue specific transplantation antigen P35	5
	102562 U59309	Hs.75653	fumarate hydratase	6
55	102568 U59877	Hs.223025	RAB31; member RAS oncogene family	9.1
55	102580 U60808	Hs.152981	CDP-diacylglycerol synthase (phosphatid	7.9 7.6
	102581 U61145 102590 U62136	Hs.77256 Hs.79300	enhancer of zeste (Drosophila) homolog 2 Homo saplens enterocyte differentiation a	7.0
	102591 U62325	Hs.324125	amyloid beta (A4) precursor protein-bindi	4
	102592 U62389	Hs.11223	Human putative cytosolic NADP-depende	5
60	102617 U65928	Hs.198767	Jun activation domain binding protein	6.1
-	102618 U65932	Hs.81071	extracellular matrix protein 1	23.2
	102638 U67319	Hs.9216	caspase 7; apoptosis-related cysteine prot	8.9
	102663 U70322	Hs.168075	karyopherin (importin) beta 2	7.1
65	102666 U70660	Hs.279910	ATX1 (antioxidant protein 1; yeast) homo ninjurin 1; nerve injury-induced protein-1	4.7 4.7
65	102679 U72661 102687 U73379	Hs.11342 Hs.93002	ubiquitin carrier protein E2-C	7.7
	102704 U76638	Hs.54089	BRCA1 associated RING domain 1	5.6
	102704 070000		and the second s	

	400705 1177400	1)- 20000		44.0
	102705 U77180 102721 U79241	Hs.50002 Hs.118666	small inducible cytokine subfamily A (Cy Human clone 23759 mRNA; partial cds	11.8 15
	102729 U79254	Hs.181311	asparaginyl-tRNA synthetase	5
	102739 U79282	Hs.155572	Human clone 23801 mRNA sequence	6
5	102742 U79293	Hs.159264	Human clone 23948 mRNA sequence	13.1
	102761 U82130	Hs.118910	tumor susceptibility gene 101	7
	102788 U86602	Hs.74407	nucleolar protein p40	4.1
	102790 U87269 102801 U89606	Hs.154196	E4F transcription factor 1 pyridoxal (pyridoxine; vitamin B6) kinase	7.1 4.7
10	102808 U90426	Hs.38041 Hs.179606	nuclear RNA helicase; DECD variant of D	7.5
10	102817 U90904	Hs.83724	Human clone 23773 mRNA sequence	15.2
	102823 U90914	Hs.5057	carboxypeptidase D	6.6
	102827 U91327	Hs.6456	chaperonin containing TCP1; subunit 2 (b	6
1.5	102838 U94592	Hs.80658	Human uncoupling protein homolog (UCP	6.1
15	102841 U95006	Hs.37616	Human D9 splice variant B mRNA; comp	4.2
	102844 U96113 102868 X02419	Hs.324275 Hs.77274	Horno sapiens Nedd-4-like ubiquitin-prot plasminogen activator, urokinase	6.8 4
	102907 X06985	Hs.202833	heme oxygenase (decycling) 1	22.7
	102919 X12447	0.202000	aldolase A; fructose-bisphosphate	9.9
20	102929 X13238	Hs.74649	cytochrome c oxidase subunit Vic	5.4
	102973 X16663	Hs.14601	hematopoietic cell-specific Lyn substrate	4.8
	102983 X17620	Hs.118638	non-metastatic cells 1; protein (NM23A)	4.6
	102985 X17644 103003 X52003	Hs.2707	G1 to S phase transition 1	20.6
25	103003 X52003 103018 X53296	Hs.1406 Hs.81134	trefoil factor 1 (breast cancer; estrogen-ind interleukin 1 receptor antagonist	10.7 5.8
23	103010 X53290 103023 X53793	Hs.117950	multifunctional polypeptide similar to SA	4
	103036 X54925	Hs.83169	matrix metalloproteinase 1 (interstitial col	7.3
	103060 X57766	Hs.155324	matrix metalloproteinase 11 (stromelysin	17.8
20	103073 X59417	Hs.74077	proteasome (prosome; macropain) subunit	5.6
30	103075 X59543	Hs.2934	ribonucleotide reductase M1 polypeptide	4.2
	103080 X59798 103094 X60787	Hs.82932 Hs.296281	cyclin D1 (PRAD1: parathyroid adenomat interleukin enhancer binding factor 1	6.7 5.7
	103105 X61970	Hs.76913	proteasome (prosome; macropain) subunit	5.8
	103121 X63679	Hs.4147	translocating chain-associating membrane	4.2
35	103149 X66363	Hs.171834	PCTAIRE protein kinase 1	12
	103180 X69433	Hs.5337	Isocitrate dehydrogenase 2 (NADP+); mit	18.9
	103182 X69819	Hs.99995	intercellular adhesion molecule 3	10.7
	103188 X70040 103191 X70218	Hs.2942 Hs.2903	macrophage stimulating 1 receptor (c-met protein phosphatase 4 (formerly X); cataly	4.1 10.7
40	103193 X70476	Hs.75724	coatomer protein complex; subunit beta 2	8.2
• •	103194 X70649	Hs.78580	DEAD/H (Asp-Glu-Ala-Asp/His) box pol	13.7
	103195 X70940	Hs.2642	eukaryotic translation elongation factor 1	13.4
	103206 X72755	Hs.77367	monokine induced by gamma interferon	15.1
45	103207 X72790 103208 X72841	Hs.31314	Human endogenous retrovirus mRNA for	5.3 12.3
73	103206 X72047 103216 X74262	Hs.16003	retinoblastoma-binding protein 7 retinoblastoma-binding protein 4	4.1
	103226 X75042	Hs.44313	v-rel avian reticuloendotheliosis viral onco	6.9
	103230 X75861	Hs.74637	testis enhanced gene transcript	7.9
50	103262 X78565	Hs.289114	hexabrachion (tenascin C; cytotactin)	5
5.0	103278 X79882	Hs.80680	lung resistance-related protein	5.7
	103297 X81788 103302 X82103	Hs.9078 Hs.3059	immature colon carcinoma transcript 1 coatomer protein complex; subunit beta	4.6 4.5
	103316 X83301	Hs.324728	SMA5	7.1
	103330 X85373	Hs.77496	small nuclear ribonucleoprotein polypepti	4
55	103349 X89059		serine/threonine kinase 9	4.7
	103352 X89398	Hs.78853	uracil-DNA glycosylase	5.3
	103364 X90872	Hs.279929	SULT1C sulfotransferase	4
	103374 X91788 103380 X92396	Hs.84974 Hs.24167	chloride channel; nucleotide-sensitive; 1A synaptobrevin-like 1	4.2 13.6
60	103395 X94754	Hs.279946	methionine-tRNA synthetase	14.2
00	103402 X95404	Hs.180370	cofilin 1 (non-muscle)	4.6
	103410 X96506	Hs.295362	DR1-associated protein 1 (negative colact	8.3
	103420 X97065	Hs.173497	Sec23 (S. cerevisiae) homolog B	4.9
<b>4 5</b>	103421 X97074	Hs.119591	adaptor-related protein complex 2; sigma	5
65	103427 X97303 103430 X97544	Hs.250655 Hs.20716	H.sapiens mRNA for Ptg-12 protein translocase of inner mitochondrial membr	7 4.5
	103438 X98263	Hs.152720	M-phase phosphoprotein 6	4.5 4.5
	••= := : : : : : : : : : : : : : : : : :		· · · ·	
			218	

	400404	V0000F	70470	to suite. Plus susses the factor O secondary	4.2
		Y00285	Hs.76473	insulin-like growth factor 2 receptor	4.5
		Y00796	Hs.174103	integrin; alpha L (antigen CD11A (p180);	4.1
		Y08991	Hs.83050	phosphatidylinositol 3-kinase-associated p transcription factor AP-2 beta (activating	4.5
5		Y09912	Hs.33102	proteasome (prosome; macropain) subunit	4.3
5		Z14982 Z15115	Hs.180062 Hs.75248	topoisomerase (DNA) II beta (180kD)	4
		Z22548	Hs.146354	thioredoxin-dependent peroxide reductase	7.6
		Z29083	Hs.82128	5T4 oncofetal trophoblast glycoprotein	14.6
		Z47727	Hs.150675	polymerase (RNA) II (DNA directed) pol	6.3
10		Z48042	Hs.278672	membrane component; chromosome 11; s	4.4
10		Z74615	Hs.172928	collagen; type I; alpha 1	5.9
		Z93784		Homo sapiens DNA sequence from PAC	4.4
			Hs.278554	chromobox homolog 3 (Drosophila HP1 g	4.9
		AA092898		ESTs; Weakly similar to R07G3.8 [C.eleg	6.1
15			Hs.198793	KIAA0750 gene product	23.3
		AA172215		ESTs; Moderately similar to TRANSCRIP	4
			Hs.105737	ESTs; Weakly similar to gene 9306 protei	4.9
		AA236843		ESTs; Weakly similar to unknown [S.cere	7.8
			Hs.239189	ESTs	4.8
20	104054	AA393432	Hs.7100	hypothetical protein	5.3
	104115	AA428090	Hs.26102	ESTs	28.7
			Hs.268371	zv68f6.r1 Soares_total_fetus_Nb2HF8_9w	5.7
			Hs.283037	ESTs; Highly similar to HSPC039 protein	6.9
		AA476564		ESTs; Weakly similar to finger protein HZ	5.2
25			Hs.283740	ESTs	7.8
			Hs.114309	ESTs	5.1
		AA486946		Homo sapiens mRNA; cDNA DKFZp564	4.3
		AB000221		small inducible cytokine subfamily A (Cy	12.3 6.2
20		AB002357		kinesin family member 3B	4.2
30		C01687	Hs.7381	ATP synthase; H+ transporting; mitochon	4.5
		C02582 D52818	Hs.109253 Hs.111680	ESTs; Highly similar to N-terminal acetyl endosulfine alpha	4.7
		D55869	Hs.284123	Homo sapiens mRNA full length insert cD	4.2
		H19378	Hs.21851	Homo sapiens mRNA; cDNA DKFZp586	6.4
35		L44497	Hs.7351	ESTs	4.9
55		M19169	Hs.123114	cystatin SN	11.6
		N33807	Hs.324275	protease; serine; 15	5.6
		R56678	Hs.88959	Human DNA sequence from done 967N2	6.3
		R81003	Hs.325820	serine protease; umbilical endothelium	13.6
40		AA004274		ESTs	6.3
	104636	AA004415	Hs.106106	ESTs	10.1
	104658	AA007145	Hs.27268	Homo sapiens mRNA; cDNA DKFZp564	4.3
		AA007234		ESTs	16.6
	104675	AA009596	Hs.301553	ESTs; Moderately similar to IIII ALU SU	4.6
45	104767	AA025534	Hs.8852	ESTs	4.8
	104785	AA027163	Hs.7942	ESTs	8.1
			Hs.301871	ESTs; Moderately similar to cAMP induc	10.9
			Hs.31803	ESTs; Weakly similar to N-WASP [H.sap	5.5
50	104807	AA032147	Hs.23296	ESTS	10.4
50		AA039469		ESTs; Weakly similar to KIAA0299 [H.s Homo sapiens mRNA; cDNA DKFZp564	4.6 4.3
		AA040270		Human gene from PACs 37M17 and 305B	4.5
		AA043461	Hs.225979	SCO (cytochrome oxidase deficient; yeast	4.7
	104004	AA055021	Hs.26802	ESTs: Weakly similar to phosphoprotein [	8.8
55			Hs.25252	ESTs	5.5
"		AA057839		ESTs	4.2
	104321	AAO5RRAAR	Hs.33363	DKFZP434N093 protein	7
	104928	AA064627	Hs.318725	ESTs; Highly similar to CGI-72 protein [H	7.1
			Hs.114218	ESTs	5.7
60			Hs.10026	ESTs; Weakly similar to ORF YJL063c [S	4.7
•			Hs.33905	ESTs	5.5
			Hs.29669	ESTs	4.3
			Hs.50758	chromosome-associated polypeptide C	8.3
	104977	AA088228	Hs.18272	ESTs	6.2
65	104978	AA088458	Hs.19322	ESTs	6.7
	104987	AA101723	Hs.11861	ESTs	9.2
	105002	AA113266	Hs.182704	ESTs; Moderately similar to alternatively	6.9

	105012 AA116036	chromosome 20 open reading frame 1	10.7
	105019 AA121879	proteasome (prosome; macropain) subunit	5.7
	105029 AA126855	ESTs	4.4
_	105033 AA127964	TP53 target gene 1	6.3
5	105035 AA128486	ESTs	6.5
	105039 AA130349	 ESTs	4
	105062 AA134968	ESTs	4.3
	105076 AA142858	ESTs	6.4
10	105087 AA147884	ESTs	9.2
10	105091 AA148859	ESTs; Weakly similar to !!!! ALU SUBFA	5.7
	105093 AA149051	ESTs	6.3
	105107 AA152302	DKFZP566G223 protein	6.2
	105127 AA158132	ESTs; Weakly similar to contains similari	5.7
1	105132 AA15950		4.2
15	105143 AA16533	ESTs	4.7
	105154 AA171736	methyl-CpG binding domain protein 4	9
	105162 AA176690	KIAA1025 protein	9.1
	105186 AA191512	Homo sapiens mRNA; cDNA DKFZp564	19.3
20	105209 AA205072	KIAA0980 protein	7.4
20	105223 AA21138	ESTs	5.1
	105252 AA227428	ESTs; Weakly similar to KIAA0512 prote	11.1
	105253 AA22744	KIAA0456 protein	6.4
	105261 AA22787	MEK partner 1	9.1
25	105263 AA22792	ESTs	6.7
25	105274 AA22812	ATPase; H+ transporting; lysosomal (vacu	5.3
	105297 AA23345	transcriptional intermediary factor 1	8.7
	105309 AA23379	ESTs; Weakly similar to cDNA EST yk38	7.4
	105312 AA23385	S-phase kinase-associated protein 2 (p45)	5.8
20	105342 AA23528	ESTs	4.5
30	105376 AA23655	ESTs; Weakly similar to !!!! ALU SUBFA	5.8
	105386 AA23695	ESTs	5.5
	105397 AA24286	ESTs; Weakly similar to house-keeping p	7.7
	105399 AA24300	ESTs; Highly similar to SH3 domain-bind	5.6
25	105400 AA24305	RNA binding motif protein 8	5.8
35	105404 AA24330	ESTs	9.1
	105409 AA24356	ESTs	4.4
	105436 AA252173	ESTs; Moderately similar to cAMP induc	5.1
•	105483 AA25587	ESTs ESTs	4.9 6
40	105493 AA25626 105495 AA25631		5.2
-+0	105496 AA25632	Homo sapiens mRNA; cDNA DKFZp586 DKFZP434N126 protein	8.7
	105500 AA25648	CGI-96 protein	9.5
	105507 AA25667	ESTs; Moderately similar to CCR4-associ	9.5 4.1
	105538 AA25886	ring finger protein (C3H2C3 type) 6	4.1
45	105544 AA26195	ESTs	8
73	105546 AA26203		8.1
	105549 AA26241	ESTs; Weakly similar to 62D9.a [D.melan ESTs	4.6
	105551 AA26247	ribonuclease HI; large subunit	9.1
	105560 AA26278	ESTs	4.5
50	105565 AA27830	ESTs; Weakly similar to partial CDS [C.e	4.2
50	105566 AA27832	Homo sapiens done 24606 mRNA sequen	11.9
	105575 AA27871	 ESTs	5.9
	105584 AA27901	ESTs; Weakly similar to KIAA0665 prote	4.4
	105596 AA27941	ESTs	4
55	105604 AA27978	ESTs; Moderately similar to putative pho	5.6
55	105610 AA27999	ESTs; Weakly similar to trithorax homolo	5.3
	105621 AA28086	Homo sapiens mRNA; cDNA DKFZp564	4.8
	105627 AA28124	ESTs	7.5
	105638 AA28159	Homo sapiens mRNA for for histone H2B	7.5 5.9
60	105645 AA28213	ESTs	6.4
	105650 AA28234	ESTs; Highly similar to HSPC003 [H.sap	11.3
	105666 AA28393	ESTs	4.7
	105674 AA28475	CDW52 antigen (CAMPATH-1 antigen)	8
	105687 AA28680	ESTs	7.1
65	105700 AA28764	ESTs; Weakly similar to hypothetical pro	4.9
	105705 AA29076	Homo sapiens mRNA; cDNA DKFZp434	8
	105709 AA29126	DKFZP586L0724 protein	6.8
		 =	0.0

	105731 A	A292711	Hs.29131	ESTs	6.4
	105753 A			ESTs	7
	105774 A			ESTs	7.1
	105784 A			ESTs	13.4
5	105791 A			SH3-binding domain glutamic acid-rich p	4.3
•	105807 A			ESTs; Moderately similar to COLLAGEN	5.3
	105808 A			KIAA0438 gene product	4.1
	105812 A			ESTs; Highly similar to CGI-27 protein [H	14.6
	105813 A			ESTs	4.9
10	105819 A		Hs.28783	Homo sapiens mRNA; cDNA DKFZp564	4.9
• •			Hs.101067	ESTs	4.8
			Hs.171118	ESTs	4
	105896 A	PPPPPPP	He 7838	Human ring zinc-finger protein (ZNF127-	4.8
		A404248		ESTs	5.2
15			Hs.263727	ESTs; Weakly similar to bisphosphate 3'-	4
13		A406105		adaptor-related protein complex 1; gamma	8.3
		A406321		KIAA0895 protein	4.6
		A410336		ESTs; Weakly similar to PROBABLE AT	4.5
		A410510		ESTs	4.9
20		A410972		ESTs	5.8
20		A411462		ESTs; Weakly similar to veli 1 [H.sapiens	6.9
				KIAA0898 protein	5
		A411819		ESTs	6.6
		A412473		ubiquitin-conjugating enzyme E2L 6	4.6
25			Hs.169895		4.5
23			Hs.289074	ESTS	12.3
		A417558		ESTS	5
		VA417761		Homo sapiens clone 24416 mRNA sequen	15.4
		A421104		ESTs  ESTs: Madamtahi similar ta HEAR IM m	6.4
20		VA424006		ESTs; Moderately similar to H5AR [M.m	5.1
30		A425304		ESTS	11.1
		VA425367		ESTs	19.3
		A425872		NADH dehydrogenase (ubiquinone) 1 alp	4.7
		AA428024		ESTs	5.7
25		AA428239		ESTs	5.7 7.7
35		AA428582		ESTs; Moderately similar to metargidin p	
		AA429951		ESTs	8 4.4
	106240	AA430074	Hs.18552	ESTs; Weakly similar to Ylr218cp [S.cere	
		AA431462		ESTs	4.9
		AA435536		ESTs	8.8
40			Hs.301444	signal sequence receptor, gamma (transloc	8.7
		AA436244		ESTs	4.5
			Hs.108124	ESTs	4
		AA436705		KIAA0766 gene product	4.4
. ~		AA441798		ESTs; Moderately similar to pIL2 hypoth	23.7
45		AA442253		ESTs	4.7
			Hs.194698	cyclin B2	6.1
			Hs.170310	ESTs	6.8
	106389	AA446949	Hs.6236	ESTs	4.7
		AA447223		Homo sapiens clone 25142 mRNA sequen	4.4
50		AA448282		ESTs; Weakly similar to F55C12.5 [C.ele	4.5
		AA449741		glioma-amplified sequence-41	4.8
	106462	AA449912	Hs.30532	ESTs; Highly similar to CGI-77 protein [H	5.2
	106468	AA450047	Hs.14770	ESTs	6.8
		AA450351		ESTs	12.4
55	106494	AA452108	Hs.18387	transcription factor AP-2 alpha (activating	4.5
	106503	AA452411	Hs.29679	ESTs; Highly similar to mediator [H.saple	5.1
	106507	AA452584	Hs.267819	protein phosphatase 1; regulatory (inhibito	4.9
			Hs.145998	ESTs	8.3
	106568	AA455970	Hs.28285	patched related protein translocated in ren	7.6
60	106586	AA456598	Hs.57787	ESTs	8.2
	106589	AA456646	Hs.28661	ESTs	4.8
	106606	AA457730	Hs.283437	Homo sapiens clone 23851 mRNA sequen	4.4
			Hs.26267	ESTs; Weakly similar to torsinA [H.saple	7
			Hs.256150	ESTs	4.5
65			Hs.12311	Homo sapiens clone 23570 mRNA sequen	6.5
			Hs.250824	ESTs	5.5
			Hs.12680	ESTs	4.4

	106664	AA460969	He 7510	mitagon activated protein kinasa kinasa ki	0.4
		AA463745		mitogen-activated protein kinase kinase ki ESTs; Weakly similar to PROBABLE AT	8.4 5.3
		AA465171		ESTs	5.6
		AA465339		ESTs	10.1
5		AA476473		triple functional domain (PTPRF Interacti	10.4
•		AA477263		ESTs	4.2
		AA477717		interleukin 13 receptor, alpha 1	6.9
		AA478558		API5-like 1	5.1
		AA482014		centrin; EF-hand protein; 3 (CDC31 yeast	5.1
10		AA482112		ESTs	4.8
		AA482548		ESTs	10.3
		AA486183		ESTs; Weakly similar to similar to oxyste	6.2
	106865	AA487228	Hs.19479	ESTs	4.5
	106878	AA488872	Hs.12314	Homo sapiens mRNA; cDNA DKFZp586	7.9
15	106888	AA489101	Hs.24734	oxysterol binding protein	6.4
	106895	AA489665	Hs.25245	ESTs	4.6
	106909	AA490323	Hs.250747	SUMO-1 activating enzyme subunit 1	4.2
	106919	AA490885	Hs.21766	ESTs	12.3
	106920	AA490899	Hs.296323	ESTs	6.2
20	106941	AA496204	Hs.237971	ESTs	4
	106942	AA496347	Hs.31314	retinoblastoma-binding protein 7	4.8
	106948	AA496788	Hs.21077	KIAA0532 protein	4
		AA504631		ESTs; Weakly similar to hypothetical 43.2	4.4
		AA505141		Human DNA sequence from clone 167A1	5.4
25	106980	AA521121	Hs.8858	bromodomain adjacent to zinc finger dom	4.1
		AA521157		ESTs	5.7
		AA598461		insulin-like growth factor binding protein	18.7
		AA598710		ESTs	6.2
20		AA599214		ESTs	4.1
30		AA599472		succinate-CoA ligase; GDP-forming; beta	5.3
		AA600134		glyceronephosphate O-acyltransferase	4.8
		AA600147		ESTs; Weakly similar to NADH-cytochro	5.8
		AA600310		programmed cell death 8 (apoptosis-induc	4.9
25		AA609210		ESTs	8.4
35		AA609723		ESTs	8
		AA609943		ESTs	9.5
		AA620553		flap structure-specific endonuclease 1	4.9
		AA620598 AA620795		ESTs ESTs	5.3 4
40		AA620889		ESTs	6.7
40		AA621169		ESTs	19
		AA621340		ESTs; Weakly similar to ORF YKR081c [	8.1
		AA621714		ESTs	8.5
		D51095	Hs.35861	DKFZP586E1621 protein	7.2
45		D59971	Hs.25925	ESTs	7.9
		T34527	Hs.80120	UDP-N-acetyl-alpha-D-galactosamine:po	5.6
		T40327	Hs.30661	lung resistance-related protein	8.4
		T81665	Hs.278422	DKFZP586G1122 protein	7.5
	107372	U85625	Hs.8297	ribonuclease 6 precursor	4.7
50	107373	U85773	Hs.154695	phosphomannomutase 2	4.8
•	107481	W58247	Hs.279766	Homo sapiens kinesin superfamily motor	6.3
	107531	Y13936	Hs.17883	protein phosphatase 1G (formerly 2C); ma	8.3
	107859	AA024835	Hs.47584	potassium voltage-gated channel; delayed	7.3
		AA026030		ESTs; Weakly similar to CALPAIN 2; LA	7.3
55	107908	AA026894	Hs.42826	ESTs	4.9
		AA041341		ESTs	5.4
			Hs.159971	ESTs	8.4
		AA046424		ESTs; Weakly similar to HYPOTHETICA	6.6
<b>C</b> C		AA058686		ESTs	7.7
60			Hs.172608	ESTs	4
		AA071514		ESTs Con DAG 4554	4
		AA100694		Human DNA sequence from BAC 15E1 o	5.5
		AA112396		ESTs; Moderately similar to HOMEOBO	14.3
65			Hs.274417	Homo sapiens mRNA; cDNA DKFZp564	5.2
65		AA120785		ESTs KIAA1077 protein	5.6
		AA121315 AA126422	115.7 0023	zn84f1.s1 Stratagene lung carcinoma 9372	10.5
	100133	~~ 12U422		ZIOTI 1.31 SUBIDYCHO IDIY GAGIIOHIG 331 Z	4.4
				_	

	108774 AA128125	He 71040	ESTs; Moderately similar to CELL GROW	4.6
	108828 AA131584		DKFZP564O0463 protein	5.5
	108872 AA134063		ESTs	7.2
	108884 AA134958		ESTs	11.3
5	108893 AA135894		retinoic acid induced 3	8.9
	109008 AA156360		ESTs	14.7
	109010 AA156460		dual specificity phosphatase 12	4.9
	109011 AA156542		ESTs	4.6
	109042 AA159525		Homo sapiens DNA from chromosome 19	7.2
10	109086 AA166695	Hs.270737	tumor necrosis factor (ligand) superfamily	4
	109090 AA167006	Hs.70499	ESTs	5.9
	109101 AA167708		ESTs	4.2
	109112 AA169379	Hs.257924	ESTs	4
	109160 AA179387	Hs.301997	DKFZP434N126 protein	4
15	109166 AA179845		RAB6 Interacting; kinesin-like (rabkinesin	13.6
	109178 AA181600		ESTs	11.8
	109179 AA181902		ESTs; Weakly similar to IIII ALU SUBFA	5.4
	109261 AA195255		ESTs	6.7
20	109270 AA195515		ESTs; Weakly similar to alternatively spli	4.9
20	109277 AA196332		ESTs	5.4
	109313 AA206800		ESTs; Moderately similar to zinc finger p	5.5 20.1
	109415 AA227219		trinucleotide repeat containing 9	4.7
	109454 AA232255		ESTs	4. <i>7</i> 6.8
25	109467 AA232904		ESTs Wookhy almillar to WD40 protain C	10.6
23	109481 AA233342		ESTs; Weakly similar to WD40 protein C ESTs; Weakly similar to !!!! ALU SUBFA	8
	109508 AA233892 109514 AA234087		ESTs; Weakly similar to ORF2: function	8.2
	109572 F02027	Hs.171937	ESTs, Weakly Similar to Ora 2. Idiretion	4.8
	109632 F04165	Hs.235873	ESTs; Weakly similar to K11C4.2 [C.eleg	5.2
30	109644 F04477	Hs.291531	ESTs; Moderately similar to GLYCERAL	6.6
50	109703 F09684	Hs.24792	ESTs; Weakly similar to ORF YOR283w	7.1
	109726 F10009	Hs.9196	ESTs	5
	109747 F10161	Hs.22969	ESTs	4.7
	109799 F10770	Hs.180378	Homo sapiens clone 669 unknown mRNA	4.5
35	109814 F10979	Hs.153106	Homo sapiens clone 23728 mRNA sequen	8.7
	110189 H20543	Hs.6278	DKFZP586B1621 protein	16.6
	110240 H25577	Hs.176588	ESTs; Weakly similar to CYTOCHROME	6.2
	110280 H29285	Hs.32468	ESTs	4.5
	110520 H56965	Hs.4082	yr09f06.s1 Soares fetal liver spleen 1NFL	5.7
40	110561 H59617	Hs.5199	ESTs; Weakly similar to UBIQUITIN-CO	19.5
	110707 H95079	Hs.15617	ESTs; Weakly similar to !!!! ALU SUBFA	6.2
	110734 H98714	Hs.24131	ESTs	30.2
	110770 N22262	Hs.131705	ESTs	5.8
15	110780 N23174	Hs.22891	solute carrier family 7 (cationic amino aci	8.2 6.7
45	110787 N24716	Hs.12244	ESTs; Weakly similar to C44B9.1 [C.eleg	6.7 5.9
	110794 N25262	Hs.27931	ESTs	5. <del>9</del> 4
	110799 N26101	Hs.323401	Human ring zinc-finger protein (ZNF127- ESTs; Weakly similar to putative p150 [H	4.3
	110818 N29454	Hs.27552 Hs.30246	solute carrier family 19 (thiamine transpo	12.8
50	110839 N30856 110844 N31952	Hs.167531	Homo sapiens mRNA full length insert cD	10.1
50	110854 N32919	Hs.27931	ESTs	4.7
	110856 N33063	113.27.551	ESTs; Weakly similar to S164 [H.sapiens	4.2
	110860 N33438	Hs.170065	ESTs	12.5
	110897 N39148	Hs.6880	DKFZP434D156 protein	4
55	110915 N46252	Hs.29724	ESTs	23.2
-	110935 N48787	Hs.305979	protease inhibitor 1 (anti-elastase); alpha-	4.8
	110970 N51374	Hs.96870	Homo sapiens mRNA full length insert cD	5.4
	111006 N53375	Hs.166146	Homer, neuronal immediate early gene; 3	4.7
_	111008 N53388	Hs.7222	ESTs	13.3
60	111018 N54067	Hs.3628	mitogen-activated protein kinase kinase ki	5.7
	111084 N59543	Hs.15456	PDZ domain containing 1	8.3
	111100 N62522	Hs.20450	ESTs	14.3
	111125 N63823	Hs.269115	ESTs	7.9
<i>-</i> -	111132 N64378	Hs.83293	ESTs; Highly similar to unknown function	4.4
65	111139 N64683	Hs.290943	ESTS	6
	111164 N66857	Hs.14808	ESTs; Weakly similar to IIII ALU CLASS	4.1 5.5
	111172 N67102	Hs.21851	Homo sapiens mRNA; cDNA DKFZp586	5.5

	111178 N67227	Hs.24633	ESTs	5.7
	111179 N67239	Hs.10760	ESTs	37
	111181 N67278	Hs.171802	ESTs; Weakly similar to hypothetical pro	5.6
_	111184 N67437	Hs.243901	Homo sapiens mRNA; cDNA DKFZp564	8.7
5	111221 N68869	Hs.15119	ESTs	7.3
	111223 N68921	Hs.297939	ESTs; Weakly similar to neogenin (H.sap	9
	111229 N69113	Hs.110855	ESTs	8.9
	111241 N69514	Hs.288880	ESTs; Weakly similar to CGI-82 protein [	6.9
10	111268 N70481	Hs.26118	Homo sapiens clone 24766 mRNA sequen	4.5
10	111295 N73275	Hs.21275	ESTs; Weakly similar to ubiquitin-conjug	5.6
	111299 N73808	Hs.24936	ESTs	8.5
	111336 N79565	Hs.29894	ESTs	6.7
	111357 N91023	Hs.87128	ESTs	15
	111370 N92915	Hs.94631	brefeldin A-inhibited guanine nucleotide-e	5.2
15	111806 R33468	Hs.279008	ESTs	10
•	111825 R35885	Hs.286148	stromal antigen 1	4.5
	111836 R36228	Hs.25119	ESTs	7.2
	111890 R38678	Hs.12365	ESTs	17.3
	111923 R39995	Hs.25925	Homo sapiens clone 23860 mRNA sequen	7.3
20	111942 R40576	Hs.21590	ESTs	9.2
	111987 R42036	Hs.6763	KIAA0942 protein	10.6
	112101 R44793	Hs.296341	adenylyl cyclase-associated protein 2	5.3
•	112134 R46025	Hs.7413	ESTs	17.4
	112197 R49482	Hs.5637	ESTs	4.4
25	112244 R51309	Hs.70823	KIAA1077 protein	11
	112253 R51818		Homo sapiens mRNA; cDNA DKFZp566	9.3
	112305 R54822	Hs.26244	ESTs	4.4
	112449 R63802	Hs.124186	ring finger protein 2	6.3
	112483 R66534	Hs.285885	ESTs	4.9
30	112519 R68631	Hs.11861	ESTs	14.3
50	112610 R79392	Hs.23643	ESTs	5.2
	112693 R88741	Hs.91065	ESTs; Moderately similar to proliferation	4.6
	112751 R93507	Hs.8207	ESTs	5.6
	112801 R97486	Hs.157160	protein kinase; DNA-activated; catalytic p	8.7
35	112869 T03313	Hs.4747		5.9
55	112871 T03352		dyskeratosis congenita 1; dyskerin ESTs	
		Hs.12285		5.8
	112908 T10065	Hs.3530	TLS-associated serine-arginine protein	4.1
	112966 T17119	Hs.102548	glucocorticold receptor DNA binding fact ESTs	5.7
40	112971 T17185	Hs.83883		6.4
40	112995 T23528	Hs.7155	ESTs; Weakly similar to TYKI protein [M	9.1
	113047 T25867	Hs.7549	ESTS	5.4
	113075 T34660	Hs.6986	ESTs; Weakly similar to !!!! ALU SUBFA	5.7
	113117 T47819	Hs.159153	ESTS	5.8
45	113206 T58044	Hs.241471	ESTs; Moderately similar to IIII ALU SU	6.4
43	113248 T63857	N- 007400	yc16e1.s1 Stratagene lung (#93721) Homo	4.6
	113260 T64896	Hs.287420	ESTs	6.9
	113277 T65797	Hs.11774	protein (peptidyl-prolyl cis/trans isomeras	5.6
	113278 T65802	Hs.11135	yc11h10.s1 Stratagene lung (#937210) Ho	4.5
50	113440 T86121	Hs.191445	ESTs	6.4
50	113523 T90037	Hs.95549	ESTs	6.4
	113604 T92735	Hs.296083	ESTs	8.7
	113702 T97307		ESTs; Moderately similar to IIII ALU SU	9.5
	113783 W19222	Hs.7041	ESTs; Weakly similar to !!! ALU SUBFA	5.2
	113794 W37382	Hs.11090	ESTs	11.9
55	113808 W44735	Hs.9286	ESTs	16.7
	113811 W44928	Hs.6994	ESTs	4
	113822 W47350	Hs.17466	retinoic acid receptor responder (tazaroten	4.8
	113823 W47388	Hs.55099	rab6 GTPase activating protein (GAP and	4
	113836 W56792	Hs.12040	ESTs; Weakly similar to KIAA0881 prote	4.1
60	113857 W65477	Hs.5297	Homo sapiens mRNA; cDNA DKFZp564	4.3
	113886 W72471	Hs.23920	ESTs	4.6
	113895 W73738	Hs.12921	ESTs	7.1
	113923 W80763	Hs.3849	ESTs; Weakly similar to FK506-binding p	6.8
	113931 W81205	Hs.3496	ESTs	6.1
65	113950 W85765	Hs.30504	Homo sapiens mRNA; cDNA DKFZp434	14
	113970 W86748	Hs.8109	ESTs .	15
	114051 W94942	Hs.177534	dual specificity phosphatase 10	5.4

	114057	W96222	Hs.34192	ESTs	4.8
		Z38266	Hs.288649	Homo sapiens PAC clone DJ0777O23 fro	5.1
		Z38347	Hs.118338	ESTs; Weakly similar to similar to S. cere	6.2
		Z38435	Hs.184108	ribosomal protein L21	4.6
5	114124	Z38595	Hs.125019	ESTs; Highly similar to KIAA0886 prote	22
		Z38763	Hs.15740	amyloid beta (A4) precursor protein-bindi	8.8
	114149	Z38814	Hs.27196	ESTs	4
		Z38909	Hs.22265	ESTs	7.2
••		Z39062	Hs.23740	ESTs	5.3
10		Z39211	Hs.150926	fucose-1-phosphate guanylyltransferase	4.4
		Z39301	Hs.7859	ESTs	5.1
		Z39897	Hs.13297	ESTs	7.2
		Z39898	Hs.21948	ESTs	14.7
15		Z40715	Hs.184641	delta-6 fatty acid desaturase	19.4
15		Z40758	Hs.173091	DKFZP434K151 protein	8.9 13.7
		Z41342 AA024604	Hs.22941	ESTs ESTs .	10.1
			Hs.104613	ESTS	5.7
			Hs.151678	UDP-N-acetyl-alpha-D-galactosamine:po	7.3
20			Hs.106469	suppressor of var1 (S.cerevisiae) 3-like 1	4.3
20			Hs.293380	ESTs	11.7
			Hs.292833	ESTs	7.3
			Hs.107149	ESTs; Weakly similar to PTB-ASSOCIAT	6.1
		AA113303		transmembrane 4 superfamily member (te	4.3
25			Hs.110857	ESTs; Highly similar to putative DNA-dir	7.1
			Hs.154443	minichromosome maintenance deficient (S	5.3
			Hs.109929	ESTs	4.2
	114804	AA160363	Hs.269956	ESTs	4.8
	114811	AA161161	Hs.95907	multiple inositol polyphosphate phosphata	7.1
30		AA165313		ESTs	4.4
		AA235035		ESTs; Moderately similar to ubiquitin spe	5
			Hs.196437	ESTs; Weakly similar to R26660_1; parti	16.9
		AA236359		ESTs	5.1
25		AA243012		ESTS	8.5
35		AA250737		ESTs	35.1
		AA252627		homeo box B5	5.7 6.2
		AA252863		ESTS	13
		AA253217	Hs.198269	ESTs NADH dehydrogenase (ubiquinone) 1 alp	28.2
40		AA256486		ESTs	8.8
40			Hs.279938	ESTs; Weakly similar to supported by GE	4.1
			Hs.284216	ESTs	8.3
			Hs.186572	ESTs	5.1
		AA278650		ESTs; Weakly similar to similar to the bet	4.6
45			Hs.283732	ESTs	8.3
	115249	AA278961	Hs.71124	ESTs	10.1
	115259	AA279071	Hs.13453	splicing factor 3b; subunit 1; 155kD	9.5
			Hs.293736	ESTs	5.8
50	_		Hs.122579	ESTs	5.1
50		AA281793		ESTs	5
			Hs.193063	ESTS	6.1
		AA283198		ESTs	4.9 5.8
		AA287138	Hs.193090	ESTs ESTs; Weakly similar to ASPARTYL-TR	11.7
55		AA292537		Human DNA sequence from clone 620E1	6.8
55		AA331393		ESTs	5.8
		AA398392		ESTs; Weakly similar to F33G12.3 gene p	9.7
			Hs.283037	ESTs; Highly similar to HSPC039 protein	8.7
		AA400247		ESTs	4
60		AA400948		ESTs; Weakly similar to zinc finger prote	8.4
-			Hs.305971	ESTs	5.3
		AA405098		ESTs	16.1
	115657	AA405620	Hs.55158	ESTs; Weakly similar to weak similarity t	4.7
			Hs.183056	Human DNA sequence from clone 34B21	5.1
65		AA406546		Homo sapiens mRNA; cDNA DKFZp564	20.5
		AA417102		ESTS	4.8
	115763	AA421560		ESTs	7

		AA421562		anterior gradient 2 (Xenepus laevis) homo	41.6
		AA428576		ESTs	4.2
		AA430124		ESTs	11.9
_		AA433943		ESTs; Weakly similar to Weak similarity	33.5
5		AA435839		KIAA0887 protein	7.2
		AA441911		ESTs; Weakly similar to KIAA0926 prote	5.1
		AA443602		ESTs	4.8
		AA443793		ESTs	8.3
10		AA443798		poly(A)-specific ribonuclease (deadenylat	13.5
10		AA446887	Hs.301048	cofilin 1 (non-muscle) ESTs	7.5
		AA447687		ESTS ESTS	8.8
		AA449448		ESTS ESTS	13.1
		AA451748			5.5
15		AA452112		Human DNA sequence from clone 718J7 thioredoxin-like	7.5
13		AA453656		ESTs	12.7
			Hs.176376	ESTs	7.2 11.8
		AA457566		ESTs	4.5
		AA459254		ESTs	4.5
20			Hs.279884	v-myc avian myelocytomatosis viral onco	4.3
20		AA459956		ESTs; Highly similar to putative ribonucle	7.6
		AA460649		ESTs	4.8
			Hs.108646	ESTs	6.8
		AA478397		ESTs	4.9
25		AA478415		ESTs	4
		AA479362		DKFZP586N0819 protein	4.6
			Hs.250646	ESTs; Highly similar to ubiquitin-conjuga	4
		AA480886		ESTs	18.5
	116250	AA480975	Hs.44829	ESTs	10.8
30	116254	AA481146	Hs.41086	ESTs; Weakly similar to OXYSTEROL-B	9.1
,	116256	AA481256	Hs.88201	ESTs; Weakly similar to lysophospholipa	8.4
	116264	AA482594	Hs.272239	Homo sapiens mRNA; cDNA DKFZp586	7.2
_	116265	AA482595	Hs.55189	ESTs; Weakly similar to F25B5.3 [C.eleg	11.1
	116282	AA486550	Hs.204501	ESTs; Weakly similar to Wiskott-Aldrich	6.2
35		AA489046		ESTs	4.9
			Hs.159471	ESTs; Weakly similar to snRNP protein B	4.6
		AA490959		Homo sapiens mRNA; cDNA DKFZp564	5.8
		AA491457		ESTs	4.3
40		AA496127		ESTs	8.4
40		AA504116		Homo sapiens mRNA; cDNA DKFZp434	5.3
		AA504806		Homo sapiens clone 23620 mRNA sequen	5.2
		AA609204		KIAA0874 protein	6.6
		AA620313		ESTs; Weakly similar to KERATIN; TYP	4.5
45		C13992 C14088	Hs.83484	ESTs	4.5
45	,	D51272	Hs.75337	glyceraldehyde-3-phosphate dehydrogena nucleolar phosphoprotein p130	5.6 4.1
		D51272	Hs.81915	leukemia-associated phosphoprotein p18	5.8
		F02028	Hs.81907	ESTs	4.9
		F03069	Hs.15395	ESTs; Weakly similar to ARGINYL-TRN	6.1
50		F04816	Hs.92127	ESTS	10.6
50		F08813	Hs.273829	LINE retrotransposable element 1	4.2
		F09983	Hs.317589	ESTs	13
		F13665	Hs.65641	ESTs	8.5
		F13681	Hs.53913	ESTs	5.6
55		F13779	Hs.165909	ESTs	11.6
	116734	F13789	Hs.93796	DKFZP586D2223 protein	5.4
	116760	H11054	Hs.155342	protein kinase C; delta	4.3
		H22566	Hs.30098	ESTs	5.7
	_	H25836	Hs.301527	tumor necrosis factor (ligand) superfamily	8.8
60		H28581	Hs.15641	ESTs	8.6
		H29532	Hs.101174	microtubule-associated protein tau	22.2
		H47357	Hs.109701	ESTs; Moderately similar to weak similar	6.7
		H68116	Hs.168732	ESTs	6.5
<i>(</i>		H72948	Hs.821	biglycan	20.7
65		N20083	Hs.42792	ESTs	4.4
		N20579	Hs.61153	ESTs	7.4
	11/284	N22162	Hs.183779	ESTs; Weakly similar to cDNA EST yk33	4.1

	117344	N24046	Hs.210706	ESTs	7.4
	117367		Hs.42502	ESTs	10.5
	117392		Hs.93405	ESTs	5.8
_	117394	N26257	Hs.39871	KIAA0727 protein	8.4
5	117412	N26722	Hs.42645	ESTs	18.1
	117498		Hs.44268	ESTs; Highly similar to myelin gene expr	5.8
	117557		Hs.44532	diubiquitin	12.3
	117634		Hs.13323	ESTs; Weakly similar to SODIUM- AND	4.4
10	117639		Hs.44833	ESTS	6 7.6
10	117754		Hs.59757 Hs.136102	ESTs KIAA0853 protein	5.9
	117852 117879		Hs.303025	ESTs; Weakly similar to keratin; 67K typ	7.9
	117924		Hs.38891	ESTs	7.9
	117950		Hs.75478	KIAA0956 protein	5
15	117992		Hs.172089	Homo sapiens mRNA; cDNA DKFZp586	7
	118138		Hs.93560	ESTs; Weakly similar to trg [R.norvegicu	4.8
	118215		Hs.77910	3-hydroxy-3-methylglutaryl-Coenzyme A	13.4
	118229	N62339	Hs.166254	heat shock 90kD protein 1; alpha	5.4
	118265	N62827	Hs.48645	EST	4.2
20	118336		Hs.47166	ESTs	7.2
	118363		Hs.48938	ESTs	6
	118429		Hs.74649	ESTs	4.1
	118470		Hs.291033	ESTS	5.4
25	118472		Hs.42179	ESTS	10.8 4.5
25	118475		Un 50445	ESTs; Weakly similar to IIII ALU CLASS ESTs	5.3
	118493 118528		Hs.50115 Hs.49397	ESTS	10.4
	118542		Hs.49427	ESTs	7.9
	118600		113.40421	ESTs	9.2
30	118695		Hs.50081	Homo sapiens mRNA full length insert cD	9.8
	118698		Hs.50187	ESTs	4.3
	118901	N90719	Hs.94445	ESTs	8.1
	118952	N92966		ESTs; Highly similar to CGI-90 protein [H	12.5
~ ~	118976		Hs.93391	ESTs	5
35	118986		Hs.125830	ESTs	7.3
	118989		Hs.45105	ESTs	8.2
	119027		Hs.114611	ESTs	5
	119042		Hs.5472	ESTs	4 6
40	119075		Hs.287820 Hs.102950	fibronectin 1 ESTs; Highly similar to coat protein gamm	4.1
40	119260 119271		Hs.65328	ESTs	12.1
	119298		Hs.155478	cyclin T2	5.6
	119302		710.100 110	ESTs	14.3
	119341		Hs.146388	microtubule-associated protein 7	4
45		W35390	Hs.55533	ESTs	5.3
	119580	W42451	Hs.92260	high-mobility group protein 2-like 1	5.6
	119602	W46286	Hs.233694	ESTs; Weakly similar to ZK1058.5 [C.ele	6.5
		W47620	Hs.56009	2'-5'oligoadenylate synthetase 3	8.1
50		W60473	Hs.57787	ESTs	5.5
50		W69134	Hs.57987	ESTs	4.6
	119729		Hs.94806	KIAA1062 protein	4
	119805		Hs.43213 Hs.58461	ESTs ESTs	4.8
		W80702 W80852	Hs.250696	KDEL (Lys-Asp-Glu-Leu) endoplasmic re	4.2
55		W81129	Hs.44865	Homo sapiens mRNA; cDNA DKFZp586	4.8
55		W84767	Hs.58698	ESTs	5.9
		W86779	Hs.272531	DKFZP586B0319 protein	9
		W86835	Hs.14158	copine III	4.8
		W87812	Hs.93581	Homo sapiens mRNA; cDNA DKFZp586	4
60	120131	Z38656	Hs.75887	coatomer protein complex; subunit alpha	4.2
	120150	Z39549	Hs.153746	ESTs	11
	120206		Hs.91668	ESTs	8.2
	120241		Hs.65946	ESTs	15.6
C F	120255	AA169752	Hs.5672	ESTs; Weakly similar to Similarity to Yea	4.2
65	120314	AA194166	Hs.221040	KIAA1038 protein	6.8
	120325	AA195651	Hs.104106	ESTs ESTs	15.2
	120352	AAZ 1 1400	Hs.193172	L013	6.8

	120428 AA236822	Hs 173694	KIAA1097 protein	5.6
	120524 AA261852		ESTs	5.6
	120528 AA262107	Hs.104413	ESTs	4.5
	120571 AA280738		ESTs	4.9
5	120649 AA287115		ESTs	4.5
_	120655 AA287347		ESTs	6.7
	120668 AA287833		ESTs	8.3
	120712 AA292654		eukaryotic translation initiation factor 2 al	4.6
	120713 AA292655	Hs.96557	ESTs	10.6
10	120724 AA293470	Hs.100747	ESTs	5.4
	120873 AA358015		EST	7.1
	120885 AA365515		ESTs; Moderately similar to IIII ALU SU	4.6
	120919 AA381125		ESTs	8.2
1	120948 AA397822		ESTs; Highly similar to similar to mago n	8.6
15	120969 AA398116		casein kinase 1; gamma 3	10.5
	120977 AA398155		ESTs	10.9
	121103 AA398936		EST	7.4
	121291 AA401753		lung cancer candidate	5.3 13.5
20	121320 AA403008		T-cell receptor; alpha (V;D;J;C)	8.9
20	121463 AA411745 121596 AA416740		ESTs; Weakly similar to KIAA0554 prote ESTs	22.6
	121723 AA419622		ESTs; Weakly similar to Mouse 19.5 mRN	8
	121723 AA419022		ESTs	5.6
	122125 AA434411		ESTs	5.3
25	122522 AA449444		ESTs	4
	122655 AA454756		ESTs	4
	122704 AA456326		ESTs	6.2
	122782 AA459894	Hs.99472	ESTs	5.3
	122856 AA463740	Hs.75367	Src-like-adapter	13.1
30	122882 AA465381	Hs.108812	ESTs; Weakly similar to B0041.5 [C.eleg	5.5
	122928 AA476578		ESTs	6.3
	122974 AA478625		ESTs	6
	122997 AA479295		Kelch motif containing protein	12.5
25	123016 AA480103		ESTs; Weakly similar to alternatively spli	4.4
35	123107 AA486071		ESTs	8.3
	123111 AA486273		ESTs	4.2 5.2
	123114 AA486407 123136 AA487449		ESTs; Moderately similar to KIAA0454 p ESTs	4.2
	123137 AA487468		ESTs; Weakly similar to secreted cement	14.6
40	123169 AA488892		ESTs; Weakly similar to Gag-Pol polypro	4.5
40	123176 AA489020		ESTs	5.2
	123338 AA504249		ESTs	4
	123436 AA598714		protease; serine; 15	7.3
	123442 AA598803		ESTs	5.9
45	123449 AA598899		Homo sapiens mRNA; cDNA DKFZp564	, 4.1
	123494 AA599786	Hs.112110	ESTs	. 4
	123503 AA600121	Hs.293156	ESTs	12.8
	123533 AA608751		ESTs; Weakly similar to !!!! ALU SUBFA	7.9
	123619 AA609200		ESTs	23.1
50	123673 AA60947		ESTs	6.6
	123729 AA609778		membrane component; chromosome 11; s	4.7
	123819 AA620636		ESTs	4
	123960 AA62178		methylmalonate-semialdehyde dehydroge activated RNA polymerase II transcription	7.6 4.4
55	124000 D57317 124006 D60302	Hs.74861 Hs.270016	ESTs	20.6
33	124006 D80302 124012 D80240	Hs.241471	HUM5G11A Human fetal brain (TFujiwa	6.7
	124021 F02859	Hs.13974	ESTs	4.7
	124049 F10523	Hs.74519	primase; polypeptide 2A (58kD)	4.7
	124059 F13673	Hs.283713	ESTs	7.7
60	124243 H66710	Hs.133525	ESTs	5.5
	124308 H93575	Hs.241507	Homo sapiens mRNA; cDNA DKFZp564	11.4
	124314 H94877		GTP-binding protein	13.7
	124315 H94892	Hs.288757	v-ral simian leukemia viral oncogene hom	14
	124350 N21359	Hs.101282	Homo sapiens mRNA; cDNA DKFZp434	8.6
65	124352 N21626	Hs.102406	ESTs	7.2
	124357 N22401	11- 7505	yw37g07.s1 Morton Fetal Cochlea Homo	5.2
	124390 N29325	Hs.7535	ESTs; Highly similar to COBW-like place	7.9

					0.5
		N40188	Hs.11090	ESTS	9.5 4.8
	124447		11- 000475	Homo sapiens mRNA; cDNA DKFZp586	6.1
		N50114	Hs.266175	ESTs	5.6
5		N63172	Hs.146409	cell division cycle 42 (GTP-binding prote	12.8
5		N74604	Hs.11090	ESTs interleukin 13 receptor; alpha 1	6.4
		N79515 N91279	Hs.306117 Hs.109654	ESTs; Moderately similar to outer membr	8.3
		R01037	Hs.181013	phosphoglycerate mutase 1 (brain)	12.3
		R01073	113.101013	ESTs; Weakly similar to IIII ALU CLASS	5.4
10		R12405	Hs.112423	Homo sapiens mRNA; cDNA DKFZp586	6.6
•		R40923	Hs.106604	ESTs	4.9
		R41933		ESTs	7.2
		R44357	Hs.48712	ESTs; Weakly similar to cDNA EST EMB	8.6
	124857	R63652	Hs.137190	ESTs	4.9
15	124911	R88992	Hs.180612	ESTs	4.7
•	124955	T10598	Hs.324841	ESTs; Weakly similar to !!!! ALU SUBFA	4.4
		T11134	Hs.431	murine leukemia viral (bmi-1) oncogene h	12.6
		T78089	Hs.270134	ESTs	4.1
20		T92544	Hs.137548	CD84 antigen (leukocyte antigen)	14.8
20		W15495	Hs.129781	chromosome 21 open reading frame 5	6.7
		W37999	Hs.24336	ESTs	4.8 5.3
		W38419	Hs.105413	ESTs ESTs	6.6
		W86423	Hs.4779	ESTs; Moderately similar to similar to AD	5.8
25		W93640 Z39436	Hs.102720	ESTs, Widderately similar to similar to AD	12.2
23		Z39821	Hs.288193	ESTs	10.2
		Z39833	Hs.124940	GTP-binding protein	6.8
		AA151216		tyrosine 3-monooxygenase/tryptophan 5-m	8
			Hs.288967	ESTs	5.4
30	125580	AA126504	Hs.267812	sorting nexin 4	4.1
	125582	AA507383	Hs.74649	cytochrome c oxidase subunit VIc	11.5
	.125670	Al432621	Hs.82685	CD47 antigen (Rh-related antigen; integri	4
			Hs.191356	general transcription factor IIH; polypepti	9.4
25		AI283493	Hs.75722	ribophorin II	6.2
35		H09290	Hs.76550	Homo sapiens mRNA; cDNA DKFZp564	25.9 4.1
		AA434562		ESTs ESTs; Weakly similar to transformation-r	16.4
		N90960 N99638	Hs.265398 Hs.124084	tumor necrosis factor receptor superfamily	9.5
		AI066486		similar to S. cerevislae RER1	5.6
40		U46278	Hs.122489	ESTs	7.5
		W40262	Hs.146310	ESTs; Weakly similar to putative p150 [H	4.1
		W78968	Hs.181307	H3 histone; family 3A	4.5
		AA205862	Hs.7942	ESTs	5.2
	126721	T72569	Hs.125359	Thy-1 cell surface antigen	4.4
45		AI334393		ESTs	4.6
		AI203334		ESTs	11.7
			Hs.279607	ESTs	4
		A1052047		ESTs	7 5.6
50		R31652	Hs.821	biglycan	14.3
30			Hs.179729	collagen; type X; alpha 1 (Schmid metaph ESTs	4.5
			Hs.204214 Hs.10340	ESTs; Weakly similar to weak similarity t	5.1
		W07286	Hs.264190	ESTs; Highly similar to MEM3 (M.muscu	17.3
			Hs.136713	ESTs; Weakly similar to V4-1 [H.sapiens	4.1
55		Al281549	Hs.311054	ESTs	5.5
		AA904617		ESTs	5.8
		H02682	Hs.292154	ESTs; Moderately similar to recombinatio	5.8
	128466	D59653	Hs.241471	EST	7.4
	128482	U83908	Hs.296251	programmed cell death 4	5.8
60		AA280617		ESTs; Weakly similar to p60 katanin [H.s	8.3
			Hs.183475	Homo sapiens clone 25061 mRNA sequen	6.6
			Hs.101448	metastasis associated 1	5.2
		AA412048		keratin 8	5.1 27.1
65		U31875	Hs.152677	short-chain alcohol dehydrogenase family activated leucocyte cell adhesion molecule	13.2
65	120010	L38608	Hs.10247 Hs.102708	DKFZP434A043 protein	6.7
	120029	701 EECWY	Hs.102706	Homo sapiens mRNA for G7b protein (G	4.5
	120049	AN 142000	113.103100	Home supreme thirtier to or a protein to	٠٠

	128651	AA446990	He 103135	ESTs	6.1
		R48943	Hs.10315	solute carrier family 7 (cationic amino aci	4.4
		AA458542		coatomer protein complex; subunit epsilon	14.3
		T30617	Hs.104222	Homo sapiens mRNA; cDNA DKFZp566	24.5
5		M64174	Hs.50651	Janus kinase 1 (a protein tyrosine kinase)	7.3
_		N49308	Hs.104938	ESTs; Weakly similar to alpha 1(XVIII) c	9.2
		X85372	Hs.105465	small nuclear ribonucleoprotein polypepti	5.4
		W93562	Hs.105749	KIAA0553 protein	4.6
		W15528	Hs.106390	Homo sapiens mRNA; cDNA DKFZp586	4
10		AA455658		basement membrane-induced gene	6.9
	128871	AA400271	Hs.106778	Homo sapiens mRNA for putative Ca2+t	4.5
		AA252023		ESTs; Weakly similar to HRIHFB2157 [H	6.4
	128925	D61676	Hs.21851	Homo saplens mRNA; cDNA DKFZp586	6.4
	128938	AA410325	Hs.107260	ESTs	7
15	128946	N29353	Hs.107318	kynurenine 3-monooxygenase (kynurenin	5.2
	128948	AA485655	Hs.223025	proteasome (prosome; macropain) subunit	13.1
	128955	F10290	Hs.185807	Homo sapiens clone 24758 mRNA sequen	5.8
	129005	AA460049	Hs.13323	ESTs; Weakly similar to SODIUM- AND	12.6
••	129009	AA131421	Hs.75607	ESTs	9.8
20		H13108	Hs.107968	ESTs .	13.9
		X62466	Hs.276770	CDW52 antigen (CAMPATH-1 antigen)	10.7
		AA129465		ESTs	4.7
		L12350	Hs.108623	thrombospondin 2	4.4
25		AA234530		N-ethylmaleimide-sensitive factor	20.7
25		AA131252		ESTs	5.9
		AA282183		ESTs	5.8
		R40556	Hs.318401	ESTs; Highly similar to HSPC039 protein	7.6
		X89109	Hs.109606	coronin; actin-binding protein; 1A	12
20		AA211941		polyadenylate binding protein-interacting	7.9
30		W24360	Hs.237868	interleukin 7 receptor	5.3
		AA435665		ESTs; Moderately similar to HN1 (M.mus	8.4
		H88033 AA151574	Hs.109727	KIAA0733 protein	7.8
		AA090695		pilin-like transcription factor ESTs	6.4
35		Z35227	Hs.109918	ras homolog gene family; member H	6.2 5.4
55		AA026318		glucose regulated protein; 58kD	4.4
		C20976	Hs.110165	ESTs; Highly similar to ribosomal protein	5.7
		N93155	Hs.285976	calmodulin 1 (phosphorylase kinase; delta	7.7
		AA037467		ESTs	6
40		AA167268		Human ras inhibitor mRNA; 3' end	9.3
		H18027	Hs.184697	plexin C1	18.2
		W92984	Hs.288224	ESTs	5.9
		AA151621		ESTs	4.1
		T80814	Hs.11101	discs; large (Drosophila) homolog 3 (neur	10.9
45	129404	AA172056	Hs.317584	ESTs	5.3
	129406	N23707	Hs.111138	KIAA0712 gene product	4
	129426	AA412087	Hs.111323	EST; Highly similar to protein Inhibitor o	8
	129453	AA421213	Hs.111632	Lsm3 protein	5.5
		C00225	Hs.306163	ESTs; Weakly similar to fos39554_1 [H.s	5.5
50		AA298786		ESTs	6.8
		R21443	Hs.166254	heat shock 90kD protein 1; alpha	5
		AA278243		ESTs	6.8
		AA447410		ESTs; Weakly similar to !!!! ALU SUBFA	5.1
E E		AA258308		Homo sapiens mRNA; cDNA DKFZp564	5.3
55		U26727	Hs.1174	cyclin-dependent kinase inhibitor 2A (mel	8.2
		R50008	Hs.11806	7-dehydrocholesterol reductase	4.3
		AA442768		translocase of inner mitochondrial membr	4.4
		M88458	Hs.118778	KDEL (Lys-Asp-Glu-Leu) endoplasmic re collagen; type III; alpha 1 (Ehlers-Danlos	4
60		X06700	Hs.119571		6
00		AA454618		associated molecule with the SH3 domain	6.4
		AA252436 AA452161		lysophospholipase I	7.7
		N20593	Hs.288932	YME1 (S.cerevislae)-like 1 GDP dissociation inhibitor 2	5 60
		AA102520		ESTs; Weakly similar to heat shock prote	6.9 5
65		AA043021		UDP-Gal:betaGlcNAc beta 1;4- galactosy	6.6
, 00		M87789	. 10. 10420	immunoglobulin gamma 3 (Gm marker)	4
			Hs.140452	cargo selection protein (mannose 6 phosp	5.8
	,				5.5

	130029	AA236412	Hs.236510	ESTs; Moderately similar to PFT27 [M.m	5.6
		M90696	Hs.181301	cathepsin S	5.4
	130036	AA195260	Hs.125849	ESTs; Moderately similar to !!!! ALU SU	7.4
		AA055896	Hs.146428	collagen; type V; alpha 1	7.6
5		T24055	Hs.91379	ribosomal protein L26	4
		X14850	Hs.147097	H2A histone family; member X	12.1
		AA223874		KIAA0704 protein	5
		AA234717		ESTS	7.8 7.2
10		M36803 M61764	Hs.1504 Hs.21635	hemopexin tubulin; gamma 1	5.6
10		AA610070		calcium/calmodulin-dependent serine pro	7.5
		D43947	Hs.151761	KIAA0100 gene product	6.4
		AA620556		peroxisomal D3;D2-enoyl-CoA isomerase	6.4
		D50840	Hs.23703	UDP-glucose ceramide glucosyltransferas	4.5
15	130235	X14046	Hs.153053	CD37 antigen	9.1
	130276	S75295	Hs.169149	karyopherin alpha 1 (importin alpha 5)	8.6
		L13738	Hs.153937	activated p21cdc42Hs kinase	5
		AA620323		ubiquitin-activating enzyme E1C (homolo	6.1
20		D86967	Hs.154332	KIAA0212 gene product	10 6.1
20		AA135673 X84373	Hs.154668 Hs.155017	KIAA0391 gene product nuclear receptor interacting protein 1	10.6
		Z38501	Hs.8768	ESTs; Weakly similar to IIII ALU SUBFA	8.3
		T47333	Hs.155188	TATA box binding protein (TBP)-associa	7.1
		X66364	Hs.166071	cyclin-dependent kinase 5	5.6
25		D13630	Hs.155291	KIAA0005 gene product	4.1
		AA449417		Homo sapiens mRNA for putative glucosy	4.6
		N29888	Hs.155410	ESTs	7
		M21121	Hs.241392	small inducible cytokine A5 (RANTES)	4.1
20		U58522	Hs.155485	huntingtin-interacting protein 2	7.9
30		D21260	Hs.178710	clathrin; heavy polypeptide-like 2	4 6.8
		U35835 X17059	Hs.155637 Hs.155956	protein kinase; DNA-activated; catalytic p N-acetyltransferase 1 (arylamine N-acetyl	26.4
		L38951	Hs.180446	karyopherin (importin) beta 1	4.8
		AA416723		Homo sapiens mRNA for KIAA0446 prot	6.1
35		L32137	Hs.1584	cartilage oligomeric matrix protein (pseud	8.3
			Hs.252587	pituitary tumor-transforming 1	7.5
	130558	H96654	Hs.15984	ESTs; Weakly similar to gene pp21 protei	5.6
		AA232535		ESTs; Highly similar to CGI-13 protein [H	4
40		W24957	Hs.293907	ESTs; Moderately similar to similar to C.e	13.3
40		H66211	Hs.16331	ESTs	10.1 39.9
		X03635 AA132007	Hs.1657	estrogen receptor 1 ESTs	5.1
		AA477739		ESTs	5.9
		AA235247		ESTs; Weakly similar to cytochrome P45	4.1
45		F03969	Hs.260720	matrix metalloproteinase 2 (gelatinase A;	8.3
	130627	L23808	Hs.1695	matrix metalloproteinase 12 (macrophage	10.3
	130629	M60346	Hs.1697	ATPase; H+ transporting; lysosomal (vacu	7
		M87503	Hs.1706	interferon-stimulated transcription factor	5.5
<b>~</b> ^		D59711	Hs.17132	ESTs	7.2
50		H17861	Hs.17767	ESTs	13.5
		D82808	Hs.17820	Rho-associated; coiled-coil containing pro	6 6.1
		AA487202 N63295	Hs.18103	ESTS	4.3
	130705	AA488843	Hs.201673	cornichon-like	4
55			Hs.279762	adenylate cyclase 7	5.1
		X92896	Hs.18212	DNA segment on chromosome X (unique)	8.4
	130715	T98227	Hs.171952	occludin	5.7
		AA203527		POP7 (processing of precursor; S. cerevis	6.2
60		AA471293		ESTs	8.2
60		AA435633		Homo sapiens clone 23965 mRNA sequen	8.3
		R39390 AA223386	Hs.19525 Hs.19574	ESTs ESTs; Weakly similar to katanin p80 subu	4.5 7.7
			Hs.143323	putative DNA/chromatin binding motif	4.3
		AA287327		ceroid-lipofuscinosis; neuronal 2; late infa	9.8
65		M58028	Hs.2055	ubiquitin-activating enzyme E1 (A1S9T a	4.3
	130880	D14678	Hs.20830	kinesin-like 2	4.5
	130891	D31891	Hs.20991	SET domain; bifurcated; 1	4

	120005	A A O E C 40 O	U~ 400000	FOT-	
		AA056489		ESTs	8.7
		W03592 AA291710	Hs.21198	translocase of outer mitochondrial membr	20.9
		AA074596		collagen; type IV; alpha 3 (Goodpasture a	9
5		M97935	Hs.21486	bromodomain adjacent to zinc finger dom signal transducer and activator of transcrip	5.3
,		X57985	Hs.2178	H2B histone family; member Q	18.8 13.4
		R45698	Hs.21893	ESTs; Weakly similar to cAMP inducible	8.5
		N48963	Hs.21992	KIAA0689 protein	7.2
		AA435748		ESTs; Weakly similar to phosphatidic acid	5.2
10		X02530	Hs.2248	small inducible cytokine subfamily B (Cy	10.1
		T35341	Hs.22880	ESTs; Highly similar to dipeptidyl peptid	6.3
		H11760	Hs.23606	ESTs	7.3
	131185	M25753	Hs.23960	cyclin B1	6.2
	131200	AA609427	Hs.293732	ESTs; Moderately similar to !!!! ALU SU	4.3
15		AA044078		ESTs	5.5
,		AA430047		ESTs	7.1
		AA429472	Hs.236522	DKFZP434P106 protein	5.6
		D38076	Hs.24763	RAN binding protein 1	5.5
20		AA620599		DKFZP564E1962 protein	6.7
20		AA256042		ESTs	5.8
		U25997	Hs.25590	stanniocalcin	8.9
		'AA463450		Nijmegen breakage syndrome 1 (nibrin)	6.5
		R34531	Hs.92200	KIAA0480 gene product	9.2
25		H84658	Hs.279836	ESTs	12.1
23		AA608962		calcyclin binding protein	18.1
		Z39053 AA121127	Hs.27263	ESTs H3 histone; family 3A	7.5
		X02152	Hs.2795	lactate dehydrogenase A	5.5 5.1
		N39152	Hs.301804	ESTs	4.3
30		D60856	Hs.28309	UDP-glucose dehydrogenase	8.4
-		N33236	Hs.28555	ESTs; Weakly similar to B0511.8 [C.eleg	5.6
		D30946	Hs.28707	signal sequence receptor; gamma (transloc	8.7
		U90551	Hs.28777	H2A histone family; member L	18.8
	131564	AA491465		ESTs	11.8
35	131586	AA235385	Hs.26966	ESTs; Moderately similar to alternatively	4.7
	131587	M15182	Hs.183868	glucuronidase; beta	5.2
	131589	U52100	Hs.29191	epithelial membrane protein 2	4.4
		D14533	Hs.192803	xeroderma pigmentosum; complementatio	4.6
40		AA136126		mitogen-activated protein kinase-activated	4.3
40		AA136660		ESTs	9.4
		U26174	Hs.3066	granzyme K (serine protease; granzyme 3	9.7
		L11066	Hs.3069	heat shock 70kD protein 98 (mortalin-2)	6.2
		AA599653 W60913	Hs.110796	transcription factor-like 5 (basic helix-loo	8.3
45		AA233225		ESTs; Weakly similar to cDNA EST yk45 MRS1 protein	9 5.2
15		D49738	Hs.31053	cytoskeleton-associated protein 1	6.6
		D31352	Hs.31433	ESTs	11
		H46831	Hs.107767	ESTs; Moderately similar to CaM-KII inh	4.9
	131781	AA460450		DKFZP586G1722 protein	9.2
50		N32724	Hs.32317	Sox-like transcriptional factor	4.5
	131809	L76517	Hs.3260	presenilin 1 (Alzheimer disease 3)	5.4
	131814	AA437226	Hs.157	interleukin 10 receptor; alpha	4
		AA091932		dynamin-like protein	6.7
<i></i>		J04088	Hs.156346	topoisomerase (DNA) II alpha (170kD)	5
55		AA044095		ESTs	11.1
		AA158258		heterogeneous nuclear protein similar to r	5.6
			Hs.183180	ESTs; Weakly similar to RING finger pro	4.5
		AA205460 D62657		ESTs	14.3
60		W90146	Hs.35086 Hs.35962	ubiquitin-specific protease 1 ESTs	6.2
00		D86960	Hs.3610	KIAA0205 gene product	6.3 4.2
		R70167	Hs.154938	ESTs	4.2
		AA410424		Homo sapiens mRNA; cDNA DKFZp586	4.5 4.6
		F09788	Hs.3622	procollagen-proline; 2-oxoglutarate 4-diox	6.4
65		AA479515		Human DNA sequence from clone 703H1	12
	131997	D82399	Hs.136644	Homo sapiens clone 23714 mRNA sequen	10
	132017	W67251	Hs.267659	Homo sapiens vav 3 oncogene (VAV3) m	4.7

	132021	T68246	Hs.306079	chaperonin containing TCP1; subunit 5 (e	5.2
		D82226	Hs.211594	proteasome (prosome; macropain) 26S sub	8.5
		D44466	Hs.3887	proteasome (prosome; macropain) 26S sub	13.5
_	132089	AA131971	Hs.39122	ESTs	4.8
5		AA599801		ESTs	6.2
		AA257056		KIAA0871 protein	14.6
		T10822	Hs.324743	ESTS	5.3
		N90141	Hs.41066	ESTs; Moderately similar to ELONGATI	9.2 5.5
10		AA281770 U84573		seven in absentia (Drosophila) homolog 1 procollagen-lysine; 2-oxoglutarate 5-dioxy	8.1
10		AA405569	Hs.41270	fibroblast activation protein; alpha; sepras	15.4
		L19183	Hs.199695	hypothetical protein	12.2
		AA128980	110.100000	ESTs	5.6
		AA412620	Hs.4248	ESTs	6.7
15	132235	F09058	Hs.42656	ESTs	6.2
	132256	AA608856	Hs.431	murine leukemia viral (bmi-1) oncogene h	6
		N41849	Hs.7120	Homo sapiens cytokine receptor related p	5.6
		AA285290		small EDRK-rich factor 2	6.8
20		N37065	Hs.44856	ESTS	4.7
20		AA479933		Human DNA sequence from clone 167A1	4.2 9.1
		R70914 W85888	Hs.281434 Hs.47334	heat shock 70kD protein 1 ESTs; Moderately similar to !!!! ALU SU	4
		F09979	Hs.4774	ESTs	15
		AA431459		ESTs	8
25			Hs.260116	KIAA1104 protein	4
	132446	AA426218	Hs.48764	ESTs	5.3
		AA047896		ESTs	15.4
			Hs.238126	ESTs; Highly similar to CGI-49 protein [H	9
20		T03749	Hs.4990	KIAA1089 protein	8.5
30		AA283006		chromosome-associated polypeptide C	4.3 9.8
		AA488987 AA417152		synaptogyrin 2 protein regulator of cytokinesis 1	9.6 10.1
		L37042	Hs.283738	casein kinase 1; alpha 1	5.9
		AA412452		DKFZP434N024 protein	4.2
35		AA199588		ARP3 (actin-related protein 3; yeast) hom	4.2
			Hs.283558	isocitrate dehydrogenase 2 (NADP+); mit	5.2
		AA171913		carbonic anhydrase XII	10.1
			Hs.279916	adaptor-related protein complex 1; gamma	4.8
40		U33821	Hs.5437	Tax1 (human T-cell leukemia virus type I	5.7
40		AA453614		KIAA0776 protein	4.4 15.6
		M60830 N47109	Hs.5509 Hs.5521	ecotropic viral integration site 2B ESTs	7
		AA417962		geranylgeranyl diphosphate synthase 1	5.6
		W42674	Hs.264636	ESTs; Moderately similar to neuronal thre	4.9
45			Hs.292812	ESTs; Weakly similar to C43H8.1 [C.eleg	7.9
	132744	X54326	Hs.55921	glutamyl-prolyl-tRNA synthetase	4.1
		H99152	Hs.57079	ESTs	8
		AA331777		mutL (E. coli) homolog 1 (colon cancer; n	8
50		U25435	Hs.57419	transcriptional repressor	4
50		AB004884		tousled-like kinase 2	6.5 5.6
		N23817	Hs.5807	Homo sapiens clone 23675 mRNA sequen ESTs	12.4
		D62588 T48195	Hs.5813 Hs.58189	eukaryotic translation initiation factor 3; s	7
		W79865	Hs.58367	glypican 4	6.2
55		N26855	Hs.203961	ESTs	6.5
-		AA425776		ESTs	5.6
			Hs.177537	ESTs	7.2
		D82422	Hs.5944	ESTs	7.5
60		N56451	Hs.5978	LIM domain only 7	4.4
60		AA235404		Homo sapiens clone 25186 mRNA sequen	9.1 10.7
		X83618	Hs.59889 Hs.234896	3-hydroxy-3-methylglutaryl-Coenzyme A ESTs; Highly similar to geminin (H.sapie	10.7
		AA496037		ESTs	4.7
		AA252605		KIAA0616 protein	7.1
65		AB002305		KIAA0307 gene product	8.3
		U04209	Hs.61418	microfibrillar-associated protein 1	4.3
		AA234791	Hs.61469	Human gene from PAC 753P9; chromoso	13.2

	132959	AA028103	Hs.61472	ESTs; Weakly similar to unknown [S.cere	18.9
	132968		Hs.61638	myosin X	5.8
		H80409	Hs.62112	zinc finger protein 207	4.3
5		AA458761		transcription factor AP-2 alpha (activating	4.2
3		AA505133 Y00062	Hs.170121	solute carrier family 2 (facilitated glucose protein tyrosine phosphatase; receptor typ	26.4 4.4
		AF006082		ARP2 (actin-related protein 2; yeast) hom	4.7
	133005		Hs.278605	KIAA0970 protein	6.6
		AA047036		ESTs	7.9
10	133016	W81298	Hs.6289	growth factor receptor-bound protein 2	5.2
		X62055	Hs.63489	protein tyrosine phosphatase; non-recepto	4
		S67325	Hs.63788	propionyl Coenzyme A carboxylase; beta	5.2
		AA071387 R33663	Hs.64056	jumping translocation breakpoint ESTs	5 5.4
15		N70633	Hs.6456	chaperonin containing TCP1; subunit 2 (b	6
		AA122147		KIAA0483 protein	5
		AA598749		ESTs	5.6
		AA156049	Hs.267923	ESTs	4.1
20		D16469	Hs.6551	ATPase; H+ transporting; lysosomal (vacu	6.2
20		R37367	Hs.6727	Ras-GTPase activating protein SH3 doma	5.1 6.2
		Y10659 Z41415	Hs.285115 Hs.6823	interleukin 13 receptor; alpha 1 ESTs; Weakly similar to intrinsic factor-B	8.3
		N90029	Hs.6831	Homo sapiens clone 1400 unknown prote	4.7
		AA059405		Homo sapiens clone 24655 mRNA sequen	5.5
25		D31161	Hs.242894	ESTs	9
		AF006086		actin related protein 2/3 complex; subunit	7.7
		W72187	Hs.69192	ESTs; Weakly similar to cDNA EST yk37	6.7
		AA488886 AA421079		ESTs ESTs; Weakly similar to Sox-like transcri	4.2 4.9
30		AA410507		ESTs	4.3
		L15702	Hs.69771	B-factor; properdin	9.3
	133294	R79723	Hs.69997	zinc finger protein 238	30.4
		AA600057		KIAA0905 protein	10.4
35			Hs.152316	ESTs	8.5 14
22		H06195 AA156897	Hs.7194 Hs 72157	ESTs; Highly similar to CGI-59 protein [H DKFZP564I1922 protein	5
		X57579	Hs.727	inhibin; beta A (activin A; activin AB alp	13.9
		AA491296		ESTs	4.3
	133422	N79516	Hs.73287	ESTs; Weakly similar to eyelid [D.melano	4.5
40		AA255438		Homo sapiens mRNA; cDNA DKFZp566	8
		T23983	Hs.323966	ESTs	5
		AA094989 X03068	Hs.73931	voltage-dependent anion channel 3 major histocompatibility complex; class II	8.7 5
		X78710	Hs.211581	metal-regulatory transcription factor 1	5.3
45		AA316868		ESTs; Weakly similar to 140G11.h [D.me	6.8
		X52947	Hs.74471	gap junction protein; alpha 1; 43kD (conn	5.7
		D63480	Hs.278634	KIAA0146 protein	4.8
		AA313977		transcription elongation factor B (SIII); po	9.5
50		W94333 F03717	Hs.279915 Hs.75063	translocase of inner mitochondrial membr human immunodeficiency virus type I enh	5 7.4
50		L37368	Hs.75104	RNA-binding protein S1; serine-rich dom	5
		D13315	Hs.75207	glyoxalase I	4.2
	133617	AA148318	Hs.75249	KIAA0069 protein	4.5
		U09587	Hs.75280	glycyl-tRNA synthetase	10
55		D21262	Hs.75337	nucleolar phosphoprotein p130	4.5
		U24166 D83004	Hs.234279 Hs.75355	microtubule-associated protein; RP/EB fa ubiquitin-conjugating enzyme E2N (homo	15.2 9.1
		D89077	Hs.75367	Src-like-adapter	6.4
		AA479139		acid phosphatase 1; soluble	4.8
60		AA287383		ESTs	4.2
		AA458946		ESTs	4.3
		K01396	Hs.297681	protease inhibitor 1 (anti-elastase); alpha-	8.3
		N21648 Y00282	Hs.75659 Hs.75722	MpV17 transgene; murine homolog; glom ribophorin II	4.6 7.5
65		L27841	Hs.75737	pericentriolar material 1	9.4
		U49278	Hs.75875	ubiquitin-conjugating enzyme E2 variant	4.5
		D21255	Hs.75929	cadherin 11 (OB-cadherin; osteoblast)	6.4

	400			A A Colored Asia Asia Sala Sala Sala Sala Sala Sala Sala Sa	70
		W73693	Hs.76038	isopentenyl-diphosphate delta isomerase	7.9
		Z23090	Hs.76067	heat shock 27kD protein 1	4.1
	133776	J03473	Hs.177766	ADP-ribosyltransferase (NAD+; poly (AD	13
	133784	AA214305	Hs.301064	ESTs	5.2
5	133814	M33882	Hs.76391	myxovirus (influenza) resistance 1; homol	11.7
	133829	AA453783	Hs.76550	Homo sapiens mRNA; cDNA DKFZp564	9.4
			Hs.288660	serine protease; umbilical endothelium	4.8
		M59815	Hs.170250	complement component 4A	6.7
		U73477	Hs.285013	putative human HLA class II associated p	7.1
10		T68510	Hs.76704	ESTs	6.3
10		U86782	Hs.178761	26S proteasome-associated pad1 homolog	13.7
		D43948	Hs.76989	KIAA0097 gene product	4.1
				cullin 4A	4
		U58090	Hs.183874		4.7
1.6			Hs.182793	ESTs	
15		X01060	Hs.77356	transferrin receptor (p90; CD71)	8.3
		N32811	Hs.77542	ESTS	5
		W72783	Hs.58382	ESTs; Weakly similar to C13F10.5 [C.ele	4.5
	133944	AA045870	Hs.7780	Homo sapiens mRNA; cDNA DKFZp564	6.3
	133946	AA156565	Hs.173878	4-nitrophenylphosphatase domain and non	6.4
20	133963	L34587	Hs.184693	transcription elongation factor B (SIII); po	6.3
	133980	D00760	Hs.250811	proteasome (prosome; macropain) subunit	11.9
	133990	C02374	Hs.7822	Homo saplens mRNA; cDNA DKFZp564	8.2
	133999	M28213	Hs.78305	RAB2; member RAS oncogene family	5.2
	134030		Hs.78575	prosaposin (variant Gaucher disease and v	4.6
25		Z81326	Hs.78589	protease Inhibitor 12 (neuroserpin)	6.5
~~		S82470	Hs.78768	BB1	11.9
		D28473	Hs.172801	isoleucine-tRNA synthetase	5.2
		D87685	Hs.78893	KIAA0244 protein	7.3
		H98621	Hs.78946	cullin 3	4.7
30		U51166	Hs.173824	thymine-DNA glycosylase	7
50				heat shock 60kD protein 1 (chaperonin)	4.5
•		M22382	Hs.79037		9.4
		X06323	Hs.79086	ribosomal protein; mitochondrial; L3	4.4
		U41060	Hs.79136	LIV-1 protein; estrogen regulated	
25		U32519	Hs.220689	Ras-GTPase-activating protein SH3-doma	6.6
35			Hs.181634	Human Chromosome 16 BAC clone CIT9	8.6
		M63138	Hs.79572	cathepsin D (lysosomal aspartyl protease)	9.3
		U88871	Hs.79993	peroxisomal biogenesis factor 7	6.3
		L28010	Hs.808	heterogeneous nuclear ribonucleoprotein F	4.3
		AA430008		ESTs	6.9
40	134310	AA313414	Hs.8148	Homo sapiens clone 24856 mRNA sequen	7.4
	134326	U16306	Hs.81800	chondroitin sulfate proteoglycan 2 (versic	6.1
	134329	D38551	Hs.81848	RAD21 (S. pombe) homolog	8.6
	134331	AA452020	Hs.111222	ESTs; Weakly similar to CGI-128 protein	6.1
	134351	R82074	Hs.82109	syndecan 1	4.4
45		L43575	Hs.82171	Human clone 19187 placenta expressed m	6.6
		M37033	Hs.82212	CD53 antigen	5.3
		X54199	Hs.82285	phosphoribosylglycinamide formyltransfe	4.8
		D62633	Hs.8236	ESTs	15.2
		AA412720		ESTs; Highly similar to CGI-118 protein	7.2
50		X02874	Hs.82396	2';5'-oligoadenylate synthetase 1	6.4
50		U56637	Hs.184270	capping protein (actin filament) muscle Z-	4
				small nuclear ribonucleoprotein polypepti	5.7
		M15841	HS.825/5	lysosomal-associated membrane protein 2	6.9
		L09717	Hs.8262		
55		H99801	Hs.82689	tumor rejection antigen (gp96) 1	4.5
55			Hs.211577	kinectin 1 (kinesin receptor)	11.2
		J04177	Hs.82772	collagen; type XI; alpha 1	15.3
		AA329274		protein tyrosine phosphatase type IVA; m	4.1
	134417	D87969	Hs.82921	solute carrier family 35 (CMP-slalic acid t	4.2
	134419	L08044	Hs.82961	trefoil factor 3 (intestinal)	5.9
60	134421	AA122386	Hs.82985	collagen; type V; alpha 2	5.8
	134423	W96151	Hs.83006	ESTs; Highly similar to CGI-139 protein	4.4
			Hs.246857	ESTs: Highly similar to proteine kinase JN	7
		T25732	Hs.83419	KIAA0252 protein	4.6
		X70683	Hs.83484	SRY (sex determining region Y)-box 4	5.1
65		X54942	Hs.83758	CDC28 protein kinase 2	20.3
55		R38185	Hs.83954	Homo sapiens unknown mRNA	5
		D63477	Hs.84087	KIAA0143 protein	16.1
	107730	200411	. 10.0 1001	· ······· · · · · · · · · · · · · · ·	

		M63180	Hs.84131	threonyl-IRNA synthetase	6.1
		U45328	Hs.84285	ubiquitin-conjugating enzyme E2I (homol	4.6
		H24460	Hs.848	FK506-binding protein 4 (59kD)	6.2
5		U66615	Hs.172280	SWI/SNF related; matrix associated; actin	4.8
5		AA234966		CGG triplet repeat binding protein 1	4.7
		R68884	Hs.86347	ESTs; Weakly similar to predicted using G	5.8
		X74496 W23625	Hs.86978	prolyl endopeptidase	4.5
		AA454070	Hs.8739 Hs.123090	ESTs; Weakly similar to ORF YGR200c [ ESTs	13.7
10		AA250745		— <del></del>	5.8
10		X04011	Hs.88974	protein kinase; cAMP-dependent; catalyti cytochrome b-245; beta polypeptide (chro	8.9 6.8
		U89922	Hs.890	lymphotoxin beta (TNF superfamily; mem	35.7
		W47183	Hs.284226	ESTs; Weakly similar to neural F box pro	8.1
		J05582	Hs.89603	mucin 1; transmembrane	6.2
15		Z49099	Hs.89718	spermine synthase	4.2
		M27394	Hs.89751	membrane-spanning 4-domains; subfamily	7.2
		U51477	Hs.89981	diacylglycerol kinase; zeta (104kD)	4.1
		H60595	Hs.90061	progesterone binding protein	4.7
		D82348	Hs.90280	5-aminoimidazole-4-carboxamide ribonuc	10.2
20	134866	U84011	Hs.904	amylo-1;6-glucosidase; 4-alpha-glucanotr	12.1
	134868	Z39762	Hs.90419	KIAA0882 protein	6
	134885	N27670	Hs.9071	progesterone membrane binding protein	5
	134982	N46086	Hs.92308	ESTs	4.1
	134989	AA236324	Hs.92381	Homo sapiens mRNA; chromosome 1 spe	16.8
25		H05625	Hs.5831	ESTs	4
		AA282343		purine-rich element binding protein B	4.4
		D59675	Hs.92927	ESTs	7
		U54999	Hs.278338	LGN protein	4.8
20		AA224180		ESTs; Moderately similar to 17-beta-hydr	13.6
30		AA243497		Human DNA sequence from clone 30M3	4
		U77948	Hs.278589	general transcription factor II; i	8
		AA598449		Homo sapiens cione 24483 unknown mRN	5.4
•		L08069	Hs.94	heat shock protein; DNAJ-like 2	9.3
35		AA495950 W52493	Hs.94694	ESTS	6.7
55		AA044842		Homo sapiens clone 24837 mRNA sequen	10.2
		AA126433		Homo saplens mRNA; cDNA DKFZp586 sorting nexin 4	6.6 7.4
		D31157	Hs.324277	ESTs; Weakly similar to growth factor-res	6.2
		AA454930		ESTs	19.5
40		AA215333		putative G protein-coupled receptor	8.8
• •		H20989	Hs.198281	pyruvate kinase; muscle	12.4
		D83174	Hs.9930	collagen-binding protein 2 (colligen 2)	5.5
		AA480109		TYRO protein tyrosine kinase binding pro	5.4
	135389	U05237	Hs.99872	fetal Alzheimer antigen	7.8
45	135400	M23263	Hs.99915	androgen receptor (dihydrotestosterone re	9.1
	135411	L10333	Hs.99947	reticulon 1	5.3
	300019	M97935		AFFX control: STAT1	8.3
		M97935		AFFX control: STAT1	7
<b>5</b> 0		M97935		AFFX control: STAT1	14
50		Al199738	Hs.208275	ESTs; Weakly similar to !!!! ALU CLASS	9.1
		A1694585	Hs.270464	ESTs; Weakly similar to !!!! ALU CLASS	7.4
		AW079607		ESTs; Weakly similar to ZnT-3 [H.saplen	30.1
	300328	AW015860	Hs.224623	ESTs	11.9
55		AA699328		ESTs	5.5
33		A1492179	Hs.166244	ESTs; Weakly similar to cONA EST yk40	11
		AW293224		ESTs	11
	301124	T79326 N85789	Hs.298262	ESTs; Weakly similar to dJ88J8.1 [H.sapi	8.8
		AI682905	Hs.150186 Hs.270431	ESTs; Weakly similar to PTERIN-4-ALP	6
60		AA373124	He 24200	ESTs; Weakly similar to !!!! ALU SUBFA ESTs; Weakly similar to C17G10.1 [C.ele	4.7
-		AA526313		ESTs Veakly similar to C17G to. 1 [C.ele	8 4.2
		N99399	Hs.143046	EST cluster (not in UniGene) with exon h	18
		AA312082		GDNF family receptor alpha 1	20.7
		NM_004694		EST cluster (not in UniGene) with exon h	11.6
65		AF013956		chromobox homolog 4 (Drosophila Pc cla	9.2
		NM_00199		EST cluster (not in UniGene) with exon h	4.3
		H05698	Hs.222399	ESTs; Weakly similar to protein-tyrosine	7.8
			•		

	302145 NM_003613Hs.151407	EST cluster (not in UniGene) with exon h	15.1
	302236 Al128606 Hs.6557	zinc finger protein 161	25.8
	302276 NM_004448Hs.323910	EST cluster (not in UniGene) with exon h	21.6
5	302290 AL117607 Hs 175563	Homo sapiens mRNA; cDNA DKFZp564	41.4 8.9
5	302326 NM_004271Hs.184018 302342 AB023141 Hs.190386	EST cluster (not in UniGene) with exon h KIAA0924 protein	5.4
	302372 AB023141 Hs.190300 302372 AL117406 Hs.200102	Homo sapiens mRNA; cDNA DKFZp434	8.9
	302422 AB021227 Hs.3743	matrix metalloproteinase 24 (membrane-in	5.2
	302431 AF129530 Hs.226434	EST cluster (not in UniGene) with exon h	5.3
10	302501 AF022726 Hs.251446	EST cluster (not in UniGene) with exon h	9.9
	302505 AL049650 Hs.247874	multiple UniGene matches	4.3
	302533 L36149 Hs.248116	chemokine (C motif) XC receptor 1	4.9
	302638 AA463798 Hs.102696	ESTs; Weakly similar to C11D2.4 [C.eleg	5.3
15	302656 AW293005 Hs.70704	ESTs	8.4
15	302792 AA343696 Hs.46821	ESTs; Weakly similar to putative [H.sapie	4.5 6.8
	302820 X04588 Hs.85844 302838 U66049 Hs.82171	EST cluster (not in UniGene) with exon h EST cluster (not in UniGene) with exon h	8.4
	302892 N58545 Hs.42346	histone deacetylase 3	22.8
	302977 AW263124 Hs.315111	EST cluster (not in UniGene) with exon h	6.8
20	302989 N46406 Hs.84700	EST cluster (not in UniGene) with exon h	8.9
	303007 AA478876 Hs.317714	pallid (mouse) homolog; pallidin	10.1
	303052 AF140242 Hs.279926	EST cluster (not in UniGene) with exon h	24.4
	303131 AW081061 Hs.103180	actin-like 6	6.3
25	303132 Al929819 Hs.4055	ESTs	17.7 11.4
23	303153 U09759 Hs.246857 303387 AA908797 Hs.180799	mitogen-activated protein kinase 9 ESTs	15.8
	303499 Al815990 Hs.293515	ESTs	7.2
	303502 AA488528	EST cluster (not in UniGene) with exon h	5.3
	303576 T07216 Hs.301226	EST cluster (not in UniGene) with exon h	16.2
30	303620 AA397546 Hs.119151	ESTs	8.9
	303634 Al953377 Hs.28444	ESTs; Weakly similar to predicted using G	12
	303642 AW299459 Hs.111977 303654 AA436942 Hs.288529	EST cluster (not in UniGene) with exon h ESTs	4.2 8.4
	303733 AW502498 Hs.15220	ESTs; Weakly similar to zinc finger prote	5.2
35	303780 Al424014 Hs.18995	ESTs; Moderately similar to KIAA0456 p	28.4
	303792 C75094 Hs.199839	ESTs; Highly similar to NG22 [H.sapiens	4.4
	303842 Al337304 Hs.126268	ESTs; Weakly similar to similar to PDZ d	8.1
	303951 AW475081 Hs.172928	collagen; type 1; alpha 1	7.5
40	304465 AA421948 304507 AA456426	EST singleton (not in UniGene) with exon EST	6.5 5.4
70	304591 AA505702	EST singleton (not in UniGene) with exon	9.8
	304601 AA507875	EST singleton (not in UniGene) with exon	7.5
	304659 AA533185	EST singleton (not in UniGene) with exon	7
	305040 AA630582 Hs.169476	glyceraldehyde-3-phosphate dehydrogena	12.4
45	305134 AA653159 Hs.179661	EST singleton (not in UniGene) with exon	8.7
	305415 AA725116 Hs.78465	EST singleton (not in UniGene) with exon	5.3
	305453 AA738110	EST singleton (not in UniGene) with exon	4.1
	305898 AA872838 305913 AA876109	keratin 8 EST singleton (not in UniGene) with exon	7.7 6.3
50	305950 AA884479	EST singleton (not in UniGene) with exon	5.6
50	306004 AA889992 Hs.2186	EST singleton (not in UniGene) with exon	13.2
	306009 AA894560 Hs.283370	EST singleton (not in UniGene) with exon	4.4
	306060 AA906161 Hs.76277	EST singleton (not in UniGene) with exon	4.6
<i>E E</i>	306398 AA970548 Hs.297681	EST singleton (not in UniGene) with exon	7.6
55	306505 AA987722 Hs.172928	EST singleton (not in UniGene) with exon	19.7
	306576 AA995761 Hs.276092 307117 AI184111 Hs.76067	EST singleton (not in UniGene) with exon heat shock 27kD protein 1	5.5 7.7
	307138 Al185516 Hs.172928	collagen; type I; alpha 1	8.8
	307187 Al190870 Hs.276417	EST singleton (not in UniGene) with exon	4.1
60	307542 Al280859 Hs.62954	EST singleton (not in UniGene) with exon	6
	307554 Al281603 Hs.172928	EST singleton (not in UniGene) with exon	10.8
	307806 Al351739 Hs.276726	EST singleton (not in UniGene) with exon	4.7
	308079 Al472733 Hs.270208 308307 Al581398 Hs.172928	ESTs collagen; type I; alpha 1	4.2 5.4
65	308307 Al581398 Hs.172928 308511 Al687580 Hs.169476	EST singleton (not in UniGene) with exon	5.4 10.1
	308615 Al738593 Hs.101774	EST singleton (not in UniGene) with exon	15.1
	308677 Al761173	EST singleton (not in UniGene) with exon	4.6

	308852	AI829848	Hs.182937	peptidylprolyl isomerase A (cyclophilin A	5.9
		A1872290	Hs.300697	immunoglobulin gamma 3 (Gm marker)	4.5
		AI873242		EST singleton (not in UniGene) with exon	7.6
		AI880172		EST singleton (not in UniGene) with exon	6.6
5		AI951118		EST singleton (not in UniGene) with exon	24.3
9		A1952723	Ha 00207		
	200100	AIDEED4E	Hs.90207	EST singleton (not in UniGene) with exon	6.1
		AI955915		major histocompatibility complex; class I;	5.6
		AI969897		EST singleton (not in UniGene) with exon	6.2
10		A1990102		EST singleton (not in UniGene) with exon	7.9
10		AW170035		EST	64.5
	309624	AW191929	Hs.252989	EST	5.3
	309629	AW192764	Hs.172928	collagen; type I; alpha 1	6.9
	309641	AW194230	Hs.253100	EST	11.4
		AW238461		ribosomal protein; large; P0	4.3
15		AW241170		Homo sapiens clone 24703 beta-tubulin m	11.9
		AI335004	Hs.148558	ESTs	4.2
		AW450967		ESTs	5.7
		AW080778		ESTs	4.8
		AW022192			
20				ESTs	39.1
20		Al281848	Hs.194691	ESTs	4.9
		AW205632		ESTs	7
		T47784	Hs.188955	ESTs	4.1
		AI587332	Hs.209115	ESTs	11.2
~ -	311166	A1821294	Hs.118599	ESTs	24.1
25	311199	T57896	Hs.191095	EST cluster (not in UniGene)	5.7
	311465	AI758660	Hs.206132	ESTs	15.7
	311587	A1828254	Hs.271019	ESTs	6.4
	311774	AA700870	Hs.14304	ESTs	6.2
		AI056769	Hs.133512	ESTs	5
30	311923	T60843	Hs.189679	ESTs	5.9
		AA216387		EST cluster (not in UniGene)	5.5
		N51511	Hs.188449	ESTs	5.2
		Al435650	Hs.128778	ESTs	4.3
		AA588275		ESTs	14.7
35		T89855	Hs.195648		
55		AA759250		EST cluster (not in UniGene) cytochrome b-561	9.8
		T92251			27.1
			Hs.198882	ESTs	4.2
		A1222168	Hs.191168	ESTs	6.1
40		A1796815		ESTs; Weakly similar to ubiquitous TPR	5.5
40		AW451893		ESTs	18.4
		AI080505	Hs.134529	ESTs	11.9
		AA582039		Homo sapiens mRNA; chromosome 1 spe	4
		R46180	Hs.153485	ESTs	13.6
4 ~		AW139117		ESTs	4.1
45	312470	AW451347	Hs.175862	ESTs	4.6
	312483	Al417526	Hs.7753	ESTs	15.3
	312521	AA033609	Hs.319093	ESTs	12.5
	312544	A1498371	Hs.183526	ESTs	14.6
	312638	AW439195	Hs.256880	ESTs	5.3
50		R99834	Hs.250383	ESTs	8.4
		H63791		EST cluster (not in UniGene)	4.3
		AA699325	Hs 269880	ESTs	8.3
		AW292286		ESTs	7.1
		AA846353		ESTs	
55		AA828713			5.9
,,,				EST cluster (not in UniGene)	4.1
		AA088446		ESTs	7.3
		AI422367		ESTs	6.1
		AA732534		ESTs	4.2
<b>C</b> O	313126	AA720887		EST cluster (not in UniGene)	18.1
60		N59284	Hs.288010	ESTs	17
		A1738851		ESTs	12.9
	313219	N74924	Hs.182099	ESTs	7.1
	313258	AW068358	Hs.183918	ESTs	13.7
	313328	AW449211	Hs.105445	ESTs	27.9
65	313352	AW292127	Hs.144758	ESTs	9.8
		AA741151		ESTs	8.2
		AW081702		ESTs	6.9

	313590 AA804410 Hs.291677	EST cluster (not in UniGene)	5.3
	313663 Al953261 Hs.169813	ESTs	7.6
•	313667 U69201 Hs.13684 313749 AW450376 Hs.119004	ESTs; Weakly similar to choline kinase is ESTs	12.5 5.5
5	313832 AW271022 Hs.133294	ESTs	4.3
,	313881 AA535580 Hs.16331	ESTs	7.7
	313915 AI969390 Hs.163443	ESTs	27.1
	313955 Al858884 Hs.270647	ESTs	5.7
	313974 Al310151 Hs.173524	ESTs	4.3
10	314097 AA648744 Hs.269493	ESTs	14.5
	314129 AA228366 Hs.115122	ESTs	9.5
	314359 AA205569 Hs.194193	ESTs	5.4
	314384 AA535840 Hs.162203	ESTs; Weakly similar to alternatively spli	5.3
15	314394 Al380563 Hs.130816	ESTS	13.2 6.2
13	314462 AA347951 Hs.326413 314465 AA602917 Hs.156974	ESTs ESTs	18.1
	314470 Al934422 Hs.30661	ESTs !	4.2
	314488 AA358265 Hs.182890	ESTs	6.1
	314506 AA833655 Hs.206868	ESTs	27.8
20	314510 Al204418 Hs.190080	ESTs	9.5
	314558 Al873274 Hs.190721	ESTs	22.5
	314661 AA436432 Hs.324239	EST cluster (not in UniGene)	13.3
	314691 AW207206 Hs.136319	ESTs	21.4
25	314754 AW026761 Hs.134374	ESTs	4.4
25	314775 Al149880 Hs.188809	ESTs cell division cycle 2; G1 to S and G2 to M	4.4 18.4
	314943 Al476797 Hs.184572 314961 AW008061 Hs.231994	ESTs	10.2
	314963 Al689617 Hs.200934	ESTs	5.3
	315006 Al538613 Hs.298241	ESTs	20.7
30	315010 AA531082 Hs.240049	ESTs	5
	315019 AA532807 Hs.105822	ESTs :	6.1
	315033 Al493046 Hs.146133	ESTs	12
	315036 AA534953 Hs.163297	ESTs	8.3
25	315037 AW205863 Hs.133988	ESTs; Weakly similar to gene MAC25 pr	6.1
35	315051 AW292425 Hs.163484	EST	12.7 7.6
	315054 Al968598 Hs.78768 315073 AW452948 Hs.257631	ESTs ESTs	7.0 13.9
	315080 AA744550 Hs.136345	ESTs	4.4
	315083 Al221325 Hs.205442	ESTs	5.1
40	315088 AA557351 Hs.152448	ESTs; Moderately similar to MULTIFUN	4.7
	315175 Al025842 Hs.152530	ESTs	11.9
	315196 AA972756 Hs.44898	ESTs	28.8
	315296 AA876905 Hs.125286	ESTs	16.1
15	315303 AW194364 Hs.128022	ESTs; Weakly similar to FIG-1 PROTEIN	25.7
45	315352 AA604799 Hs.136528	ESTs; Moderately similar to IIII ALU SU	12.3 4.6
	315364 AA643602 Hs.155485 315368 AW291563 Hs.104696	ESTs; Highly similar to serine protease [H ESTs	4.8
	315390 Al801565 Hs.200113	ESTs; Weakly similar to alternatively spli	4.4
	315408 AW273261 Hs.216292	ESTs	5
50	315458 AA872000 Hs.116104	ESTs	7.6
	315472 AA828850 Hs.165469	ESTs	4.9
	315478 AA665612 Hs.120874	ESTs	5.2
	315498 AA628539 Hs.116252	ESTs; Moderately similar to !!!! ALU SU	4.8
55	315527 Al791138 Hs.116768	ESTs	4.4
55	315530 Al200852 Hs.127780 315562 AA737415 Hs.152826	ESTs . ESTs	22.4 5.9
	315634 AA837085 Hs.220585	ESTs	8.8
	315647 AA648983 Hs.212911	ESTs	15
	315652 Al521489 Hs.3053	ESTs	6.3
60	315676 AW002565 Hs.124660	ESTs	9.2
=	315680 AA814309 Hs.123583	ESTs	8.1
	315735 Al831760 Hs.155111	ESTs	13.4
	315741 AA812168 Hs.122559	ESTs	5.4
CF	315769 AA744875 Hs.189413	ESTs	4.4
65	315978 AA830893 Hs.119769	ESTs ESTs	10.4 5
	315984 Al015862 Hs.131793 316042 AW297979 Hs.170698	ESTS .	14.7
	J10012 ATTESTOTO 113.114030	,	17./

	316136 AA830808 Hs.124366	ESTs	4
	316177 Al908272 Hs.293102	EST cluster (not in UniGene)	32.6
	316313 AA741300 Hs.202599	ESTs	4.8
	316405 AA757900 Hs.270823	ESTs	
5			4.8
,	316480 Al749921 Hs.205377	ESTs	12.9
	316564 Al743571 Hs.168799	ESTs; Weakly similar to !!!! ALU SUBFA	8.1
	316714 AA809792 Hs.123307	ESTs	5
	316715 Al440266 Hs.170673	ESTs	4.2
	316828 AA828116 Hs.173076	ESTs	5.2
10	316869 Al954880 Hs.134604	ESTs	13.3
10			
	316905 AW138241 Hs.210846	ESTs	6.2
	316943 AW014875 Hs.137007	ESTs	5.3
	316949 AA856749 Hs.124620	ESTs	7.2
	317008 AW051597 Hs.143707	ESTs	4.1
15	317028 AA962623 Hs.189144	ESTs; Weakly similar to RENAL SODIU	4.2
	317067 Al805392 Hs.325335		
		ESTs	4.5
	317069 Al732892 Hs.190489	ESTs	6.4
	317210 AA490718	EST cluster (not in UniGene)	4.4
2.2	317298 Al922374 Hs.158549	ESTs	5.9
20	317658 AW139077 Hs.202217	ESTs	4.6
	317674 AW294909 Hs.132208	ESTs	
		•	5.2
	317685 Al798630 Hs.149997	ESTs	4.3
	317836 AA983913 Hs.128929	ESTs	12.4
	317881 Al827248 Hs.224398	ESTs	12.1
25	317902 Al828602 Hs.211265	ESTs	8.8
	317916 Al565071 Hs.159983	ESTs	12.6
	318042 AW294522 Hs.149991		
		ESTs	5.6
	318053 Al074465 Hs.133469	ESTs	4
	318064 AW296888 Hs.170939	ESTs	5.2
30	318070 Al024594 Hs.248942	ESTs	4.7
	318073 AW167087 Hs.131562	ESTs	15.7
	318146 Al040125 Hs.150521	ESTs	5.9
	318186 AW016773 Hs.3709		
		ESTS	5.3
25	318481 Al291584 Hs.145921	ESTs; Weakly similar to HYPOTHETICA	7.6
35	318566 Al335361 Hs.226376	ESTs	5.8
	318617 AW247252 Hs.75514	nucleoside phosphorylase	11.1
	318662 Al285898 Hs.294014	ESTs	16.3
	318691 AW192139 Hs.181307	H3 histone; family 3A	4
	318740 NM_002543Hs.77729		
40		EST duster (not in UniGene)	21.3
40	318744 Al793124 Hs.144479	ESTs	35
	318948 AA317274 Hs.13996	ESTs	11.7
	319163 F15257 Hs.27	glycine dehydrogenase (decarboxylating;	7
	319478 R06841 Hs.270307	EST cluster (not in UniGene)	8.9
	319545 R83716 Hs.14355	ESTs	8.2
45			
73	319668 NM_002731Hs.87773	EST cluster (not in UniGene)	25.4
	319763 AA460775 Hs.6295	ESTs	7
	319913 AA179304 Hs.271586	ESTs; Moderately similar to IIII ALU SU	8.7
	319936 W22152 Hs.282929	EST cluster (not in UniGene)	5.6
	319951 AA307665 Hs.14559	ESTs	4.9
50	319962 H06350 Hs.135056	ESTs	9.2
• •	319977 AA632632		
		EST cluster (not in UniGene)	4.6
	320074 AA321166 Hs.278233	EST cluster (not in UniGene)	16.7
	320092 AF022799 Hs.113292	calpain 9 (nCL-4)	5.4
	320107 AA836461 Hs.291712	EST cluster (not in UnlGene)	5.3
55	320133 D63271	EST cluster (not in UniGene)	5.5
	320167 AA984373 Hs.90790	EST cluster (not in UniGene)	15
	320187 T99949 Hs.303428		
		EST cluster (not in UniGene)	6.7
	320211 AL039402 Hs.125783	DEME-6 protein	24.3
<b>C</b> C	320401 U90449 Hs.152717	nucleoside diphosphate kinase type 6 (inh	10
60	320458 Al884396 Hs.24131	ESTs	5.4
	320488 R31386 Hs.191791	EST cluster (not in UniGene)	4.9
	320521 N31464 Hs,24743	ESTs	9.5
		EST cluster (not in UniGene)	6.6
C 5	320691 R61576 Hs.313951	hypothetical protein	5.9
65	320699 R63161 Hs.118249	EST cluster (not in UniGene)	4
	320727 U96044 Hs.181125	EST cluster (not in UniGene)	45.3
	320993 AL050145 Hs.225986	Homo sapiens mRNA; cDNA DKFZp586	7.2

	221042	A A 72724 A	Un 404004	FOT about a feat le NelOnes	• •
		AA737314		EST cluster (not in UniGene)	6.1
		AW393497		EST cluster (not in UniGene)	5
		AF134149 AI769410	Hs.240395	EST cluster (not in UniGene)	11.4
5		AA295304	Hs.221461 Hs.297939	ESTs	7.7
,		AA078493	NS.291939	ESTs; Weakly similar to neogenin [H.sap EST cluster (not in UniGene)	5.5
		H68014	Hs.141278	ESTs; Weakly similar to !!!! ALU SUBFA	16.9 4.2
		AW366305		EST cluster (not in UniGene)	6.3
		AW392474		ESTs; Moderately similar to !!!! ALU SU	9
10		N98619	Hs.42915	ARP2 (actin-related protein 2; yeast) hom	11.3
		H84762	Hs.253197	ESTs	10.4
		D28390	Hs.272897	EST cluster (not in UniGene)	19.9
		AW157424		ESTs	5.6
		H67065	Hs.271530	ESTs; Weakly similar to !!!! ALU SUBFA	5.4
15	321953	AW068268	Hs.292833	ESTs; Weakly similar to !!!! ALU CLASS	6.5
	321978	N77342	Hs.21851	EST cluster (not in UniGene)	10.2
	322017	AA310039	Hs.9192	ESTs	9.8
	322026	AA233527	Hs.283675	low density lipoprotein receptor (familial	27.8
		AL137517		EST cluster (not in UniGene)	40.2
20	322171	AF085968	Hs.48474	EST cluster (not in UniGene)	5.7
		AF085975		EST cluster (not in UniGene)	7.7
		AL134970	Hs.104222	follistatin-like 1	14.4
		W07459	Hs.157601	EST cluster (not in UniGene)	13.4
0.5		AA086123		EST cluster (not in UniGene)	7.6
25	_	AA679082		ESTs	4.4
		AW043782		ESTs	21
		AW248508	Hs.279727	DiGeorge syndrome critical region gene 2	15.3
		C16391		EST cluster (not in UniGene)	21.3
20		C18965	Hs.159473	ESTs	11.7
30		AA580288	11- 040704	EST cluster (not in UniGene)	8.9
		AW014094		ESTs	10.8
		Al301107	Hs.150790	ESTs	6.5
		AL120351 AL120862		EST duster (not in UniGene)	5.5
35		AL120002 AI064982	Hs.117950	ESTs	17.9
33		AL049370		multifunctional polypeptide similar to SA Homo saplens mRNA; cDNA DKFZp586	5.8
		AA203135		ESTs	11.6
		W44372	Hs.110771	EST cluster (not in UniGene)	6.4 7.3
		T70731	Hs.193620	EST cluster (not in UniGene)	15.8
40		AA228078		EST cluster (not in UniGene)	4.8
. •		AI829520	Hs.227513	ESTs	20.2
		AA228883		EST cluster (not in UniGene)	8.8
		AL038623		ESTs; Weakly similar to IIII ALU SUBFA	5
	323604	AI751438	Hs.41271	ESTs; Weakly similar to IIII ALU SUBFA	6.5
45	323685	AA344205	Hs.289088	EST cluster (not in UniGene)	7.1
	323753	AA327102	Hs.70266	EST cluster (not in UniGene)	6.1
	323817	AA410943		EST cluster (not in UniGene)	16.8
		AI684674		ESTs; Weakly similar to waclaw (D.melan	10.1
~~		AA570698		ESTs	6.4
50		AA844907		EST cluster (not in UniGene)	8
		AA378201		EST cluster (not in UniGene)	6.3
		AL044891		EST cluster (not in UniGene)	50.1
	324302	AA543008	Hs.292471	ESTs; Weakly similar to IIII ALU SUBFA	5.7
55		AL138357		ESTs	9.5
23		AW502000		EST cluster (not In UniGene)	4.4
	324432	AA464510 AW501411	HS.152812	EST cluster (not in UniGene)	16.7
	224450	AW152624	HS.122489	ESTs; Weakly similar to !!!! ALU CLASS	5.5
	324437	AA502659	He 163006	ESTs ESTs	5.4
60		AW016378		ESTs	8.8
55		AA448021		EST cluster (not in UniGene)	23.1
		AI610425	Hs.19597	ESTs	21.2
		A1031771	Hs.132586	ESTs	5 5
		AA640770		EST cluster (not in UniGene)	5 4.1
65		AI826999	Hs.224624	ESTs	6.3
		AA704806	Hs.143842	ESTs	11.7
		D31323	Hs.271492	ESTs	4.8
			· ••=		7.0

	324961 AA613792		EST cluster (not in UniGene)	13.3
	324987 T06882	Hs.172634	ESTs	19.6
	324988 T06997	Hs.121028	EST cluster (not in UniGene)	24.5
•	325146 AI064690	Hs.171176	ESTs	4.6
5	325622		CH.14_hs gij5867000	5.2
	326213		CH.17_hs gi 5867224	8.1
	326474		CH.19_hs gij5867405	12.7
	326816		CH.20_hs gi 6552458	9.4
	326817		CH.20_hs gi[6552458	11.7
10	327110		CH.21_hs gi[6117842	14.7
	327196		CH.01_hs gi 5867446	5.1
	327283		CH.01_hs gij5867478	4.3
	327313		CH.01_hs gi 5867501	4.8
	327450		CH.02_hs gi 5867766	4.1
15	328059		CH.06_hs gi 6117819	6.2
	328304		CH.07_hs gi 6004478	5.4
	328492		CH.07_hs gi 5868455	7
	328857		CH.07_hs gi 6381927	5.2
	329367		CH.X_hs gi 5868842	7.6
20	329373		CH.X_hs gi]6682537	12
	329655		CH.14_p2 gij6448516	4
	329899		CH.15_p2 gi 6563505	4
	329960		CH.16_p2 gi 5091594	7.6
	330084		CH.19_p2 gi 6015302	4
25	330384 M23263		androgen receptor (dihydrotestosterone re	5.8
	330385 AA449749		ESTs; Highly similar to secreted apoptosi	10.2
	330387 H14624		ESTs; Highly similar to secreted apoptosi	4.4
	330388 X03363		HER2 receptor tyrosine kinase (c-erbB-2;	17.7
	330409 D50692	Hs.78221	c-myc binding protein	10.1
30	330460 TIGR:HT54	14	Hs.73946	Endothelial Cell Growth Factor 1 5.5
	330486 M13755	Hs.833	interferon-stimulated protein; 15 kDa	67
	330494 M29696	Hs.237868	interleukin 7 receptor	6
	330500 M34423	Hs.79222	galactosidase; beta 1	13.1
	330510 M75099	Hs.227729	FK506-binding protein 2 (13kD)	29
35	330513 M81057	Hs.180884	carboxypeptidase B1 (tissue)	38.5
	330541 U22970	Hs.265827	multiple UniGene matches	7.4
	330542 U23942	Hs.226213	cytochrome P450; 51 (lanosterol 14-alpha	15
	330547 U32989	Hs.183671	tryptophan 2;3-dioxygenase	11
	330551 U39840	Hs.299867	hepatocyte nuclear factor 3; alpha	6.5
40	330562 U49082	Hs.76460	transporter protein	7.7
	330573 U62800	Hs.83393	cystatin E/M	4
	330673 D57823	Hs.321403	Sec23 (S. cerevisiae) homolog A	10.5
	330711 AA164687	Hs.177576	mannosyl (alpha-1;3-)-glycoprotein beta-1	24.3
	330814 AA015730	Hs.265398	ESTs; Weakly similar to transformation-r	44.1
45	330850 AA075298	Hs.322710	ESTs	4.4
	330874 AA127474	Hs.191157	ESTs; Weakly similar to !!!! ALU SUBFA	8.1
	330884 AA133457	Hs.102548	ESTs	5.2
	330912 AA195936		general transcription factor IIA; 1 (37kD a	5
	330924 AA232136	Hs.159737	Homo sapiens mRNA; cDNA DKFZp434	9.1
50	330997 H55762	Hs.9302	ESTs	7.6
	331014 H98597	Hs.30340	ESTs	13.5
	331024 N32919	Hs.27931	ESTs	9.1
	331046 N66563	Hs.191358	ESTs	10.5
	331135 R61398	Hs.4197	ESTs	7.4
55	331145 R72427	Hs.129873	ESTs; Weakly similar to CYTOCHROME	41.9
	331148 R73816	Hs.17385	ESTs	4.7
	331222 T98531	Hs.173904	ESTs	4.1
	331230 W69807	Hs.16537	hypothetical protein; similar to (U06944)	4.9
	331306 AA252079	Hs.63931	dachshund (Drosophila) homolog	15.1
60	331327 AA281076	Hs.109221	ESTs	4.8
	331337 AA287662	Hs.50495	ESTs	7.6
	331341 AA303125		ESTs; Weakly similar to !!!! ALU SUBFA	13
	331344 AA357927		ESTs	12.4
	331362 AA417956		ESTs	6.5
65	331363 AA421562		anterior gradient 2 (Xenepus laevis) homo	28.2
	331376 AA443802		ESTs; Weakly similar to cDNA EST yk47	15.1
	331384 AA456001		ESTs	7.9
		*		

					_
	331478	N26608	Hs.40639	ESTs	7
		N49967	Hs.46624	ESTs	19.8
	331533	N51517	Hs.47282	ESTs	6.5
-		W85712	Hs.119571	collagen; type III; alpha 1 (Ehlers-Danlos	13.8
5		W88502	Hs.182258	ESTs	9.9
		AA284372		ESTs	5.6
		AA284840		ESTs	5.8
		AA292721		ESTs; Weakly similar to unknown [H.sap	7.4
10		AA312861		ESTS	7.8
10		AA411144		ESTs	15.2 24.3
		AA432166		succinate dehydrogenase complex; subuni	_
		AA454756		ESTS	5 10.5
		AA487910 AA490831		ESTs; Weakly similar to !!!! ALU CLASS	11.4
15				ESTS	13.6
15	_	AA504779		ESTs ESTs	9.1
		AA598594 AA608794		ESTS	8.8
		AA620669		EST	9
		N22508	Hs.139315	ESTs	7.1
20		N33213	Hs.100425	ESTS	12.2
20		N57927	Hs.120777	ESTs; Weakly similar to RNA POLYME	15.6
		N58172	Hs.109370	ESTS	16.9
		N70088	Hs.138467	ESTs	4
		N91279	Hs.109654	ESTs; Moderately similar to outer membr	8.2
25		T96130	Hs.137551	ESTs	7.7
		W15495	Hs.129781	chromosome 21 open reading frame 5	14.1
		W60326	Hs.288684	ESTs	4.4
		W93640	Hs.4779	ESTs; Moderately similar to similar to AD	16.9
			Hs.119004	KIAA0665 gene product	4.8
30		M12036	Hs.323910	Human tyrosine kinase-type receptor (HE	10.4
-	332513	AA018182	Hs.154424	deiodinase; lodothyronine; type II	5.8
	332526	AA281753	Hs.77515	inositol 1;4;5-triphosphate receptor; type	19
	332532	N63192	Hs.1892	EST; Highly similar to PHENYLETHAN	15.3
	332565	AA234896	Hs.25272	E1A binding protein p300	12.3
35	332607	R41791	Hs.36566	LIM domain kinase 1	11.1
	332640	AA417152	Hs.5101	protein regulator of cytokinesis 1	18.2
			Hs.243901	KIAA1067 protein	15.2
		H93968	Hs.75725	transgelin 2	4.7
40		T59161	Hs.76293	thymosin; beta 10	5.5
40		AA479968	Hs.88251	arylsulfatase A	9.8
	332927			CH22_FGENES.38_1	17.7
	332929			CH22_FGENES.38_3	4.7
	332930			CH22_FGENES.38_4	7.4
15	332955			CH22_FGENES.48_12	5.4
45	332958			CH22_FGENES.48_15	17.8 10.6
	332961			CH22_FGENES.48_18	4.3
	332983			CH22_FGENES.54_5	4.3 5.2
	333009			CH22_FGENES.61_1	8.1
50	333010 333013			CH22_FGENES.61_2 CH22_FGENES.61_5	8.5
50				CH22_FGENES.79_14	5.6
	333108 333139			CH22_FGENES.83_16	6.3
	333254			CH22_FGENES.118_2	6.8
	333305			CH22_FGENES.137_2	11.4
55	333343			CH22_FGENES.139_12	5.1
-	333388			CH22_FGENES.144_3	12.7
	333456			CH22_FGENES.157_5	4.2
	333459	•		CH22_FGENES.157_8	7.6
	333517			CH22_FGENES.173_2	8.2
60	333585			CH22_FGENES.203_4	5
	333679			CH22_FGENES.247_6	4.3
	333743			CH22_FGENES.264_1	13.4
	333758			CH22_FGENES.268_1	4
	333767			CH22_FGENES.271_6	5.6
-65	333768			CH22_FGENES.271_7	12.2
	333769			CH22_FGENES.271_8	48.3
	333795			CH22_FGENES.275_1	6.1
				0.42	

	333796	CH22_FGENES.275_3	6.8
	333892	CH22_FGENES.292_14	4.4
	333904	CH22_FGENES.294_2	6.5
	333905	CH22_FGENES.294_3	9.3
5	333921	CH22_FGENES.296_12	9.6
	333968	CH22_FGENES.307_4	15.9
	334102	CH22_FGENES.327_60	7.1
	334222	CH22_FGENES.360_3	6.7
	334223	CH22_FGENES.360_4	33.5
10		<del>_</del> _	18.5
10	334264	CH22_FGENES.367_15	
	334343	CH22_FGENES.375_25	6.1
	334360	CH22_FGENES.378_5	6.1
	334784	CH22_FGENES.432_9	4.8
	334789	CH22_FGENES.432_14	5.1
15	334794	CH22_FGENES.434_2	7
	334889	CH22_FGENES.452_3	12.4
	335004	CH22_FGENES.472_8	7.9
	335115	CH22_FGENES.496_2	18.8
	335287	CH22_FGENES.526_11	4.5
20	335342	CH22_FGENES.536_1	5.3
20	335491	CH22_FGENES.570_23	24
		<del></del>	
	335495	CH22_FGENES.570_28	7
	335498	CH22_FGENES.571_7	12.2
0.5	335544	CH22_FGENES.576_5	8.4
25	335610	CH22_FGENES.583_4	12.9
	335653	CH22_FGENES.590_4	6.7
	335682	CH22_FGENES.595_2	12.1
	335687	CH22_FGENES.596_2	13.9
	335755	CH22 FGENES.604_4	11.5
30	335782	CH22_FGENES.609_4	17.9
50	335791	CH22_FGENES.611_7	27.3
	335809	CH22_FGENES.617_6	19.2
	335822-	CH22_FGENES.619_7	19.1
25	335823	CH22_FGENES.619_8	4.5
35	335824	CH22_FGENES.619_11	40.2
	335825	CH22_FGENES.619_12	34.3
	335895	CH22_FGENES.635_3	10.2
	335917	CH22_FGENES.636_13	6
	335920	CH22_FGENES.636_16	8.8
40	336035	CH22_FGENES.678_6	5.9
	336042	CH22_FGENES.679_4	5.8
•	336093	CH22_FGENES.691_2	11.6
	336096	CH22_FGENES.691_5	7.6
15	336150	CH22_FGENES.706_6	6.3
45	336152	CH22_FGENES.706_9	10.5
	336416	CH22_FGENES.823_38	5
	336444	CH22_FGENES.827_10	4.8
	336449	CH22_FGENES.829_6	13.6
	336471	CH22_FGENES.829_30	6.9
50	336512	CH22_FGENES.834_7	21.4
	336558	CH22_FGENES.842_3	8.2
	336560	CH22_FGENES.842_5	9
	336676	CH22_FGENES.43-4	9.4
	336959	CH22_FGENES.367-13	19
55	337968	CH22_EM:AC005500.GENSCAN.103-2	13.4
55			
	338008	CH22_EM:AC005500.GENSCAN.127-9	15.2
	338057	CH22_EM:AC005500.GENSCAN.160-1	13.9
	338410	CH22_EM:AC005500.GENSCAN.341-6	8
	338451	CH22_EM:AC005500.GENSCAN.359-3	11.6
60	338588	CH22_EM:AC005500.GENSCAN.432-1	10.3
	338665	CH22_EM:AC005500.GENSCAN.464-2	4.8
	338689	CH22 EM:AC005500.GENSCAN.475-3	6.7
	338832	CH22 DJ246D7.GENSCAN.6-9	4.8
	338980	CH22_DA59H18.GENSCAN.2-4	5.1
65	339352	CH22_BA354112.GENSCAN.29-7	6.9
UJ	339373	CH22_BA334112:GENSCAN.2-9 CH22_BA232E17.GENSCAN.1-29	4.3
	555010	OURT OUTOUR 11 'OF 1100UM' 1-70	7.5

PCT/US02/02242 WO 02/059377

#### TABLE 13A

Table 13 A shows the accession numbers for those pkeys lacking unigeneID's for Table 13. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

1	•	`
1	ι	,

5

Pkey:	Unique Eos probeset identifier number	
CAT number:	Gene cluster number	

Accession:

Genbank accession numbers

15

Pkev	CAT number	Accession
------	------------	-----------

	Pkey	CAT number	Accession
20	103207 103349	371681_1 306354 110522	AA602964 AA609200 X72790 X89059
25	113248	19346_14 328626_1 44573_2	AA992380 N33063 N21418 H79958 R21911 H79957 T63857 AW971220 AA493469 T63699 AI950087 N70208 R97040 N36809 AI308119 AW967677 N35320 AI251473 H59397 AW971573 R97278 W01059 AW967671 AA908598 AA251875 AI820501 AI820532 W87891 T85904 U71456 T82391 BE328571 T75102 R34725 AA884922 BE328517 AA918788 AA884444 N92578 F13493 AA927794 AI560251 AW874068 AL134043 AW235363 AA663345 AW008282 AA488964 AA283144 AI890387 AI950344 AI741346 AI689062 AA282915 AW102898 AI872193 AI763273 AW173586 AW150329 AI653832 AI762688 AA988777 AA488892 AI356394 AW103813 AI539642 AA642789 AA856975 AW505512 AI961530 AW629970
30			BE612881 AW276997 AW513601 AW512843 AA044209 AW856538 AA180009 AA337499 AW961101 AA251669 AA251874 AI819225 AW205862 AI683338 AI858509 AW276905 AI633006 AA972584 AA908741 AW072629 AW513996 AA293273 AA969759 N75628 N22388 H84729 H60052 T92487 AI022058 AA780419 AA551005 W80701 AW613456 AI373032 AI564269 F00531 H83488 W37181 W78802 R66056 AI002839 R67840 AA300207 AW959581 T63226 F04005
35	116480 132225 125154	genbank_AA6 genbank_C14 genbank_AA1 genbank_W38 genbank_N66	088 C14088 28980 AA128980 3419 W38419 845 N66845
40	102919	25180_2	M21191 AL035748 AA021266 AA323126 AA180515 Al613029 D28356 NM_000034 M11560 AW401425 AW248248 AA012956 AA323294 W04965 H38759 AA206622 AA580747 Al541172 AA381075 AA354229 AW402353 AW405575 AW404021 AW406207 AA075752 AW176066 AA287222 AA195818 T20243 R87945 AA295539 AA402533 AA232419 AA224515 AW401583 AA331367 AW402140 AW249079 R31488 AA075757 X05236 AW239490 AA338036 AW239495 AA357262 AA431005 AA306726 R33804 AA4216544 AW275288 AA227044 AL038124 AA243300 C03242 AA315615 AL035840 R64336 AA313917 AA018963 AA001385 AA054395 H30840 AW498075 AA086141 Al557324 AA121576 H39128 R77161 AA019688 AA380987 AA348140 AA348257
45			AW176086 AA362432 AA171389 AA362416 AA299938 AA319093 AA337972 C04921 AA345696 R89640 AA085425 AA481708 AA313637 AL039229 H84490 H86153 F00656 AA326668 AA347304 R65890 H41949 AA339309 AW402002 AW404854 AA192582 AA112802 H09248 N83165 H38367 AA356339 AA455763 R66853 AA294935 H85911 AA310414 H93436 N87014 AA001186 H83640 AA411328 AA317929 C04192 AW406288 U46335 AA323179 AA427649 Al366131 H14328 AA197161 AA379497 AA311816 AA017206 AA001137 AA017420 AA012990 AW163775 AA021397 AA295513 AA355248 AA374921
50			AW380419 AA345864 AA318058 AA371711 AA363255 AA057094 R88057 AA394045 AW362741 AA479579 AW362789 AW362775 AA223624 AW362809 AW362746 AW362753 AW380412 AA057104 AA295271 X06352 AW362771 X12447 R59553 R87925 AA292864 R83920 F01120 AA496740 AA852551 AL039209 AA093339 AA333961 N86416 C03325 C03831 AA194750 AA359270 AA359460 AW245492 AA339400 AA330784 AI908970 N89223 AW361938 AI940063 AA134323 AA371741 F01267 AW372970 AA341973 AA346098 AW372969 AA337549 AA327342 H93855 AI074079 F29118 AA852940 F35696 AA345963
55			AA079578 AA113785 C02989 AA095945 C03145 C05199 AA346024 AA190506 AW361659 Al909845 AW374374 AW374382 AW374401 AW374373 AW374370 Al909831 AW374367 AA353658 F01041 C02843 AA375948 AW374414 AA213946 Al525039 H13744 R31007 AA112044 AA134404 H47935 AW177018 AA429768 AA336873 AA112875 H46393 AA191267 D59131 AW406037 AA055244 AA341880 AA179024 AA308537 AW406985 AW327311 H30301 AA300705 H43788 AW364149 AA806213 AA481936 C04941 AW375299 M21190 AA410818 AA250940 Al354547 AA317422 AA250903 Al865497 AA890603
60			AA366197 AW498538 M78072 AW406461 C03092 F00308 H56488 AA336320 AW406501 AA354102 AA382942 AA096393 AW376830 AA383446 F01259 AW081388 T94036 AA379643 H43842 AI524063 AA621727 AA379099 AA371417 R66811 H44129 N84794 F01135 AA477852 AA293062 AW361595 H27194 AI831650 H43253 H24797 AI564680 AA380090 W20057 AI921586 AI192549 AW090808 H25967 AA918121 AI626060 H20221 AA812572 H42178 AA887222 H96000 C03180 F00946

C03986 Al318091 Al860172 AA582179 Al633388 AA557193 R68075 F24105 AW518239 W56622 Al625219 Al925243 AW468046 AI921828 AA339164 AI144391 AA643334 AA459631 AA873247 AW373432 AA604384 H27600 AI680458 AA159956 AA610836 AA364298 AW373435 AA604225 W73754 AW087924 AA599776 N89227 Al630871 Al633128 AW514329 AA010455 AA563928 Al571596 Al128394 W73707 Al423575 AA583809 AA657988 Al950837 AA169782 AA600009 Al885540 AA771884 Al978829 AA505408 AA533937 AA481469 AA610869 AA775241 AW273870 AW070909 Al905695 AA480115 AA574051 5 AI889185 AA773167 AA331375 AA001437 AA194324 AA194300 AA558632 AI038538 AA411329 AA781570 AI833176 AA935520 AW074197 AA583063 AW073099 AW001198 AA948025 AA587857 AA191540 AI460085 AA193244 AI538037
AA515572 AA758587 AI149311 AA508610 AA206409 AA534004 AA994600 AA827543 AI916349 AW245129 AW517804 D25663 AA781985 AA284536 AI819422 H16040 H27531 AA456564 AA845555 AI423596 AA012908 AA889439 AA716311 AA968868 10 AA320508 AA725731 AA834202 AA935997 AA724815 AA769353 AA594803 F00827 Al342442 Al003519 Al002503 Al347597 AI040946 AA197162 AA987883 AA292865 AW001944 AI640711 AW244044 AA456784 F30588 AA290829 H24754 AI978683 AA483686 AA583939 AA121382 AA833831 AA477102 AA977322 AA666379 F35456 AA993537 AI749610 AA226934 AA716204 AW513025 AA628543 AA583705 F25702 Al368748 Al124097 Al880086 AA477513 Al758834 Al690753 AA477746 F37761 AA642243 AA159957 AA250844 AA459406 AA427566 F25054 AI569314 AA961665 AI922050 AI759000 AA5555236 AA514432 15 AA293474 AA001129 AA826789 AA641390 AA134405 F35585 AA477416 AW193359 Al361315 AA284988 F36340 Al361322 F26969 AA991922 AA021267 F26973 Al361314 F35891 Al918509 AA250964 AA190992 AA577139 AA865535 AA134324 AW192842 Al224046 F18975 AA779626 AA856894 AW269997 AW014614 H95554 F31378 AA374868 F26343 AA654007 AI830942 AA113195 F26432 W56652 AA464690 AA055263 AA340654 AA031448 AA976399 AA972526 AA063476 R83921 T16240 AA533290 N91545 H44053 AA883451 AA513761 AA086477 H09249 F20482 F26737 AA054148 AA857063 AA017259 20 AA179789 AA088908 H43704 AA194320 F35950 A1880127 F20441 F32878 AA962483 H39094 H56489 H44621 F19390 Al302232 F25162 AA826965 AA086052 AA917410 AA454513 R59554 AA196755 AA086369 AA079530 H28106 AA243301 Al025737 AA101239 AA088887 Al214910 AA974886 F16089 F26054 AA515092 F33436 F32829 M78061 AA235645 F19715 F37529 Al811549 AA665180 AA708200 F01124 F32382 AA346220 AA627361 F30741 F30010 F28543 AA211715 F20245 AA331222 F25634 F21996 W28215 F21911 R65793 AI192566 H20130 H84491 AA719223 AA557435 F16967 F26989 F30353 AA857159 AA291918 F28234 F20840 F25176 F22437 T27904 AA480355 F19528 R87926 H14286 F27532 AW337864 F28411 25 H13692 F25651 AA975454 F24229 F29657 F18024 AA464779 F17588 F34954 AA947328 F18063 AA657777 AA459644 N91455 F27850 F29608 F27206 F18418 F31459 F18564 F33496 F16376 F29740 F29843 F29904 F29866 F19135 AW276602 T40337 F24835 F34672 F26474 AI926215 AA464185 F18217 N26193 AL043256 T41197 F33055 F00386 F29500 F34191 F33297 Al937207 F22724 F15909 F26232 F18889 AA318627 F29085 AA872104 F17509 F23373 F15660 F17552 F17412 F16863 30 F34033 F21515 F17364 F18383 F16546 F17561 F17260 AA292000 F15723 T47438 F16798 F18046 F18319 F17978 F17566 F34230 F33258 F20860 F17998 Al695701 118600 genbank\_N69222 N69222 118952 genbank\_N92966 N92966 AA358015 120873 genbank\_AA358015 35 113702 genbank\_T97307 T97307 129982 221\_267 Z14221 AW381862 M97920 AW401444 Z66542 M29470 AW406502 X61011 M34024 AA327072 Z14166 Z14167 Z14165 AW403806 Z14200 AA383972 Z14205 Z14201 M18513 Z14202 AW403684 X14584 AF062221 U43760 X65892 X65883 X62107 Z80847 X65885 X65893 AF062142 X65891 X17675 Z47274 Z47277 Z47276 X65888 Z47275 X62109 AF062140 L01278 AF062134 AF062139 X81723 Z80840 X81733 X81743 X81744 X81732 Z80843 AW402942 AW403516 X65919 AF062190 40 AF062177 AF062222 AF062115 Z47240 AF062263 AF062261 AF062223 AF062211 Z47238 AW401714 AW404008 AW404991 AF062280 M99595 Z47214 Z47232 Z47218 M26995 AF062184 X65895 L38433 X81731 Z11946 Z47226 AF062205 AF174012 L01276 AF062168 AF062136 X81755 X81748 AF174019 AF062285 L06924 L11699 AW402665 L09070 L28049 L08090 AW407843 Z14171 AW402944 L08083 AW405627 L33035 L26907 M17750 L28052 M17751 AJ239360 U19885 L14821 X56526 AB014341 L12087 L12098 U68231 L12184 AF062242 AF022000 U64499 U00570 AI268604 Y15773 X64239 X62969 U00506 45 X73605 X99360 U00577 D83677 AB021539 AF035796 Z33899 U00588 AJ239353 AF174062 Z33901 X98899 AF174058 X63080 D83676 AB021529 Z18318 U00488 L01412 X81746 U21262 U21272 U00560 AF174060 U00547 U00561 Z18321 S73957 M26435 AF115130 AF115117 Z92896 U21254 Z92895 AF115112 AF062290 T28938 Y09386 AF174067 U27189 Y09384 U77373 AF174057 M17749 X69692 AF174038 U64478 U64486 AF174098 X99365 AF174077 AF174083 AF174089 AF015133 AF127792 AJ006171 U00510 U58144 AF004323 AF115109 AF004324 AF015130 AF090414 AF090418 AB021536 AB021519 Z96957 AF021986 Z92898 Z96956 L34164 AF062251 AF052524 U00549 U00541 D83687 AF052522 AF087420 AF052520 50 AF022011 L43085 U00536 L19915 L43083 AF090420 AB021530 AB021534 Z96955 Z96954 Z33903 X62964 AF103282 U00509 AF062298 AF062289 AF062307 AW408326 L33037 L04337 L04328 X81742 L04336 L03385 AF032360 S56184 AF062191 AF191092 AI906954 AF103184 L04343 AW364860 AF001424 AF103163 Z98717 AF103143 AJ008250 L04323 AF103321 AF103335 L04342 L03818 L03817 AW404978 AW403690 U86801 AF103150 AJ010334 AF035027 AJ007327 AF103115 55 AF017458 AJ008207 AJ008183 AJ008196 AJ008241 AJ008208 AF103210 AF068668 AF068670 AF068671 AF068664 AF068669 AF068666 AF068665 AF068672 AW371244 AW403670 AW408074 AW404575 AW362153 AW403803 AW406702 AW351514 D78345 T29140 J00231 NM\_002179 AW405146 AA301091 X04646 H64660 AW402990 AW406534 T93007 AI857980 AW368899 AI905833 AW406586 AA482084 AI872299 AA715266 AW404328 AI831674 AI709348 AA603112 AW514864 AA485775 H64492 AW404789 AA487630 AA715498 AA295885 T27613 T98113 60 115763 genbank\_AA421560 AA421560 124357 genbank\_N22401 N22401 108733 504187\_1 AA121022 AA126422 101544 entrez\_M31169 M31169 124447 genbank\_N48000 N48000 65 124677 genbank\_R01073 R01073 124777 genbank\_R41933 R41933 119302 genbank\_T25725 T25725

```
103680 entrez_Z93784Z93784
           135029 H58818_at H58818
           112253 genbank_R51818
                                                    R51818
          Pkey CAT number
                                      Accession
  5
           322175 46877_1
                                      AF085975 H53458 H53459
           323011 139750_1
                                      AA580288 AA315655 AA133031 AA377748
           322975 1510563_1
                                      C16391 C16413
           317210 211994_1
                                      AW881145 AA490718 M85637 AA304575 T06067 AA331991
           323817 233566_1
                                      AA410943 AW948953 AA334202 AA332882
           309583 1046029_-2
                                      AW170035
10
           324961 376239_1
                                       AA613792 AW182329 T05304 AW858385
           303502 325188_1
                                      BE174240 AA488528 AL042253
          320133 447553_1
311935 174129_1
                                      BE151746 BE336853 D63271 T94955 AA774994
                                      AA216387 T63548 AA228676
15
                                      C05928 AW393497
           321050 502195_1
           319977 345248_1
312772 4380_7
                                      AA534222 AA632632 T81234
                                      AW962299 AA310349 AW962294 H63791 H63751
           321354 116028_-2
                                      AA078493
           336512 CH22_3941FG_834_7_LINK_DJ
20
           336558 CH22_3992FG_842_3_LINK_DJ
           336560 CH22_3994FG_842_5_LINK_DJ
           329367 c_x_hs
           329373 c_x_hs
           336676 CH22_4154FG_43_4_
338008 CH22_6490FG__LINK_EM:AC00
25
           338057 CH22_6558FG__LINK_EM:AC00
           329655 c14_p2
336959 CH22_4764FG_367_13_
           329899 c15_p2
30
           329960 c16_p2
           338410 CH22_7067FG__LINK_EM:AC00
           338451 CH22_7124FG__LINK_EM:AC00
338588 CH22_7331FG__LINK_EM:AC00
           338665 CH22_7438FG__LINK_EM:AC00
338689 CH22_7464FG__LINK_EM:AC00
308677 AI761173
35
           30867/ Al/61173
338832 CH22_7678FG_LINK_DJ246D7
338980 CH22_7859FG_LINK_DA59H18
333009 CH22_233FG_61_1_LINK_EM:A
333010 CH22_234FG_61_2_LINK_EM:A
40
           308981 Al873242
           308995 AI880172
            333108 CH22_336FG_79_14_LINK_EM:
45
            333139 CH22_368FG_83_16_LINK_EM:
           333254 CH22_589FG_118_2_LINK_EM:
333205 CH22_550FG_137_2_LINK_EM:
333343 CH22_589FG_139_12_LINK_EM:
333388 CH22_634FG_144_3_LINK_EM:
50
           326213 c17_hs
            333456 CH22_706FG_157_5_LINK_EM:
           333459 CH22_709FG_157_8_LINK_EM: 333517 CH22_773FG_173_2_LINK_EM: 333585 CH22_846FG_203_4_LINK_EM: 333679 CH22_941FG_247_6_LINK_EM:
55
            326474 c19_hs
           333743 CH22 1009FG 264 1 LINK EM
333758 CH22 1024FG 268 1 LINK EM
333767 CH22 1034FG 271 6 LINK EM
           33768 CH22_1035FG_271_7_LINK_EM
33769 CH22_1036FG_271_8_LINK_EM
33795 CH22_1063FG_275_1_LINK_EM
33796 CH22_1065FG_275_3_LINK_EM
60
            335004 CH22_2326FG_472_8_LINK_EM
           333892 CH22_1163FG_292_14_LINK_E
335115 CH22_2447FG_496_2_LINK_EM
65
            333904 CH22_1176FG_294_2_LINK_EM
```

	333905 333921 333968	CH22_1177FG_294_3_LINK_EM CH22_1194FG_296_12_LINK_E CH22_1245FG_307_4_LINK_EM
5	328059 335287 326816 326817	c_6_hs CH22_2629FG_526_11_LINK_E c20_hs c20_hs
10	335342 335491 335495 335498	CH22_2689FG_536_1_LINK_EM CH22_2843FG_570_23_LINK_E CH22_2847FG_570_28_LINK_E CH22_2850FG_571_7_LINK_EM
٠	328304 305453 335544	c_7_hs AA738110 CH22_2899FG_576_5_LINK_EM
15	335610 335653 335682	CH22_2969FG_583_4_LINK_EM CH22_3013FG_590_4_LINK_EM CH22_3043FG_595_2_LINK_EM
20	335687 328492 335755 335782	CH22_3048FG_596_2_LINK_EM c_7_hs CH22_3122FG_604_4_LINK_EM CH22_3151FG_609_4_LINK_EM
	335791 335809 335822	CH22_3160FG_611_7_LINK_EM CH22_3181FG_617_6_LINK_EM CH22_3195FG_619_7_LINK_EM
25	335823 335824 335825	CH22_3196FG_619_8_LINK_EM CH22_3197FG_619_11_LINK_E CH22_3198FG_619_12_LINK_E
30	335895 335917 335920 305898	CH22_3272FG_635_3_LINK_EM CH22_3294FG_636_13_LINK_E CH22_3297FG_636_16_LINK_E AA872838
25	305913 305950 328857	AA876109 AA884479 c_7_hs
35	330084 337968 309177 309198	c19_p2 CH22_6419FGLINK_EM:AC00 AI951118 AI955915
40	309226 339352 309279	Al969897 CH22_8317FG'LINK_BA354I1 Al990102
45	339373 325622 334102 332927	CH22_8348FGLINK_BA232E1 c14_hs CH22_1380FG_327_60_LINK_E CH22_148FG_38_1_LINK_C20H
	332929 332930 332955	CH22_150FG_38_3_LINK_C20H CH22_151FG_38_4_LINK_C20H CH22_179FG_48_12_LINK_EM:
50	332958 332961 332983 334222	CH22_182FG_48_15_LINK_EM: CH22_185FG_48_18_LINK_EM: CH22_207FG_54_5_LINK_EM:A CH22_1506FG_360_3_LINK_EM
55	334223	CH22_1507FG_360_4_LINK_EM CH22_1551FG_367_15_LINK_E c21_hs
	334343 334360 327196 327283	
60	327313 304465 304507	c_1_hs AA421948
65	327450 304591 304601 304659 334784	AA505702 AA507875 AA533185
	·· • •	

334789 CH22\_2101FG\_432\_14\_LINK\_E
334794 CH22\_2106FG\_434\_2\_LINK\_EM
336035 CH22\_3420FG\_678\_6\_LINK\_DJ
336042 CH22\_3427FG\_679\_4\_LINK\_DJ
336093 CH22\_3481FG\_691\_2\_LINK\_DJ
336096 CH22\_3481FG\_691\_5\_LINK\_DJ
336489 CH22\_2206FG\_452\_3\_LINK\_EM
336150 CH22\_3540FG\_706\_6\_LINK\_DA
336152 CH22\_3543FG\_706\_9\_LINK\_DA
336446 CH22\_3833FG\_823\_38\_LINK\_B
336444 CH22\_3864FG\_827\_10\_LINK\_D
336449 CH22\_3894FG\_829\_6\_LINK\_DJ
336471 CH22\_3894FG\_829\_30\_LINK\_D

### TABLE 13B

Table 13B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 13B. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

	Pkey:	Unique number corresponding to an Eos probeset
10	Ref:	Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunharn I. et al." refers to the publication
		entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402;489-495,
	Strand:	Indicates DNA strand from which exons were predicted.
	Nt_position:	Indicates nucleotide positions of predicted exons.

	-			•
15				
	Pkey	Ref	Strand	Nt_position
	332955	Dunham, I. et.al.	Plus	2508896-2508992
	332958	Dunham, I. et.al.	Plus	2516164-2516310
20	332961	Dunham, I. et.al.	Plus	2521424-2521555
	333139	Dunham, I. et.al.	Plus	3369495-3369571
	333254	Dunham, I. et.al.	Plus	2521424-2521555
	333305	Dunham, I. et.al.	Plus	4630388-4630645
	333388	Dunham, i. et.al.	Plus	4913749-4913805
25	333517	Dunham, I. et.al.	Plus	5570729-5570925
	333585	Dunham, i. et.al.	Plus	6234778-6234894
	333679	Dunham, I. et.al.	Plus	7068795-7068896
	333767	Dunham, I. et.al.	Plus	7694407-7694623
	333768	Dunham, I. et.al.	Plus	7695440-7695697
30	333769	Dunham, I. et.al.	Plus	7696625-7696707
	333795	Dunham, I. et.al.	Plus	7807688-7807795
	333796	Dunham, I. et al.	Plus	7808253-7808319
	333892	Dunham, I. et.al.	Plus	8156825-8157001
	333921	Dunham, I. et.al.	Plus	8380325-8380441
35	333968	Dunham, I. et.al.	Plus	8681004-8681241
	334102	Dunham, I. et.al.	Plus	9995140-9996373
	334264	Dunham, I. et.al.	Plus	13234447-13234544
	334343	Dunham, I. et.al.	Plus	13655828-13656307
40	334794	Dunham, I. et.al.	Plus	16374312-16374458
40	334889	Dunham, I. et.al.	Plus	19286024-19286515
	335287	Dunham, I. et.al.	Plus	22299047-22299299
	335491	Dunham, I. et.al.	Plus	24128651-24128827
	335495	Dunham, I. et.al.	Plus	24140688-24140872
4.5	335498	Dunham, I. et.al.	Plus	24172082-24172161
45	335653	Dunham, I. et.al.	Plus	25329710-25329802
	335687	Dunham, I. et.al.	Pius	25445952-25446064
	335809	Dunham, I. et.al.	Plus	26310772-26310909
	335822	Dunham, I. etal.	Plus	26364087-26364196
~~	335823	Dunham, I. et.al.	Plus	26365925-26366004
50	335824	Dunham, I. et.al.	Plus	26376860-26376942
	335825	Dunham, I. et.al.	Plus	26378175-26378268
	336035	Dunham, I. et.al.	Plus	29016748-29017410
	336093	Dunham, I. et.al.	Plus	29556922-29557002
~ ~	336096	Dunham, I. et.al.	Plus	29578878-29579047
55	336444	Dunham, I. et.al.	Plus	34190585-34190718
	336959	Dunham, I. etal.	Plus	13233040-13233126
	338008	Dunham, I. et.al.	Plus	7697068-7697236
	338057	Dunham, I. et.al.	Plus	8526397-8526522
<b>~</b>	338410	Dunham, I. et.al.	Plus	19292807-19292916
60	338588	Dunham, I. et.al.	Plus	22896767-22896920
	338665	Dunham, I. et.al.	Plus	24472654-24472853
	338832	Dunham, I. et.al.	Plus	27775128-27775290
	338980	Dunham, I. et.al.	Plus	29896789-29896874
	339352	Dunham, I. et.al.	Plus	33544784-33545121

	332929 Dunham, I. et.al.	Minus	2020758-2020664
	332930 Dunham, I. et.al.	Minus	2022565-2022497
	332983 Dunham, I. et.al.	Minus	2631933-2631797
	333009 Dunham, I. et.al.	Minus	2766043-2765856
5	333010 Dunham, I. et.al.	Minus	2766207-2766119
•	333013 Dunham, I. et al.	Minus	2772278-2772039
	333108 Dunham, I. et.al.	Minus	3240494-3240389
	333343 Dunham, I. et al.	Minus	4692886-4692753
	333456 Dunham, I. et al.	Minus	2631933-2631797
10	333459 Dunham, I. et.al.	Minus	5144548-5144344
10	333743 Dunham, I. etal.	Minus	7573218-7573060
	333758 Dunham, I. et.al.	Minus	7666413-7666091
	333904 Dunham, I. et.al.	Minus	8217374-8217261
	333905 Dunham, I. et.al.	Minus	8217796-8217670
15	334222 Dunham, I. et.al.	Minus	12732417-12732289
10	334223 Dunham, I. et.al.	Minus	12734365-12734269
	334360 Dunham, I. et.al.	Minus	13728850-13728751
	334784 Dunham, I. et.al.	Minus	16294548-16294360
	334789 Dunham, I. et.al.	Minus	16306095-16305996
20	335004 Dunham, I. et.al.	Minus	20581911-20581794
	335115 Dunham, I. et.al.	Minus	21388250-21388146
	335342 Dunham, I. et.al.	Minus	22597448-22597284
	335544 Dunham, I. et.al.	Minus	24650505-24650403
	335610 Dunham, I. et.al.	Minus	25068943-25068841
25	335682 Dunham, I. et.al.	Minus	25421215-25421093
	335755 Dunham, I. et.al.	Minus	25763806-25763747
	335782 Dunham, I. et.al.	Minus	25908578-25908440
	335791 Dunham, I. et.al.	Minus	25948563-25948411
	335895 Dunham, I. et.al.	Minus	26975307-26975239
30	335917 Dunham, I. et.al.	Minus	27028481-27028377
-	335920 Dunham, I. et.al.	Minus	27034927-27034811
	336042 Dunham, I. et.al.	Minus	29041694-29041500
	336150 Dunham, I. et.al.	Minus	30150423-30150256
	336152 Dunham, I. et.al.	Minus	30156053-30155870
35	336416 Dunham, I. et.al.	Minus	34047408-34047311
	336449 Dunham, I. et.al.	Minus	34204707-34204577
	336471 Dunham, I. et.al.	Minus	34215091-34214978
	336512 Dunham, I. et.al.	Minus	34278373-34278275
	336558 Dunham, I. et.al.	Minus	34375825-34375698
40	336560 Dunham, I. et.al.	Minus	34376814-34376596
	336676 Dunham, I. et.al.	Minus	2022565-2022497
	337968 Dunham, I. et.al.	Minus	7095797-7095680
	338451 Dunham, I. et.al.	Minus	20174286-20174193
	338689 Dunham, I. et.al.	Minus	24893073-24892972
45	339373 Dunham, I. et.al.	Minus	33860127-33860047
	325622 5867000	Plus	69994-70075
	329655 6448516	Minus	35565-35843
	329899 6563505	Minus	111058-111783
	329960 5091594	Minus	1031-1162
50	326213 5867224	Minus	60751-60927
	326474 5867405	Plus	16995-18101
	330084 6015302	Minus	57019-59337
	326816 6552458	Plus	198354-198436
	326817 6552458	Plus	199909-200001
55	327110 6117842	Plus	94608-94785
	327196 5867446	Plus	180921-181333
	327283 5867478	Minus	567-962
	327313 5867501	Minus	89734-89838
	327450 5867766	Minus	47928-48076
60	328059 6117819	Plus	37052-37204
	328492 5868455	Minus	46094-46241
	328304 6004478	Minus	3884-3952
	328857 6381927	Minus	80557-81051
~ ~	329367 5868842	Minus	87201-87587
65	329373 6682537	Minus	38950-39301

# TABLE 14: Table 2 from BRCA 001-5 US

Table 14, a subset of table 13, depicts a preferred group of genes highly upregulated in breast cancer cells.

10	Pkey: ExAccn: UnigeneID: Unigene Title: R1:	Unique Eos probeset identifier number Exemplar Accession number, Genbank accession number Unigene number Unigene gene title Ratio of tumor to normal breast tissue
----	---	--

15	Pkey	ExAccn	UniGene ID	Unigene Title	R1
	100038	M97935	-	AFFX control: STAT1	16.7
	100114	D00596	Hs.82962	thymidylate synthetase	15.9
	100975	J02923	Hs.76506	lymphocyte cytosolic protein 1 (L-plastin)	30.1
20	101031	J05070	Hs.151738	matrix metalloproteinase 9 (gelatinase B; 9	37.2
	101104	L07615	Hs.169266	Human neuropeptide Y receptor Y1 (NPYY	18.3
	101143	L12723	Hs.90093	heat shock 70kD protein 4	17:4
	101332	L47276	Hs.156346	Homo sapiens (cell line HL-6) alpha topois	18.9
	101378	M13755	Hs.833	interferon-stimulated protein; 15 kDa	18.1
25	101809	M86849	Hs.323733	Homo sapiens connexin 26 (GJB2) mRNA	22.5
		U65932	Hs.81071	extracellular matrix protein 1	23.2
		U79241	Hs.118666	Human clone 23759 mRNA; partial cds	15
		U90904	Hs.83724	Human clone 23773 mRNA sequence	15.2
•		X06985	Hs.202833	heme oxygenase (decycling) 1	22.7
30		X17644	Hs.2707	G1 to S phase transition 1	20.6
		X57766	Hs.155324	matrix metalloproteinase 11 (stromelysin 3	17.8
		X69433	Hs.5337	isocitrate dehydrogenase 2 (NADP+); mito	18.9
		X72755	Hs.77367	monokine induced by gamma interferon	15.1
2 ~			Hs.198793	KIAA0750 gene product	23.3
35		AA428090		ESTs	28.7
		AA007234		ESTs	16.6
		AA191512		Homo sapiens mRNA; cDNA DKFZp564G	19.3
		AA421104		ESTs	15.4
40		AA621169		ESTs	19
40			Hs.110826	trinucleotide repeat containing 9	20.1
		H20543	Hs.6278	DKFZP586B1621 protein	16.6
		H59617	Hs.5199	ESTs; Weakly similar to UBIQUITIN-CON	19.5
		H98714	Hs.24131	ESTs	30.2
45		N46252	Hs.29724	ESTs	23.2
45		N67239	Hs.10760	ESTs	37
		N91023	Hs.87128	ESTs	15
		R46025	Hs.7413	ESTs .	17.4
		W86748	Hs.8109	ESTs	15
50		Z38595	Hs.125019	ESTs; Highly similar to KIAA0886 protein	22
30		Z40715	Hs.184641	delta-6 fatty acid desaturase	19.4
			Hs.196437	ESTs; Weakly similar to R26660_1; partial	16.9
		AA250737		ESTs	35.1
		AA405098		ESTs	16.1
55		AA433943 H29532		ESTs; Weakly similar to Weak similarity t	33.5
55			Hs.101174	microtubule-associated protein tau	22.2
		H72948	Hs.821 Hs.42645	biglycan	20.7
		N26722 Z41815		ESTs	18.1
			Hs.65946 Hs.104106	ESTs ESTs	15.6
60			Hs.174104	ESTs	15.2
UU		AA416740 AA609200		ESTs	22.6
		D60302	Hs.270016	ESTs	23.1
		H09290	Hs.76550		20.6
		N90960	Hs.265398	Homo sapiens mRNA; cDNA DKFZp564B ESTs; Weakly similar to transformation-rel	25.9
	120100	1430300	110.200000	Coro, Fready Sunial (O Valisionniauon-lei	16.4

	407077	44040750	11- 004400	COT-, Highly similar to MCN42 (M.4 myrogy)	17.3
		AA916752		ESTs; Highly similar to MEM3 [M.muscul	27.1
	128595		Hs.152677	short-chain alcohol dehydrogenase family m	
	128717		Hs.104222	Homo sapiens mRNA; cDNA DKFZp566L	24.5
_		AA234530		N-ethylmaleimide-sensitive factor	20.7
5	129366		Hs.184697	plexin C1	18.2
	130455		Hs.155956	N-acetyltransferase 1 (arylamine N-acetylt	26.4
	130604		Hs.1657	estrogen receptor 1	39.9
	130913		Hs.21198	translocase of outer mitochondrial membra	20.9 18.8
10	130944		Hs.21486	signal transducer and activator of transcript	
10		AA608962		calcyclin binding protein	18.1 18.8
	131562		Hs.28777	H2A histone family; member L	
		AA405569		fibroblast activation protein; alpha; seprase	15.4
	132406		Hs.4774	ESTs	15
15		AA047896		ESTs	15.4 26.4
15			Hs.279905	solute carrier family 2 (facilitated glucose t	30.4
	133294		Hs.69997	zinc finger protein 238	15.2
	133634		Hs.234279	microtubule-associated protein; RP/EB fam ESTs	15.2
		D62633	Hs.8236	collagen; type XI; alpha 1	15.3
20	134405 134470		Hs.82772 Hs.83758	CDC28 protein kinase 2	20.3
20	134495		Hs.84087	KIAA0143 protein	16.1
	134714		Hs.890	lymphotoxin beta (TNF superfamily; memb	35.7
		AA454930		ESTs	19.5
			Hs.105445	GDNF family receptor alpha 1	20.7
25			8Hs.323910	EST cluster (not in UniGene) with exon hit	21.6
23			Hs.175563	Homo sapiens mRNA; cDNA DKFZp564N	41.4
		AI951118	113.170000	EST singleton (not in UniGene) with exon	24.3
		AW170035		EST	64.5
			Hs.200197	ESTs	39.1
30			Hs.118599	ESTs	24.1
-			Hs.153028	cytochrome b-561	27.1
			Hs.163443	ESTs	27.1
			Hs.206868	ESTs	27.8
			Hs.190721	ESTs	22.5
35			Hs.136319	ESTs	21.4
	314943	Al476797	Hs.184572	cell division cycle 2; G1 to S and G2 to M	18.4
	315196	AA972756	Hs.44898	ESTs	28.8
	316177	AI908272	Hs.293102	EST cluster (not in UniGene)	32.6
	318073	AW167087	Hs.131562	ESTs	15.7
40			Hs.294014	ESTs	16.3
		NM_00254		EST cluster (not in UniGene)	21.3
			Hs.144479	ESTs	35
		NM_00273		EST cluster (not in UniGene)	25.4
4.5			Hs.278233	EST cluster (not in UniGene)	16.7
45			Hs.125783	DEME-6 protein	24.3
		U96044	Hs.181125	EST cluster (not in UniGene)	15.3
			Hs.293616	ESTs	21
			Hs.279727	DiGeorge syndrome critical region gene 2	15.3 50.1
50			Hs.269350	EST duster (not in UniGene) EST cluster (not in UniGene)	16.7
30			Hs.152812		23.1
			Hs.292934	ESTs EST cluster (not in UniGene)	21.2
		AA448021 T06997	Hs.94109 Hs.121028	EST cluster (not in UniGene)	24.5
		X03363	165.121020	HER2 receptor tyrosine kinase (c-erbB-2; E	17.7
55		M13755	Hs.833	interferon-stimulated protein; 15 kDa	67
55			Hs.265398	ESTs; Weakly similar to transformation-rel	44.1
		R72427	Hs.129873	ESTs; Weakly similar to CYTOCHROME	41.9
		AA252079		dachshund (Drosophila) homolog	15.1
		AA432166		succinate dehydrogenase complex; subunit	24.3
60		AA281753		inositol 1;4;5-triphosphate receptor, type 3	19
		N63192	Hs.1892	EST; Highly similar to PHENYLETHANO	15.3
			Hs.243901	KIAA1067 protein	15.2
	332958			CH22_FGENES.48_15	17.8
	333769			CH22_FGENES.271_8	48.3
65	333968			CH22_FGENES.307_4	15.9
-	334223			CH22_FGENES.360_4	33.5
	334264			CH22_FGENES.367_15	18.5

 335791
 CH22\_FGENES.611\_7
 27.3

 336512
 CH22\_FGENES.834\_7
 21.4

 338008
 CH22\_EM:AC005500.GENSCAN.127-9
 15.2

#### TABLE 14A

Table 14A shows the accession numbers for those pkeys lacking unigeneID's for Table 14. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

5

Pkey: Unique Eos probeset identifier number CAT number: Gene cluster number Accession: Genbank accession numbers

15

	Pkey	CAT number	Accession
		10460292	
20	336512	CH22_3941FG_	834_7_LINK_DJ
	338008	CH22_6490FG_	_LINK_EM:AC00
	333769	CH22_1036FG_	271_8_LINK_EM
	333968	CH22_1245FG_	307_4_LINK_EM
	335791	CH22_3160FG_	611_7_LINK_EM
25		Al951118	
	332958	CH22_182FG_4	8_15_LINK_EM:
		CH22 1507FG	
		CH22_1551FG_	
			AA602964 AA609200

### **TABLE 14B**

336512 Dunham, I. et.al. Minus 34278373-34278275

Table 14B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 14. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

10 Pkey: Ref:			orresponding to an Eos probeset . The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication
Strand: Nt_posi	ei Indicate	ntitled "Thes DNA str	te DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.  Frand from which exons were predicted.  Ide positions of predicted exons.
Pkey	Ref	Strand	Nt_position .
333769 333968	Dunham, I. et.al. Dunham, I. et.al.	Plus Plus	2516164-2516310 7696625-7696707 8681004-8681241 13234447-13234544
338008 334223	Dunham, I. et.al. Dunham, I. et.al.	Plus Minus	7697068-7697236 12734365-12734269 25948563-25948411
	Ref: Strand: Nt_posi Pkey 332958 333769 334968 334264 338008 334223	Ref: Sequen extrand: Indicate Nt_position: Indicate Pkey Ref 332958 Dunham, I. et.al. 333769 Dunham, I. et.al. 333968 Dunham, I. et.al. 334264 Dunham, I. et.al. 338008 Dunham, I. et.al. 334223 Dunham, I. et.al.	Ref: Sequence source entitled "Tr  Strand: Indicates DNA st  Nt_position: Indicates nucleot

## TABLE 15: Table 3 from BRCA 001-5 US

Table 15 shows genes downregulated in breast cancer cells.

5

Unique Eos probeset Identifier number Exemplar Accession number, Genbank accession number Unigene number Unigene gene title Ratio of normal breast tissue to tumor

Pkey: ExAccn: UnigenelD: Unigene Title: R1: 10

15	Pkey	ExAccn	UniGene ID	Unigene Title	R1
13	100115	D00632	He 172153	glutathlone peroxidase 3 (plasma)	1.7
•		TIGR:HT1428			1.5
				Adrenal-Specific Protein Pg2	2.3
		TIGR:HT4268		L-Glycerol-3-Phosphate:Nad+ Oxidoreduct	1.7
20		L10373	Hs.82749	transmembrane 4 superfamily member 2	1.5
		M12963	Hs.4	alcohol dehydrogenase 1 (class I); alpha po	2.9
		M15856	Hs.180878		1.6
	101883	M98399	Hs.75613	CD36 antigen (collagen type I receptor, thr	1.6
		U25138	Hs.93841	potassium large conductance calcium-activ	1.6
25	102857	X00129	Hs.76461	retinol-binding protein 4; interstitial	3
	103211	X73079	Hs.288579	polymeric immunoglobulin receptor	1.8
		Y09267	Hs.132821		1.5
	103562	Z21966	Hs.2815	POU domain; class 6; transcription factor 1	1.8
••		AA007629		glycerol-3-phosphate dehydrogenase 1 (sol	2.4
30		AA146619	Hs.18791	ESTs; Weakly similar to CALCIUM-BIND	1.7
		AA164519	Hs.15248	ESTs	1.5
		AA417915	Hs.25930	ESTs	1.5
		AA487576	Hs.26530	serum deprivation response (phosphatidyls	1.6
25		AA609645	Hs.211568		2.7
35		AA004901	Hs.261164		1.6
		AA037388	Hs.82223	Human DNA sequence from clone 141H5 o	1.7 2.4
		AA099820	Hs.49696	ESTS	1.7
		N64265	Hs.19515 Hs.24453	yz44h12.s1 Morton Fetal Cochlea Homo sa ESTs	1.6
40		R36447	NS.24433	ESTS	1.9
40		R70255 R97970	Hs.281022		1.5
		T40652		DKFZP434C171 protein	1.9
		AA418033	Hs.283559		1.6
		AA443800	Hs.43125	ESTs	2
45		AA446661	Hs.173233		2.2
		N20300	Hs.218707		1.7
		N32174	Hs.44317	SRY (sex-determining region Y)-box 10	1.7
	119059	R15436	Hs.77889	Friedreich ataxia region gene X123	1.7
	119175	R71792	Hs.301002	ESTs; Weakly similar to cell death activato	2.8
50	119359	T71021.	Hs.285681	ESTs; Highly similar to WS basic-helix-loo	1.9
	119798	W73386	Hs.249129	ESTs	3
	120889	AA365784	Hs.97044	ESTs	1.6
		AA405747	Hs.97984	ESTs; Weakly similar to WASP-family pro	1.8
		AA421184	Hs.97549	ESTs	1.5
55		AA434447	Hs.106771		2.5
		AA443695	Hs.293410		2.1
		AA448300		phospholemman	1.5
		AA598841	Hs.167382		1.8
<i>6</i> 0		AA600135	11- 400000	ESTs; Moderately similar to !!!! ALU SUB	1.5
60		W94688	Hs.103253		1.7 1.8
		D81972	Un 100240	HUM427D08B Human fetal brain (TFujiw	1.6
		R72515		phospholemman ESTs; Weakly similar to KIAA0795 protel	1.5
		AA309765 AA452788	Hs.75432	zx39g11.r1 Soares_total_fetus_Nb2HF8_9	1.7
	121301	W475100	113.13432	TVOAR 11:11 200162 1000 16002 16051 16.0 2	,

	127638	AA634405	Hs.122608	ESTs	1.5
		AA972780	Hs.129194	ESTs; Weakly similar to !!!! ALU SUBFA	1.5
	128351	AI092391	Hs.134886	ESTs	1.5
_	128842	N44757	Hs.20340	ESTs	1.6
5		R71403	Hs.75309	eukaryotic translation elongation factor 2	1.7
		AA459944		DKFZP586P1422 protein	1.5
	129285		Hs.11006	ESTs	2.1
		N93465		ESTs; Highly similar to CGI-38 protein [H	1.5
10		M62402		insulin-like growth factor binding protein 6	1.7
10		M25079		hemoglobin; beta	1.7
		AA211776 AA131466	Hs.2504 Hs.23767	myomesin 1 (skelemin) (185kD) ESTs	3.8 1.9
		M12272	Hs.4	alcohol dehydrogenase 3 (class I); gamma p	2.2
		AA295848	Hs.25475	aquaporin 7	1.7
15		D49487	Hs.194236		2.5
		AA045503	Hs.56874	ESTs; Weakly similar to Homo sapiens p2	1.6
	132931	Z41452	Hs.6090	deleted in bladder cancer chromosome regi	1.5
	133120	X64559	Hs.65424	tetranectin (plasminogen-binding protein)	2
••		U95367	Hs.70725	gamma-aminobutyric acid (GABA) A recep	1.5
20		X74295	Hs.74369	integrin; alpha 7	1.7
	133601		Hs.284176		2.3
		N56898	Hs.75652	glutathione S-transferase M5	1.9
		N79674	Hs.8022	TU3A protein	4.6
25		U56814	Hs.88646	deoxyribonuclease I-like 3 carbonic anhydrase IV	1.5 1.6
23		L10955 M72885	Hs.89485 Hs.95910	Human G0S2 protein gene; complete cds	1.9
		AW027556	Hs.156286		1.7
		Al369956	Hs.257891		1.5
		AA514805	Hs.293055		1.8
30	301140	A1807692	Hs.129129		1.6
	301396	AA923549	Hs.224121	ESTs	2.1
	-	N77976	Hs.251577	hemoglobin; alpha 1	1.8
		V00505	Hs.36977	hemoglobin; delta	1.6
25	303831		Hs.46780	EST cluster (not in UniGene) with exon hit	1.7
35		U94362	Hs.58589	glycogenin 2	1.5
		H91086 AA516384		EST singleton (not in UniGene) with exon EST singleton (not in UniGene) with exon	1.5 1.5
		AA550994		EST singleton (not in UniGene) with exon	1.7
		AA782347	Hs 272572	EST singleton (not in UniGene) with exon	1.5
40		AA923457	710.27 20. 2	EST singleton (not in UniGene) with exon	1.5
		Al192534		EST singleton (not in UniGene) with exon	1.6
	307377	Al222691		EST singleton (not in UniGene) with exon	1.5
	308023	Al452732	Hs.251577	EST singleton (not in UniGene) with exon	1.9
4.5		Al612774	Hs.79372	retinoid X receptor; beta	1.5
45		AW296073	Hs.255504		1.5
		A1720978		ESTs; Moderately similar to alternatively s	1.8
		AW241947	Hs.232478		1.6
	312082	AW238092 T79860	Hs.254759 Hs.118180		2.1 1.9
50	312575	H25237	Hs.306814		2.3
50	313076	N49684	Hs.143040		1.8
		W32480	Hs.157099		2.2
	313374	AW328672	Hs.132760		1.9
		A1754634	Hs.131987	ESTs	1.7
55		AA759098	Hs.192007		1.8
		AA680055	Hs.264885		1.5
		AA948612	Hs.130414		1.6
		A1205077	Hs.294085		1.7
60		AA837079	Hs.24647 Hs.177131	ESTS	1.5
UU		A1480204 A1650625	Hs.17/131 Hs.300756		1.5 1.6
	317004	AW206520	Hs.129621		1.5
		W26902	Hs.154085		1.7
	320757	H22654	Hs.6382	EST cluster (not in UniGene)	1.5
65	321594	AA021402	Hs.11067	ESTs	1.7
-	322102	H45589		EST cluster (not in UniGene)	1.5
	322814		Hs.211038	ESTs	2.2

	322929	A1365585	Hs.146246	ESTs	2.3
	323831	AA335715	Hs.200299	ESTs	1.7
	324044	AL045752	Hs.22350	ESTs	1.8
	324675	AW014734	Hs.157969	ESTs	2.2
5	325272			CH.11_hs gi 5866902	1.5
-	325558	-		CH.12_hs gi[6056302	1.6
	325656		•	CH.14_hs gi 6056305	1.6
	326120			CH.17_hs gl 5867194	1.5
	326139	•		CH.17_hs gil5867203	1.5
10	326855			CH.20_hs gi 6552460	1.5
	327438			CH.02_hs gi[6004454	1.6
	329733			CH.14_p2 gi 6065783	1.6
	330931	F01443	Hs.284256		4.6
	331591	N71677	Hs.42146	ESTs	1.9
15	332159	AA621393	Hs.112984	EST	1.5
	332364	W94688	Hs.103253	perilipin	2.1
	332502	H21819	Hs.14896	Homo sapiens clone 24590 mRNA sequenc	1.5
	334175			CH22_FGENES.349_10	1.5
	334347			CH22_FGENES.375_31	1.8
20	334737			CH22_FGENES.424_12	1.8
	335352			CH22_FGENES.539_5	1.5
	335639			CH22_FGENES.584_19	1.6
	336244			CH22_FGENES.746_2	1.5
	336336			CH22_FGENES.814_8	1.7
25	336865			CH22_FGENES.305-1	1.6
	337494			CH22_FGENES.799-12	1.6
	337764			CH22_EM:AC000097.GENSCAN.119-1	1.8
	337983		•	CH22_EM:AC005500.GENSCAN.110-1	2
	338192	•		CH22_EM:AC005500.GENSCAN.228-1	1.5
30	339366			CH22_BA354I12.GENSCAN.34-2	1.5

#### TABLE 15A

Table 15A shows the accession numbers for those pkeys lacking unigeneID's for Table 15.

For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

```
Pkey:
                        Unique Eos probeset identifier number
        CAT number:
                        Gene cluster number
        Accession:
                        Genbank accession numbers
15
        Pkey
               CAT number Accession
        126300 250375_2
                             D81972 BE003132
20
        112538 504579_1
                             AA908813 R70255
        123505 genbank_AA600135
                                       AA600135
        104672 6735_7
                             AA349096 Al368018 F21390 F17759 R48772 Al421485 Al300352 H43971 Al378525 F33652 R47898 Al264177 F22289 N28263
                             AI276281 R48205 AI245302 AI190036 AI281050 AW242903 H42892 AA910870 AW473816 H25721 AW451438 F19647 F22375
                             H45809 F33447 AA774528 AA007629 H42537 C01077 F32386
25
        322102 46708_1
                             H45589 H19807 AF075038 H19808 H42437
        336865 CH22_4590FG_305_1_
        338192 CH22_6755FG__LINK_EM:AC00
        329733 c14_p2
        326120 c17_hs
30
        326139 c17_hs
        326855 c20_hs
        335352 CH22_2699FG_539_5_LINK_EM
        335639 CH22_2999FG_584_19_LINK_E
        307206 Al192534
35
        307377 Al222691
        337994 CH22_5727FG_799_12_
337764 CH22_6115FG__LINK_EM:AC00
337983 CH22_6438FG__LINK_EM:AC00
        339366 CH22_8336FG__LINK_BA354I1
40
        325272 c11_hs
        325558 c12 hs
        325656 c14_hs
        334175 .CH22_1455FG_349_10_LINK_E
        304182 H91086
45
        334347 CH22_1640FG_375_31_LINK_E
        327438 c_2_hs
         304622 AA516384
        334737 CH22_2049FG_424_12_LINK_E
        304682 AA550994
```

50

336244 CH22\_3642FG\_746\_2\_LINK\_DA

336336 CH22\_3746FG\_814\_8\_LINK\_BA

306193 AA923457

#### TABLE 15B

Table 15B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 15. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

10	Pkey: Ref:	Unique number corresponding to an Eos probeset Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication				
	Strand: Nt position:	entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495. Indicates DNA strand from which exons were predicted. Indicates nucleotide positions of predicted exons.				

15				
	Pkey	Ref	Strand	Nt_position
	334347	Dunham, I. et.al.	Plus	13663814-13663926
	334737	Dunham, I. et.al.	Plus	15998517-15998685
20	335639	Dunham, I. et.al.	Plus	25173591-25173696
	337494	Dunham, I. et.al.	Plus	33339024-33339148
	334175	Dunham, I. et.al.	Minus	11668659-11668597
	335352	Dunham, I. et.al.	Minus	22681512-22681384
	336244	Dunham, I. et.al.	Minus	31402729-31402583
25	336336	Dunham, I. et.al.	Minus	33797209-33797076
	336865	Dunham, I. et.al.	Minus	8622405-8622289
	337764	Dunham, I. et.al.	Minus	4035640-4035446
	337983	Dunham, I. et.al.	Minus	7275495-7275271
	338192	Dunham, I. et.al.	Minus	13248453-13248277
30	339366	Dunham, I. et.al.	Minus	33647431-33647293
	325272	5866902	Minus	13247-13312
	325558	6056302	Plus	70930-71030
	325656	6056305	Minus	78190-78707
	329733	6065783	Plus	163237-163450
35	326120	5867194	Plus	36116-36276
	326139	5867203	Minus	218901-218960
	326855	6552460	Minus	111390-111463
	327438	6004454	Minus	199569-199692

## TABLE 16: Table 4 from BRCA 001-5 US

Table 16, a subset of table 15, depicts a preferred group of genes highly downregulated in breast cancer cells.

10	Pkey: ExAccn: UnigeneID: Unigene Title:	Unique Eos probeset identifier number Exemplar Accession number, Genbank accession number Unigene number Unigene gene title
	R1:	Ratio of normal breast tissue to tumor

15	Pkey	ExAccn	UniGene ID	Unigene Title	R1
	100502	TIGR:HT1496	Hs.169228	Adrenal-Specific Protein Pg2	2.3
	101367	M12963	Hs.4	alcohol dehydrogenase 1 (class I); alpha	2.9
20	102857	X00129	Hs.76461	retinol-binding protein 4; interstitial	3
20				glycerol-3-phosphate dehydrogenase 1	2.4
	107099	AA609645	Hs.211568	eukaryotic translation initiation factor 4 gam	2.7
	108604	AA099820	Hs.49696	ESTs	2.4
		AA443800	Hs.43125	ESTs	2
0.5		AA446661	Hs.173233	ESTs	2.2
25	119175	R71792	Hs.301002	ESTs; Weakly similar to cell death activator	2.8
	119798	W73386	Hs.249129	ESTs	3
	122127	AA434447	Hs.106771	ESTs	2.5
		AA443695	Hs.293410	ESTs	2.1
20	129285	T62068	Hs.11006	ESTs	2.1
30	131267	AA211776	Hs.2504	myomesin 1 (skelemin) (185kD)	3.8
	131282	M12272	Hs.4	alcohol dehydrogenase 3 (class I); gamma	2.2
	131810	D49487	Hs.194236	leptin (murine obesity homolog)	2.5
	133120	X64559	Hs.65424	tetranectin (plasminogen-binding protein)	2
25	133601	S95936	Hs.284176	transferrin	2.3
35	134111	N79674	Hs.8022	TU3A protein	4.6
		AA923549	Hs.224121	ESTs	2.1
		AW238092	Hs.254759	ESTs	2.1
	312575	H25237	Hs.306814	ESTs	2.3
40	313283	W32480	Hs.157099	ESTs	2.2
40	322814	Al824495	Hs.211038	ESTs	2.2
	322929	Al365585	Hs.146246	ESTs	2.3
	324675	AW014734	Hs.157969	ESTs	2.2
	330931	F01443	Hs.284256	ESTs	4.6
	332364	W94688	Hs.103253	perilipin	2.1
45	337983			CH22_EM:AC005500.GENSCAN.110-1	2

#### TABLE 16A

Table 16A shows the accession numbers for those pkeys lacking unigeneID's for Table 16. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

5

Pkey:

Unique Eos probeset identifier number

CAT number: Accession: Gene cluster number Genbank accession numbers

15

20

Pkey CAT number Accession

104672 6735\_7

AA349096 Al368018 F21390 F17759 R48772 Al421485 Al300352 H43971 Al378525 F33652 R47898 Al264177 F22289 N28263 Al276281 R48205 Al245302 Al190036 Al281050 AW242903 H42892 AA910870 AW473816 H25721 AW451438 F19647 F22375

H45809 F33447 AA774528 AA007629 H42537 C01077 F32386

# TABLE 17: Table 1 from BRCA 014 P

5 Table 17 shows accession numbers representing 759 sequences of breast cancer genes or fragments thereof encoding breast cancer modulating proteins. For each overexpressed gene identified, a ratio of the relative amount of expression in breast tumors versus normal breast tissue.

15	UnigeneID: Unigene Title: R1:		Unigene gene title Ratio of tumor to normal breast tissue			
	Pkey	ExAccn	UnigeneiD	Unigene Title	R1	
20	100227	AV654694	Hs.82316	interferon-induced, hepatitis C-associat	3	
		AW29158		nidogen 2	3.2	
		AI962060		AE-binding protein 1	3.6	
	100420	D86983	Hs.118893	Melanoma associated gene	3.2	
25		X83300	Hs.289103		5.2	
25	100960			keratin 14 (epidermotysis bullosa simple	4.3	
		BE387036		acid phosphatase 5, tartrate resistant	3	
		AA442324		H2A histone family, member O	3.2	
	101194	U66042	Hs.188 Hs.82171	phosphodiesterase 4B, cAMP-specific (dun	3	
30		BE563085		Homo sapiens clone 191B7 placenta expres interferon-stimulated protein, 15 kDa	4.1 5.3	
50		R07566	Hs.73817	small inducible cytokine A3 (homologous	3.9	
		M25809	Hs.64173	ATPase, H+ transporting, lysosomal (vacu	4.5	
		M29874	Hs.1360	cytochrome P450, subfamily IIB (phenobar	9	
		AA353776		CD48 antigen (B-cell membrane protein)	3.4	
35	101663	NM_0035	28 Hs.2178	H2B histone family, member Q	5.6	
		BE019494		pyrroline-5-carboxylate reductase 1	3.6	
		M81057		carboxypeptidase B1 (tissue)	12	
		M89907		SWI/SNF related, matrix associated, acti	3.2	
40		BE260964			4.1	
40		M97815 NM_0020		cellular retinoic acid-binding protein 2 interferon, alpha-inducible protein (clo	6.5	
		U23752	Hs.32964	SRY (sex determining region Y)-box 11	3 3	
		NM_0015		G protein-coupled receptor 9	3.7	
		NM_0058		37 kDa leucine-rich repeat (LRR) protein	3.7	
45		NM_0056		tryptophan 2,3-dioxygenase	5.2	
	102305	AL043202	Hs.90073	chromosome segregation 1 (yeast homolog)	3.5	
		U39840		hepatocyte nuclear factor 3, alpha	3.9	
		U62325		amyloid beta (A4) precursor protein-bind	4	
50		H16646		hypothetical protein PP591	3.5	
30		AA363025		Human clone 23801 mRNA sequence	3.2	
		AF080229 NM_0023		gb:Human endogenous retrovirus K clone 1 lysyl oxidase-like 2	3	
		M73779		retinoic acid receptor, alpha	3.2 3.3	
		X52509		tyrosine aminotransferase	3.3 12.4	
55		T81656		ribosomal protein S3	4.5	
		X63578		parvalbumin	3	
		X72790		gb:Human endogenous retrovirus mRNA for	5.9	
		BE390551		steroidogenic acute regulatory protein r	3.9	
<b>60</b>		AI751601	Hs.8375	TNF receptor-associated factor 4	3.3	
60	402220	V0E424	11- 70004	anti	~ 4	

Unique Eos probeset identifier number

Exemplar Accession number, Genbank accession number

60

103385 NM\_007069 103456 AA496425

103329 X85134 103364 X90872

Hs.9629

Hs.72984 retinoblastoma-binding protein 5

papillary renal cell carcinoma (transloc

Hs.279929 gp25L2 protein Hs.37189 similar to rat HREV107

10

Pkey:

ExAccn:

	103498	Y09306	Hs.30148	homeodomain-interacting protein kinase 3	3.4
		BE616547 .	Hs.2785	keratin 17	3.7
	103563			Activin A receptor, type I (ACVR1) (ALK	3.2
5		BE336654	Hs.70937	H3 histone family, member A	4.5 4
J		AI571835 AW779318	Hs.55468 Hs.88417	ESTs ESTs	3.8
		AW021102	Hs.21509	ESTs	4.3
		AF183810	Hs.26102		7.6
		AA461618	Hs.31704	ESTs, Weakly similar to KIAA0227 [H.sapi	3.6
10	104173	AA084273	Hs.76561	ESTs, Weakly similar to S47072 finger pr	4
		AF173296		DC6 protein	3
		AB040927		KIAA1494 protein	3.2
		AI559444 AI929700	Hs.293960	endosulfine alpha	4.3 3.1
15		H20816	Hs 112423	Homo sapiens mRNA; cDNA DKFZp586i1420 (f	3.2
10		AV650851	Hs.96900	hypothetical protein; KIAA1830 protein	4.4
		AA360954	Hs.27268	Homo sapiens cDNA: FLJ21933 fis, clone H	3.2
		AA015879	Hs.33536	ESTs	3.2
00	104755		Hs.9029	DKFZP434G032 protein	4.5
20		AA035613	Hs.141883		6.9
		AW294092 T79340	Hs.21594 Hs.22575	hypothetical protein MGC15754  B-cell CLL/lymphoma 6, member B (zinc fi	11.1 3.5
•		BE298684	Hs.26802	protein kinase domains containing protei	6.5
		H78517	Hs.33905	ESTs	3.6
25		AW503733	Hs.9414	KIAA1488 protein	4.5
	105088	H58589	Hs.35156	Homo sapiens cDNA FLJ11027 fis, clone PL	3.8
		AA148982	Hs.29068	ESTs	3
		AL137566	Hs.32405	Homo sapiens mRNA; cDNA DKFZp586G0321 (f	4.8
30		AW134924 AA814807	Hs.190325 Hs.7395	hypothetical protein FLJ23182	8.2 3.1
30		AW505076		DiGeorge syndrome critical region gene 8	4.2
		AA252033		hypothetical protein DKFZp434K1421	4.4
		AA256750	Hs.28802	centaurin-alpha 2 protein	3.2
25		AA279439		hypothetical protein FLJ10504	3.5
35		W16741	Hs.25635	HSPC003 protein	3.7
		Al299139	Hs.17517	ESTs	5.5
		Al133161 AW973653	Hs.20104	CGI-101 protein hypothetical protein FLJ00052	3.5 3.3
		AA195191	Hs.5111	hypothetical protein FLJ20729	3.2
40		AA131657	Hs.23830	ESTs	3.3
. •		AL117474	Hs.41181	Homo sapiens mRNA; cDNA DKFZp727C191 (fr	3.2
		W28948	Hs.10762	ESTs	3.3
		N39842	Hs.301444		4.1
45		BE397649	Hs.94109	Homo sapiens cDNA FLJ13634 fis, clone PL	3.1 3.2
43		BE383668 AA351978	Hs.42484 Hs.4943	hypothetical protein FLJ10618 hepatocellular carcinoma associated prot	3.2 7.8
		AL134708	Hs.145998		3
		AA648459	Hs.335951		3.8
		AW958037	Hs.286	ribosomal protein L4	3.3
50		AW499914	Hs.7579	hypothetical protein FLJ10402	3
		BE613328	Hs.21938	hypothetical protein FLJ12492	4.2
		AA485055	HS.158213	sperm associated antigen 6 gb:qo89h04.x1 NCI_CGAP_Kid5 Homo sapiens	3.4 4.4
		Al311928 AW192535	Hs.19479	ESTs	3.6
55		AW472981		hypothetical protein MGC2771	4.1
		AA995351	Hs.31314	retinoblastoma-binding protein 7	3.6
	106968	AF216751	Hs.26813	CDA14	5.3
		AW963419	Hs.155223		3.4
60		N32849	Hs.31844	hypothetical protein FLJ12586	3.1
60		AW263124		nuclear receptor co-repressor/HDAC3 comp ESTs, Moderately similar to ALU7_HUMAN A	5.9 3.9
		BE379594 AW961576	Hs.49136 Hs.60178	ESTS, Widderately Similar to ALO7_HOWAN A	4.6
		AI955040		ESTs, Weakly similar to transformation-r	3
		AA025386	Hs.61311	ESTs, Weakly similar to S10590 cysteine	3.1
65	107985	T40064	Hs.71968	Homo sapiens mRNA; cDNA DKFZp564F053 (fr	4.8
		A1263307		H2B histone family, member L	3.3
	108217	AA058686	Hs.62588	ESTs	3.8

	108435	T82427	Hs.194101	Homo sapiens cDNA: FLJ20869 fis, clone A	3
		AB033073	Hs.43857	similar to glucosamine-6-sulfatases	3.3
	108733	AA121022		gb:zn84f10.r1 Stratagene lung carcinoma	3.9
_		AF068290	Hs.79741	hypothetical protein FLJ10116	6.1
5		AA011449	Hs.271627		3.6
		AA136674	Hs.118681		3.9
		AF186114		tumor necrosis factor (ligand) superfami	3.7
		AK000684		hypothetical protein FLJ22104	3.1
10		AI970536	Hs.16603	hypothetical protein FLJ13163	3.7
10	109163		Hs.30567	ESTs, Weakly similar to B34087 hypotheti	4.5
		AA196443	Hs.86043	Homo sapiens cDNA FLJ13558 fis, clone PL	3.7
		AW504732	Hs.21275	hypothetical protein FLJ11011	4.6
		AA232255		ESTs, Moderately similar to A46010 X-lin	6.4
15		AA234087 R45584		ESTs, Weakly similar to S72482 hypotheti	4.8 3.3
13		AA325138	Hs.23025 Hs.235873	ESTs, Weakly similar to ALU5_HUMAN ALU S	3.3
		AW973964	Hs.291531	**	3
		F09609	115.251551	gb:HSC33H092 normalized infant brain cDN	3.2
		F06838	Hs.14763	ESTs	3.2
20		R43646	Hs.12422	ESTs	3.8
		AW818436	Hs.23590	solute carrier family 16 (monocarboxylic	3.3
		AK001680	Hs.30488	DKFZP434F091 protein	3.6
		AW973152	Hs.31050	ESTs	4.2
		AA379597	Hs.5199	HSPC150 protein similar to ubiquitin-con	5.1
25		H89355	Hs.249159		5.3
	110707	AI239832	Hs.15617	ESTs, Weakly similar to ALU4_HUMAN ALU S	3.7
	110915	BE092285	Hs.29724	hypothetical protein FLJ13187	3.7
	111139	N64683	Hs.290943		4
		N66563	Hs.191358		3.1
30		AI767435	Hs.29822	ESTs	4.5
		Al457338	Hs.29894	ESTs	5.4
		R07856	Hs.16355	ESTs	3.2
		R08440		gb:yf19f09.s1 Soares fetal liver spleen	3.1
35		AA602004	Hs.23260	ESTs	3.2
33		R35252	Hs.24944	ESTs, Weakly similar to 2109260A B cell	3.3
		R38239 AA421081	Hs.12388	ESTs, Weakly similar to putative p150 [H ESTs	3.1 3.4
		AF070526	Hs.13429	Homo sapiens clone 24787 mRNA sequence	3.3
		AW379029		ESTs, Weakly similar to unnamed protein	4.4
40		BE246743	Hs.288529		7.3
		AB033064		KIAA1238 protein	3.2
		H24334	Hs.26125	ESTs	4.4
		R54797		gb:yg87b07.s1 Soares infant brain 1NIB H	3.4
	112478	R66067	Hs.28664	ESTs	8.2
45	112561	Al791493	Hs.129873	ESTs, Weakly similar to A36036 cytochrom	5.5
		R82040		gb:yj06b06.s1 Soares placenta Nb2HP Homo	3.9
		R82331	Hs.164599		5.4
		AW844878	Hs.19769	hypothetical protein MGC4174	3.2
		Al418466	Hs.33665	ESTs	4.7
50		AA082465	Hs.125031		3.7
		AB032977	Hs.6298	KIAA1151 protein	3.1
		AA828380	Hs.126733		3.4
		AW813731		ESTs, Moderately similar to S65657 alpha	3.4 3.2
55		BE613410 T57773	Hs.31575 Hs.10263	SEC63, endoplasmic reticulum translocon ESTs	3.5
55		BE262470	Hs.241471		6.2
		T79925		ESTs, Weakly similar to ALU1_HUMAN ALU S	3.7
		U54727	Hs.191445		3
		T91451	Hs.86538	ESTs	3.4
60		AW367788	Hs.323954		3.1
OO		AI702609	Hs.15713	hypothetical protein MGC2776	3.1
		NM_004585	Hs.17466	retinoic acid receptor responder (tazaro	3.9
		Al912410	Hs.27475	Homo sapiens cDNA FLJ12749 fis, clone NT	3
		W81598		gb:zd88g02.s1 Soares_fetal_heart_NbHH19W	4.6
65		W84768		gb:zh53d03.s1 Soares_fetal_liver_spleen_	3.1
-		W27249	Hs.8109	hypothetical protein FLJ21080	6.9
	114086	AA378776	Hs.288649	hypothetical protein MGC3077	4.3

		AW470411	Hs.288433		4.1
	114424	AW780192	Hs.267596		3.4
	114518	AW163267	Hs.106469	suppressor of var1 (S.cerevisiae) 3-like	3.1
	114563	A1979168	Hs.82226	glycoprotein (transmembrane) nmb	4.8
5	114965	AI733881	Hs.72472	BMP-R1B	10.1
	114995	AA769266	Hs.193657	ESTs	3.6
		AI634549	Hs.88155	ESTs	3.2
		AW968073		ESTs, Highly similar to A55713 inositol	4.2
		AA749209		hypothetical protein	3
10	-	BE149845		hypothetical protein MGC4126	3.6
10		AA814100		ESTs	3.9
			Hs.109221		3.4
	115327				4.8
		AA281636	Hs.334827		
		AA405620		ESTs, Weakly similar to T29520 hypotheti	3.5
15		AA953006		ESTs	9.3
	115709	AW293849		ESTs, Weakly similar to ALU7_HUMAN ALU S	3.4
•	115729	AA417812	Hs.38775	ESTs	4
	115787	Al126772	Hs.40479	ESTs	3.1
	115830	AW970529	Hs.86434	hypothetical protein FLJ21816	3.6
20	115835	AA521410	Hs.41371	ESTs	3.1
	115850	NM_014937	Hs.52463	KIAA0966 protein	3
		AK001500		hypothetical protein FLJ13852	3.2
		AA354549	Hs.41181	Homo sapiens mRNA; cDNA DKFZp727C191 (fr	3
		AL042465	Hs.43445	poly(A)-specific ribonuclease (deadenyla	3.1
25		AB041035	Hs.93847	NM_016931:Homo sapiens NADPH oxidase 4 (	6.7
23				WD repeat domain 10	3.6
	_	AL042355	Hs.70202		3.1
		AW450737		CGI-09 protein ESTs, Moderately similar to A46010 X-lin	3.3
		AA464976	Hs.62528		3.2
20		Al219083	Hs.42532	ESTs, Moderately similar to ALU8_HUMAN A	
30		AF265555		baculoviral IAP repeat-containing 6	3.6
		AW962196		LBP protein 32	4.1
		AI272141	Hs.83484	SRY (sex determining region Y)-box 4	4.1
	116726	AK001114	Hs.53913	hypothetical protein FLJ10252	8.6
	116845	AA649530		gb:ns44f05.s1 NCI_CGAP_Alv1 Homo sapiens	3.2
35	117026	H88256	Hs.50456	ESTs, Moderately similar to ZN75_HUMAN Z	3.5
	117216	AI569804	Hs.42792	ESTs, Weakly similar to I78885 serine/th	3.1
	117296	AL133427	Hs.42506	Homo sapiens mRNA full length insert cDN	3.2
	117403	H84455	Hs.40639	ESTs	4.7
		AB040959	Hs.93836	DKFZP434N014 protein	3
40		AW968941		hypothetical protein DKFZp566I133	3.3
••		AI183838	Hs.48938	hypothetical protein FLJ21802	4.3
		N66028	Hs.49105	FKBP-associated protein	3.1
		AW970584	Hs.291033		3.4
		AL157488	Hs.50150	Homo sapiens mRNA; cDNA DKFZp564B182 (fr	5.2
45		AK000465	Hs.50081	KiAA1199 protein	3.4
43			115.50001	ESTs, Moderately similar to ALU8_HUMAN A	3.3
		N92293		Homo sapiens mRNA; cDNA DKFZp434K0514 (f	19.7
		BE003760	Hs.55209		3.7
		R95872		chemokine binding protein 2	
50		R16833	Hs.53106	ESTs, Moderately similar to ALU1_HUMAN A	4.1
50		M10905		fibronectin 1	3.2
	119620	W47620	Hs.56009	2'-5'-oligoadenylate synthetase 3 (100 k	3.3
		AF041853	Hs.43670	kinesin family member 3A	3.1
	119747	A1970797	Hs.64859	ESTs	5
	119754	AL037824	Hs.194695	ras homolog gene family, member l	3.8
55	119905	AW449064	Hs.119571	collagen, type ill, alpha 1 (Ehlers-Danl	3.1
		W94472	Hs.59529	ESTs, Moderately similar to ALU1_HUMAN A	8.4
		AA825686	Hs.321176	ESTs, Weakly similar to S65824 reverse t	3.6
		AA196300	Hs.21145	hypothetical protein RG083M05.2	3.2
		AA225084	110.21110	gb:nc21d06.r1 NCI_CGAP_Pr1 Homo sapiens	3.6
60			Un 202581	ESTs, Moderately similar to ALU1_HUMAN A	5.8
OU		AA357172	110 201072	hypothetical protein MGC4840	3.0
		AA365515		ESTs, Weakly similar to A46010 X-linked	3.7
		AA398118	Hs.97579		5.3
		AW976570	Hs.97387	ESTS	
	121095	AA320134		Homo sapiens mRNA for KIAA1657 protein,	4
65	121103	AA398936	Hs.97697	EST	3.5
		AA399371		similar to SALL1 (sal (Drosophila)-like	6.3
	121337	AW885727	Hs.301570	ESIS	4.7

	4040				_
		AW206227		hypothetical protein FLJ23132	5
		M31669	Hs.1735	inhibin, beta B (activin AB beta polypep	3.6
		AA640987	Hs.193767		5.6
_		NM_015902		progestin induced protein	3.4
5		AK000492	Hs.98806	hypothetical protein	4.1
		AA443311	Hs.98998	ESTs	3_
		AA446965	Hs.112092		4.7
		AI767879	Hs.99214	ESTs	3.8
10		AW973253	Hs.292689		3
10		AA323296	Hs.97837	Homo sapiens mRNA; cDNA DKFZp547J047 (fr	5.6
		AA526911	Hs.82772	collagen, type XI, alpha 1	3.2
		AW205931	Hs.99598	hypothetical protein MGC5338	8.6
		AA487809		catenin (cadherin-associated protein), d	3
15		AA228776	Hs.191721		6.9
13		AA371307	Hs.125056		3.6 7
		AA491253 BE149685		Empirically selected from AFFX single pr KIAA1554 protein	
		T66087	Hs.17767	Homo sapiens unknown mRNA sequence	3.1 3.4
		Al308876		hypothetical protein DKFZp761D112	3.1
20		AI675944		Homo sapiens cDNA FLJ12033 fis, clone HE	3.8
20	-	AA580082	Hs.112264		4.7
		AA352723	Hs.241471		3.8
		H69125	Hs.133525		4.1
		N22401	115.100020	gb:yw37g07.s1 Morton Fetal Cochlea Homo	4.1
25		N22508	Hs 139315	Homo sapiens cONA: FLJ21479 fis, clone C	3.6
		AW451645		Homo sapiens cDNA FLJ11973 fis, clone HE	3.1
		N34151		interferon induced transmembrane protein	3.5
		R41396		hypothetical protein FLJ23045	4.3
		BE065136	Hs.145696	splicing factor (CC1.3)	6
30		T78906		ESTs, Moderately similar to ALU1_HUMAN A	8.1
		W60326		Homo sapiens cDNA FLJ11750 fis, clone HE	4.7
	125243	AW970536	Hs.105413		3.1
	125286	AF086534	Hs.187561	ESTs, Moderately similar to ALU1_HUMAN A	3.3
	125304	AL359573		GTP-binding protein	3
35	125330	AW880562	Hs.114574		3
	125331	Al422996	Hs.161378	ESTs	3.2
	125685	Al924630	Hs.4943	hepatocellular carcinoma associated prot	3.2
	126257	N99638		gb:za39g11,r1 Soares fetal liver spleen	4
4.0	126474	AW975814	Hs.326714	Homo sapiens clone IMAGE:713177, mRNA se	4
40		AA648886	Hs.151999		3.8
		AW450979		gb:UI-H-Bi3-ala-a-12-0-UI.s1 NCI_CGAP_Su	3
		AW771958		ESTs, Moderately similar to PC4259 ferri	3.6
		AA961459	Hs.125644		4.1
45		AW068311		Homo sapiens mRNA full length insert cDN	3.3
45		AA650274	Hs.41296	fibronectin leucine rich transmembrane p	4.6
		NM_003616		survival of motor neuron protein interac	3.9
		Y13153		kynurenine 3-monooxygenase (kynurenine 3	3.1
		AA775076		Homo sapiens, Similar to PRO0478 protein	3.9
50		D56365	Hs.63525	poly(rC)-binding protein 2	3.3
50		AA357185		ras homolog gene family, member H	3.1
		AF182277		cytochrome P450, subfamily IIB (phenobar	3.9
		AA172106		Rag C protein	5.2
		AA209534 AK000398		tetraspan NET-6 protein	3.4
55		X56411	Hs.11747		3
55		A1754813	Hs.1219	alcohol dehydrogenase 4 (class II), pi p collagen, type V, alpha 1	3.2
		X03363		v-erb-b2 avian erythroblastic leukemia v	5.4 4.4
		Al347487		class I cytokine receptor	4.6
		NM_003450		zinc finger protein 174	5.6
60		AI582291	Hs.16846	ESTs, Weakly similar to O4HUD1 debrisoqu	3.0
OO		R77776	Hs.18103	ESTs	3.8
		AA809875	Hs.25933	ESTs	4.2
		AB014544	Hs.21572	KIAA0644 gene product	4.7
		Al399653	Hs.22917	ESTs	4.3
65		H09048	Hs.23606	ESTs	3.8
		R71802	Hs.24853	ESTs	3.5
		AW293399		nuclear receptor co-repressor 1	3.6
				r popport of the country	

	131507	A1826268	Hs.27769	ESTs, Wealdy similar to MCAT_HUMAN MITOC	3.2
		A1695549		glucuronidase, beta	3.1
		AF017986		secreted frizzled-related protein 2	3.2
_		BE501849		high-mobility group 20B	3.2 3.6
5		D86960	Hs.3610 Hs.36566	KIAA0205 gene product LIM domain kinase 1	3.2
		NM_002314 AA400091	Hs.39421	ESTs	3.2
		AA426202	Hs.40403	Cbp/p300-interacting transactivator, wit	3
		D76435	Hs.41154	Zic family member 1 (odd-paired Drosophi	3.2
10	_	AA192669	Hs.45032	ESTs	3.5
		AL133731	Hs.4774	Homo sapiens mRNA; cDNA DKFZp761C1712 (f	9.2
	132482	AV660345	Hs.238126	CGI-49 protein	8.2
		BE568452	Hs.5101	protein regulator of cytokinesis 1	3.4
1.5		AA326108	Hs.33829	bHLH protein DEC2	3.2 4.8
15			Hs.5521	ESTs splicing factor, arginine/serine-rich 7	3.6
		NM_006276 W73311		SAC2 (suppressor of actin mutations 2, y	3.2
		T48195	Hs.58189	eukaryotic translation initiation factor	3.5
		Y00272		cell division cycle 2, G1 to S and G2 to	4.4
20		AL120659	Hs.6111	aryl-hydrocarbon receptor nuclear transl	4.8
	133130	Al128606	Hs.6557	zinc finger protein 161	3.3
		AW952412	Hs.65874	ESTs, Weakly similar to A40348 Elav/Sex-	3.5
		AW162840	Hs.6641	kinesin family member 5C	4.5
25		AW600291	Hs.6823	hypothetical protein FLJ10430	3.3 3
25		AA085191 Z93241	Hs.6949	hypothetical protein MGC11275 CGI-96 protein	4.5
		AW797437	Hs.69771	B-factor, properdin	4.1
		BE618768	Hs.7232	acetyl-Coenzyme A carboxylase alpha	5.1
		AW675064	Hs.73875	fumarylacetoacetate hydrolase (fumarylac	3
30		AW162919	Hs.170160	RAB2, member RAS oncogene family-like	3.4
		BE274552	Hs.76578	protein inhibitor of activated STAT3	3.9
		AI908165		GATA-binding protein 3 (T-cell receptor	6.2
		BE391929	Hs.8752	transmembrane protein 4	3.1 3
35		A1433797 D89377	Hs.8889 Hs.89404	serine hydroxymethyltransferase 1 (solub msh (Drosophila) homeo box homolog 2	5.8
33		J05582	Hs.89603	mucin 1, transmembrane	4
		AF064804	Hs.96757	suppressor of Ty (S.cerevisiae) 3 homolo	3.2
		R61253	Hs.98265	KIAA1877 protein	3.3
		X78592	Hs.99915	androgen receptor (dihydrotestosterone r	4.8
40		L10333	Hs.99947	reticulon 1	3.8
		Al199738		ESTs, Weakly similar to ALUA_HUMAN !!!!	3.8
		AW614220	Hs.189402		4.2 9.9
		AW183618 AW591433	Hs.55610	solute carrier family 30 (zinc transport Transmembrane protease, serine 3	4.9
45		Z45270		hypothetical protein FLJ22672	3.4
73		AA572949	Hs.207566		3.5
		R10799	Hs.191990		3.8
	301341	AA887801	Hs.208229	G protein-coupled receptor	13.9
		AI091631		two pore potassium channel KT3.3	4.4
50		AA312082		GDNF family receptor alpha 1	5.7
		U79745	Hs.114924	solute carrier family 16 (monocarboxylic	8.6 3.9
		T97905	Un 2783/6	gb:ye54c10.r1 Soares fetal liver spleen KIAA0904 protein	7.7
		AB020711 BE542706		CEGP1 protein	7.3
55	302001	AW749321	Hs.6786	ESTs	3.3
55		AL049670		ribosomal protein L34 pseudogene 1	4.2
	302145	NM_003613		cartilage intermediate layer protein, nu	7.9
	302235	AL049987		Homo sapiens mRNA; cDNA DKFZp564F112 (fr	5.6
<b>60</b>		AW057736		HER2 receptor tyrosine kinase (c-erb-b2,	5.4
60	302290	AA179949		Homo sapiens mRNA; cDNA DKFZp564N0763 (f	34.1 6.7
	302372	AL117406 AL109712		ATP-binding cassette transporter MRP8  Homo sapiens mRNA full length insert cDN	6. <i>1</i>
	3023/0	AL109712		synaptonemal complex protein 2	4.3
	302385	AJ224172		lipophilin B (uteroglobin family member)	13.8
65	302680	AW192334	Hs.38218 .	ESTs	9.6
	302830	A1038997	Hs.132921		5
	302857	AF282265	Hs.44836	inner centromere protein antigens (135kD	3.4
				0.00	

TTTTCAAGAA CTAACACAGT TATTCCTATA CTGGATTITA GGTCTCTGAA GAACTGCTGG 2760
TGTTTAGGAA TAAGAATGTG CATGAAGCCT AAAATACCAA GAAAGCTTAT ACTGAATTTA 2820
AGCAAAGAAA TAAAGGAGAA AAGAGAAAGAA TCTGAGAATT GGGGAGGCAT AGATTCTTAT 2880
AAAAATCACA AAATTTGTTG TAAATTAGAG GGGAGGAAATT TAGAATTAAG TATAAAAAGG 2940
CAGAATTAGT ATAGAGTACA TTCATTAAAC ATTTTTGTCA GGATTATTTC CCGTAAAAAC 3000
GTAGTGAGCA CTCTCATATA CTAATTAGTG TACATTTAAC TTTGTATAAT ACAGAAATCT 3060
AAATATATT AATGAATTCA AGCAATATAC ACTTGACCAA GAAATTGGAA TTTCAAAATG 3120
TTCGTGCGGG TTATATACCA GATGAGTACA GTGAGTAGTT TATGTATCAC CAGACTGGGT 3180
TATTGCCAAG TTATATACCA GATGAGTACATGTA TATGATGTA TCTCTGGTT ACCTGGTTTA 3240
CAAAATTATC AGAGTAGTAA AACTTTGATA TATATGAGGA TATTAAAACT ACACTAAGTA 3300
TCATTTGATT CGATTCAGAA AGTACTTTGA TATCTCTCAG TGCTTCAGTG CTATCATTGT 3360
GAGCAATTGT CTTTTATATAC GGTACTGTAG CCATACTAGG CCTGTCTGTG GCATTCTCTA 3420
GATGTTTCTT TTTTACACAA TAAATTCCTT ATATCAGCTT G

Seq ID NO: 30 Protein sequence:
Protein Accession #: NP\_036451.2

1 11 21 31 41 51

20 MARKLSVILI LTFALSVTNP LHELKAAAFP QTTEKISPNW ESGINVDLAI STRQYHLQQL 60
FYRYGENNSL SVEGFRKLLQ NIGIDKIKRI HIHHDHDHHIS DHEHHSDHER HSDHEHHSDH 120
EHHSDHDHHIS HHNHAASGKN KRKALCPDHD SDSSGKDPRN SQGKGAHRPE HASGRRNVKD 180
SVSASEVTST VYNTVSEGTH FLETIETPRP GKLFPKDVSS STPPSVTSKS RVSRLAGRKT 240

25 NESVSEPRKG FMYSRNTNEN PQECFNASKL LTSHGMGIQV PLNATEFNYL CPAIINQIDA 300
RSCLIHTSEK KAEIPPKTYS LQIAWVGGFI AISIISFLSL LGVILVPLMN RVFFKFLLSF 360
LVALAVGTLS GDAFLHLLPH SHASHHHSHS HEEFAMEMKR GPLFSHLSSQ NIEESAYFDS 420
TWKGLTALGG LYFMFLVEHV LTLIKQFKDK KKKNQKKPEN DDDVEIKKQL SKYESQLSTN 480
EEKVDTDDRT EGYLRADSQE PSHFDSQQPA VLEEEEVMIA HAHPQEVYNE YVPRGCKNKC 540
HSHFHDTLGQ SDDLIHHHHD YHHILHHHHH QNHHPHSHSQ RYSREELKDA GVATLAWMVI 600
MGDGLHNFSD GLAIGAAFTE GLSSGLSTSV AVFCHELPHE LGDFAVLLKA GMTVKQAVLY 660

J MGDGLHNFSD GLAIGAAFTE GLSSGLSTSV AVFCHELPHE LGDFAVLLKA GMTVKQAVLY 660 NALSAMLAYL GMATGIFIGH YAENVSMWIF ALTAGLFMYV ALVDMVPEML HNDASDHGCS 720 RWGYFFLQNA GMLLGFGIML LISIFEHKIV FRINF

35 Seq ID NO: 31 DNA sequence Nucleic Acid Accession #:

Nucleic Acid Accession #: NM\_002184.1

Coding sequence: 256-3012(underlined sequences correspond to start and stop codons)

40 GAGCAGCCAA AAGGCCCGCG GAGTCGCGCT GGGCCGCCCC GGCGCAGCTG AACCGGGGGC 60 CGCGCCTGCC AGGCCGACGG GTCTGGCCCA GCCTGGCGCC AAGGGGTTCG TGCGCTGTGG 120 AGACGCGGAG GGTCGAGGCG GCGCGGCCTG AGTGAAACCC AATGGAAAAA GCATGACATT 180 TAGAAGTAGA AGACTTAGCT TCAAATCCCT ACTCCTTCAC TTACTAATTT TGTGATTTGG 240 AAATATCCGC GCAAGATGTT GACGTTGCAG ACTTGGGTAG TGCAAGCCTT GTTTATTTTC 300 45 CTCACCACTG AATCTACAGG TGAACTTCTA GATCCATGTG GTTATATCAG TCCTGAATCT CCAGTTGTAC AACTICATTC TAATTTCACT GCAGTTTGTG TGCTAAAGGA AAAATGTATG 420
GATTATTTC ATGTAAATGC TAATTTCACT GCAGTTTGTG TGCTAAAGGA AAAATGTATG 420
GATTATTTC ATGTAAATGC TAATTACATT GTCTGGAAAA CAAACCATTT TACTATTCCT 480
AAGGAGCAAT ATACTATCAT AAACAGAACA GCATCCAGTG TCACCTTTAC AGATATAGCT 540
TCATTAAATA TTCAGCTCAC TTGCAACATT CTTACATTCG GACAGCTTGA ACAGAATGTT 600
TATGGAATCA CAATAATTTC AGGCTTGCCT CCAGAAAAAC CTAAAAATTT GAGTTGCATT 660 50 GTGAACGAGG GGAAGAAAAT GAGGTGTGAG TGGGATGGTG GAAGGGAAAC ACACTTGGAG 720 ACAAACTTCA CTTTAAAATC TGAATGGGCA ACACAAGT TTGCTGATTG CAAAGCAAA 780 CGTGACACCC CCACCTCATG CACTGTTGAT TATTCTACTG TGTATTTTGT CAACATTGAA 840 GTCTGGGTAG AAGCAGAGAA TGCCCTTGGG AAGGTTACAT CAGATCATAT CAATTTTGAT 900 CCTGTATATA AAGTGAAGCC CAATCCGCCA CATAATTTAT CAGATCATAT CAATTTGA 960
CTGTCTAGTA TACATATT GACATGGACC AACCCAAGTA TTAAGAGTGT TATAATACTA 1020
AAATATAACA TTCAATATAG GACCAAAGAT GCCTCAACTT GGAGCCAGAT TCCTCCTGAA 1080
GACACAGCAT CCACCCGATC TTCATTCACT GTCCAAGACC TTAAACCTTT TACAGAATAT 1140 55 GTGTTTAGGA TTCGCTGTAT GAAGGAAGAT GGTAAGGGAT ACTGGAGTGA CTGGAGTGAA 1200 60 GAAGCAAGTG GGATCACCTA TGAAGATAGA CCATCTAAAG CACCAAGTTT CTGGTATAAA 1260 ATAGATCCAT CCCATACTCA AGGCTACAGA ACTGTACAAC TCGTGTGGAA GACATTGCCT 1320 CCTTTTGAAG CCAATGGAAA AATCTTGGAT TATGAAGTGA CTCTCACAAG ATGGAAATCA 1380
CATTTACAAA ATTACACAGT TAATGCCACA AAACTGACAG TAAATCTCAC AAATGATCGC 1440
TATCTAGCAA CCCTAACAGT AAGAAATCTT GTTGGCAAAT CAGATGCAGC TGTTTTAACT 1500 65 ATCCCTGCCT GTGACTTTCA AGCTACTCAC CCTGTAATGG ATCTTAAAGC ATTCCCCAAA 1560 GATAACATGC TITGGGTGGA ATGGACTACT CCAAGGGAAT CTGTAAAGAA ATATATACTT 1620 GAGTGGTGTG TGTTATCAGA TAAAGCACCC TGTATCACAG ACTGGCAACA AGAAGATGGT 1680 ACCGTGCATC GCACCTATTT AAGAGGGAAC TTAGCAGAGA GCAAATGCTA TTTGATAACA 1740 GTTACTCCAG TATATGCTGA TGGACCAGGA AGCCCTGAAT CCATAAAGGC ATACCTTAAA 1800 CAAGCTCCAC CTTCCAAAGG ACCTACTGTT CGGACAAAAA AAGTAGGGAA AAACGAAGCT 1860 GTCTTAGAGT GGGACCAACT TCCTGTTGAT GTTCAGAATG GATTTATCAG AAATTATACT 1920 70

ATATTTTATA GAACCATCAT TGGAAATGAA ACTGCTGTGA ATGTGGATTC TTCCCACACA 1980 GAATATACAT TGTCCTCTTT GACTAGTGAC ACATTGTACA TGGTACGAAT GGCAGCATAC 2040 ACAGATGAAG GTGGGAAGGA TGGTCCAGAA TTCACTTTTA CTACCCCAAA GTTTGCTCAA 2100

GGAGAAATTG AAGCCATAGT CGTGCCTGTT TGCTTAGCAT TCCTATTGAC AACTCTTCTG 2160
GGAGTGCTGT TCTGCTTTAA TAAGCGAGAC CTAATTAAAA AACACATCTG GCCTAATGTT 2220
CCAGATCCTT CAAAGAGTCA TATTGCCCAG TGGTCACCTC ACACTCCTCC AAGGCACAAT 2280

360

ATAGAAGCAA ATGACAAAAA GCCTTTTCCA GAAGATCTGA AATCATTGGA CCTGTTCAAA 2400 AAGGAAAAAA TTAATACTGA AGGACACAGC AGTGGTATTG GGGGGTCTTC ATGCATGTCA 2460 TCTTCTAGGC CAAGCATTTC TAGCAGTGAT GAAAATGAAT CTTCACAAAA CACTTCGAGC 2520 ACTGTCCAGT ATTCTACCGT GGTACACAGT GGCTACAGAC ACCAAGTTCC GTCAGTCCAA 2580 5 GTCTTCTCAA GATCCGAGTC TACCCAGCCC TTGTTAGATT CAGAGGAGCG GCCAGAAGAT 2640 CTACAATTAG TAGATCATGT AGATGGCGGT GATGGTATTT TGCCCAGGCA ACAGTACTTC 2700 AAACAGAACT GCAGTCAGCA TGAATCCAGT CCAGATATTT CACATTTTGA AAGGTCAAAG 2760 CAAGTTTCAT CAGTCAATGA GGAAGATTTT GTTAGACTTA AACAGCAGAT TTCAGATCAT 2820 10 ATTTCACAAT CCTGTGGATC TGGGCAAATG AAAATGTTTC AGGAAGTTTC TGCAGCAGAT 2880 GCTTTTGGTC CAGGTACTGA GGGACAAGTA GAAAGATTTG AAACAGTTGG CATGGAGGCT 2940 GCGACTGATG AAGGCATGCC TAAAAGTTAC TTACCACAGA CTGTACGGCA AGGCGGCTAC 3000 CTAAAATGAT TTTATCTGTG AATTC 15 Seq ID NO: 32 <u>Protein sequence:</u>
Protein Accession #: NP\_002175.1 20 MLTLOTWVVQ ALFIFLTTES TGELLDPCGY ISPESPVVQL HSNFTAVCVL KEKCMDYFHV NANYIVWKTN HFTIPKEQYT IINRTASSVT FTDIASLNIQ LTCNILTFGQ LEQNVYGITI 120 ISOLPPEKPK NLSCIVNEGK KMRCEWDGGR ETHLETNFTL KSEWATHKFA DCKAKRDTPT SCTVDYSTVY FVNIEVWVEA ENALGKVTSD HINFDPVYKV KPNPPHNLSV INSEELSSIL 240
KLTWTNPSIK SVIILKYNIQ YRTKDASTWS QIPPEDTAST RSSFTVQDLK PFTEYVFRIR 300
CMKEDGKGYW SDWSEEASGI TYEDRPSKAP SFWYKIDPSH TQGYRTVQLV WKTLPPFEAN 360
GKILDYEVTL TRWKSHLQNY TVNATKLTVN LTNDRYLATL TVRNLVGKSD AAVLTIPACD 420
FQATHPVMDL KAFPKDNMLW VEWTTPRESV KKYILEWCVL SDKAPCITDW QQEDGTVHRT 480
YLRGNLAESK CYLITVTPVY ADGPGSPESI KAYLKQAPPS KGPTVRTKKV GKNEAVLEWD 540 25 30 QLPVDVQNGF IRNYTIFYRT LIGNETAVNV DSSHTEYTLS SLTSDTLYMV RMAAYTDEGG 600 KDGPEFTFTT PKFAQGEIEA IVVPVCLAFL LTTLLGVLFC FNKRDLIKKH IWPNVPDPSK 660 SHIAQWSPHT PPRHNFNSKD QMYSDGNFTD VSVVEIEAND KKPFPEDLKS LDLFKKEKIN 720 TEGHSSGIGG SSCMSSSRPS ISSSDENESS QNTSSTVQYS TVVHSGYRHQ VPSVQVFSRS 780
ESTQPLLDSE ERPEDLQLVD HVDGGDGILP RQQYFKQNCS QHESSPDISH FERSKQVSSV 840
NEEDFVRLKQ QISDHISQSC GSGQMKMFQE VSAADAFGPG TEGQVERFET VGMEAATDEG 900
MPKSYLPQTV RQGGYMPQ 35 Seq ID NO: 33 DNA sequence Nucleic Acid Accession #: NM\_018255.1 40 Coding sequence: 11-2491 (underlined sequences correspond to start and stop codons) 31 AGTTGGCGAC ATGGTGGCAC CCGTGCTGGA GACTTCTCAC GTGTTTTGCT GCCCAAACCG 60 45 GGTGCGGGGA GTCCTGAACT GGAGCTCTGG GCCCAGAGGA CTTCTGGCCT TTGGCACGTC 120 CTGCTCCGTG GTGCTCTATG ACCCCCTGAA AAGGGTTGTT GTTACCAACT TGAATGGTCA 180 CACCGCCGA GTCAATTGCA TACAGTGGAT TTGTAAACAG GATGGCTCCC CTTCTACTGA 240 ATTAGTTTCT GGAGGATCTG ATAATCAAGT GATTCACTGG GAAATAGAGG ATAATCAGCT 300
TTTAAAAGCA GTGCATCTTC AAGGCCATGA AGGACCTGTT TATGCGGTGC ATGCTGTTTA 360
CCAGAGGAGG ACATCAGATC CTGCATTATG TACACTGATC GTTTCTGCAG CTGCAGATTC 420 50 TGCTGTTCGA CTCTGGTCTA AAAAGGGTCC AGAAGTAATG TGCCTTCAGA CTTTAAACTT 480 TGGAAATGGA TITGCTTTGG CTCTCTGCTT ATCTTTTTTG CCAAATACTG ATGTACCAAT 540 ATTAGCATGT GGCAATGATG ATTGCAGAAT TCACATATTT GCTCAACAAA ATGATCAGTT 600 55 AGATGGTGTC CTACAGCAGC CAGTGAGATT ATTATCTGCT TCCATGGATA AAACCATGAT 60 TCTCTGGGCT CCAGATGAAG AGTCAGGAGT TTGGCTAGAA CAGGTTCGAG TAGGTGAAGT 1020 AGGTGGGAAT ACTTTGGGAT TTTATGATTG CCAGTTCAAT GAAGATGGCT CCATGATCAT 1080 TGCTCATGCT TTCCACGGAG CGTTGCACCT TTGGAAACAG AATACAGTTA ACCCAAGAGA 1140 GTGGACTCCA GAGATTGTCA TTTCAGGACA CTTTGATGGT GTCCAAGACC TAGTCTGGGA 1200
TCCAGAAGGA GAATTTATTA TCACTGTTGG TACTGATCAG ACACTAGAC TTTTTTGCTCC 1260
ATGGAAGAG AAAGACCAAT CACAGGTGAC TTGGCATGAA ATTGCAAGGC CTCAGATACA 1320
TGGGTATGAC CTGAAATGTT TGGCAATGAT TAATCGGTTT CAGTTTGTAT CTGGAGCAGA 1380
TGAAAAAGTT CTTCGGGTTT TTTCTGCACC TCGGAATTTT GTGGAAAATT TTTGTGCCAT 1440 65 TACAGGACAA TCACTGAATC ATGTGCTCTG TAATCAAGAT AGTGATCTTC CAGAAGGAGC 1500 TACAGGACAA TCACTGAATC ATGIGCTCTG TAATCAAGAT AGTGATCTTC CAGAAGGAGC 1500
CACTGTCCCT GCATTGGGAT TATCAAATAA AGCTGTCTTT CAGGGAGATA TAGCTTCTCA 1560
GCCTTCTGAT GAAGAGGAGC TGTTAACTAG TACTGGTTTT CAGGAGTAT AGCTTCTCA 1620
TCAGCCCTCC ATACTTACTG AGCCTCCCAC TGAGGATCAT CTTCTGCAGA ATACTTTGTG 1680
GCCTGAAGTT CAAAAACTAT ATGGGCACGG TTATGAAATA TTTTTGTGTTA CTTGTAACAG 1740
TTCAAAGACT CTGCTTGCCT CAGCTTGTAA GGCAGCTAAG AAAGAGCATG CAGCTATCAT 1800
TCTTTGGAAC ACTACATCTT GGAAACAGGT GCAGGAATTTA GTTTTCCACA GTTTGACAGT 1860 70 75 CACGCAGATG GCCTTCTCAC CTAATGAGAA GTTCTTACTA GCTGTTTCCA GAGATCGAAC 1920 CTGGTCATTG TGGAAAAAGC AGGATACAAT CTCACCTGAG TTCGAGCCAG TTTTTAGTCT 1980 TTTTGCCTTC ACCAACAAAA TTACTTCTGT GCACAGTAGA ATTATTTGGT CTTGTGATTG 2040

TTTAATTCAA AAGATCAAAT GTATTCAGAT GGCAATTTCA CTGATGTAAG TGTTGTGGAA 2340

	GAGICCIGAC AGCAAGIATI ICTICACIGG GAGTCGAGAC AAAAAGGTGG TTGTCTGGGG 2100
5	TGAGTGCGAC TCCACTGATG ACTGTATTGA GCACAACATT GGCCCCTGCT CCTCAGTCCT 2160
	GGACGTGGGT GGGGCTGTGA CAGCTGTCAG CGTCTGCCCA GTGCTCCACC CTTCTCAACG 2220
	ATACGTGGTT GCAGTAGGAT TGGAGTGTGG AAAGATTTGC TTATATACCT GGAAAAAGAC 2280
	TGATCAAGTT CCAGAAATAA ATGACTGGAC CCACTGTGTA GAAACAAGTC AAAGCCAAAG 2340
	TCATACACTG GCTATCAGAA AATTATGCTG GAAGAATTGC AGTGGAAAAA CTGAACAGAA 2400
	GGAAGCAGAA GGTGCTGAGT GGTTACACTT TGCAAGCTGT GGTGAAGATC ACACTGTGAA 2460
	GATACACAGA GTCAATAAAT GTGCACTG <u>TA A</u> TGG
0	Grad DAIG AAD at 1
LU	Seq ID NO: 34 Protein sequence:
	Protein Accession #: NP 060725 1

1 NP\_060725.1 Protein Accession #: 31 41

MVAPVLETSH VFCCPNRVRG VLNWSSGPRG LLAFGTSCSV VLYDPLKRVV VTNLNGHTAR 60
VNCIQWICKQ DGSPSTELVS GGSDNQVIHW EIEDNQLLKA VHLQGHEGPV YAVHAVYQRR 120
TSDPALCTLI VSAAADSAVR LWSKKGPEVM CLQTLNFGNG FALALCLSFL PNTDVPILAC 180
GNDDCRIHIF AQQNDQFQKV LSLCGHEDWI RGVEWAAFGR DLFLASCSQD CLIRIWKLYI 240 15 KSTSLETODD DNIRLKENTF TIENESVKIA FAVTLETVLA GHENWVNAVH WOPVFYKDGV 300 20 LQQPVRLLSA SMDKTMILWA PDEESGVWLE QVRVGEVGGN TLGFYDCQFN EDGSMIIAHA 360 FHGALHLWKQ NTVNPREWTP EIVISGHFDG VQDLVWDPEG EFIITVGTDQ TTRLFAPWKR 420 KDQSQVTWHE IARPQIHGYD LKCLAMINRF QFVSGADEKV LRVFSAPRNF VENFCAITGQ 480 SLNHVLCNQD SDLPEGATVP ALGLSNKAVF QGDIASQPSD EEELLTSTGF EYQQVAFQPS 540 ILTEPPTEDH LLQNTLWPEV QKLYGHGYEI FCVTCNSSKT LLASACKAAK KEHAAIILWN 600 TTSWKQVQNL VFHSLTVTQM AFSPNEKFLL AVSRDRTWSL WKKQDTISPE FEPVFSLFAF 660 TNKITSVHSR IIWSCDWSPD SKYFFTGSRD KKVVVWGECD STDDCIEHNI GPCSSVLDVG 720 25

GAVTAVSVCP VLHPSQRYVV AVGLECGKIC LYTWKKTDQV PEINDWTHCV ETSQSQSHTL 780

AIRKLCWKNC SGKTEQKEAE GAEWLHFASC GEDHTVKIHR VNKCAL 30 Seq ID NO: 35 DNA sequence Nucleic Acid Accession #: NM 022131 Coding sequence: 11-2878 (underlined sequences correspond to start and stop codons)

31 35 TGCTGCGAGG ATGCTGCCTG GGCGGCTGTG CTGGGTGCCG CTCCTGCTGG CGCTGGGCGT 60 GGGGAGCGGC AGCGGCGGTG GCGGGGACAG CCGGCAGCGC CGCCTCCTCG CGGCTAAAGT 120 CAATAAGCAC AAGCCATGGA TCGAGACTTC ATATCATGGA GTCATAACTG AGAACAATGA 180
CACAGTCATT TTGGACCCAC CACTGGTAGC CCTGGATAAA GATGCACCGG TTCCTTTTTGC 240
AGGGGAAATC TGTGCGTTCA AGATCCATGG CCAGGAGCTG CCCTTTGAGG CTGTGGTGCT 300
CAACAAGACA TCAGGAGAGG GCCGGCTCCG TGCCAAGAGC CCCATTGACT GTGAGTTGCA 360 40 GAAGGAGTAC ACATTCATCA TCCAGGCCTA TGACTGTGGT GCTGGGCCCC ACGAGACAGC CTGGAAAAAG TCACACAAGG CCGTGGTCCA TATACAGGTG AAGGATGTCA ACGAGTTTGC TCCCACCTTC AAAGAGCCAG CCTACAAGGC TGTTGTGACG GAGGGCAAGA TCTATGACAG 540
CATTCTGCAG GTGGAGGCCA TTGACGAGGA CTGCTCCCCA CAGTACAGCC AGATCTGCAA 600
CTATGAAATC GTCACCACAG ATGTGCCTTT TGCCATCGAC AGAAATGGCA ACATCAGGAA 660
CACTGAGAAG CTGAGCTATG ACAAACAACA CCAGTATGAG ATCCTGGTGA CCGCCTACGA 720 45 720 CTGTGGACAG AAGECCGCTG CTCAGGACAC CCTGGTGCAG GTGGATGTGA AGCCAGTTTG CAAGCCTGGC TGGCAAGACT GGACCAAGAG GATTGAGTAC CAGCCTGGCT CCGGGAGCAT 840 50 GCCCTGTTC CCCAGCATCC ACCTGGAGAC GTGCGATGGA GCCGTGTCTT CCCTCCAGAT 900 CGTCACAGAG CTGCAGACTA ATTACATTGG GAAGGGTTGT GACCGGGAGA CCTACTCTGA 960 GAAATCCCTT CAGAAGTTAT GTGGAGCCTC CTCTGGCATC ATTGACCTCT TGCCATCCCC 1020 TAGCGCTGCC ACCAACTGGA CTGCAGGACT GCTGGTGGAC AGCAGTGAGA TGATCTTCAA 1080 GTTTGACGGC AGGCAGGGTG CCAAAATCCC CGATGGGATT GTGCCCAAGA ACCTGACCGA 1140 TCAGTTCACC ATCACCATGT GGATGAAACA CGGCCCCAGC CCTGGTGTGA GAGCCGAGAA 1200 55

TGTGCACAAC TGCCGCCTCG TCTTTCTCTT GCGGAAGGAC TTCGACCAGG CTGACACCTT 1320 TCGCCCCGCG GAGTTCCACT GGAAGCTGGA TCAGATTTGT GACAAAGAGT GGCACTACTA 1380 TGTCATCAAT GTGGAGTTTC CTGTGGTAAC CTTATACATG GATGGAGCAA CATATGAACC 1440 ATACCTGGTG ACCAACGACT GGCCCATTCA TCCATCTCAC ATAGCCATGC AACTCACAGT 1500 CGGCGCTTGT TGGCAAGGAG GAGAAGTCAC CAAACCACAG TTTGCTCAGT TCTTTCATGG 1560 60 AAGCCTGGCC AGTCTCACCA TCCGCCCTGG CAAAATGGAA AGCCAGAAGG TGATCTCCTG 1620 CCTGCAGGCC TGCAAGGAAG GGCTGGACAT TAATTCCTTG GAAAGCCTTG GCCAAGGAAT 1680 AAAGTATCAC TTCAACCCCT CGCAGTCCAT CCTGGTGATG GAAGGTGACG ACATTGGGAA 1740 65 CATTAACCGT GCTCTCCAGA AAGTCTCCTA CATCAACTCC AGGCAGTTCC CAACGGCGGG 1800 TGTGCGGCGC CTCAAAGTAT CCTCCAAAGT CCAGTGCTTT GGGGAAGACG TATGCATCAG 1860
TATCCCTGAG GTAGATGCCT ATGTGATGGT CCTCCAGGCC ATCGAGCCCC GGATCACCCT 1920
CCGGGGCACA GACCACTTCT GGAGACCTGC TGCCCAGTTT GAAAGTGCCA GGGGAGTGAC 1980

GGAAACCATC CTCTGCAACT CAGACAAAAC CGAAATGAAC CGGCATCACT ATGCCCTGTA 1260

CCTCTTCCCT GATATCAAGA TTGTGAGCAC CTTCGCCAAA ACCGAAGCCC CCGGGGACGT 2040 GAAAACCACA GACCCCAAAT CAGAAGTCTT AGAGGAAATG CTTCATAACT TAGATTTCTG 2100 TGACATTITG GTGATCGGAG GGGACTTGGA CCCAAGGCAG GAGTGCTTGG AGCTCAACCA 2160 CAGTGAGCTC CACCAACGAC ACCTGGATGC CACTAATTCT ACTGCAGGCT ACTCCATCTA 2220 CGGTGTGGGC TCCATGAGCC GCTATGAGCA GGTGCTACAT CACATCCGCT ACCGCAACTG 2280 GCGTCCGGCT TCCCTTGAGG CCCGGCGTTT CCGGATTAAG TGCTCAGAAC TCAATGGGCG 2340 CTACACTAGC AATGAGTTCA ACTTGGAGGT CAGCATCCTT CATGAAGACC AAGTCTCAGA 2400 TAAGGAGCAT GTCAATCATC TGATTGTGCA GCCTCCCTTC CTCCAGTCTG TCCATCATCC 2460

75 TGAGTCCCGG AGTAGCATCC AGCACAGTTC AGTGGTCCCA AGCATTGCCA CAGTGGTCAT 2520

CATCATCTCC GTGTGCATGC TTGTGTTTGT CGTGGCCATG GGTGTGTACC GGGTCCGGAT 2580 CGCCCACCAG CACTTCATCC AGGAGACTGA GGCTGCCAAG GAATCTGAGA TGGACTGGGA 2640 CGATTCTGCG CTGACTATCA CAGTCAACCC CATGGAGAAA CATGAAGGAC CAGGGCATGG 2700 GGAAGATGAG ACTGAGGGAG AAGAGGAGGA AGAAGCCGAG GAAGAAATGA GCTCCAGCAG 2760 5 TGGCTCTGAC GACAGCGAAG AGGAGGAGGA GGAGGAAGGG ATGGGCAGAG GCAGACATGG 2820 GCAGAATGGA GCCAGGCAAG CCCAGCTGGA GTGGGATGAC TCCACCCTCC CCTAC<u>TAG</u>TG 2880 CCCAGGGGTC TGCTGCCTGG CCCACATGTC CCTTTTGTAA ACCCTGACCC AGTGTATGCC 2940
CATGTCTATC ATACCTCACC TCTGATGTC TGTGACATGTC TGGGAAGGCC TTCTCCAGCT 3000
TCCTGGAGCC CACCCTTTAA GCCTTGGGCA CTCCCTGTGT TTCATCCATG GGGAAGTTCC 3060
AAGAAGCCCA GCATGGCCAT CAGTGAGGAC TTCAGGGTAG ACTTTGTCCT GTAGCCTCCA 3120
CTTCTGCCCT AAGTTCCCCA GCATCCTGAC TACCTTGTTCTG CAGAGTTTGC CTTTGTTTTT 3180 10 TCCTGCAGGG AAGAAGGCCC ACCTTTGTGT CACTCACCTC CCCAGGCTCA GAGTCCCCAA 3240 GGCCCTGGGG TTCCAACTCA CTGTGCGTCT CCTCCACACA GACCAGTAGG TTCTCCTATG 3300 CTGACTCCAG GTTGCTTCAT ACAAGGAGGG TGGTTGAACT TCACACACGT AAGGTCTTAG 3360 15 TGCTTAACAG TTTAAAGGAA AGTCCTTGTT GAGGCAGAAC TAAGTTTACA GGGAAAGGTA 3420 CACACATTCT CTCTCTCT CTCTCTGT CTATCTAGTT CCCCAGCTTG GAGAGCCTTT 3480
CCCCTTGCTT CTTCTCTGG CCATATAAGC TTATAAGAAA AGTCCCAAAC CAAGAATAGG 3540
TCCTTGGCCA CAAGCAGGGT CTGATCCCCC ATCAGAGCTA TCTGAGCCTG CCTGTCTGGG 3600
CACCTGCTGC AACCATGCAG CTACCCTGCC AGGGGCACTC AGCAAACAGA ACCACAGGGC 3660 20 CCAGGAGGCA TTCCACACAG GCACTGCCCC AGGACAACAC AACAAGGACA GTCACAACAA 3720 GGACAACAAG GACACAACAC AACACAAC AAGGACAGTC ACAACAAGCC TAGAGCCAGA 3780 AAGCAGATGG AAATGCTAAT GAGGTCAAAC GTAGGCTTCA TGGTGGGTGG AGTGGGGGTG 3840 GCTGGGCTCC CCCAGGACAG AGGGGACCCT GAGGTTGGCA AGGCTCTCAC CACTCAGCCT 3900 TATGGTCCCT TATCTCCTAT CTTCCCTCTT GAGAAAATAC ACGCTTTCTG CATGTATTAG 3960 AAACGCACGA GCTCCACCAA GTCTACAATG AAAGTTTGAA ATTTAACTGC AAGGAATTAG 4020 AAGCATATTT GCAATCATTG CAGCTTCTTC TTTCTTCTGC TCATAAAAGG AGGAACACTT 4080 TAGATAGAGG GCAAATATAT CTGAAAACCT AATTTCTTTC TTTTTTTGAT AAGGAAATCT 4140 25 TTTCCATCTC CATCCTAACA TGCACAACCT GTGAAGAGAA TTGTTTCTAT AGTAACTGGT 4200 CTGTGATCTT TTGTGGCCAA GAGAATAGCA GGCAAGAATT AGGGCCTTGA CAGAATTTCC 4260 30 ACGAAGCTCT GAGAACATGT TTGTTTCGAA TGTCTGATTC CTCTTTGTCA TCAATGTGTA 4320 TGCTCTGTCC CCATCCTTCA CTCCTCCTCA AGCTCACACC AATTGGTTTG GCACAGGCAC 4380 AGAGCTGGTC CCTAGTTAAG TGGCATTTAT GTTAAAAAA AATAGTTCAG AATCTCAGCC 4440
TTTTCTTTGT GTCATCAAAA CAGCTTAAGA AGGGGACTAC TGCCAATGTC CTCTAGTCTG 4500
ACCTCCACCC AGGGAGGACC CATGGCAGGT CTTTTCAACT TTCTGATTCA TGAGAACAAC 4560
CTTGTGAAGC TTTTCCCACC TCCTAAAGTG TTTTCTGCAT CTGTTCCTTC CTTTGGACCT 4620
CACAACAAAT CCTGTGAAGT AACTGAGACA TCTGTTGTTA GATACATTTT TGTGATGAGT 4680 35 AAACTGAGGC TTCG Seq ID NO: 36 Protein sequence; 40 NP\_071414.1 Protein Accession #: 31 MLPGRLCWVP LLLALGVGSG SGGGGDSRQR RLLAAKVNKH KPWIETSYHG VITENNDTVI 60 45 LDPPLVALDK DAPVPFAGEI CAFKIHGQEL PFEAVVLNKT SGEGRLRAKS PIDCELQKEY 120 TFIIQAYDCG AGPHETAWKK SHKAVVHIQV KDVNEFAPTF KEPAYKAVVT EGKIYDSILQ 180 VEALDEDCSP QYSQICNYEI VTTDVPFAID RNGNIRNTEK LSYDKQHQYE ILVTAYDCGQ 240

KPAAQDTLVQ VDVKPVCKPG WQDWTKRIEY QPGSGSMPLF PSIHLETCDG AVSSLQIVTE 300

LQTNYIGKGC DRETYSEKSL QKLCGASSGI IDLLPSPSAA TNWTAGLLVD SSEMIFKFDG 360


RQGAKIPDGI VPKNLTDQFT ITMWMKHGPS PGVRAEKETI LCNSDKTEMN RHHYALYVHN 420 50 CRLVFLLRKD FDQADTFRPA EFHWKLDQIC DKEWHYYVIN VEFPVVTLYM DGATYEPYLV TNDWPIHPSH IAMQLTVGAC WQGGEVTKPQ FAQFFHGSLA SLTIRPGKME SQKVISCLQA 540 TNDWPIHPSH IAMQLI VGAC WQGGEVIRPQ FAQFFHGSLA SLIIRFGRIME SQKVISLQA 340 CKEGLDINSL ESLGQGIKYH FNPSQSILVM EGDDIGNINR ALQKVSYINS RQFPTAGVRR 600 LKVSSKVQCF GEDVCISIPE VDAYVMVLQA IEPRITLRGT DHFWRPAAQF ESARGVTLFP 660 DIKIVSTFAK TEAPGDVKTT DPKSEVLEEM LHNLDFCDIL VIGGDLDPRQ ECLELNHSEL 720 HQRHLDATNS TAGYSIYGVG SMSRYEQVLH HIRYRNWRPA SLEARRFRIK CSELNGRYTS 780 NEFNLEVSIL HEDQVSDKEH VNHLIVQPPF LQSVHHPESR SSIQHSSVVP SIATVVIIIS 840 VCMLVFVVAM GVYRVRIAHQ HFIQETEAAK ESEMDWDDSA LTITVNPMEK HEGPGHGEDE 900 55 TEGEEEEEAE EEMSSSSGSD DSEEEEEEEG MGRGRHGQNG ARQAQLEWDD STLPY 60 Seq ID NO: 37 DNA sequence Nucleic Acid Accession #: none found 143-874 (underlined sequences correspond to start and stop codons) Coding sequence: 65 11 31 51 GGGAGGGÀGA GAGGCGCGCG GGTGAAAGGC GCATTGATGC AGCCTGCGGC GGCCTCGGAG 60 GGGAGGGAG AGGCCCGCG GGTGAAAGGC GCATTGATGC AGCCTGCGGC GGCCTCGGAG 60
CGCGGCGGAG CCAGACCCTG ACCACCTTCC TCCTCCGCT CCACCCCC TCCAGCTCCC 120
CGCTGCCCGG CAGCCGGGAG CCATGCGACC CCAGGGCCC GCCGCCTCCC CGCAGCGGCT 180
CCCCAAGGGG AAGCAAAAGG CGCAGCTCCG GCAGAGGGAG GTGGTGGACC CTCTGAGAT 240
CCCCAAGGGG AAGCAAAAGG CGCAGCTCCG GCAGAGGGAG GTGGTGGACC TGTATAATGG 300
AATGTGCTTA CAAGGGCCAG CAGGAGTGCC TGGTCGAGAC GGGAGCCCTG GGGCCAATGG 360
CATTCCGGGT ACACCTGGGA TCCCAGGTCG GGATGGATTC AAGCAGAGTAT CAAGGAGAAT 420 70 TCTGAGGGAA AGCTTTGAGG AGTCCTGGAC ACCCAACTAC AAGCAGTGTT CATGGAGTTC 480 ATTGAATTAT GGCATAGATC TTGGGAAAAT TGCGGAGTGT ACATTTACAA AGATGCGTTC 540
AAATAGTGCT CTAAGAGTTT TGTTCAGTGG CTCACTTCGG CTAAAATGCA GAAATGCATG 600 75 CTGTCAGCGT TGGTATTTCA CATTCAATGG AGCTGAATGT TCAGGACCTC TTCCCATTGA 660


AGCTATAATT TATTTGGACC AAGGAAGCCC TGAAATGAAT TCAACAATTA ATATTCATCG 720 CACTICTTCT GTGGAAGGAC TTTGTGAAGG AATTGGTGCT GGATTAGTGG ATGTTGCTAT 780
CTGGGTTGGC ACTTGTTCAG ATTACCCAAA AGGAGATGCT TCTACTGGAT GGAATTCAGT 840
TTCTCGCATC ATTATTGAAG AACTACCAAA A<u>TAA</u>ATGCTT TAATTTTCAT TTGCTACCTC 900
TTTTTTTATT ATGCCTTGGA ATGGTTCACT TAAATGACAT TTTAAATAAG TTTATGTATA 960
CATCTGAATG AAAAGCAAAG CTAAATATGT TTACAGACCA AAGTGTGATT TCACACTGTT 1020 5 TITAAATCTA GCATTATTCA TITTGCTTCA ATCAAAAGTG GTTTCAATAT TITTTTTAGT 1080 TGGTTAGAAT ACTTTCTTCA TAGTCACATT CTCTCAACCT ATAATTTGGA ATATTGTTGT 1140 GGTCTTTTGT TTTTTCTCTT AGTATAGCAT TTTTAAAAAA ATATAAAAGC TACCAATCTT 1200 10 TGTACAATTT GTAAATGTTA AGAATTTTTT TTATATCTGT TAAATAAAAA TTATTTCCAA 1260 CAACCTTAAA AAAAAAAAAA AAAA Seq ID NO: 38 <u>Protein sequence:</u> Protein Accession #: none found 15 MRPQGPAASP QRLRGLLLLL LLQLPAPSSA SEIPKGKQKA QLRQREVVDL YNGMCLQGPA 60 GVPGRDGSPG ANGIPGTPGI PGRDGFKGEK GECLRESFEE SWTPNYKQCS WSSLNYGIDL 120 GKIAECTFTK MRSNSALRVL FSGSLRLKCR NACCQRWYFT FNGAECSGPL PIEAIIYLDQ 180 GSPEMNSTIN IHRTSSVEGL CEGIGAGLVD VAIWVGTCSD YPKGDASTGW NSVSRIIIEE 240 20 Seq ID NO: 39 DNA sequence 25 Nucleic Acid Accession #: NM\_000949 285-2153(underlined sequences correspond to start and stop codons) Coding sequence: 31 41 51 30 CTCCCTCTTT CTGGATTTTA CCGACCGTTC GCGAAACAGC TTTCCACACA ATGGAGCTTC 120 ATGTCCTCGT GCAGGAAGTA CTCATCGACT GATGTGGCAG ACTTTGCTCC CTGACAAAAC 180 TAAAGAACTC TCCTATTCAT GGAGGCGAAC ACTGAGGATG CTTTCCACAT GAACCCTGAA 240 GTGAACTICT GATACATTIC CTGCAGCAAG ACIGAGGATG CHICCACT GAACATGAAG 300
CATCTGCAAC CGTTTTCACT CTGCAGCAAG AGAAGGCAGC CAACATGAAG GAAAATGTGG 300
CATCTGCAAC CGTTTTCACT CTGCTACTIT TTCTCAACAC CTGCCTTCTG AATGGACAGT 360
TACCTCCTGG AAAACCTGAG ATCTTTAAAT GTCGTTCTCC CAATAAGGAA ACATTCACCT 420
GCTGGTGGAG GCCTGGGACA GATGGAGGAC TTCCTACCAA TTATTCACTG ACTTACCACA 480 35 GGGAAGGAGA GACACTCATG CATGAATGTC CAGACTACAT AACCGGTGGC CCCAACTCCT 540
GCCACTTTGG CAAGCAGTAC ACCTCCATGT GGAGGACATA CATCATGATG GTCAATGCCA 600 40 CTAACCAGAT GGGAAGCAGT TTCTCGGATG AACTTTATGT GGACGTGACT TACATAGTTC 660 AGCCAGACCC TCCTTTGGAG CTGGCTGTGG AAGTAAAACA GCCAGAAGAC AGAAAACCCT 720 ACCTGTGGAT TAAATGGTCT CCACCTACCC TGATTGACTT AAAAACTGGT TGGTTCACGC 780 TCCTGTATGA AATTCGATTA AAACCCGAGA AAGCAGCTGA GTGGGAGATC CATTTTGCTG 840 GGCAGCAAAC AGAGTTTAAG ATTCTCAGCC TACATCCAGG ACAGAAATAC CTTGTCCAGG 900 45 TTCGCTGCAA ACCAGACCAT GGATACTGGA GTGCATGGAG TCCAGCGACC TTCATTCAGA 960 TACCTAGTGA CTTCACCATG AATGATACAA CCGTGTGGAT CTCTGTGGCT GTCCTTTCTG 1020 CTGTCATCTG TTTGATTATT GTCTGGGCAG TGGCTTTGAA GGGCTATAGC ATGGTGACCT 1080 GCATCTTTCC GCCAGTTCCT GGGCCAAAAA TAAAAGGATT TGATGCTCAT CTGTTGGAGA 1140 AGGGCAAGTC TGAAGAACTA CTGAGTGCCT TGGGATGCCA AGACTTTCCT CCCACTTCTG 1200 50 ACTATGAGGA CTTGCTGGTG GAGTATTTAG AAGTAGATGA TAGTGAGGAC CAGCATCTAA 1260 TGTCAGTCCA TTCAAAAGAA CACCCAAGTC AAGGTATGAA ACCCACATAC CTGGATCCTG 1320 ACACTGACTC AGGCCGGGGG AGCTGTGACA GCCCTTCCCT TTTGTCTGAA AAGTGTGAGG 1380 AACCCCAGGC CAATCCCTCC ACATTCTATG ATCCTGAGGT CATTGAGAAG CCAGAGAATC 1440 CTGAAACAAC CCACACCTGG GACCCCCAGT GCATAAGCAT GGAAGGCAAA ATCCCCTATT 1500 55 TTCATGCTGG TGGATCCAAA TGTTCAACAT GGCCCTTACC ACAGCCCAGC CAGCACAACC 1560 CCAGATCCTC TTACCACAAT ATTACTGATG TGTGTGAGCT GGCTGTGGGC CCTGCAGGTG 1620 CACCGGCCAC TCTGTTGAAT GAAGCAGGTA AAGATGCTTT AAAATCCTCT CAAACCATTA 1680 AGTCTAGAGA AGAGGGAAAG GCAACCCAGC AGAGGGAGGT AGAAAGCTTC CATTCTGAGA 1740 CTGACCAGGA TACGCCCTGG CTGCTGCCC AGGAGAAAAC CCCCTTTGGC TCCGCTAAAC 1800 60 CCTTGGATTA TGTGGAGATT CACAAGGTCA ACAAAGATGG TGCATTATCA TTGCTACCAA 1860 AACAGAGAGA GAACAGCGGC AAGCCCAAGA AGCCCGGGAC TCCTGAGAAC AATAAGGAGT 1920
ATGCCAAGGT GTCCGGGGTC ATGGATAACA ACATCCTGGT GTTGGTGCCA GATCACATG 1980
CTAAAAACGT GGCTTGCTTT GAAGAATCAG CCAAAGAGGC CCCACCATCA CTTGAACAGA 2040
ATCAAGCTGA GAAAGCCCTG GCCAACTTCA CTGCAACATC AAGCAAGTGC AGGCTCCAGC 2100 65 TGGGTGGTTT GGATTACCTG GATCCCGCAT GTTTTACACA CTCCTTTCAC TGATAGCTTG 2160 ACTAATGGAA TGATTGGTTA AAATGTGATT TTTCTTCAGG TAACACTACA GAGTACGTGA 2220 AATGCTCAAG AATGTAGTCA GACTGACACT ACTAAAGCTC CCAGCTCCTT TCATGCTCCA 2280 TTTTTAACCA CTTGCCTCTT TCTCCAGCAG CTGATTCCAG AACAAATCAT TATGTTTCCT 2340 AACTGTGATT TGTAGATTTA CTTTTTGCTG TTAGTTATAA AACTATGTGT TCAATGAAAT 2400 AAAAGCACAC TGCTTAGTAT TCTTGAGGGA CAATGCCAAT AGGTATATCC TCTGGAAAAG 2460 GCTTTCATGA TTTGGCATGG GACAGACGGA AATGAAATTG TCAAAATTGT TTACCATAGA 2520 70 AAGATGACAA AAGAAAATTT TCCACATAGG AAAATGCCAT GAAAATTGCT TTTGAAAAAC 2580


AACTGCATAA CCTTTACACT CCTCGTCCAT TTTATTAGGA TTACCCAAAT ATAACCATTT 2640 AAAGAAAGAA TGCATTCCAG AACAAATTGT TTACATAAGT TCCTATACCT TACTGACACA 2700

Seq ID NO: 40 Protein sequence:

TTGCTGATAT GCAAGTAAGA AAT







QDQAPDESPK LKSSSETSVH CTSYRGVPAS KPEPARAKAK LSKFSIPKQG EESRSGETNS 300
CVEEIIREMT WLPPLSAIQA PGKVEPTKFP FPNKDSQLVS SGHNNPKKGD AEPESPDNGT 360
SNTSMLEDDL KLSSDEEENE QQAAQRTALR ALSDSAVVQQ PNCRTSVPSS KGSSSSSSS 420
TSSSSSDSES SSGSDSETES SSSESEGSKP PHFSSPEAEP ASSNKWQLDK WLNKVNPHKP 480
PILIQNESHG SESNQYYNPV KEDVQDCGKV PDVCQPSLRE KEIKSTCKEE QRPRTANKAP 540
GSKGVKQKSP PAAVAVAVSA AAPPPAVPCA PAENAPAPAR RSAGKKPTRR TERTSAGDGA 600
NCHRPEEPAA ADALGTSVVV PPEPTKTRPC GNNRASHRKE LRSSVTCEKR RTRGLSRIVP 660
KSKEFIETES SSSSSSDSD LESEQEEYPL SKAQTVAASA SSGNDQRLKE AAANGGSGPR 720
APVGSINART TSDIAKELEE QFYTLVPFGR NELLSPLKDS DEIRSLWVKI DLTLLSRIPE 780
HLPQEPGVLS APATKDSESA PPSHTSDTPA EKALPKSKRK RKCDNEDDYR EIKKSQGEKD 840
SSSRLATSTS NTLSANHCNM NINSVAIPIN KNEKMLRSPI SPLSDASKHK YTSEDLTSSS 900
RPNGNSLFTS ASSSKKPKAD SQLQPHGGDL TKAAHNNSEN IPLHKSRPQT KPWSPGSNGH 960
RDCKRQKLVF DDMPRSADYF MQEAKRMKHK ADAMVEKFGK ALNYAEAALS FIECGNAMEQ 1020
GPMESKSPYY LMYSETVELI RYAMRLKTHS GPNATPEDKQ LAALCYRCLA LLYWRMFRLK 1080
RDHAVKYSKA LIDYFKNSSK AAQAPSPWGA SGKSTGTPSP ISPNFFPGSS VGSQGSLSNA 1140
SALSPSTIVS IPQRIHQMAA NHVSITNSIL HSYDYWEMAD NLAKENREFF NDLDLLLMGPV 1200
TLHSSMEHLV OYSOOGLHWL RNSAHLS

Seq ID NO: 47 DNA sequence
Nucleic Acid Accession #: NM\_033151
Coding sequence: 351-4499(underlined sequences correspond to start and stop codons)

41

11

25 ACTGGGATAA AGCAAGAAGA CTGATTTTAT GAGCAGGGGT TTGATACATC AAAGGAGATT GCCCAGGATC AAGGGTGCGG TGTTGGGGGT GGGTTGGGGA GGGTGGTTAG AGAAGGTTTC 120 ACTAAGTGAT TTGGGCCTGA GGCCTGAGAA GATGTTTAAA AAGAGGGATC AAGCACAGGC 180 TAAGGAGG AAAGACAGG CACCCAAACC TCTGCATGGC CCCAATATGC TCCTGCAGG 240
GTAGTGCCCC CTCTTCTGGC TGCTCAAGGC GAGATCTAAG CTTCTTCTAA CTCCTGCTGT 300
CTTTTCATAT TCTCTGATTC TGGGAAACGA AGAATTGGCA GGAACTGAAA ATGACTAGGA 360
AGAGGACATA CTGGGTGCCC AACTCTTCTG GTGGCCTCGT GAATCGTGGC ATCGACATAG 420 30 GCGATGACAT GGTTTCAGGA CTTATTTATA AAACCTATAC TCTCCAAGAT GGCCCCTGGA 480 GTCAGCAAGA GAGAAATCCT GAGGCTCCAG GGAGGGCAGC TGTCCCACCG TGGGGGAAGT 540 ATGATGCTGC CTTGAGAACC ATGATTCCCT TCCGTCCCAA GCCGAGGTTT CCTGCCCCC 600
AGCCCCTGGA CAATGCTGGC CTGTTCTCCT ACCTCACCGT GTCATGGCTC ACCCCGCTCA 660
TGATCCAAAG CTTACGGAGT CGCTTAGATG AGAACACCAT CCCTCCACTG TCAGTCCATG 720
ATGCCTCAGA CAAAAATGTC CAAAGGCTTC ACCGCCTTTG GGAAGAAGAA GTCTCAAGGC 780 35 GAGGGATTGA AAAAGCTTCA GTGCTTCTGG TGATGCTGAG GTTCCAGAGA ACAAGGTTGA 840 40 TTTTCGATGC ACTTCTGGGC ATCTGCTTCT GCATTGCCAG TGTACTCGGG CCAATATTGA 900 TTATACCAAA GATCCTGGAA TATTCAGAAG AGCAGTTGGG GAATGTTGTC CATGGAGTGG 960 GACTCTGCTT TGCCCTTTTT CTCTCCGAAT GTGTGAAGTC TCTGAGTTTC TCCTCCAGTT 1020 GGATCATCAA CCAACGCACA GCCATCAGGT TCCGAGCAGC TGTTTCCTCC TTTGCCTTTG 1080 AGAAGCTCAT CCAATTTAAG TCTGTAATAC ACATCACCTC AGGAGAGGCC ATCAGCTTCT 1140 TCACCGGTGA TGTAAACTAC CTGTTTGAAG GGGTGTGCTA TGGACCCCTA GTACTGATCA 1200 45 CCTGCGCATC GCTGGTCATC TGCAGCATTT CTTCCTACTT CATTATTGGA TACACTGCAT 1260 TTATTGCCAT CTTATGCTAT CTCCTGGTTT TCCCACTGGC GGTATTCATG ACAAGAATGG 1320 CTGTGAAGGC TCAGCATCAC ACATCTGAGG TCAGCGACCA GCGCATCCGT GTGACCAGTG 1380 AAGTTCTCAC TTGCATTAAG CTGATTAAAA TGTACACATG GGAGAAACCA TTTGCAAAAA 1440 50 TCATTGAAGA CCTAAGAAGG AAGGAAAGGA AACTATTGGA GAAGTGCGGG CTTGTCCAGA 1500 GCCTGACAAG TATAACCTTG TTCATCATCC CCACAGTGGC CACAGCGGTC TGGGTTCTCA 1560 TCCACACATC CTTAAAGCTG AAACTCACAG CGTCAATGGC CTTCAGCATG CTGGCCTCCT 1620 TGAATCTCCT TCGGCTGTCA GTGTTCTTTG TGCCTATTGC AGTCAAAGGT CTCACGAATT 1680 CCAAGTCTGC AGTGATGAGG TTCAAGAAGT TTTTCCTCCA GGAGAGCCCT GTTTTCTATG 1740 TCCAGACATT ACAAGACCCC AGCAAAGCTC TGGTCTTTGA GGAGGCCACC TTGTCATGGC 1800
AACAGACCTG TCCCGGGATC GTCAATGGGG CACTGGAGCT GGAGAGGAAC GGGCATGCTT 1860
CTGAGGGGAT GACCAGGCCT AGAGATGCCC TCGGGCCAGA GGAAGAAGGG AACAGCCTGG 1920
GCCCAGAGTT GCACAAGATC AACCTGGTGG TGTCCAAGGG GATGATGTTA GGGGTCTGCG 1980
GCAACACGGG GAGTGGTAAG AGCAGCCTGT TGTCAGCCAT CCTGGAGGAG ATGCACTTGC 2040 55 60 TCGAGGGCTC GGTGGGGGTG CAGGGAAGCC TGGCCTATGT CCCCCAGCAG GCCTGGATCG 2100 TCAGCGGGAA CATCAGGGAG AACATCCTCA TGGGAGGCGC ATATGACAAG GCCCGATACC 2160 TCCAGGTGCT CCACTGCTGC TCCCTGAATC GGGACCTGGA ACTTCTGCCC TTTGGAGACA 2220 TGACAGAGAT TGGAGAGCGG GGCCTCAACC TCTCTGGGGG GCAGAAACAG AGGATCAGCC 2280
TGGCCGCGC CGTCTATTCC GACCGTCAGA TCTACCTGCT GGACGACCCC CTGTCTGCTG 2340
TGGACGCCCA CGTGGGGAAG CACATTTTTG AGGAGTGCAT TAAGAAGACA CTCAGGGGGA 2400
AGACGGTCGT CCTGGTGACC CACCAGCTGC AGTACTTAGA ATTTTTGTGGC CAGATCATTT 2460
TGTTGGAAAA TGGGAAAATC TGTGAAAATG GAACTCACAG TGAGTTAATG CAGAAAAAGG 2520 65 GGAAATATGC CCAACTTATC CAGAAGATGC ACAAGGAAGC CACTTCGGAC ATGTTGCAGG 2580 ACACAGCAAA GATAGCAGAG AAGCCAAAGG TAGAAAGTCA GGCTCTGGCC ACCTCCCTGG 2640 70 ATGGAACCAT GGCAGACCTG GGCAACATTG CAGACAATCC TCAACTGTCC TTCTACCAGC 2940 75 TGGTGTACGG GCTCAACGCC CTGCTCCTCA TCTGTGTGGG GGTCTGCTCC TCAGGGATTT 3000 TCACCAAAGT CACGAGGAAG GCATCCACGG CCCTGCACAA CAAGCTCTTC AACAAGGTTT 3060 TCCGCTGCCC CATGAGTTTC TTTGACACCA TCCCAATAGG CCGGCTTTTG AACTGCTTCG 3120

CAGGGGACTT GGAACAGCTG GACCAGCTCT TGCCCATCTT TTCAGAGCAG TTCCTGGTCC 3180 TGTCCTTAAT GGTGATCGCC GTCCTGTTGA TTGTCAGTGT GCTGTCTCCA TATATCCTGT 3240
TAATGGGAGC CATAATCATG GTTATTTGCT TCATTTATTA TATGATGTTC AAGAAGGCCA 3300 TCGGTGTGTT CAAGAGACTG GAGAACTATA GCCGGTCTCC TTTATTCTCC CACATCCTCA 3360 5 ATTCTCTGCA AGGCCTGAGC TCCATCCATG TCTATGGAAA AACTGAAGAC TTCATCAGCC 3420 AGTTTAAGAG GCTGACTGAT GCGCAGAATA ACTACCTGCT GTTGTTTCTA TCTTCCACAC 3480 GATGGATGGC ATTGAGGCTG GAGATCATGA CCAACCTTGT GACCTTGGCT GTTGCCCTGT 3540 GATGGATGGC ATTGAGGCTG GAGATCATGA CCAACCTTGT GACCTTGGCT GTTGCCCTGT 3540
TCGTGGCTTT TGGCATTTCC TCCACCCCCT ACTCCTTTAA AGTCATGGCT GTCAACATCG 3600
TGCTGCAGCT GGCGTCCAGC TTCCAGGCCA CTGCCCGGAT TGGCTTGGAG ACAGAGGCAC 3660
AGTTCACGGC TGTAGAGAGG ATACTGCAGT ACATGAAGAT GTGTGTCTCG GAAGCTCCTT 3720
TACACATGGA AGGCACAAGT TGTCCCCAGG GGTGGCCACA GCATGGGGAA ATCATATTTC 3780
AGGATTATCA CATGAAATAC AGAGACAACA CACCCACCGT GCTTCACGGC ATCAACCTGA 3840
CCATCCGCGG CCACGAGTG GTGGGCATCG TGGGAAGGAC GGCTCTTGGG AAGTCCTCCC 3900 10 TGGGCATGGC TCTCTTCCGC CTGGTGGAGC CCATGGCAGG CCGGATTCTC ATTGACGGCG 3960 15 TGGACATTTG CAGCATCGGC CTGGAGGACT TGCGGTCCAA GCTCTCAGTG ATCCCTCAAG 4020 ATCCAGTGCT GCTCTCAGGA ACCATCAGAT TCAACCTAGA TCCTCTTTTGAC CGTCACACTG 4080
ACCAGCAGAT CTGGGATGCC TTGGAGAGGA CATTCCTGAC CAAGGCCATC TCAAAGTTCC 4140
CCAAAAAAGCT GCATACAGAT GTGGTGGAAA ACGGTGGAAA CTTCTCTGTG GGGGAGAGGC 4200
AGCTGCTCTG CATTGCCAGG GCTGTGCTTC GCAACTCCAA GATCATCCTT ATCGATGAAG 4260 20 CCACAGCCTC CATTGACATG GAGACAGACA CCCTGATCCA GCGCACAATC CGTGAAGCCT 4320 TCCAGGGCTG CACCGTGCTC GTCATTGCCC ACCGTGTCAC CACTGTGCTG AACTGTGACC 4380 ACATCCTGGT TATGGGCAAT GGGAAGGTGG TAGAATTTGA TCGGCCGGAG GTACTGCGGA 4440 AGAAGCCTGG GTCATTGTTC GCAGCCCTCA TGGCCACAGC CACTTCTTCA CTGAGA<u>TAA</u>G 4500 GAGATOTOGA GACTTCATGG AGGCTGGCAG CTGAGCTCAG AGGTTCACAC AGGTGCAGCT 4560 25 TCGAGGCCCA CAGTCTGCGA CCTTCTTGTT TGGAGATGAG AACTTCTCCT GGAAGCAGGG 4620 GTAAATGTAG GGGGGGTGGG GATTGCTGGA TGGAAACCCT GGAATAGGCT ACTTGATGGC 4680 TCTCAAGACC TTAGAACCCC AGAACCATCT AAGACATGGG ATTCAGTGAT CATGTGGTTC 4740 TCCTTTTAAC TTACATGCTG AATAATTTTA TAATAAGGTA AAAGCTTATA GTTTTCTGAT 4800 CTGTGTTAGA AGTGTTGCAA ATGCTGTACT GACTTTGTAA AATATAAAAC TAAGGAAAAC 4860 30 Seq ID NO: 48 Protein sequence: Protein Accession #: NP\_149163.2 35 MTRKRTYWVPNSSGGLVNRGIDIGDDMVSGLIYKTYTLQDGPWSQQERNPEAPGRAAVPPWGKYDAALRT

MIPFRPKPRFPAPQPLDNAGLFSYLTVSWLTPLMIQSLRSRLDENTIPPLSVHDASDKNVQRLHRLWEEE VSRRGIEKASVLLVMLRFQRTRLIFDALLGICFCIASVLGPILIIPKILEYSEEQLGNVVHGVGLCFALF LSECVKSLSFSSSWINQRTAIRFRAAVSSFAFEKLIQFKSVIHITSGEAISFFTGDVNYLFEGVCYGPL VLITCASLVICSISSYFIIGYTAFIAILCYLLVFPLAVFMTRMAVKAQHHTSEVSDQRIRVTSEVLTCIK
LIKMYTWEKPFAKIIEDLRRKERKLLEKCGLVQSLTSITLFIIPTVATAVWVLIHTSLKLKLTASMAFSM
LASLNLLRLSVFFVPIAVKGLTNSKSAVMRFKKFFLQESPVFYVQTLQDPSKALVFEEATLSWQQTCPGI
VNGALELERNGHASEGMTRPRDALGPEEEGNSLGPELHKINLVVSKGMMLGVCGNTGSGKSSLLSAILEE 40 MHLLEGSVGVQGSLAYVPQQAWIVSGNIRENILMGGAYDKARYLQVLHCCSLNRDLELLPFGDMTEIGER GLNLSGGQKQRISLARAVYSDRQIYLLDDPLSAVDAHVGKHIFEECIKKTLRGKTVVLVTHQLQYLEFCG 45 QIILLENGKICENGTHSELMQKKĞKYAQLIQKMHKEATSDMLQDTAKIAEKPKVESQALATŠLEESLNGN avpeholtqeeemeegslswrvyhhyiqaaggymvsciifffvvlivfltifsfwwlsywleogsgtnss

AVPEHQLTQEEEMEEGSLSWRVYHHYIQAAGGYMVSCIIFFFVVLIVFLTIFSFWWLSYWLEQGSGTNSS RESNGTMADLGNIADNPQLSFYQLVYGLNALLLICVGVCSSGIFTKVTRKASTALHNKLFNKVFRCPMSF FDTIPIGRLLNCFAGDLEQLDQLLPIFSEQFLVLSLMVIAVLLIVSVLSPYILLMGAIIMVICFIYYMMF KKAIGVFKRLENYSRSPLFSHILNSLQGLSSIHVYGKTEDFISQFKRLTDAQNNYLLLFLSSTRWMALRL EIMTNLVTLAVALFVAFGISSTFYSFKVMAVNIVLQLASSFQATARIGLETEAQFTAVERILQYMKMCVS EAPLHMEGTSCPQGWPQHGEIIFQDYHMKYRDNTPTVLHGINLTIRGHEVVGIVGRTGSGKSSLGMALFR LVEPMAGRILIDGVDICSIGLEDLRSKLSVIPQDPVLLSGTIRFNLDPFDRHTDQIWDALERTFLTKAI SKFPKKLHTDVVENGGNFSVGERQLLCIARAVLRNSKIILIDEATASIDMETDTLIQRTIREAFQGCTVL VIAHRVTTVLNCDHILVMGNGKVVEFDRPEVLRKKPGSLFAALMATATSSLR 50

55

Seq ID NO: 49 DNA sequence Nucleic Acid Accession #: NM 033419 18-980 (underlined sequences correspond to start and stop codons) Coding sequence:

· 60 31 CGAGCCAGGG AGAAAGGATG GCCGGCCTGG CGGCGCGGTT GGTCCTGCTA GCTGGGGCAG 60 CGGCGCTGGC GAGCGGCTCC CAGGGCGACC GTGAGCCGGT GTACCGCGAC TGCGTACTGC 120 AGTGCGAAGA GCAGAACTGC TCTGGGGGCG CTCTGAATCA CTTCCGCTCC CGCCAGCCAA 180 65 TCTACATGAG TCTAGCAGGC TGGACCTGTC GGGACGACTG TAAGTATGAG TGTATGTGGG TCACCGTTGG GCTCTACCTC CAGGAAGGTC ACAAAGTGCC TCAGTTCCAT GGCAAGTGGC 300 CCTTCTCCCG GTTCCTGTTC TTTCAAGAGC CGGCATCGGC CGTGGCCTCG TTTCTCAATG 360 GCCTGGCCAG CCTGGTGATG CTCTGCCGCT ACCGCACCTT CGTGCCAGCC TCCTCCCCA 420 TGTACCACAC CTGTGTGGCC TCGCCTGGG TGTCCCTCAA TGCATGGTTC TGGTCCACAG 480
TTTTCCACAC CAGGGACACT GACCTCACAG AGAAAATGGA CTACTTCTGT GCCTCCACTG 540
TCATCCTACA CTCAATCTAC CTGTGCTGCG TCAGGACCGT GGGGCTGCAG CACCCAGCTG 600
TGGTCAGTGC CTTCCGGGCT CTCCTGCTGC TCATGCTGAC CGTGCACGTC TCCTACCTGA 660
GCCTCATCCG CTTCCGACTAT GGCTACAACC TGGTGGCCAA CGTGGCTATT GGCCTGGTCA 720 70 ACGTGGTGTG GTGGCTGGCC TGGTGCCTGT GGAACCAGCG GCGGCTGCCT CACGTGCGCA 780 75 AGTGCGTGGT GGTGGTCTTG CTGCTGCAGG GGCTGTCCCT GCTCGAGCTG CTTGACTTCC 840 CACCGCTCTT CTGGGTCCTG GATGCCCATG CCATCTGGCA CATCAGCACC ATCCCTGTCC 900 ACGTCCTCTT TTTCAGCTTT CTGGAAGATG ACAGCCTGTA CCTGCTGAAG GAATCAGAGG 960

ACAAGTTCAA GCTGGAC<u>TGA</u> AGACCTTGGA GCGAGTCTGC CCCAGTGGGG ATCCTGCCCC 1020 CGCCTGCTG GCCTCCCTTC TCCCCTCAAC CCTTGAGATG ATTTTCTCTT TTCAACTTCT 1080 TGAACTTGGA CATGAAGGAT GTGGGCCCAG AATCATGTGG CCAGCCCACC CCCTGTTGGC 1140 CCTCACCAGC CTTGGAGTCT GTTCTAGGGA AGGCCTCCCA GCATCTGGGA CTCGAGAGTG 1200 5 GGCAGCCCCT CTACCTCCTG GAGCTGAACT GGGGTGGAAC TGAGTGTGCT CTTAGCTCTA 1260 CCGGGAGGAC AGCTGCCTGT TTCCTCCCCA TCAGCCTCCT CCCCACATCC CCAGCTGCCT 1320 GGCTGGTCC TGAAGCCCTC TGTCTACCTG GGAGACCAGG GACCACAGC CCAGGTGCC1 1320
GGCTGGTCC TGAAGCCCTC TGTCTACCTG GGAGACCAGG GACCACAGGC CTTAGGGATA 1380
CAGGGGGTCC CCTTCTGTTA CCACCCCCCA CCCTCCTCCA GGACACCACT AGGTGGTGCT 1440
GGATGCTTGT TCTTTGGCCA GCCAAGGTTC ACGCGGATTC TCCCCATGGG ATCTTGAGGG 1500
ACCAAGCTGC TGGGATTGGG AAGGAGTTC ACCCTGACCA TTGCCCTAGC CAGGTTCCCA 1560
GGAGGCCTCA CCATACTCCC TTTCAGGGCC AGGGCTCAG CAAGCCCAGG GCAAGGATCC 1620
TGTGCTGCTG TCTGGTTGAG AGCCTGCCAC CGTGTCTCG GAGTGTGGC CAGGCTGAGT 1680 10 GCATAGGTGA CAGGGCCGTG AGCATGGGCC TGGGTGTGT TGAGCTCAGG CCTAGGTGCG 1740 CAGTGTGGAG ACGGGTGTTG TCGGGGAAGA GGTGTGCTT CAAAGTGTGT GTGTGCAGGG 1800
GGTGGGTGT TTAGCGTGGG TTAGGGGAAC GTGTGTGCCC GTGCTGGTGG GCATGTGAGA 1860
TGAGTGACTG CCGGTGAATG TGTCCACAGT TGAGAGGTTG GAGCAGGATG AGGGAATCCT 1920
GTCACCATCA ATAATCACTT GTGGAGCGCC AGCTCTGCCC AAGGCGCCAC CTGGGCGGAC 1980
AGCCAGGAGC TCTCCATGGC CAGGCTGCCT GTGTGCATGT TCCCTGTCTG GTGCCCCTTT 2040 15 GCCCGCCTCC TGCAAACCTC ACAGGGTCCC CACACAACAG TGCCCTCCAG AAGCAGCCCC 2100 20 TCGGAGGCAG AGGAAGGAAA ATGGGGATGG CTGGGGCTCT CTCCATCCTC CTTTTCTCCT 2160 TGCCTTCGCA TGGCTGGCCT TCCCCTCCAA AACCTCCATT CCCCTGCTGC CAGCCCCTTT 2220 GCCATAGCCT GATTTTGGGG AGGAGGAAGG GGCGATTTGA GGGAGAAGGG GAGAAAGCTT 2280 ATGCCTGGGT CTGGTTTCTT CCCTTCCCAG AGGGTCTTAC TGTTCCAGGG TGGCCCCAGG 2340
GCAGGCAGGG GCCACACTAT GCCTGCGCCC TGGTAAAGGT GACCCCTGCC ATTTACCAGC 2400
AGCCCTGGCA TGTTCCTGCC CCACAGGAAT AGAATGGAGG GAGCTCCAGA AACTTTCCAT 2460
CCCAAAGGCA GTCTCCGTGG TTGAAGCAGA CTGGATTTTT GCTCTGCCCC TGACCCCTTG 2520 25 TCCCTCTTTG AGGGAGGGA GCTATGCTAG GACTCCAACC TCAGGGACTC GGGTGGCCTG 2580 CGCTAGCTTC TTTTGATACT GAAAACTTTT AAGGTGGGAG GGTGGCAAGG GATGTGCTTA 2640 30 Seq ID NO: 50 <u>Protein sequence:</u>
Protein Accession #: NP\_219487.1 35 MKDVGPESCG QPTPCWPSPA LESVLGKASQ HLGLESGQPL YLLELNWGGT ECALSSTGRT 60 AACFLPISLL PTSPAAWLGP EALCLPGRPG TTGLRDTGGP LLLPPPTLLQ DTTRWCWMLV 120 LWPAKVHGDS PHGILRDQAA GIGKEFHPDH CPSQVPRRPH HTPFQGQGSS KPRARILCCC 180 LVESLPPCVG SVGQAECIGD RAVSMGLGVC ELRPRCAVWR RVLSGKRCGF KVCVCRGWVC 40 Seq ID NO: 51 DNA sequence Nucleic Acid Accession #: XM 059098.1 Coding sequence: 178-618(underlined sequences correspond to start and stop codons) 45 GATGTACACT CTGAAGTGAG CACATTCCTG TTGGCAGGAC ATGACACCTT GGCAGCAAGC 60 ATCTCCTGGA TCCTTTACTG CCTGGCTCTG AACCCTGAGC ATCAAGAGAG ATGCCGGGAG 120 50 GAGGTCAGGG GCATCCTGGG GGATGGGTCT TCTATCACTT GGGACCAGCT GGGTGAGATG 180 TCCTACACCA CAATGTGCAT CAAGGAGACG TGCCGATTGA TTCCTGCAGT CCCGTCCATT 240
TCCAGAGATC TCAGCAAGCC ACTTACCTTC CCAGATGAT GACCACTTGCC TGCAGGGATC 300
ACCGTGGTTC TTAGTATTTG GGGTCTTCAC CACAACCCTG CTGTCTGGAA AAACCCAAAG 360
GTCTTTGACC CCTTGAGGTT CTCTCAGGAG AATTCTGATC AGAGACACCC CTATGCCTAC 420 55 TTACCATTCT CAGCTGGATC AAGGAACTGC ATTGGGCAGG AGTTTGCCAT GATTGAGTTA 480 AAGGTAACCA TTGCCTTGAT TCTGCTCCAC TTCAGAGTGA CTCCAGACCC CACCAGGCCT 540 CTTACTTTCC CCAACCATTT TATCCTCAAG CCCAAGAATG GGATGTATTT GCACCTGAAG 600 AAACTCTCTG AATGT<u>TAG</u>AT CTCAGGGTAC AATGATTAAA CGTACTTTG TTTTCGAAGT 660
TAAATTTACA GCTAATGATC CAAGCAGATA GAAAGGGATC AATGTATGGT GGGAGGATTG 720
GAGGTTGGTG GGATAGGGGT CTCTGTGAAG AGATCCAAAA TCATTTCTAG GTACACAGTG 780
TGTCAGCTAG ATCTGTTTCT ATATAACTTT GGGAGATTTT CAGATCTTTT CTGTTAAACT 840 60 TTCACTACTA TTAATGCTGT ATACACCAAT AGACTTTCAT ATATTTTCTG TTGTTTTTAA 900 AATAGTTTTC AGAATTATGC AAGTAATAAG TGCATGTATG CTCACTGTCA AAAATTCCCA 960 ACACTAGAAA ATCATGTAGA ATAAAAATTT TAAATCTCAC TTCACTTAGC CGACATTCCA 1020 65 TGCCCTGACC AATCCTACTG CTTTTCCTAA AAACAGAATA ATTTGGTGTG CATTCTTTCA 1080 GACTITITCC TATACATTIT ATATGTAGAA ATGTAGCAAT GTATTTGTAT AGATGTGATC 1140 ATTCCTATAT TGTTATTGAT TTTTTTCACT TAATAAAAAT TCACCTTATT CCTT Seq ID NO: 52 Protein sequence: 70 XP\_059098.1 Protein Accession #: 31 41 MSYTTMCIKE TCRLIPAVPS ISRDLSKPLT FPDGCTLPAG ITVVLSIWGL HHNPAVWKNP 60 75 KVFDPLRFSQ ENSDQRHPYA YLPFSAGSRN CIGQEFAMIE LKVTIALILL HFRVTPDPTR 120 PLTFPNHFIL KPKNGMYLHL KKLSEC

NM\_030916 Coding sequence: 1-1533 (underlined sequences correspond to start and stop codons) 5 ATGCCCCTGT CCCTGGGAGC CGAGATGTGG GGGCCTGAGG CCTGGCTGCT GCTGCTGCTA 60
CTGCTGGCAT CATTTACAGG CCGGTGCCCC GCGGTGAGC TGGAGACCTC AGACGTGGTA 120
ACTGTGGTGC TGGGCCAGGA CGCAAAACTG CCCTGCTTCT ACCGAGGGGA CTCCGGCGAG 180
CAAGTGGGGC AAGTGGCATG GGCTCGGGTG GACGCGGCG AAGGCGCCCA GGAACTAGCG 240 10 CTACTGCACT CCAAATACGG GCTTCATGTG AGCCCGGCTT ACGAGGGCCG CGTGGAGCAG 300 CCGCCGCCC CACGCAACCC CCTGGACGGC TCAGTGCTCC TGCGCAACGC AGTGCAGGCG 360 GATGAGGGCG AGTACGAGTG CCGGGTCAGC ACCTTCCCCG CCGGCAGCTT CCAGGCGCGG 420 CTGCGGCTCC GAGTGCTGGT GCCTCCCTG CCCTCACTGA ATCCTGGTCC AGCACTAGAA 480 GAGGGCAGG GCCTGACCCT GGCAGCCTCC TGCACAGCTG AGGGCAGCC AGCACTAGAA 480
GAGGGCCAGG GCCTGACCCT GGCAGCCTCC TGCACAGCTG AGGGCAGCC AGCCCCCAGC 540
GTGACCTGGG ACACGGAGGT CAAAGGCACA ACGTCCAGCC GTTCCTTCAA GCACTCCCGC 600
TCTGCTGCCG TCACCTCAGA GTTCCACTTG GTGCCTAGCC GCAGCATGAA TGGGCAGCCA 660
CTGACTTGTG TGGTGTCCCA TCCTGGCCTG CTCCAGGACC AAAGGATCAC CCACATCCTC 720
CACGTGTCCT TCCTTGCTGA GGCCTCTGTG AGGGGCCTTG AAGACCAAAA TCTGTGGCAC 780 15 20 ATTGGCAGAG AAGGAGCTAT GCTCAAGTGC CTGAGTGAAG GGCAGCCCCC TCCCTCATAC AACTGGACAC GGCTGGATGG GCCTCTGCCC AGTGGGGTAC GAGTGGATGG GGACACTTTG 900 GGCTTTCCCC CACTGACCAC TGAGCACAGC GGCATCTACG TCTGCCATGT CAGCAATGAG 960 TTCTCCTCAA GGGATTCTCA GGTCACTGTG GATGTTCTTG ACCCCCAGGA AGACTCTGGG 1020 AAGCAGGTGG ACCTAGTGTC AGCCTCGGTG GTGGTGGTGG CCCCGAGTCTTG 1080
TTCTGCCTTC TGGTGGTGGT GGTGGTGCTC ATGTCCCGAT ACCATCGGCG CAAGGCCCAG 1140
CAGATGACCC AGAAATATGA GGAGGAGCTG ACCCTGACCA GGGAGAACTC CATCCGGAGG 1200
CTGCATTCCC ATCACACGGA CCCCAGGAGC CAGCCGGAGG AGAGTGTAGG GCTGAGAGCC 1260
GAGGGCCACC CTGATAGTCT CAAGGACAAC AGTAGCTGCT CTGTGATGAG TGAAGAGCCC 1320 25 GAGGGCCGCA GTTACTCCAC GCTGACCACG GTGAGGGAGA TAGAAACACA GACTGAACTG 1380 30 CTGTCTCCAG GCTCTGGGCG GGCCGAGGAG GAGGAAGATC AGGATGAAGG CATCAAACAG 1440 GCCATGAACC ATTITGTTCA GGAGAATGGG ACCCTACGGG CCAAGCCCAC GGGCAATGGC 1500 ATCTACATCA ATGGGCGGGG ACACCTGGTC TGA Seq 1D NO: 54 <u>Protein sequence:</u>
Protein Accession #: NP\_112178.1 35 MPLSLGAEMW GPEAWLLLLL LLASFTGRCP AGELETSDVV TVVLGQDAKL PCFYRGDSGE 60 QVGQVAWARV DAGEGAQELA LLHSKYGLHV SPAYEGRVEQ PPPPRNPLDG SVLLRNAVOA 40 DEGEYECRVS TFPAGSFQAR LRLRVLVPPL PSLNPGPALE EGQGLTLAAS CTAEGSPAPS 180 VTWDTEVKGT TSSRSFKHSR SAAVTSEFHL VPSRSMNGQP LTCVVSHPGL LQDQRITHIL 240 HVSFLAEASV RGLEDQNLWH IGREGAMLKC LSEGQPPPSY NWTRLDGPLP SGVRVDGDTL 300 GFPPLTTEHS GIYVCHVSNE FSSRDSQVTV DVLDPQEDSG KQVDLVSASV VVVGVIAALL 360 45 FCLLVVVVL MSRYHRRKAQ QMTQKYEEEL TLTRENSIRR LHSHHTDPRS QPEESVGLRA 420 EGHPDSLKDN SSCSVMSEEP EGRSYSTLTT VREIETQTEL LSPGSGRAEE EEDQDEGIKQ 480 AMNHFVQENG TLRAKPTGNG IYINGRGHLV Seq ID NO: 55 DNA sequence 50 AF007170.1 Nucleic Acid Accession #: Coding sequence: 73-1725 (underlined sequences correspond to start and stop codons) 55 AAGGAGGCGG CCTCCGGGAA AAGCGACCGC AGGACTCCTG AGAGCAGCCT CCATGAGGCC 60 CTGGACCAGT GC<u>ATG</u>ACCGC CCTGGACCTC TTCCTCACCA ACCAGTTCTC AGAAGCACTC 120 AGCTACCTCA AGCCCAGAAC CAAGGAAAGC ATGTACCACT CACTGACATA TGCCACCATC 180 CTGGAGATGC AGGCCATGAT GACCTTTGAC CCTCAGGACA TCCTGCTTGC CGGCAACATG 240 ATGAAGGAGG CACAGATGCT GTGTCAGAGG CACCGGAGGA AGTCTTCTGT AACAGATTCC 60 TTCAGCAGCC TGGTGAACCG CCCCACGCTG GGCCAATTCA CTGAAGAAGA AATCCACGCT 360 GAGGTCTGCT ATGCAGAGTG CCTGCTGCAG CGAGCAGCCC TGACCTTCCT GCAGGACGAG 420 AACATGGTGA GCTTCATCAA AGGCGGCATC AAAGTTCGAA ACAGCTACCA GACCTACAAG

GAGCTGGACA GCCTTGTTCA GTCCTCACAA TACTGCAAGG GTGAGAACCA CCCGCACTT

540


GAAGGAGGAG TGAAGCTTGG TGTAGGGGCC TTCAACCTGA CACTGTCCAT GCTTCCTACT

AGGATCCTGA GGCTGTTGGA GTTTGTGGGG TTTTCAGGAA ACAAGGACTA TGGGCTGCTG

CAGCTGGAGG AGGGAGCGTC AGGGCACAGC TTCCGCTCTG TGCTCTGTGT CATGCTCCTG

720 65 CTGTGCTACC ACACCTTCCT CACCTTCGTG CTCGGTACTG GGAACGTCAA CATCGAGGAG 780 CTGTGCTACC ACACCITCCT CACCITICGTG CTCGGTACTG GGAACGTCAA CATCGAGGAG 780
GCCGAGAAGC TCTTGAAGCC CTACCTGAAC CGGTACCCTA AGGGTGCAT CTTCCTGTTC 840
TTTGCAGGGA GGATTGAAGT CATTAAAGGC AACATTGATG CAGCCATCCG GCGTTTCGAG 900
GAGTGCTGTG AGGCCCAGCA GCACTGGAAG CAGTTTCACC ACATGTGCTA CTGGGAGCTG 960
ATGTGGTGCT TCACCTACAA GGGCCAGTGG AAGATGTCCT ACTTCTACGC CGACCTGCTC 1020
AGCAAGGAGA ACTGCTGGTC CAAGGCCACC TACATTTACA TGAAGGCCGC CTACCTCAGC 1080
ATGTTTGGGA AGGAGGACCA CAAGCCGTTC GGGGACGACG AAGTGGAATT ATTTCGAGCT 1140 70 GTGCCAGGCC TGAAGCTCAA GATTGCTGGG AAATCTCTAC CCACAGAGAA GTTTGCCATC 1200 CGGAAGTCCC GGCGCTACTT CTCCTCCAAC CCTATCTCGC TGCCAGTGCC TGCTCTGGAA 1260 75 ATGATGTACA TCTGGAACGG CTACGCCGTG ATTGGGAAGC AGCCGAAACT CACGGATGGG 1320 ATACTTGAGA TTATCACTAA GGCTGAAGAG ATGCTGGAGA AAGGCCCAGA GAACGAGTAC 1380 371


Seo ID NO: 53 DNA sequence Nucleic Acid Accession #:



Coding sequence: 1-1362(underlined sequences correspond to start and stop codons) 51 31 5 ATGGGGGAAA ATGATCCGCC TGCTGTTGAA GCCCCCTTCT CATTCCGATC GCTTTTTGGC CTTGATGATT TGAAAATAAG TCCTGTTGCA CCAGATGCAG ATGCTGTTGC TGCACAGATC 120 CTGTCACTGC TGCCATTGAA GTTTTTTCCA ATCATCGTCA TTGGGATCAT TGCATTGATA 180 TTAGCACTGG CCATTGGTCT GGGCATCCAC TTCGACTGCT CAGGGAAGTA CAGATGTCGC 240 TCATCCTTTA AGTGTATCGA GCTGATAGCT CGATGTGACG GAGTCTCGGA TTGCAAAGAC 300 GGGGAGGACG AGTACCGCTG TOTCCGGGTG GGTGGTCAGA ATGCCGTGCT CCAGGTGTTC 360
ACAGCTGCTT CGTGGAAGAC CATGTGCTCC GATGACTGGA AGGGTCACTA CGCAAATGTT 420
GCCTGTGCCC AACTGGGTTT CCCAAGCTAT GTGAGTTCAG ATAACCTCAG AGTGAGCTCG 480
CTGGAGGGGC AGTTCCGGGA GGAGTTTGTG TCCATCGATC ACCTCTTGCC AGATGACAAG 540 10 GTGACTGCAT TACACCACTC AGTATATGTG AGGGAGGGAT GTGCCTCTGG CCACGTGGTT 600 15 ACCTTGCAGT GCACAGCCTG TGGTCATAGA AGGGGCTACA GCTCACGCAT CGTGGGTGGA 660 AACATGTCCT TGCTCTCGCA GTGGCCCTGG CAGGCCAGCC TTCAGTTCCA GGGCTACCAC 720 CTGTGCGGGG GCTCTGTCAT CACGCCCCTG TGGATCATCA CTGCTGCACA CTGTGTTTAT 780 CAGCCCCAT CCCCAAGTC ATGGACCATC CAGGTGGGTC TAGTTTCCCT GTTGGACAAT 840
CCAGCCCCAT CCCACTTGGT GGAGAAGATT GTCTACCACA GCAAGTACAA GCCAAAGAGG 900
CTGGGCAATG ACATCGCCCT TATGAAGCTG GCCGGGCCAC TCACGTTCAA TGAAATGATC 960
CAGCCTGTGT GCCTGCCCAA CTCTGAAGAG AACTTCCCCG ATGGAAAAGT GTGCTGGACG 1020
TCAGGATGGG GGGCCACAGA GGATGGAGGT GACGCCTCCC CTGTCCTGAA CCACGCGGCC 1080 20 GTCCCTTTGA TTTCCAACAA GATCTGCAAC CACAGGGACG TGTACGGTGG CATCATCTCC 1140 CCCTCCATGC TCTGCGCGGG CTACCTGACG GGTGGCGTGG ACAGCTGCCA GGGGGACAGC 1200 25 GGGGGCCCC TGGTGTGTCA AGAGAGGAGG CTGTGGAAGT TAGTGGGAGC GACCAGCTTT 1260 GGCATCGGCT GCGCAGAGGT GAACAAGCCT GGGGTGTACA CCCGTGTCAC CTCCTTCCTG 1320 GACTGGATCC ACGAGCAGAT GGAGAGAGAC CTAAAAACC<u>T GA</u> Seq ID NO: 60 <u>Protein sequence</u> Protein Accession #: NP\_076927 30 51 MGENDPPAVE APFSFRSLFG LDDLKISPVA PDADAVAAQI LSLLPLKFFP IIVIGIIALI 60 TAASWKTMCS DDWKGHYANV ACAQLGFPSY VSSDNLRVSS LEGGFREEFV SIDHLLPDDK 180 35 VTALHHSVYV REGCASGHVV TLQCTACGHR RGYSSRIVGG NMSLLSQWPW QASLQFQGYH 240 LCGGSVITPL WIITAAHCVY DLYLPKSWTI QVGLVSLLDN PAPSHLVEKI VYHSKYKPKR 300 LGNDIALMKL AGPLTFNEMI QPVCLPNSEE NFPDGKVCWT SGWGATEDGG DASPVLNHAA 360 VPLISNKICN HRDVYGGIIS PSMLCAGYLT GGVDSCQGDS GGPLVCQERR LWKLVGATSF 420 GIGCAEVNKP GVYTRVTSFL DWIHEQMERD LKT 40 Seq ID NO: 61 DNA sequence NM\_006475 Nucleic Acid Accession #: 45 Coding sequence: 28-2538 (underlined sequences correspond to start and stop codons) AACAGAACTG CAACGGAGAG ACTCAAG<u>ATG</u> ATTCCCTTTT TACCCATGTT TTCTCTACTA 60 TTGCTGCTTA TTGTTAACCC TATAAACGCC AACAATCATT ATGACAAGAT CTTGGCTCAT 120 AGTCGTATCA GGGGTCGGGA CCAAGGCCCA AATGTCTGTG CCCTTCAACA GATTTTGGGC 180 50 ACCAAAAAGA AATACTTCAG CACTTGTAAG AACTGGTATA AAAAGTCCAT CTGTGGACAG 240 AAAACGACTG TTTTATATGA ATGTTGCCCT GGTTATATGA GAATGGAAGG AATGAAAGGC 300
TGCCCAGCAG TTTTGCCCAT TGACCATGTT TATGGCACTC TGGGCATCGT GGGAGCCACC 360
ACAACGCAGC GCTATTCTGA CGCCTCAAAA CTGAGGGAGG AGATCGAGGG AAAGGGATCC 420
TTCACTTACT TTGCACCGAG TAATGAGGCT TGGGACAACT TGGATTCTGA TATCCGTAGA 480
GGTTTGGAGG GCAACGTGAA TGTTGAATTA CTGAATGCTT TACATAGTCA CATGATTAAT 540 55 AAGAGAATGT TGACCAAGGA CTTAAAAAAT GGCATGATTA TTCCTTCAAT GTATAACAAT 600 TTGGGGCTTT TCATTAACCA TTATCCTAAT GGGGTTGTCA CTGTTAATTG TGCTCGAATC 660 60 ATCCATGGGA ACCAGATTGC AACAAATGGT GTTGTCCATG TCATTGACCG TGTGCTTACA 720 CAAATTIGGTA CCTCAATTCA AGACTTCATT GAAGCAGAAG ATGACCTTTC ATCTTTTAGA 780
GCAGCTGCCA TCACATCGGA CATATTGAGA GCCCTTTGGAA GAGACGGTCA CTTCACACTC 840
TTTGCTCCCA CCAATGAGGC TTTTGAGAAA CTTCCACGAG GTGTCCTAGA AAGGTTCATG 900
GGAGACAAAG TGGCTTCCGA AGCTCTTATG AAGTACCACA TCTTAAATAC TCTCCAGTGT 960 65 TCTGAGTCTA TTATGGGAGG AGCAGTCTTT GAGACGCTGG AAGGAAATAC AATTGAGATA 1020 GGATGTGACG GTGACAGTAT AACAGTAAAT GGAATCAAAA TGGTGAACAA AAAGGATATT 1080 GTGACAAATA ATGGTGTGAT CCATTTGATT GATCAGGTCC TAATTCCTGA TTCTGCCAAA 1140 CAAGTTATTG AGCTGGCTGG AAAACAGCAA ACCACCTTCA CGGATCTTGT GGCCCAATTA 1200
GGCTTGGCAT CTGCTCTGAG GCCAGATGGA GAATACACCTT TGCTGGCACC TGTGAATAAT 1260
GCATTTTCTG ATGATACTCT CAGCATGGTT CAGCGCCTCC TTAAATTAAT TCTGCAGAAT 1320
CACATATTGA AAGTAAAAGT TGGCCTTAAT GAGCTTTACA ACGGGCAAAT ACTGGAAACC 1380
ATCGGAGGCA AACAGCTCAG AGTCTTCGTA TATCGTACAG CTGTCTGCAT TGAAAATTCA 1440 70 TGCATGGAGA AAGGGAGTAA GCAAGGGAGA AACGGTGCGA TTCACATATT CCGCGAGATC 1500 ATCAAGCCAG CAGAGAAATC CCTCCATGAA AAGTTAAAAC AAGATAAGCG CTTTAGCACC 1560

TTCCTCAGCC TACTTGAAGC TGCAGACTTG AAAGAGCTCC TGACACAACC TGGAGACTGG 1620 ACATTATTTG TGCCAACCAA TGATGCTTTT AAGGGAATGA CTAGTGAAGA AAAAGAAATT 1680 CTGATACGGG ACAAAAATGC TCTTCAAAAC ATCATTCTTT ATCACCTGAC ACCAGGAGTT 1740

TTCATTGGAA AAGGATTTGA ACCTGGTGTT ACTAACATTT TAAAGACCAC ACAAGGAAGC 1800 AAAATCTTTC TGAAAGAAGT AAATGATACA CTTCTGGTGA ATGAATTGAA ATCAAAAGAA 1860 TCTGACATCA TGACAACAAA TGGTGTAATT CATGTTGTAG ATAAACTCCT CTATCCAGCA 1920 GACACACCTG TTGGAAATGA TCAACTGCTG GAAATACTTA ATAAATTAAT CAAATACATC 1980 5 CAAATTAAGT TTGTTCGTGG TAGCACCTTC AAAGAAATCC CCGTGACTGT CTATACAACT 2040 AAAATTATAA CCAAAGTTGT GGAACCAAAA ATTAAAGTGA TTGAAGGCAG TCTTCAGCCT 2100 ATTATCAAAA CTGAAGGACC CACACTAACA AAAGTCAAAA TTGAAGGTGA ACCTGAATTC 2160 AGACTGATTA AAGAAGGTGA AACAATAACT GAAGTGATCC ATGGAGAGCC AATTATTAAA 2220 AAATACACCA AAATCATTGA TGGAGTGCCT GTGGAAATAA CTGAAAAAGA GACACGAGAA 2280 GAACGAATCA TTACAGGTCC TGAAATAAAA TACACTAGGA TTTCTACTGG AGGTGGAGAA 2340 ACAGAAGAA CTCTGAAGAA ATTGTTACAA GAAGAGGTCA CCAAGGTCAC CAAATTCATT 2400 10 GAAGGTGGTG ATGGTCATTT ATTTGAAGAT GAAGAAATTA AAAGACTGCT TCAGGGAGAC 2460 ACACCCGTGA GGAAGTTGCA AGCCAACAAA AAAGTTCAAG GTTCTAGAAG ACGATTAAGG 2520 GAAGGTCGTT CTCAG<u>TGA</u>AA ATCCAAAAAC CAGAAAAAAA TGTTTATACA ACCCTAAGTC 2580 15 AATAACCTGA CCTTAGAAAA TTGTGAGAGC CAAGTTGACT TCAGGAACTG AAACATCAGC 2640 ACAAAGAAGC AATCATCAAA TAATTCTGAA CACAAATTTA ATATTTTTT TTCTGAATGA 2700 GAAACATGAG GGAAATTGTG GAGTTAGCCT CCTGTGGTAA AGGAATTGAA GAAAATATAA 2760 CACCTTACAC CCTTTTTCAT CTIGACATTA AAAGTTCTGG CTAACTTTGG AATCCATTAG 2820
AGAAAAATCC TTGTCACCAG ATTCATTACA ATTCAAATCG AAGAGTTGTG AACTGTTATC 2880
CCATTGAAAA GACCGAGCCT TGTATGTATG TTATGGATAC ATAAAATGCA CGCAAGCCAT 2940
TATCTCTCCA TGGGAAGCTA AGTTATAAAA ATAGGTGCTT GGTGTACAAA ACTTTTTATA 3000 20 TCAAAAGGCT TTGCACATTT CTATATGAGT GGGTTTACTG GTAAATTATG TTATTTTTA 3060 CAACTAATTT TGTACTCTCA GAATGTTTGT CATATGCTTC TTGCAATGCA TATTTTTTAA 3120 TCTCAAACGT TTCAATAAAA CCATTTTTCA GATATAAAGA GAATTACTTC AAATTGAGTA 3180 25 ATTCAGAAAA ACTCAAGATT TAAGTTAAAA AGTGGTTTGG ACTTGGGAA Seq ID NO: 62 Protein sequence: NP\_006466 Protein Accession #: 30 31 MIPFLPMFSL LLLLIVNPIN ANNHYDKILA HSRIRGRDQG PNVCALQQIL GTKKKYFSTC 60 KNWYKKSICG QKTTVLYECC PGYMRMEGMK GCPAVLPIDH VYGTLGIVGA TTTQRYSDAS 120 KLREEIEGKG SFTYFAPSNE AWDNLDSDIR RGLESNVNVE LLNALHSHMI NKRMLTKDLK 180 NGMIIPSMYN NLGLFINHYP NGVVTVNCAR IIHGNQIATN GVVHVIDRVL TQIGTSIQDF 240 35 IEAEDDLSSF RAAAITSDIL EALGRDGHFT LFAPTNEAFE KLPRGVLERF MGDKVASEAL 300 MKYHILNTLQ CSESIMGGAV FETLEGNTIE IGCDGDSITV NGIKMVNKKD IVTNNGVIHL 360 MKYHILNILQ CSESIMGGAV FETLEGNTIE IGCDGDSITV NGIKMVNKKD IVTNNGVIHL 360
IDQVLIPDSA KQVIELAGKQ QTTFTDLVAQ LGLASALRPD GEYTLLAPVN NAFSDDTLSM 420
VQRLLKLILQ NHILKVKVGL NELYNGQILE TIGGKQLRVF VYRTAVCIEN SCMEKGSKQG 480
RNGAIHIFRE IIKPAEKSLH EKLKQDKRFS TFLSLLEAAD LKELLTQPGD WTLFVPTNDA 540
FKGMTSEEKE ILIRDKNALQ NIILYHLTPG VFIGKGFEPG VTNILKTTQG SKIFLKEVND 600
TLLVNELKSK ESDIMTTNGV IHVVDKLLYP ADTPVGNDQL LEILNKLIKY IQIKFVRGST 660
FKEIPVTVYT TKIITKVVEP KIKVIEGSLQ PIIKTEGPTL TKVKIEGEPE FRLIKEGETI 720 40 TEVIHGEPII KKYTKIIDGV PVEITEKETR EERIITGPEI KYTRISTGGG ETEETLKKLL 780 45 QEEVTKVTKF IEGGDGHLFE DEEIKRLLQG DTPVRKLQAN KKVQGSRRRL REGRSQ Seq ID NO: 63 DNA sequence Nucleic Acid Accession #: NM 020974 Coding sequence: 81-3080 (underlined sequences correspond to start and stop codons) 50 11 41 GGCGTCCGCG CACACCTCCC CGCGCCGCCG CCGCCACCGC CCGCACTCCG CCGCCTCTGC GCGTCCGCG CACACCTCCC CGCGCCGCG CCGCACCGC CCGCACTCCG CCGCCTCTGC 60
CCGCAACCGC TGAGCCATCC ATGGGGGTCG CGGCCGCAA CCGTCCCGGG GCGGCTTGGG 120
CGGTGCTGCT GCTGCTGCTG CTGCTGCCGC CACTGCTGCT GCTGGCGGGG GCCGTCCCGC 180
CGGGTCGGGG CCGTGCCGCG GGGCCGCAGG AGATGTAGA TGAGTGTGCC CAAGGGCTAG 240
ATGACTGCCA TGCCGACGCC CTGTGTCAGA ACACACCCAC CTCCTACAAG TGCTCCTGCA 300 55 AGCCTGGCTA CCAAGGGGAA GGCAGGCAGT GTGAGGACAT CGATGAATGT GGAAATGAGC 360 TCAATGGAGG CTGTGTCCAT GACTGTTTGA ATATTCCAGG CAATTATCGT TGCACTTGTT 420 TTGATGGCTT CATGTTGGCT CATGACGGTC ATAATTGTCT TGATGTGGAC GAGTGCCTGG 480 60 AGAACAATGG CGCTGCCAG CATACCTGT TCAACGTCAT GAGGGGAGCTAT GAGTGCTGG 460
GCAAGGAGGG GTTTTTCCTG AGTGACAACATCAT GAGGAGCTAT GAGTGCTGCT 540
GCAAGGAGGG GTTTTTCCTG AGTGACAATC AGCACACCTG CATTCACCGC TCGGAAGAGG 660
GCCTGAGCTG CATGAATAAG GATCACGGCT GTAGTCACAT CTGCAAGGAG GCCCCAAGGG 660
GCAGCGTCGC CTGTGAGTGC AGGCCTGGTT TTGAGCTGGC CAAGAACCAG AGAGACTGCA 720 65 TCTTGACCTG TAACCATGGG AACGGTGGGT GCCAGCACTC CTGTGACGAT ACAGCCGATG 780 GCCCAGAGTG CAGCTGCCAT CCACAGTACA AGATGCACAC AGATGGGAGG AGCTGCCTTG 840 AGCGAGAGGA CACTGTCCTG GAGGTGACAG AGAGCAACAC CACATCAGTG GTGGATGGGG 900 AGCGAGGGG CACTGCCTG GAGGTGACAG AGAGCAACAC CACATCAGTG GTGGATGGGG 900
ATAAACGGGT GAAACGGCGG CTGCTCATGG AAACGTGTGC TGTCAACAAT GGAGGCTTGTG 960
ACCGCACCTG TAAGGATACT TCGACAGGTG TCCACTGCAG TTGTCCTGTT GGATTCACTC 1020
TCCAGTTGGA TGGGAAGACA TGTAAAGATA TTGATGAGTG CCAGACCCGC AATGGAGGTT 1080
GTGATCATTT CTGCAAAAAC ATCGTGGGCA GTTTTGACTG CGGCTGCAAG AAAGGATTTA 1140
AATTATTAAC AGATGAGAAG TCTTGCCAAG ATGTGGATGA GTGCTCTTTTG GATAGGACCT 1200
GTGACCACAG CTGCATCAAC CACCCTGGCA CATTTGCTTG TGCTTGCAAC CGAGGGTACA 1260 70 CCCTGTATGG CTTCACCCAC TGTGGAGACA CCAATGAGTG CAGCATCAAC AACGGAGGCT 1320 GTCAGCAGGT CTGTGTGAAC ACAGTGGGCA GCTATGAATG CCAGTGCCAC CCTGGGTACA 1380 AGCTCCACTG GAATAAAAAA GACTGTGTGG AAGTGAAGGG GCTCCTGCCC ACAAGTGTGT 1440 75 CACCCCGTGT GTCCCTGCAC TGCGGTAAGA GTGGTGGAGG AGACGGGTGC TTCCTCAGAT 1500



CTACACACCA CCCCTGCCAT CTTGCTCAAG GAGATCATAC TGGTGGATGA TGCCAGCACA 660 GAGGAGCACC TAAAGGAGAA GCTGGAGCAG TACGTGAAGC AGCTGCAGGT GGTGAGGGTG 720 GTGCGGCAGG AGGAGCGGAA GGGGTTGATC ACCGCCCGGC TGCTGGGGGC CAGCGTGGCA 780 5 CAGGCGGAGG TGCTCACGTT CCTGGATGCC CACTGTGAGT GCTTCCACGG CTGGCTGGAG 840 CCCCTCCTGG CTCGAATCGC TGAGGACAAG ACAGTGGTGG TGAGCCCAGA CATCGTCACC 900 ATGACCTTA ATACTTTTGA GTTCGCCAAG CCCGTCCAGA GGGGCAGAGT CCATAGCCGA 960
GGCAACTTTG ACTGGAGCCT GACCTTCGGC TGGGAAACAC TTCCTCCACA TGAGAAGCAG 1020
AGGCGCAAGG ATGAAACATA CCCCATCAAA TCCCCGACGT TTGCTGGTGG CCTCTTCTCC 1080
ATCCCCAAGT CCTACTTTGA GCACATCGGT ACCTATGATA ATCAGATGGA GATCTGGGGA 1140
GGGGAGAACG TGGAAATGTC CTTCCGGGTG TGGCAGTGTG GGGGCCAGCT GGAGATCATC 1200 10 CCCTGCTCTG TCGTAGGCCA TGTGTTCCGG ACCAAGAGCC CCCACACCTT CCCCAAGGGC 1260 ACTAGTGTCA TTGCTCGCAA TCAAGTGCGC CTGGCAGAGG TCTGGATGGA CAGCTACAAG 1320 15 CAGAGGGACC TICGCCACAA CATCGCAAAG CAGCTGTGTC TACATGTCAG CAAGGGTGCT 1680 20 CTGGGCCTTG GGAGCTGTCA CTTCACTGGC AAGAATAGCC AGGTCCCCAA GGACGAGGAA 1740 TGGGAATTGG CCCAGGATCA GCTCATCAGG AACTCAGGAT CTGGTACCTG CCTGACATCC 1800 CAGGACAAAA AGCCAGCCAT GGCCCCCTGC AATCCCAGTG ACCCCCATCA GTTGTGGCTC 1860 TTTGTCTAGG ACCCAGATCA TCCCCAGAGA GAGCCCCCAC AAGCTCCTCA GGAAACAGGA 1920
TTGCTGATGT CTGGGAACCT GATCACCAGC TTCTCTGGAG GCCGTAAAGA TGGATTTCTA 1980
AACCCACTGG GTGGCAAGGC AGGACCTTCC TAATCCTTGC AACAACATTG GGCCCATTTT 2040 25 CTITCCTTCA CACCGATGGA AGAGACCATT AGGACATATA TITAGCCTAG CGTITTCCTG 2100 TTCTAGAAAT AGAGGCTCCC AAAGTAGGGA AGGCAGCTGG GGGAGGGTTC AGGGCAGCAA 2160 TGCTGAGTTC AAGAAAAGTA CTTCAGGCTG GGCACAGTGG CTCATGCCTG AAATCCTAGC 2220 ACTITGGGAA GACAATGTGG GAGAATGGCT TGAGCCCAGG AGTTCAAGAC CGGCCTGAGC 2280
AACATAGTGA GGATCCATC TCTACGCCCA CCCTCCCCC GGCAAAAAAA AAAGCTGGGT 2340
ATGGTGGCTT ATGCCTGTAG TCGCAGCTAC TCAGAAGGCT GAGGTGGGAG GATTGCTTGT 2400
TCCCCGGAGG TTGAAGCTAC AGTGAGCCTT GATTGTGTCA CTGCACTCCA GCCTGGGCAA 2460
CAGGTAAGAC TCTGTCTCAA AAAAAAAACA AAAAAGAAGA AGAAAAGTAC TTCTACAGCC 2520 30 ATGTCCTATT CCTTGATCAT CCAAAGCACC TGCAGAGTCC AGTGAAATGA TATATTCTGG 2580 35 CTGGGCACAG TGGCTCACAC CTGTAATCCT AGCACTTTGG GAGGCCAAGG CAGGTGGATC 2640 ACCTGAGGTC AGAAGTTTGA AACCAGCCTG GACTACATGG TGAAACTCCA TCTCTACTAA 2700 AAGTACAAAA ATTAGCTGGG CATGATGGCA CGCACCTGCA GTCCCAGCTA CTTGGGAGGC 2760 TGAGGCAGGA GAATCACTCG AACCCAGGAG GCAGAGGTTG CAGTGAGCCA AGACAGCACC 2820 ATTGCACCCC AGCCTGAGCA ACAAGAGCGA AACTCCATCT CAGGAAAAAA AAAAAAAAA 2880 40 Seq ID NO: 66 Protein sequence Protein Accession #: NP 009141 45 11 21 31 41 51 MRLLRRRHMP LRLAMVGCAF VLFLFLLHRD VSSREEATEK PWLKSLVSRK DHVLDLMLEA 60 MNNLRDSMPK LQIRAPEAQQ TLFSINQSCL PGFYTPAELK PFWERPPQDP NAPGADGKAF 120 QKSKWTPLET QEKEEGYKKH CFNAFASDRI SLQRSLGPDT RPPECVDQKF RRCPPLATTS 180 50 VIIVFHNEAW STLLRTVYSV LHTTPAILLK EIILVDDAST EEHLKEKLEQ YVKQLQVVRV 240
VRQEERKGLI TARLLGASVA QAEVLTFLDA HCECFHGWLE PLLARIAEDK TVVVSPDIVT 300
IDLNTFEFAK PVQRGRVHSR GNFDWSLTFG WETLPPHEKQ RRKDETYPIK SPTFAGGLFS 360
PKSYFEHIG TYDNQMEIWG GENVEMSFRV WQCGGQLEII PCSVVGHVFR TKSPHTFPKG 420 TSVIARNQVR LAEVWMDSYK KIFYRRNLQA AKMAQEKSFG DISERLOLRE OLHCHNFSWY 480 55 LHNVYPEMFV PDLTPTFYGA IKNLGTNQCL DVGENNRGGK PLIMYSCHGL GGNQYFEYTT 540 QRDLRHNIAK QLCLHVSKGA LGLGSCHFTG KNSQVPKDEE WELAQDQLIR NSGSGTCLTS 600 QDKKPAMAPC NPSDPHQLWL FV Sea ID NO: 67 DNA sequence 60 Nucleic Acid Accession #: NM 014112 Coding sequence: 600-4484 (underlined sequences correspond to start and stop codons) 65 70 CTCCCCCCG CAATAATCCA AGATCAACTC TGCAAACAAC AGAAGACGGT TCATGGCTTT 420 GGCCGCCGCG CCACCATCTT TCGGGCTGCC GAGGGTGTTC TTGACGATTA ATCAACAGAT 480 GTACAGATCA GCTCTCAAAA TGTCTTCTGT GTCTTCTGAG CGTCTTCTAA GACAATTGCA 540
TTAGCCTCCT GCTAGTTGAC TAATAGAATT AATAATTGTA AAAAGCACTC TAAAGCCACA 600
TGCCTTATGA AGTCAATGCT GGGTATGATT TTACAAATAT GGTCCGGAAA AAGAACCCCC 660 75 CTCTGAGAAA CGTTGCAAGT GAAGGCGAGG GCCAGATCCT GGAGCCTATA GGTACAGAAA 720

GCAAGGTATC TGGAAAGAAC AAAGAATTCT CTGCAGATCA GATGTCAGAA AATACGGATC 780

GTGATCATTG TGTTCCACAA CGAAGCCTGG TCCACACTGC TGCGAACAGT GTACAGCGTC 600

AGAGTGATGC TGCAGAACTA AATCATAAGG AGGAACATAG CTTGCATGTT CAAGATCCAT 840 CTTCTAGCAG TAAGAAGGAC TTGAAAAGCG CAGTTCTGAG TGAGAAGGCT GGCTTCAATT ATGAAGCCC CAGTAAGGGA GGAAACTTTC CCTCCTTTCC GCATGATGAG GTGACAGACA 960
GAAATATGTT GCCTTCTCA TTTCCAGCTG CTGGGGGAGT CTGTGAGCCC TTGAAGTCTC 1020
CGCAAAGAGC AGAGGCAGAT GACCCTCAAG ATATGGCCTG CACCCCCTCA GGGGACTCAC 1080
TGGAGACAAA GGAAGATCAG AAGATGTCAC CAAAGGCTAC AGAGGAAACA GGGCAAGCAC 1140 5 AGAGTGGTCA AGCCAATTGT CAAGGTTTGA GCCCAGTTTC AGTGGCCTCA AAAAACCCAC 1200 AAGTGCCTTC AGATGGGGGT GTAAGACTGA ATAAATCCAA AACTGACTTA CTGGTGAATG 1260 ACAACCCAGA CCCGGCACCT CTGTCTCCAG AGCTTCAGGA CTTTAAATGC AATATCTGTG 1320 10 GATATGGTTA CTACGGCAAC GACCCCACAG ATCTGATTAA GCACTTCCGA AAGTATCACT 1380 TAGGACTGCA TAACCGCACC AGGCAAGATG CTGAGCTGGA CAGCAAAATC.TTGGCCCTTC 1440
ATAACATGGT GCAGTTCAGC CATTCCAAAG ACTTCCAGAA GGTCAACCGT TCTGTGTTTT 1500
CTGGTGTGCT GCAGGACATC AATTCTTCAA GGCCTGTTTT ACTAAATGGG ACCTATGATG 1560
TGCAGGTGAC TTCAGGTGGA ACATTCATTG GCATTGGACG GAAAAACACA GATTGCCAAG 1620 15 GGAACACCAA GTATTTCCGC TGTAAATTCT GCAATTTCAC TTATATGGGC AACTCATCCA 1680 CCGAATTAGA ACAACATTTT CTTCAGACTC ACCCAAACAA AATAAAAGCT TCTCTCCCCT 1740 CCTCTGAGGT TGCAAAACCT TCAGAGAAAA ACTCTAACAA GTCCATCCCT GCACTTCAAT 1800 CCAGTGATTC TGGAGACTTG GGAAAATGGC AGGACAAGAT AACAGTCAAA GCAGGAGATG 1860 ACACTCCTGT TGGGTACTCA GTGCCCATAA AGCCCCTCGA TTCCTCTAGA CAAAATGGTA 1920 20 CAGAGGCCAC CAGTTACTAC TGGTGTAAAT TTTGTAGTTT CAGCTGTGAG TCATCTAGCT 1980
CACTTAAACT GCTAGAACAT TATGGCAAGC AGCACGGAGC AGTGCAGTCA GGCGGCCTTA 2040
ATCCAGAGTT AAATGATAAG CTTTCCAGGG GCTCTGTCAT TAATCAGAAT GATCTAGCCA 2100
AAAGTTCAGA AGGAGAGACA ATGACCAAGA CAGACAAGAG CTCGAGTGGG GCTAAAAAGA 2160 AGGACTTCTC CAGCAAGGGA GCCGAGGATA ATATGGTAAC GAGCTATAAT TGTCAGTTCT 2220 25 GTGACTTCCG ATATTCCAAA AGCCATGGCC CTGATGTAAT TGTAGTGGGG CCACTTCTCC 2280 GTCATTATCA ACAGCTCCAT AACATTCACA AGTGTACCAT TAAACACTGT CCATTCTGTC 2340 CCAGAGGACT TTGCAGCCCA GAAAAGCACC TTGGAGAAAT TACTTATCCG TTTGCTTGTA 2400 GAAAAAGTAA TTGTTCCCAC TGTGCACTCT TGCTTCTGCA CTTGTCTCCT GGGGCGGCTG 2460
GAAGCTCGCG AGTCAAACAT CAGTGCCATC AGTGTTCATT CACCACCCCT GACGTAGATG 2520
TACTCCTCTT TCACTATGAA AGTGTGCATG AGTCCCAAGC ATCGGATGTC AAACAAGAAG 2580
CAAATCACCT GCAAGGATCG GATGGGCAGC AGTCTGTCAA GGAAAGCAAA GAACACTCAT 2640 30 GTACCAAATG TGATTTTATT ACCCAAGTGG AAGAAGAGAT TTCCCGACAC TACAGGAGAG 2700 CACACAGCTG CTACAAATGC CGTCAGTGCA GTTTTACAGC TGCCGATACT CAGTCACTAC 2760 TGGAGCACTT CAACACTGTT CACTGCCAGG AACAGGACAT CACTACAGCC AACGGCGAAG 2820 35 AGGACGGTCA TGCCATATCC ACCATCAAAG AGGAGCCCAA AATTGACTTC AGGGTCTACA 2880 ATCTGCTAAC TCCAGACTCT AAAATGGGAG AGCCAGTTTC TGAGAGTGTG GTGAAGAGAG 2940 AGAAGCTGGA AGAGAAGGAC GGGCTCAAAG AGAAAGTTTG GACCGAGAGT TCCAGTGATG 3000 ACCTTCGCAA TGTGACTTGG AGAGGGGCAG ACATCCTGCG GGGGAGTCCG TCATACACCC 3060 AAGCAAGCCT GGGGCTGCTG ACGCCTGTGT CTGGCACCCA AGAGCAGACA AAGACTCTAA 3120 40 GGGATAGTCC CAATGTGGAG GCCGCCCATC TGGCGCGACC TATTTATGGC TTGGCTGTGG 3180 AAACCAAGGG ATTCCTGCAG GGGGCGCCAG CTGGCGGAGA GAAGTCTGGG GCCCTCCCCC 3240 AGCAGGGG ATTCCTGCAO GGGGCCAG CTOGCGGAAA GAAGTCCCAGTCC CTGTTACGGA 3300
GGCGTAGAGG CTCCGGTGTT TTTTGTGCCA ATTGCCTGAC CACAAAGACC TCTCTCTGGC 3360
GAAAGAATGC AAATGCCGA TATGTATGCA ACGCGTGTGG CCTCTACCAG AAGCTTCACT 3420
CGACTCCCAG GCCTTTAAAC ATCATTAAAC AAAACAACGG TGAGCAGATT ATTAGGAGGA 3480 45 GAACAAGAAA GCGCCTTAAC CCAGAGGCAC TTCAGGCTGA GCAGCTCAAC AAACAGCAGA 3540 GGGGCAGCAA TGAGGAGCAA GTCAATGGAA GCCCGTTAGA GAGGAGGTCA GAAGATCATC 3600 TAACTGAAAG TCACCAGAGA GAAATTCCAC TCCCCAGCCT AAGTAAATAC GAAGCCCAGG 3660 GTTCATTGAC TAAAAGCCAT TCTGCTCAGC AGCCAGTCCT GGTCAGCCAA ACTCTGGATA 3720 TTCACAAAAG GATGCAACCT TTGCACATTC AGATAAAAAG TCCTCAGGAA AGTACTGGAG 3780 ATCCAGGAAA TAGTTCATCC GTATCTGAAG GGAAAGGAAG TTCTGAGAGA GGCAGTCCTA 3840 50 TAGAAAAGTA CATGAGACCT GCGAAACACC CAAATTATTC ACCACCAGGC AGCCCTATTG 3900 AAAAGTACCA GTACCCACTT TTTGGACTTC CCTTTGTACA TAATGACTTC CAGAGTGAAG 3960 CTGATTGGCT GCGGTTCTGG AGTAAATATA AGCTCTCCGT TCCTGGGAAT CCGCACTACT 4020 55 TGAGTCACGT GCCTGGCCTA CCAAATCCTT GCCAAAACTA TGTGCCTTAT CCCACCTTCA 4080 ATCTGCCTCC TCATTTTTCA GCTGTTGGAT CAGACAATGA CATTCCTCTA GATTTGGCGA 4140 TCAAGCATTC CAGACCTGGG CCAACTGCAA ACGGTGCCTC CAAGGAGAAA ACGAAGGCAC 4200 CACCAAATGT AAAAAATGAA GGTCCCTTGA ATGTAGTAAA AACAGAGAAA GTTGATAGAA 4260 GTACTCAAGA TGAACTTTCA ACAAAATGTG TGCACTGTGG CATTGTCTTT CTGGATGAAG 4320 60 TGATGTATGC TTTGCATATG AGTTGCCATG GTGACAGTGG ACCTTTCCAG TGCAGCATAT 4380 GCCAGCATCT TTGCACGGAC AAATATGACT TCACAACACA TATCCAGAGG GGCCTGCATA 4440 GGAACAATGC ACAAGTGGAA AAAAATGGAA AACC<u>TAA</u>AGA GTAAAACCTT AGCACTTAGC 4500 ACAATTAAAT AGAAATAGGT TITCITGATG GGAATTCAAT AGCTTGTAAT GTCTTATGAA 4560 GACCTATTAA AAAAATACTT CATAGAGCCT GCCTTATCCA ACATGAAATT CCCTTCTTTT 4620
GTTATTCTT CTTTTGATGA GTAGGTTACC AAGATTAAAA ATGGTCAATG 4680
AGAAAGAATG GAAGATGGTA AACAATCACT TTTTAAAACC TGTTAAGTCA AAACCATCTT 4740
GGCTAATATG TACTGGGGAA ATAATCCATA AGAGATATCA CCAGACTAGA ATTAATATAT 4800 65 TTATAAAGAA AGAGACCAAA ACTGTCTAGA ATTTGAAAGG GTTTACATAT TATTATACTA 4860 AAGCAGTACT GGACTGGCCA TTGGACCATT TGTTCCAAAA CCCATAAATT GTTGCCTAAA 4920 ATTATAATGA TCATGAAACC CTAGGCAGAG GAGGAGAAAT TGAAGGTCCA GGGCAATGAA 4980
AGAAAATGG CGCCCTCTCA ATTTAGTCTT CTCTCATTGG CCATGTTTCA GATTTTGACC 5040
TAGAAATGCG AGCTGTGGTT AGGCTTGGTT AGAGTGCAGC AAGCAACATG ACAGATGGTG 5100
GCACGCTGTT TTTACCCAGC CCTGCCTGTA CATACACATG CACACCCTCT CTGATATTTT 5160
TGTCCTTTAG ATGTTCAAAT ACTCAGTAGT CCTTTTGTTT GCGGTTTAGA TTCATTTTGT 5220 70 75 CCACACATGT ACCCATTTTA AAAAACAATG TCCTCGATGC TTCTGTAGTG ATTTCATTTT 5280 AGCCAGGTAT TTCTTTCTTG TGTGTGATGA ACCAGTATGG ATTTGCTTTT CTAAGCCTCC 5340 TGTTGGTTAC TAATCTCACT TGGCACATTA TAACTAAAGG AATCCCCTCA ATTCAAAAGC 5400

ATAGATGGAT ACAAATGTCA GACCGTGGGT TTAATTTGTT TAGAACACAT GGCATTTCTT 5460 CACAAGGTAA CCTGCTGTAT TTATTTATTT TCTTTTGGTT AAATATAATT TCCAAACTTT 5520 GTGGTCAGGC AGCGTCTAAG GTTACGTTAC CACAGACTGA CAGTTGGTAT ATGTACCAGC 5580 CAATCCCTTC ATTAAATGTA TACAGATTTA GTTAAGTAGC ATTAAATAGG ATTCTTAGAA 5640 GTATGTCCTC ATAGAACTTT TAATACTTAA GGCTTTGTAA AAACTATCCA TGAAGGGAAA 5700 GCTCCTCAGC ATAACTGCTC AGGGAAATAG GGCTAAATAA CTGAACATTA AATAATTGGT 5760 5 TAAAGGTGCT GTTAGTCGAG CCTCAATGCT TGCTACAAGG ATGTATGTAC AAGGACTGAC 5820 TTTAATAATT TGCATTATAT TGTCCCAACC AGTAGTTTAT TTTTTGCCAC GGAGATGTAG 5880 AAGATATTAC AAGCTACTGG ATGCACTGTC AGATTAACTT ATTTCATTAA AGAAGTTGGG 5940 10 AGAACAAATA GGAAAAAAAA AACTTATTTT TCTAGTAAAT ATTAATGTAT TACATTTCAA 6000 ATAATGGTGC CTGACATATT GAATAATTAT TTTCTACAGT GTACGTATGC AACAAAGATA 6060 TTCCATCATG CATTAGAGTC AGTTCTGGCT CTGCCTAGCT GTTTACATTT GCAAATGTAG 6120 CAAACAAGGT AATGAAGCAA CTATTTCTAT TGCAGTAGAT ATCCTTTTGT GTGTGTGTG 6180 GTGCATTAAA GTTGTAAACG GTAACATGAA ACAAATGAAA GTTCTTGCTA TAATGGTATG 6240 15 GAAAACAAGA AGGAAATGAA AATATTTTTA TGCCTACTTA GGAAAAAAAG GGTAGCACTT 6300 ATTCATTCCA AGTACTTTTT TTTTTTAAT TTTTAAGCTC TTAACTCACA TTGTTATGCT 6360 TAAGATGATA AACATATATC CTCTTTTTAT TGCTTTGTCT ATGTTTCATA TGAAACATTT 6420 CAGAAATTAT TITGATAAGT GTTGCTGGAA TCTGCAACGC TGATTTTTTT TTGCATTCTG 6480 TAGTCGCATT TGCACTCCAT TTTTACATTA ATTCGCAGTT GCTTTGTATC ATTGTTTTGT 6540 20 TTGGGTTTTG TTTCTTTTC ACAGTGCCGG GTCTTCGTTT CTTAAAGTTG GATGGCAGGT 6600 AGAGTTCAAC CAGTTCGTGA CTGTTGTAGC GAATGAAGTT AAAAAAATGT CTTTCTGATG 6660 TTGTGTTGTC ATTTTCATTT TTGCATTTTTTTGTTTGCAT ATTAAAAAAA GAGAAAAGA 6720 AAAGCAAGAG ACAGAAATCA GGACTAAGTC CTCTGCTTCA GTTTCATTGT TAACGGGCCT 6780 TATTCTGATC TCACCTGTCG CGTAGCTCTA ATATTCACAT AAACTGAAAT AAAGAAGTGG 6840 25 AATGAGGAGC TITGACATTC AAATTATGTG ATGTAATTTA TCTTCCTTAG GAATTTTGAT 6900 GGATGCATCT CAAAATGTAT AGCCAGACTT GAGAGGTGAC AATTAAAGAT CTAAAAAAAGA 6960 GAGGAGATTC CCCCAAACAA CAATATTTAA TTTTCTTAGT AAAAAGAATA ACAGAATGCA 7020
TCGTGGCAAT CCTTAAGCAA CATTATCTAT GTGGACTGCT TAAAATCAGCA AAACACCAGA 7080
AGTTTGGTTA ACTTGGGCAA TATGACAAGT ATTACTTTTT GGGCAAAACT ACTCATTAAG 7140
CAATTTCTCT AGTGTGTCGG ACACAAATAG GTTCTTTATT TTTGGCATGT ATGCCTTTTT 7200 30 ATTTTCATTC AATTTTTTT TTTTCTCAGA CAGACATAGT AGTATCAACT AGCATTGGAA 7260 AATACATATC ACTATTCTTG GAATATTTAT GGTCAGTCTA CTTTTTAGTA AAATATTTTT 7320 CATTTTTTGC TITCATTATT ATACATATIT TGGTGGAGAA GAGGTTGGGC TTTTTTGAAA 7440 35 GAGACAAAAA TTTATTATAA CACTAAACAC TCCTTTTTTG ACATATTAAA GCCTTTATTC 7500 CATCTCTCAA GATATATTAT AAAATTTATT TTTTTAATTT AAGATTTCTG AATTATTTTA 7560 TCTTAAATTG TGATTTTAAA CGAGCTATTA TGGTACGGAA CTTTTTTTAA TGAGGAATTT 7620 CATGATGATT TAGGAATTTT CTCTCTTGGA AAAGGCTTCC CCTGTGATGA AAATGATGTG 7680 CCAGCTAAAA TTGTGTGCCA TTTAAAAACT GAAAATATTT TAAAATTATT TGTCTATATT 7740 40 CTAAATTGAG CITTGGATCA AACTITAGGC CAGGACCAGC TCATGCGTTC TCATTCTTCC 7800 TTTTCTCACT CTTTCTCA TCACTCACCT CTGTATTCAT TCTGTTGTTT GGGATAGAAA 7860 AATCATAAAG AGCCAACCCA TCTCAGAACG TTGTGGATTG AGAGAGACAC TACATGACTC 7920 CAAGTATATG AGAAAAGGAC AGAGCTCTAA TTGATAACTC TGTAGTTCAA AAGGAAAAGA 7980 GTATGCCCAA TTCTCTCTAC ATGACATATT GAGATTTTTT TTAATCAACT TTTAAGATAG 8040 45 TGATGTTCTG TTCTAAACTG TTCTGTTTTA GTGAAGGTAG ATTTTTATAA AACAAGCATG 8100 GGGATTCTTT TCTAAGGTAA TATTAATGAG AAGGGAAAAA AGTATCTTTA ACAGCTCTTT 8160 GTTGAAGCCT GTGGTAGCAC ATTATGTTTA TAATTGCACA TGTGCACATA ATCTATTATG 8220 GTIGAAGCCI GIGGTAGCAC ATTATGITTA TAATIGCACA IGIGCACAIA AICIATIAIG 8220
ATCCAATGCA AATACAGCTC CAAAAATATT AAATGTATAT ATATTITAAA ATGCCTGAGG 8280
AAATACATTT TTCTTAATAA ACTGAAGAGT CTCAGTATGG CTATTAAAAT AATTATTAGC 8340
CTCCTGTTGT GTGGCTGCAA AACATCACAA AGTGACCGGT CTTGAGACCT GTGAACTGCT 8400
GCCCTGTTTA GTAAATAAAA TTAATGCATT TCTAGAGGGG GAATATCTGC CATCCAGTGG 8460
TGGAAATGTG GAGTAAAGAA GCTGGTGGTC TGCTTCTGTG CTGATGCCA GCCTTTTGCC 8520
TTAAGTTGAG AGGAGGTCAA CTTTAGCTAC TGTCTTTGGT TTGAGAGCCA TGGCAAAAAA 8580 50 AAAAAAGAA AAAAAGATCA AGTCGTCTTT GGTGAGCCAG TAAGGTGAAA GCTTGCTGAC 8640 TGTCCAAGGC ACAAGAAA ATTGAGGAAT TGAAATGCAA CCTGAGTATC AAACTAAATA 8700
TTCTAATCAA AGGTAGGTAC TGTTAGGTGG AATTCTATCA GCAGGCAACT GCAAATGAGA 8760
AGAAGATAGA AGGACGCCCG TCGGGACTTT GGAGGGCATT GTTATTTTCC CAAAGAAAGA 8820
CGGCCAAGGG CAGAGGCATG GATTCTTTGC AGAGCACTTC CTTTTGGTTT TTCAGTACTG 8880
TTTCATAGAC AGTGGGCTCA CATGTTCCTG ATAGTGCTGC AGTTGCTTAG AAAGCATCCC 8940 55 60 AGTTAATTGC AGTAATTAGA ACTTCTGGAA TATGCTAGGG CAGAAGTATG TCAAGTATGT 9000 CACATGAAGA AAATGTGAAA TTCAAGAGTA ATCCACACGT GAGAAACTAG ACAATGTACA 9060 -65 ATTATTATGT GGCCAAGGGG GTTATTTAAA CTGTCAGTTC CCAAAGGCCA GGAAAGGTTG 9480 GGGTCATTTT TCTTAAAGAC GAGCTGTAAA TATCAACTAG GCAGCCAATA GTGTTGACTA 9540 TGAAGATGCA AAACTATTAC TAGGCTGATA AAATCATAGTTCTTAATGG CTACCAATAA 9500
GGCAAATATC ACAATAA ACGCCAAATA CCTTAGGGCG GACTATTTGA CAACCACTAG 9600
GAAAACTTTG GGGGAGGCAT GAGGGGGGAA CATCTCAAAA TGCCAATGTA AAATTTAACT 9720
TACAGCAATA TTCACCAGCA GAAAATGTCT TTCATATGGA ATGATTTCAT GTTGCTAAGA 9780
AAAAGAATTC AATTTGTAGT CCTGATTTGA ATACTAGAAT GTTGGCTATA ATAGTTCTGT 9840 70 75 TCTTACAACA CATGAAATTT TTTCGTTTTA TTTTATTTTG TTTTCATAGT GCATGTTCAT 9900 TTCTACTCAC AAACATGTTC TTGGTGTATT TCTTATGCAA ACAATCTTCA GGCAGCAAAG 9960 ATGTCTGTTA CATCTAAACT TGAATAATAA AGTTTTACCA CCAGTTACAC A

Seq ID NO: 68 Protein sequence: NP\_054831 Protein Accession #: 5 21 31 41 MPYEVNAGYD FTNMVRKKNP PLRNVASEGE GOILEPIGTE SKVSGKNKEF SADQMSENTD 60 QSDAAELNHK EEHSLHVQDP SSSSKKDLKS AVLSEKAGFN YESPSKGGNF PSFPHDEVTD 120 RNMLAFSFPA AGGVCEPLKS PQRAEADDPQ DMACTPSGDS LETKEDQKMS PKATEETGQA 180 10 QSGQANCQGL SPVSVASKNP QVPSDGGVRL NKSKTDLLVN DNPDPAPLSP ELQDFKCNIC 240 GYGYYGNDPT DLIKHFRKYH LGLHNRTRQD AELDSKILAL HNMVQFSHSK DFQKVNRSVF 300 SGVLQDINSS RPVLLNGTYD VQVTSGGTFI GIGRKTPDCQ GNTKYFRCKF CNFTYMGNSS 360
TELEQHFLQT HPNKIKASLP SSEVAKPSEK NSNKSIPALQ SSDSGDLGKW QDKITVKAGD 420
DTPVGYSVPI KPLDSSRQNG TEATSYYWCK FCSFSCESSS SLKLLEHYGK QHGAVQSGGL 480
NPELNDKLSR GSVINQNDLA KSSEGETMTK TDKSSSGAKK KDFSSKGAED NMVTSYNCQF 540
CDFRYSKSHG PDVIVVGPLL RHYQQLHNIH KCTIKHCPFC PRGLCSPEKH LGEITYPFAC 600 15 RKSNCSHCAL LLLHLSPGAA GSSRVKHQCH QCSFTTPDVD VLLFHYESVH ESQASDVKQE 660 ANHLOGSDGQ QSVKESKEHS CTKCDFITQV EEEISRHYRR AHSCYKCRQC SFTAADTQSL 720 LEHFNTVHCQ EQDITTANGE EDGHAISTIK EEPKIDFRVY NLLTPDSKMG EPVSESVVKR 780 EKHENTVHCQ EQDIT I ANGE EDGHAISTIK EEPKIDFKYY NLLTPDSKMG EFVSESVVKR 780

EKLEEKDGLK EKVWTESSSD DLRNVTWRGA DILRGSPSYT QASLGLLTPV SGTQEQTKTL 840

RDSPNVEAAH LARPIYGLAV ETKGFLQGAP AGGEKSGALP QQYPASGENK SKDESQSLLR 900

RRRGSGVFCA NCLTTKTSLW RKNANGGYVC NACGLYQKLH STPRPLNIIK QNNGEQIIRR 960

RTRKRLNPEA LQAEQLNKQQ RGSNEEQVNG SPLERRSEDH LTESHQREIP LPSLSKYEAQ 1020

GSLTKSHSAQ QPVLVSQTLD IHKRMQPLHI QIKSPQESTG DPGNSSSVSE GKGSSERGSP 1080

IEKYMRPAKH PNYSPPGSPI EKYQYPLFGL PFVHNDFQSE ADWLRFWSKY KLSVPGNPHY 1140 20 25 LSHVPGLPNP CONYVPYPTF NLPPHFSAVG SDNDIPLDLA IKHSRPGPTA NGASKEKTKA 1200 PPNVKNEGPL NVVKTEKVDR STQDELSTKC VHCGIVFLDE VMYALHMSCH GDSGPFQCSI 1260 CQHLCTDKYD FTTHIQRGLH RNNAQVEKNG KPKE 30 Seq ID NO: 69 DNA sequence XM 073879 Nucleic Acid Accession #: Coding sequence: 1-387(underlined sequences correspond to start and stop codons) 11 21 31 35 ATGGGGTTTG GAGACCAGGG AACGGTGGAA GGGAGCCTAG GAACGTCGAA AAAACCACCT 60 GAAGTGAAAA TGTTTGGAGC CAGTCAAGGT TTGCTGACAA TGGAAACAAA CCAGTCCCTG 120
GCACAAGGCA CAGGCTGCTC AGTAGTAAAG GTAGACACTG TTCTCTTCGA GAGTTTATAC 180
CACTGCGGCT TTGAACACGG GAGCGTGATG CACTGCCTTG GGGATGATCA CCCCCAGGAA 240 40 GACAGGAAGG CTCACTTCTC TGCCCCAGTT GCAGCCATCG CCTCTCCAGC ACCGACTCCT 300 GTCTGTCCTG CACACCACTC AACACAGAGC ATCTGCCAGT TTCTACAGCA CTGCAGGCAG 360 AACACTCACT TGCAGGCTGC TAACTAA Seq ID NO: 70 Protein sequence: 45 XP\_073879 Protein Accession #: 31 51 MGFGDQGTVE GSLGTSKKPP EVKMFGASQG LLTMETNQSL AQGTGCSVVK VDTVLFESLY 60 50 HCGFEHGSVM HCLGDDHPQE DRKAHFSAPV AAIASPAPTP VCPAHHSTQS ICQFLQHCRQ 120 NTHLOAAN Seg ID NO: 71 DNA sequence AB033064 Nucleic Acid Accession #: 55 Coding sequence: 826-1986 (underlined sequences correspond to start and stop codons) GGGGAACAGC AAATTCAGTC ACAGACAATC CTCCACTCGG TCAAGAGCCA CTTTTCTCTT 60
CCTGCCTTGC CCCCCCGCAG GGGGTAAGGA ACTGAGCGTT TAATCTTTAG CCGGTTGGCT 120
ACCAGCTAAA ATTCTACTTA TCTTAGTTTC TAGTGGATAG CTTTCTTATT TTGCCCATGT 180
TTTCTTAGAA TCCCTGTTTA ATATACTTTT GTCAGTAGTA GTATCTAGGA GTAGCAGGGA 240
GAGTGACAAT AAATTAGCCC CTTCTTTTTT CCCTTGTCAT TCAGGCCCCT TTTCCTCTCC 300 60 AGAGGAAAT TACCAGTAAA CTCTTCTAAA TCTTCCACCC CTTCTCAGTC ATACTGTGAA 360 GAAACACACT AAAGTGGACA TTATTTGACC AGTGAACACG AACCCAGCTT CAGGCATTGG 420 65 TITGTTGTGG CACATGGAGA AACATCTCTT TTAAAATATC TCCCAATTAC CCTTTTCACA 480
ATTTGTATCC ACCTAGGATT TGCTGCTGGG GTAAGTCACT AGATTTATTT CTCAAAGCTC 540
CCCTCTCTAT GAGCTGAAAG ACTGACCAAC CATGAACACT AGTAGGGGAT GGGGAAAGGG 600
GACAGAGCAG AGCCAGTTGT TCCACACTTT GGGAAGCAGG AGTAGCTTTT ATCATCTTCC 660 70 TCTGGGGAGC AGGCATAGAG ACATAAACTG AGTGAAAATG GGTGGAGGAA GAACTTCTAT ACCCACGAAC AACATGTGAA GAGAGAGAAC CAAACATAAA GTAAGGAGGG TAGACGTTAC 780 ATCCAAGAGG AAATAATCCA GGCAAGGAAG CACAAGCTGA TCAAGATGTG TAGTTCTGTG 840 ATCCAAGAGA AAATAATCA GUCAAGAAGAA CAAAGATGA TCAAGALGA TAATCAAGA GAAAGAAGA GACTACCAAGAT TGTGGTTTTTT GACAGAACAAGACTAATCC TCAAAAAAGAG 900
ATTTTACGAG CATTGAAGGC CAAATGTTGT GAGGAGGAAC TGGACTTTAG GGCTGTGGTG 960
ATGGATGAGG TGGTGCTGAC AATCGAGCAA GGAAACCTGG GTCTGCGGAT CAATGGAGAG 1020
CTAATCACTG CCTACCCACA AGTGGTGGTA GTCAGAGTAC CAACCCCTTG GGTGCAAAGT 1080
GATAGTGACA TCACTGTTTT GCGCCATCTA GAGAAGATGG GATGTCGGTT AATGAACCGA 1140 75

CCTCAAGCCA TCCTGAACTG CGTTAATAAG TTCTGGACAT TTCAAGAGTT GGCTGGCCAT 1200 GGTGTTCCTC TGCCGGATAC TTTCTCTTAT GGTGGCCACG AAAATTTTGC TAAAATGATT 1260 GATGAGGCTG AAGTTCTGGA GTTCCCAATG GTAGTAAAGA ATACGCGGGG TCACAGAGGT 1320 AAAGCTGTTT TCTTGGCTCG AGATAAGCAC CATTTGGCTG ATCTAAGCCA TCTTATTCGC 1380 5 CATGAAGCGC CATACCTGTT CCAGAAGTAT GTTAAAGAGT CTCATGGACG GGATGTACGT 1440 GTCATTGTCG TGGGAGGCCG TGTGGTTGGC ACCATGTTAC GTTGTTCAAC AGATGGGAGA 1500 ATGCAAAGCA ACTGCTCATT AGGTGGTGTG GGGATGATGT GCTCATTGAG TGAACAAGGG 1560 AAGCAGCTAG CTATCCAGGT GTCTAATATC CTGGGGATGG ATGTGTGTGG CATTGACCTG 1620 CTGATGAAAG ATGACGGCTC CTTCTGCGTC TGTGAGGCCA ATGCAAATGT AGGTTTCATC 1680 GCCTTTGATA AGGCTTGTAA TCTAGATGTA GCTGGTATCA TAGCAGACTA TGCCGCCTCC 1740 CTTCTACCCT CTGGCCGGCT CACCCGGCGT ATGTCCCTGC TCTCCGTGGT GTCCACTGCC 1800 10 AGTGAGACTA GTGAGCCGGA GCTGGGTCCC CCAGCCAGCA CTGCTGTTGA CAACATGAGT 1860 GCAAGTTCCA GCTCTGTTGA CAGCGACCCT GAAAGCACGG AGCGAGAGCT GCTCACCAAG 1920 CTCCCAGGGG GCCTGTTCAA CATGAACCAG CTGCTAGCCA ATGAAATCAA ACTACTGGTG 1980 15 GACTGACTCC ACTGGTAATT AACCAACAAA ACCCTTGTAA AACTTTCTTT CTTCTTTTCT 2040 ATTITTAAAA CCAACTTGCA ATGCTGTTCA TGGAGGATGC TCAGGAAGAT GAGAGAAAAT 2100 TAGTAGGATT AGTTGGAGAG AGTGGGAGAT AGATGAGACC TCTGCTAGTA AGATGTTACT 2160 TTCATTTACA AATCCTACAA ATAGAGAGGC AGAATAGGTG GGGTATAGAA AAATGTCAGG 2220 CTCTCATAGT TACCCTTTTA AATTGCTAAA AAATGTGTAT GCTCATAGGC CATGAGGAAC 2280 20 AAATACTTTT TTTTTTCAT GGTCCCTTGC TTTTGTTTTT GTACAAAAA AAATGGTTTT 2340 GCTACAAATA TCCAAGTAGC ATAACTTCAC ATTGTGTTGG AAGATTTGTC ATCAGTGAGG 2400 AAAACATCTG CTTAAATTAC AGGAATTTTT GTATTATACA GCTCTGAAAA TTCTGCCATT 2460 TCCTTATTAA CTAGCAGCTT TAGTTTGTAG TTTATGAAAT CTTGAGGGGC TCTTTTACTG 2520 GGATTTCTTA TTTTTTTGTT TTTTCCCGCT TAATTTGGTG GGAGGTCAAA TTGAATATAA 2580 25 CCCAATAAAG GCTTCTTAAT GAGAAAATTG GCATGTTTGC ATGATGAAAT GGAAATGAAC 2640 AGTATTGCAA TGTCCGGTAT ACAAAATAAC ATTAATTCAA TGTAGATAAA ATTACACTAG 2700 TTTAAAATAT GTGCATTCAC TTGTATTTGT TAGTGTTTTA GTCTTTTTTG AAAGATGTGC 2760 TCTGTTAATG TTGCTTTTT TTTTTTTTT TAATACATGC TAGTCTAACA TTTCCTGCTC 2820 TATGCCTGCA TCTTTAACAA TGGCCAAAGT GAAGAAAATG CTACCTTTTT TGTTAACAAG 2880 30 ACACTGACTT GAAACATGTA CATTTAAAGC CTTTTATTTT TTCCCTTTTT GTTTTGGTAG 2940 TTGGGCATTT AAATAAGGAC AAGGAAAAAT ATTTTTGGGG GCAAATCAAG AGCCTATGAG 3000 TTCTAAGTAT AAAGCTGAAG TGATTTCGAA TGCCAGCGTT ATATATTTGC ATTTTTCACA 3060 TTTTACGAGG GAGTATATGT GTATGTGTGT GCACGCATGC ATGTGTATGT GTTTTGCTTT 3120 TTGTTTCCAT CAACTAATCA AAAAGGATAA TTTAGAAAAT GGAGCATGAT GGGAAACAGA 3180 GTTTTTGACT TTAAAAAACA GATGAGTTGT TTTCATAAGT AGACTCCACT GGGGTAGAGG 3240 35 TATTCACCTT AAAACATAGG GTGAGTAGAT GCTTTTTTAG GCCTTTTTGT GTATATGTAC 3300 GTTGTTTGTT TTTTTCCTTT TGTTTCTAGC CTGTTCAGTG TACAGTTTAT TCAAGGCTAC 3360 ATGCTTTTCT TTAATGCTTC TGGCTATGCA TTTTCTCTTT TTACATATAG GATTTGGGAT 3420 TGGGGGTGGG TTGGATGTTT TTGTTTGGGG ACTTATTTAG TAGTATTGAG TCTCTTATAG 3480 CCCTACTCTT AAGCCTTCAA TACTGTCCAC TCTTTATATT CCTTTACTTG CAGAATTTAT 3540 AAAAGCCCCC AAACTGCATA TAATATGAGC CTTTAAAACA TGGGTAAAAC TAATCCCATT 3600 40 GATGGGTTTG GATGGTATGT TAAGAAATGG AGATGCTGCA GAGCCCAACG TAATTTTTTA 3660 AACAGCAAGT TTTCCATCTC CCTACGAATC CTCTGAAGCT TTTACCCAAG CCCTTTCTTG 3720 CCTCTCCAGT GCTATTTTCC TTCAGATGGA CCTTAAACAT AATTTCTTGG ACACTACTAG 3780 45 AGAGACTTCG AGGCAATAAT AAAAGATCAG TATTAACCAG CTATAACAGA GGTTTGATCA 3840 TGCTTACTTG TACAGTTTTT CCCCCGTTTT AAAAAGGAAT GTAATAAAAT TTGTTTTTTC 3900 CATAGAATTA AATAATATTA AAATTGAGTG AAAGGTTGAT TGTTGATGAA TAGAATAGTA 3960 CCTCTCATCT GTGCAGTGTC TCATTTCACC TCAGAGAAAA GGATACATAA GAGGAGTTTG 4020 TAATTTATCT TAGGATATTC TAATTGCATT TAAAAGAACT TATCTTGCGC AGGGTAAATG 4080 50 GGGGACTCAC ATACATATAT TAATACCTCT GACTCATTAA CAGAAAGAAA TACTTGGTAC 4140 TTCTTTCGCT GAATGACCAT ACTGTGGAGG ATGCATACTA TTTGGTATAG AGAAATAAAT 4200 GAGGAAGAAA GAACTGCTTA ATTAAATTAT CATTCATATG TTCATATAGA GACCATCTGG 4260 TTGCCATGTG TATTATGACA CATACACTTT GAATAGTTAC ATATCACAAG TATGTAGTTC 4320 ATGTTTGTGT TGGTGGGGTA AGGCATCAGG AAAAATGTAG TTAGTCTTTT CTTAACTTAT 4380 ACCAAATTAA CCAACTATAT TATAGGAAAT ATGTGAAATT AGTTCATTAG CTTTATTCAC 4440 55 TATTATGCAT TCACATGATA TTAAAACGTA CACTCACATG TTAGAATGAA AAGAGCAGTA 4500 GTTATCTTAG ATTTTAAAAA CATGGATATC TTCTTGAATT CCTTCAAGAT TGAGGTAGAG 4560 AATAAGAGCA AATCATTCTG GAAGTACCTT AAGGAAACAA ACAGCAGCAG ATATTTAGGT 4620 TAAACTTATT TTCATAATTG TTTAATAACT TTTGTATAAT CTTCATTGCT ATTATGAGAG 4680 60 AGAATGTATA TATCAAATAT GTGTAATGAT AAAATCTGAA TTGTAAAATT TTTGTATATT 4740 65 GGAACAGTAG AAAAACCCAA CAAGAGACTT GGCATTCATC AAGCACATTA TCAGACTTTG 5040 AGAACATATT GAAGGCATTG ACTTTGAAAA TCATCTCTTT TTCTCAAGAA GAAAGCAATG 5100 GAGAAGCAAA TTTGTTTCAT TCAGTGAATC CCCAGTTTGG GGCTTGTGGG GCTTAGAGAC 5160 ATTGTGAAAT CAAATCTTGT GTTATACTTT TCTCCTGGCT CACTTTTTTT GAGAAGGTTT 5220 ATGGCTATT TGGCTGGTGA GACACGATCC CCTCCTAAGA AAATGTAGGT GCTCAGACAG 5280 GTAACCACTG CTGCTACTGT TTTTATTTGT TTGTTTGTTC AATTTTATTT AAGATTTGTT 5340 70 TTTGTTGTAC TAGGATTTTA AAAAATGTAA TATATTGCAG GATTTATAAC CAG Seq ID NO: 72 Protein sequence:

380

75

Protein Accession #:

21

1


BAA86552

31

PCT/US02/02242 WO 02/059377

RINGELITAY PQVVVVRVPT PWVQSDSDIT VLRHLEKMGC RLMNRPQAIL NCVNKFWTFQ 120
ELAGHGVPLP DTFSYGGHEN FAKMIDEAEV LEFPMVVKNT RGHRGKAVFL ARDKHHLADL 180
SHLIRHEAPY LFQKYVKESH GRDVRVIVVG GRVVGTMLRC STDGRMQSNC SLGGVGMMCS 240
LSEQGKQLAI QVSNILGMDV CGIDLLMKDD GSFCVCEANA NVGFIAFDKA CNLDVAGIIA 300 5 DYAASLIPSG RITRRMSILS VVSTASETSE PELGPPASTA VDNMSASSSS VDSDPESTER 360 ELLTKLPGGL FNMNQLLANE IKLLVD Seq ID NO: 73 DNA sequence 10 Nucleic Acid Accession #: XM\_040080.2 Coding sequence: 159-1104 (underlined sequences correspond to start and stop codons) 31 15 CTGAGTGGGG GCGGGACTG CTGGAGTTGC GGGGCCTGCC TGGGGTAGGG CGGGGCAGGA 60 CAGCTTGGAG ATAGGGCCCG GAATTGCGGG CGTCACTCTG CTCCTGCGAC CTAGCCAGGC 120 GTGAGGAGT GACAGCAGCG CATTCGCGGG ACGAGGGA TGAGTAGAA CGCCGCACCA 180
GGTCTGATCT CAGAGCTGAA GCTGGCTTGTG CCCTGGGGCC ACATCGCAGC CAAAGCCTGG 240
GGCTCCCTGC AGGGCCCTCC AGTTCTCTGC CTGCACGGCT GGCTGGACAA TGCCAGCTCC 300
TTCGACAGAC TCATCCCTCT TCTCCCGCAA GACTTTTATT ACGTTGCCAT GGATTTCGGA 360
GGTCATGGGC TCTCGTCCCA TTACAGCCCA GGTGTCCCAT ATTACCTCCA GACTTTTGTG 420 20 AGTGAGATCC GAAGAGTTGT GGCAGCCTTG AAATGGAATC GATTCTCCAT TCTGGGCCAC 480 AGCTTCGGTG GCGTCGTGGG CGGAATGTTT TTCTGTACCT TCCCCGAGAT GGTGGATAAA 540 CTTATCTTGC TGGACACGCC GCTCTTTCTC CTGGAATCAG ATGAAATGGA GAACTTGCTG 600 25 ACCTACAAGC GGAGAGCCAT AGAGCACGTG CTGCAGGTAG AGGCCTCCCA GGAGCCCTCG 660 CACGTGTTCA GCCTGAAGCA GCTGCTGCAG AGGTTACTGA AGAGCAATAG CCACTTGAGT 720 GAGGAGTGCG GGGAGCTTCT CCTGCAAAGA GGAACCACGA AGGTGGCCAC AGGTCTGGTT 780
CTGAACAGAG ACCAGAGGCT CGCCTGGGCA GAGAACAGCA TTGACTTCAT CAGCAGGGAG 840
CTGTGTGCGC ATTCCATCAG GAAGCTGCAG GCCCATGTCC TGTTGATCAA AGCAGTCCAC 900
GGATATTTTG ATTCAAGACA GAATTACTCT GAGAAGGAGT CCCTGTCGTT CATGATAGAC 960 30 ACGATGAAAT CCACCCTCAA AGAGCAGTTC CAGTTTGTGG AAGTCCCAGG CAATCACTGT 1020 GTCCACATGA GCGAACCCCA GCACGTGGCC AGTATCATCA GCTCCTTCTT ACAGTGCACA 1080 CACATGA GUAACCCCA GUACGIGGCA MAINTEATURA GUACGIGGAA 1080
CACATGCTCC CAGCCCAGCT GTAGCTCTGG GCCTGGAACT ATGAAGACCT AGTGCTCCCA 1140
GACTCAACAC TGGGACTCTG AGTTCCTGAG CCCCACAACA AGGCCAGGGA TGGTGGGGAC 1200
AGGCCTCACT AGTCTTGAGG CCCAGCCTAG GATGGTAGTC AGGGGAAGGA GCAAGATTCC 1260
AACTTCAACA TCTGTGACCT CAAGGGGGAG ACAGAGTCTG GGTTCCAGGG CTGCTTTCTC 1320
CTGGCTAATA ATAAATATCC AGCCAGCTGG AGGAAGGAAG GGCAGGCTGG GCCCACCTAG 1380 35 CCTTTCCCTG CTGCCCAACT GGATGGAAAA TAAAAGGTTC TTGTATTCTC A 40 Seq ID NO: 74 Protein sequence: XP\_040080.1 Protein Accession #: 51 31 41 45 MSENAAPGLI SELKLAVPWG HIAAKAWGSL QGPPVLCLHG WLDNASSFDR LIPLLPQDFY 60 YVAMDFGGHG LSSHYSPGVP YYLQTFVSEI RRVVAALKWN RFSILGHSFG GVVGGMFFCT 120 FPEMVDKLIL LDTPLFLLES DEMENLLTYK RRAIEHVLQV EASQEPSHVF SLKQLLQRLL 180 KSNSHLSEEC GELLLQRGTT KVATGLVLNR DQRLAWAENS IDFISRELCA HSIRKLQAHV 240 LLIKAVHGYF DSRQNYSEKE SLSFMIDTMK STLKEQFQFV EVPGNHCVHM SEPQHVASII 300 50 SSFLOCTHML PAOL Seq ID NO: 75 DNA sequence Nucleic Acid Accession #: NM 005794 Coding sequence: 434-1276 (underlined sequences correspond to start and stop codons) 55 31 GGTTCCCTTC CACGCTGTGA AGCTTTGTTC TTTTGGTCTT CATGATAAAT CTTGCTGCTG 60 CTCACTCGTT GGGTCCGTGC CACCTTTAAG AGCTGTAACA CTCACCGCGA AGGTCTGCAA 120 60 CTTCACTCCT GGGGCCAGCA AGACCACGAA TGCACCGAGA GGAATGAACA ACTCTGGACA 180 CACCATCTTT AAGAACCGTA ATACTCACCG CAAGGGTCTG CAACTTCATT CTTGAAGTCA 240 CACCATCTIT AAGAACCGTA ATACICACCG CAAGGGTCTG CAACTTCATT CITGAAGTCA 240
GTGAGGCCAA GAACCCATCA ATTCCGTACA CATTTTTGGTG ACTTTTGAAGA GACTGTCACC 300
TATCACCAAG TGGTGAGACT ATTGCCAAGC AGTGAGACTA TTGCCAAGTG GTGAGACCAT 360
CACCAAGCGG TGAGACTATC ACCTATCGCC AAGTGGCCTG ATTCAGCAGG AAGCATCTCA 420
GACACCAACC ACTATGCTGT CAGCAGTTGC CCGGGGCTAC CAGGGCTGGT TTCATCCCTG 480
TGCTAGGCTT TCTGTGAGGA TGAGCAGCAC CGGGATAGAC AGGAAGGGCG TCCTGGCTAA 540
CCGGGTTAGCC GTGGTCACGG GGTCCACCAG TGGGATCGGC TTTGCCATCG CCCGACGTCT 600 65 GGCCCGGGAC GGGGCCCACG TGGTCATCAG CAGCCGGAAG CAGCAGAACG TGGACCGGGC 660 CATGGCCAAG CTGCAGGGGG AGGGGCTGAG TGTGGCGGGC ATTGTGTGCC ACGTGGGGAA 70 GGCTGAGGAC CGGGAGCAGC TGGTGGCCAA GGCCCTGGAG CACTGTGGGG GCGTCGACTT 75 AATTATAAAA ACTGACTTCA GCAAAGTGTT TCATGGGAAT GAGTCTCTCT GGAAGAACTT 1140 CAAGGAACAT CATCAGCTGC AGAGGATTGG GGAGTCAGAG GACTGTGCAG GAATCGTGTC 1200

MCSSVAAKLW FLTDRRIRED YPQKEILRAL KAKCCEEELD FRAVVMDEVV LTIEQGNLGL 60




PCT/US02/02242 WO 02/059377

	CAGTTCTTCA TTCCCTACAC CATAAAGAGT AAAGGTATAG CAGTAAGAGG AGAGCAAGGT 180 ACTCCTGGTC CACCAGGCCC TGCTGGACCT CGAGGGCACC CAGGTCCTTC TGGACCACCA 240 GGAAAACCAG GCTACGGAAG TCCTGGACTC CAAGGAGAGC CAGGGTTGCC AGGACCACCG 300
5	GGACCATCAG CTGTAGGGAA ACCAGGTGTG CCAGGACTCC CAGGAAAACC AGGAGAGAG 360 GGACCATATG GACCAAAAGG AGATGTTGGA CCAGGTGGCC TACCAGGACC CCGGGGCCCA 420 CCAGGACCAC CTGGAATCCC TGGACCGGCT GGAATTCTG TGCCAGGAAA ACCTGGACAA 480 CAGGGACCAC CAGGAGCCCC AGGACCCAGG GGCTTTCCTG GAGAAAAAGGG TGCACCAGGA 540
10	GTCCCTGGTA TGAATGGACA GAAAGGGGAA ATGGGATATG GTGCTCCTGG TCGTCCAGGT 600 GAGAGGGGTC TTCCAGGCCC TCAGGGTCCC ACAGGACCAT CTGGCCCTCC TGGAGTGGGA 660
10	AAAAGAGGTG AAAATGGGGT TCCAGGACAG CCAGGCATCA AAGGTGATAG AGGTTTTCCG 720 GGAGAAATGG GACCAATTGG CCCACCAGGT CCCCAAGGCC CTCCTGGGGA ACGAGGGCCA 780 GAAGGCATTG GAAAGCCAGG AGCTGCTGGA GCCCCAGGCC AGCCAGGGAT TCCAGGAACA 840
15	AAAGGTCTCC CTGGGGCTCC AGGAATAGCT GGGCCCCCAG GGCCTCCTGG CTTTGGGAAA 900 CCAGGCTTGC CAGGCCTGAA GGGAGAAAGA GGACCTGCTG GCCTTCCTGG GGGTCCAGGT 960 GCCAAAGGGG AACAAGGGCC AGCAGGTCTT CCTGGGAAGC CAGGTCTGAC TGGACCCCCT 1020
13	GGGAATATGG GACCCCAAGG ACCAAAAGGC ATCCCGGGTA GCCATGGTCT CCCAGGCCCT 1080 AAAGGTGAGA CAGGGCCAGC TGGGCCTGCA GGATACCCTG GGGCTAAGGG TGAAAGGGGT 1140 TCCCCTGGGT CAGATGGAAA ACCAGGGTAC CCAGGAAAAC CAGGTCTCGA TGGTCCTAAG 1200
20	GGTAACCCAG GGTTACCAGG TCCAAAAGGT GATCCTGGAG TTGGAGGACC TCCTGGTCTC 1260 CCAGGCCCTG TGGGCCCAGC AGGAGGCAAAG GGAATGCCCG GACACAATGG AGAGGCTGGC 1320 CCAAGAGGTG CCCCTGGAAT ACCAGGTACT AGAGGCCCTA TTGGGCCACC AGGCATTCCA 1380 GGATTCCCTG GGTCTAAAGG GGATCCAGGA AGTCCCGGTC CTCCTGGCCC AGCTGGCATA 1440
25	GCAACTAAGG GCCTCAATGG ACCCACCGGG CCACCAGGGC CTCCAGGTCC AAGAGGCCCC 1500 TCTGGAGAGC CTGGTCTTCC AGGGCCCCCT GGGCCTCCAG GCCCACCAGG TCAAGCAGTC 1560
25	ATGCCTGAGG GTTTTATAAA GGCAGGCCAA AGGCCCAGTC TTTCTGGGAC CCCTCTTGTT 1620 AGTGCCAACC AGGGGTAAC AGGAATGCCT GTGTCTGCTT TTACTGTTAT TCTCTCCAAA 1680 GCTTACCCAG CAATAGGAAC TCCCATAACCA TTTGATAAAAA TTTTGTATAA CAGGCAACAG 1740 CATTATGACC CAAGGACTGG AATCTTTACT TGTCAGATAC CAGGAATATA CTATTTTTCA 1800 TACCACGTGC ATGTGAAAGG GACTCATGTT TGGGTAGGCC TGTATAAGAA TGGCACCCCT 1860
30	GTAATGTACA CCTATGATGA ATACACCAAA GGCTACCTGG ATCAGGCTTC AGGGAGTGCC 1920 ATCATCGATC TCACAGAAAA TGACCAGGTG TGGCTCCAGC TTCCCAATGC CGAGTCAAAT 1980 GGCCTATACT CCTCTGAGTA TGTCCACTCC TCTTTCTCAG GATTCCTAGT GGCTCCAATG 2040 TGAGTACACC CCACAGAGCT AATCTAAATC TTGTGCTAGA AAAAGCATTC TCTAACTCTA 2100
35	CCCCACCCTA CAAAATGCAT ATGGAGGTAG GCTGAAAAGA ATGTAATTTT TATTTTCTGA 2160 AATACAGATT TGAGCTATCA GACCAACAAA CCTTCCCCCT GAAAAGTGAG CAGCAACGTA 2220 AAAACGTATG TGAAGCCTCT CTTGAATTTC TAGTTAGCAA TCTTAAGGCT CTTTAAGGTT 2280 TTCTCCAATA TTAAAAAATA TCACCAAAGA AGTCCTGCTA TGTTAAAAAC AAACAACAAA 2340
40	AAACAAAGCA ACAAAAAAA AAATTAAAAA AAAAAACAGA AATAGAGCTC TAAGTTATGT 2400 GAAATTTGAT TTGAGAAACT CGGCATTTCC TTTTTAAAAA AGCCTGTTTC TAACTATGAA 2460 TATGAGAACT TCTAGGAAACA ATCCAGGAGG TATCATATAAA CTTTAGAAA CTTAAATACT 2520 TGAATATTCA AATTTAAAAG ACACTGTATC CCCTAAAATA TTTCTGATGG TGCACTACTC 2580 TGAGGCCTGT ATGGCCCCTT TCATCAATAT CTATTCAAAT ATACAGGTGC ATATATACTT 2640 GTTAAAGCTC TTATATAAAA AAGCCCCAAA ATATTGAAGT TCATCTGAAA TGCAAGGTGC 2700
45	TITICATICAAT GAACCTITITC AAAACTITITC TATGATIGCA GAGAAGCTITI TIATATACCC 2760 AGCATAACITI GGAAACAGGT ATCTGACCTA TICTIATITA GTTAACACAA GTGTGATIAA 2820 TITIGATITICTI TITAATICCTI ATTGAATCITI ATGTGATATIG ATTITICTIGA TITACAGAAC 2880 ATTAGCACAT GTACCTTGTG CCTCCCATTC AAGTGAAGTT ATAATITACA CTGAGGGTTT 2940 CAAAATICGA CTAGAAGTGG AGATATATTA TITATITATIG CACTGTACTG TATTITITATA 3000
50	TTGCTGTTTA AAACTTTTAA GCTGTGCCTC ACTTATTAAA GCACAAAATG TTTTACCTAC 3060 TCCTTATTTA CGACACAATA AAATAACATC AATAGATTTT TAGGCTGAAT TAATTTGAAA 3120 GCAGCAATTT GCTGTTCTCA ACCATTCTTT CAAGGCTTTT CATTCGACAC AATAAAATAA
55	Scq ID NO: 80 Protein sequence: Protein Accession #: NP_000484.1
	1 11 21 31 41 51
60	MLPQIPFLLL VSLNLVHGVF YAERYQTPTG IKGPLPNTKT QFFIPYTIKS KGIAVRGEQG 60 TPGPPGPAGP RGHPGPSGPP GKPGYGSPGL QGEPGLPGPP GPSAVGKPGV PGLPGKPGER 120 GPYGPKGDVG PAGLPGPRGP PGPPGIPGPA GISVPGKPGQ QGPTGAPGPR GFPGEKGAPG 180 VPGMNGQKGE MGYGAPGRPG ERGLPGPQGP TGPSGPPGVG KRGENGVPGQ PGIKGDRGFP 240
65	GEMGPIGPPG PQGPPGERGP EGIGKPGAAG APGQPGIPGT KGLPGAPGIA GPPGPPGFGK 300 PGLPGLKGER GPAGLPGGPG AKGEQGPAGL PGKPGLTGPP GNMGPQGPKG IPGSHGLPGP 360 KGETGPAGPA GYPGAKGERG SPGSDGKPGY PGKPGLDGPK GNPGLPGPKQ DPGVGGPPGL 420 PGPVGPAGAK GMPGHNGEAG PRGAPGIPGT RGPIGPPGIP GFPGSKGDPG SPGPPGPAGI 480 ATKGLNGPTG PPGPPGPRGP SGEPGLPGPP GPPGPPGQAV MPEGFIKAGQ RPSLSGTPLV 540
70	SANQGVTGMP VSAFTVILSK AYPAIGTPIP FDKILYNRQQ HYDPRTGIFT CQIPGIYYFS 600 YHVHVKGTHV WVGLYKNGTP VMYTYDEYTK GYLDQASGSA IIDLTENDQV WLQLPNAESN 660 GLYSSEYVHS SFSGFLVAPM
75	Seq ID NO: 81 DNA sequence Nucleic Acid Accession #: NM_000786 Coding sequence: 332-1861 (underlined sequences correspond to start and stop codons)

383

1 11 21 31 41 51

CGCGATTCTC AGGGATTGAT CCGCCTCTTC AGGTAAGTTA TCTTCCGGCC CCGTACCACT 60
GTGCCACAGG CGCAGCCCGC TTCCTCAGGT GCCCTATCCC GCGCAGAAGA CCACGGCTTC 120
ACAGAGTGTT ATTTAAGGGC GTGGCCAGCG GAACATCCCG CCCATTCTG TGACGCACGG 180 5 GGTGGCGCG GTGGGACCCG AGGGGTGGGG CTGGGTTTAG TAGGAGACCT GGGCAAGGC 240
CCCCTGTGGA CGACCATCTG CCAGCTTCTC TCGTTCCGTC GATTGGGAGG AGCGGTGGCG 300
ACCTCGGCCT TCAGTGTTTC CGACGGAGTG AATGGCGGC GCGGCTGGGA TGCTGCTGCT 360 GGGCTTGCTG CAGGCGGGTG GGTCGGTGCT GGGCCAGGCG ATGGAGAAGG TGACAGGCGG 420 CAACCTCTTG TCCATGCTGC TGATCGCCTG CGCCTTCACC CTCAGCCTGG TCTACCTGAT 480 CCGTCTGGCC GCCGGCCACC TGGTCCAGCT GCCCGCAGGG GTGAAAAGTC CTCCATACAT 540
TTTCTCCCCA ATTCCATTCC TTGGGCATGC CATAGCATTT GGGAAAAGTC CAATTGAATT 600
TCTAGAAAAT GCATATGAGA AGTATGGACC TGTATTTAGT TTTACCATGG TAGGCAAGAC 660
ATTTACTTAC CTTCTGGGGA GTGATGCTGC TGCACTGCTT TTTAATAGTA AAAATGAAGA 720
CCTGAATGCA GAAGATGTCT ACAGTCGCCT GACAACACCT GTGTTTTGGGA AGGGAGTTGC 780 10 15 ATACGATGTG CCTAATCCAG TTTTCTTGGA GCAGAAGAAA ATGTTAAAAA GTGGCCTTAA CATAGCCCAC TTTAAACAGC ATGTTTCTAT AATTGAAAAA GAAACAAAGG AATACTTTGA GAGTTGGGGA GAAAGTGGAG AAAAAAATGT GTTTGAAGCT CTTTCTGAGC TCATAATTTT AACAGCTAGC CATTGTTTGC ATGGAAAGGA AATCAGAAGT CAACTCAATG AAAAGGTAGC 1020
ACAGCTGTAT GCAGATTTGG ATGGAGGTTT CAGCCATGCA GCCTGGCTCT TACCAGGTTG 1080
GCTGCCTTTG CCTAGTTTCA GACGCAGGGA CAGAGCTCAT CGGGAAATCA AGGATATTTT 1140
CTATAAGGCA ATCCAGAAAC GCAGACAGTC TCAAGAAAAA ATTGATGACA TTCTCCAAAC 1200
TTTACTAGAT GCTACATACA AGGATGGGCG TCCTTTGACT GATGATGAAG TAGCAGGGAT 1260 20 GCTTATTGGA TTACTCTTGG CAGGGCAGCA TACATCCTCA ACTACTAGTG CTTGGATGGG 1320 CTTCTTTTTG GCCAGAGACA AAACACTTCA AAAAAAATGT TATTTAGAAC AGAAAACAGT 1380 25 CTGTGGAGAG AATCTGCCTC CTTTAACTTA TGACCAGCTC AAGGATCTAA ATTTACTTGA 1440 TCGCTGTATA AAAGAAACAT TAAGACTTAG ACCTCCTATA ATGATCATGA TGAGAATGGC 1500
CAGAACTCCT CAGACTGTGG CAGGGTATAC CATTCCTCCA GGACATCAGG TGTGTGTTTC 1560
TCCCACTGTC AATCAAAGAC TTAAAGACTC ATGGGTAGAA CGCCTGGACT TTAATCCTGA 1620
TCGCTACTTA CAGGATAACC CAGCATCAGG GGAAAAGTTT GCCTATGTGC CATTTGGAGC 1680
TGGGCGTCAT CGTTGTATTG GGGAAAATTT TGCCTATGTT CAAATTAAGA CAATTTGGTC 1740 30 CACTATGCTT CGTTTATATG AATTTGATCT CATTGATGGA TACTTTCCCA CTGTGAATTA 1800 TACAACTATG ATTCACACCC CTGAGAACCC AGTTATCCGT TACAAACGAA GATCAAAATG 1860 AAAAAGGTTG CAAGGAACGA ATATATGTGA TTATCACTGT AAGCCACAAA GGCATTCGAA 1920
GAGAATGAAG TGTACAAAAC AACTCTTGTA GTTTACTGTT TTTTTAAGTG TGTAATTCTA 1980
AAAGCCAGTT TATGATTTAG GATTTTGTTA ACTGAATGGT TCTATCAAAT ATAATAGCAT 2040
TTGACACATT TTCTAATAGT TATGATACTT ATACATGTGC TTTCAGGAAG TTCCTTGGTG 2100
AAACAATTGT TGAGGGGGGA TCTAGGTAAT TGGCAGATTC TAAATAATAT AATTTCCAGA 2160 35 TAGTAATTTT AAGAGTACTC ATCGCTCTTG CCAAATAAGT TCAGGGTATT CAAATCTTGG 2220 ACTAGTCCTG CAAGGTATAA AGAATAAAAA TCCCAGTGAG ATACTTGGAA ACCACAGTTT 2280 40 ATTATTATATT ATCTGGGCAA TTATTGTGTG TGTGAGGATG GAAGGGTAGG GAATAATCGA 2340 ACATCTAAAG CCTTGAATAA GAGAATACTTG TATGATGATGATGATAA CTCAGAAATG 2400
GAGATATTAT AGGAAAAAGA AATCCTTTGG AATTTTAACT AAAATCACTG CATATGGGAA 2460
ATTAAGAGAT CCAGGACCAT ATTTGATAAG AGTTCCTAAA AATAATGTAA TTATTAATGC 2520
TAAAGACTGC TCATGTATCT TGATCTAATT ACTAAATAAA TTACATATTT ATTTACCTGA 2580 45 TAAATATGTA TCTAGTTCTA CAAGGTCACA TTTATGTGGA AGTCCAAAGT CAAGTCCTTA 2640 TTGAGATGGA GTCTCGCTCT GTTGCCCAGG CTGGAGTGCA GTGGTGCGAT CTCAGCTCAC 2760 TGCATCCTCT GCCTCCCGGG TTCAAGCAAT TCTCTGCCTC AGCCTCCCAA GTAGTTGGA 2820
TTACAGGCAC CTGCCACCAT GCCTGGCTAA TTTTTTGTAT TTTTAGTAGA GACGGGGGTT 2880
TCACTATGTT GGCTAGGCTG GTCTTGAACT CCTGAGCCTC GTGAGTCCAC CCGCCTTGGC 2940
CTCCCAAAGT GCTGGGATTA CAGGCATGAG CCACCGCACC TGGCCTTCCC TGCTTCCTCT 3000
CTAGAATCCA ATTAGGGATG TTTGTTACTA CTCATATTGA TTAAAACAGT TAACAAACTT 3060 50 TTTTCTTTT AAAATGTGAG ATCAGTGAAC TCTGGTTTTA AGATAATCTG AAACAAGGTC 3120 CTTGGGAGTA ATAAAATTGG TCACATTCTG TAAAGCACAT TCTGTTTAGG AATCAACTTA 3180
TCTCAAATTG TAACTCGGGG CCTAACTATA TGAGATGGCT GAAAAAAATAC CACATCGTCT 3240
GTTTTCACTA GGTGATGCCA AAATATTTTG CTTTATGTAT ATTACAGTTC TTTTTAAAAC 3300
ACTGGAAGAC TCATGTTAAA CTCTAATTGT GAAGGCAGAA TCTCTGCTAA TTTTTCAGAT 3360 55 TAAAATTCTC TTTGAAAAAA T 60 Seq ID NO: 82 Protein sequence NP\_000777 Protein Accession #: 31 51 41 65 MAAAAGMLLL GLLQAGGSVL GQAMEKVTGG NLLSMLLIAC AFTLSLVYLI RLAAGHLVQL 60 PAGVKSPPYI FSPIPFLGHA IAFGKSPIEF LENAYEKYGP VFSFTMVGKT FTYLLGSDAA 120 ALLFNSKNED LNAEDVYSRL TTPVFGKGVA YDVPNPVFLE QKKMLKSGLN IAHFKQHVSI 180
IEKETKEYFE SWGESGEKNV FEALSELIIL TASHCLHGKE IRSQLNEKVA QLYADLDGGF 240
SHAAWLLPGW LPLPSFRRRD RAHREIKDIF YKAIQKRRQS QEKIDDILQT LLDATYKDGR 300
PLTDDEVAGM LIGLLLAGQH TSSTTSAWMG FFLARDKTLQ KKCYLEQKTV CGENLPPLTY 360
DQLKDLNLLD RCIKETLRLR PPIMIMMRMA RTPQTVAGYT IPPGHQVCVS PTVNQRLKDS 420 70 WVERLDFNPD RYLQDNPASG EKFAYVPFGA GRHRCIGENF AYVQIKTIWS TMLRLYEFDL 480 IDGYFPTVNY TTMIHTPENP VIRYKRRSK 75 Seq ID NO: 83 DNA sequence NM 006551.2 Nucleic Acid Accession #: Coding sequence: 64-336 (underlined sequences correspond to start and stop codons)




BNSDOCID: <WO\_\_\_\_\_02059377A2\_I\_>

	ATCTIGCTIGG TCAGCAGCCT CTCTCCAGTC CAAGGTGTTC TGGAGGTCTA TTACACAAGC 180 TTGAGGTGTA GATGTGTCCA AGAGAGCTCA GTCTTTATCC CTAGACGCTT CATTGATCGA 240 ATTCAAATCT TGCCCCGTGG GAATGGTTGT CCAAGAAAAG AAATCATAGT CTGGAAGAAG 300
5	AACAAGTCAA TTGTGTGTGT GGACCCTCAA GCTGAATGGA TACAAAGAAT GATGGAAGTA 360 TTGAGAAAAA GAAGTCTTC AACTCTACCA GTTCCAGTGT TTAAGAGAAA GATTCCCTGA 420 TGCTGATATT TCCACTAAGA ACACCTGCAT TCTTCCCTTTA TCCCTGCTCT GGATTTTAGT 480 TTTGTGCTTA GTTAAATCTT TTCCAGGGAG AAAGAACTTC CCCATACAAA TAAGGCATGA 540
10	GGACTATGTG AAAAATAACC TTGCAGGAGC TGATGGGGCA AACTCAAGCT TCTTCACTCA 600 CAGCACCCTA TATACACTTG GAGTTTGCAT TCTTATTCAT CAGGGAGGAA AGTTTCTTTG 660 AAAATAGTTA TTCAGTTATA AGTAATACAG GATTATTTTTG ATTATATACT TGTTGTTTAA 720 TGTTTAAAAT TTCTTAGAAA ACAATGGAAT GAGAATTTAA GCCTCAAATT TGAACATGTG 780
15 20	GCTTGAATT AGAAGAAAA TATGGCATAT TAAAAGCA GGCTTCTATG AAAGACTCAA 840 AAAGCTGCCT GGGAGGCAGA TGGAACTTGA GCCTGTCAAG AGGCAAAGGA ATCCATCTAG 900 TAGATATCCT CTGCTTAAAA ACTCACTACG GAGGAGAATT AAGTCCTACT TTTAAAGAAT 960 TTCTTTATAA AATTTACTGT CTAAGATTAA TAGCATTCGA AGATCCCCAG ACTTCATAGA 1020 ATACTCAGGG AAAGCATTTA AAGGGTGATG TACACATGTA TCCTTTCACA CATTTGCCTT 1080 GACAAACTTC TTTCACTCAC ATCTTTTTCA CTGACTTTTT TTGTGGGGGC GGGGCCGGGG 1140 GGACTCTGGT ATCTAATTCT TTAATGATTC CTATAAAATCT AATGACATTC AATAAAGTTG 1200 AGCAAACATT TTACTT
	Seq ID NO: 88 Protein sequence: Protein Accession #: NP 006410.1
25	I 11 21 31 41 51                   MKFISTSLLL MLLVSSLSPV QGVLEVYYTS LRCRCVQESS VFIPRRFIDR IQILPRGNGC 60  PRKEIIVWKK NKSIVCVDPQ AEWIQRMMEV LRKRSSSTLP VPVFKRKIP
30	Seq ID NO: 89 DNA sequence Nucleic Acid Accession #: NM_002652 Coding sequence: 37-477 (underlined sequences correspond to start and stop codons)
35	1 11 21 31 41 51                     CTTCTCTGGG ACACATTGCC TTCTGTTTTC TCCAGCATGC GCTTGCTCCA GCTCCTGTTC 60  AGGGCCAGCC CTGCCACCCT GCTCCTGGTT CTCTGCCTGC AGTTGGGGGC CAACAAAGCT 120  CAGGACAACA CTCGGAAGAT CATAATAAAG AATTTTGACA TTCCCAAGTC AGTACGTCCA 180
40	AATGACGAAG TCACTGCAGT GCTTGCAGTT CAAACAGAAT TGAAAGAATG CATGGTGGTT 240 AAAACTTACC TCATTAGCAG CATCCCTCTA CAAGGTGCAT TTAACTATAA GTATACTGCC 300 TGCCTATGTG ACGACAATCC AAAAACCTTC TACTGGGACT TTTACACCAA CAGAACTGTG 360 CAAATTGCAG CCGTCGTTGA TGTTATTCGG GAATTAGGCA TCTGCCCTGA TGATGCTGCT 420 GTAATCCCCA TCAAAAACAA CCGGTTTTAT ACTATTGAAA TCCTAAAGGT AGAA <u>TAA</u> TGG 480
45	AAGCCCTGTC TGTTTGCCAC ACCCAGGTGA TTTCCTCTAA AGAAACTTGG CTGGAATTTC 540 TGCTGTGGTC TATAAAATAA ACTTCTTAAC ATGCTT  Seq ID NO: 90 Protein sequence:
	Protein Accession #: NP_002643.1
50	1 11 21 31 41 51                   MRLLQLLFRA SPATLLLVLC LQLGANKAQD NTRKIIIKNF DIPKSVRPND EVTAVLAVQT 60  ELKECMVVKT YLISSPLQG AFNYKYTACL CDDNPKTFYW DFYTNRTVQI AAVVDVIREL 120
55	GICPDDAAVI PIKNNRFYTI EILKV  Seq ID NO: 91 DNA sequence Nucleic Acid Accession #: AK000341  Coding sequence: 85-975 (underlined sequences correspond to start and stop codons)
60	1 11 21 31 41 51 
65	GCTTTTTTGG ACAATATGTT TGGACCGCGA GATTCTCGAG TCAGAGGGTG GTTCACGTTG 180 GACTCTTACC TTCCTACCTT TTTTCTTACT GTCATGTATC TGCTCTCAAT ATGGCTGGGT 240 AACAAGTATA TGAAGAACAG ACCTGCTCTT TCTCTCAGGG GTATCCTCAC CTTGTATAAT 300 CTTGGAATCA CACTTCTCTC CGCGTACATG CTGGCAGAGC TCATTCTCTC CACTTGGGAA 360 GGAGGCTACA ACTTACAGTG TCAAGATCTT ACCAGCGCAG GGGAAGCTGA CATCCGGGTA 420 GCCAAGGTGC TTTGGTGGTA CTATTTCTCC AAATCAGTAG AGTTCCTGGA CACAATTTTC 480
70	TTCGTTTTGC GGAAAAAAAC GAGTCAGATT ACTTTTCTTC ATGTATATCA TCATGCTTCT 540 ATGTTTAACA TCTGGTGGTG TGTCTTGAAC TGGATACCTT GTGGACAAAG TTTCTTTGGA 600 CCAACACTGA ACAGTTTTGT CCACATTCTT ATGTACTCCT ACTATGGACT TTCTGTGTTT 660 CCATCTATGC ACAAGTATCT TTGGTGGAAG AAATATCTCA CACAGGCTCA GCTGGTGCAG 720
75	TTCGTGCTCA CCATCACGCA CACCATGAGC GCCGTCGTGA AACCGTGTGG CTTCCCCTTC 780 GGTTGTCTCA TCTTCCAGTC ATCTTATATG CTAACGTTAG TCATCCTCTT CTTAAATTTT 840 TATGTTCAGA CATACCGAAA AAAGCCAATG AAGAAAGATA TGCAAGAGCC ACCTGCAGGG 900 AAAGAAGTGA AGAATGGTTT TTCCAAAGCC TACTTCACTG CAGCAAATGG AGTGATGAAC 960

GCTCAAGTCT GAACTCTACC TCCAGACAGA ATGAAGTTCA TCTCGACATC TCTGCTTCTC 120

GAGTTCATAA ATCATTTGTA CCCAGAATGT ATTAATATAT TGCTATTAGG TTAATCTGTT 1140 AACTGAATGC TTTGATCAGC ATTGAGGTGA TGCTCACCTC CGAGGACCTC AGAACTGGTG 1200 5 CAGCTTCTCT CTCCCTCCCT CCCACAGACT GAACCTTTCG CCAGAAGCTG TCCTTATAAC 1260 GCCTTATACG CATACACAGC CAGGAAACGT GGAGCATTGT TTCTCACAGA GAGTCTCCAA 1320 ATAAAAAGGG TTTTGTTCAG ATTAAAATGT TTACAACAAA ATGTTAATTA TATTCTAAAT 1380 ACAGGGTATG TTCTAATCTA TATTAAGCAA TAATGCCAGT GCATAATCAT TCCATTTGTT 1440 CCTTTAGCAA TCAACCCCAG AAAATATTAA AATGGGATCA TACACAGAAG ATAGAAAAAT 1500 10 CTAGCAAAAC TTCTCTTTCT GTAAGCCAGA GTCTTGTCTA TCAGATTCCC ACAACCACTC 1560 CTGATTCTAA ATTTAGTGAT ATGGTAATGA AATTGGTATT TATTTTAAAT ATTAGTTATT 1620 CTAAGGAGAA AAAAATGCTT CTGCAAGATT TTCATAATTC AGGGGCTGTG GATAGGATTG 1680 TTCCTCTGTT TCCCTAATCA TTCATCTGTT CATGTCTCCC TCTTGTGCCA GTCAGCCTAG 1740 GTTATACAGA TGCCATGCTC CACACCACGA GCAGTGTACA AATCTGGGCTG CCCGTTTACT 1800
TTCTGAGCAA GCACTGGAGT CCACTCCGAC CTTTTTCTTT GAACATGCAT GCTGCTGGAA 1860
TATGTATAAA TCAGAACTAG CAGAAGTAGC AGAGTGATGG GAGCAAAATA GGCACTGAAT 1920
TCGTCAACTC TTTTTTGTGA GCCTACTTGT GAATATTACC TCAGATACCT GTTGTCACTC 1980 15 TTCACAGGTT ATTTAAGTTC TTGAAGCTGG GAGGAAAAAG ATGGAGTAGC TTGGAAAGAT 2040 TCCAGCACTG AGCCGTGAGC CGGTCATGAG CCACGATAAA AAATGCCAGT TTGGCAAACT 2100 20 CAGCACTCCT GTTCCCTGCT CAGGTATATG CGATCTCTAC TGAGAAGCAA GCACAAAAGT 2160 AGACCAAAGT ATTAATGAGT ATTTCCTTTC TCCATAAGTG CAGGACTGTT ACTCACTACT 2220 AAACTCTACC AAGAATGGAA ACCAAGAATA TTTTCTGAAG ATTTTTTTGA AGATTAATTT 2280 25 Seq ID NO: 92 Protein sequence;
Protein Accession #: BAA91096.1 21 31 30 MEHLKAFDDE INAFLDNMFG PRDSRVRGWF TLDSYLPTFF LTVMYLLSIW LGNKYMKNRP 60 ALSLRGILTL YNLGITLLSA YMLAELILST WEGGYNLQCQ DLTSAGEADI RVAKVLWWYY 120 FSKSVEFLDT IFFVLRKKTS QITFLHVYHH ASMFNIWWCV LNWIPCGQSF FGPTLNSFVH 180 ILMYSYYGLS VFPSMHKYLW WKKYLTQAQL VQFVLTITHT MSAVVKPCGF PFGCLIFQSS 240 YMLTLVILFL NFYVQTYRKK PMKKDMQEPP AGKEVKNGFS KAYFTAANGV MNKKAQ 35 Seg ID NO: 93 DNA sequence Nucleic Acid Accession #: NM\_000044 Coding sequence: 1115-3874 (underlined sequences correspond to start and stop codons) 40 51 41 CGAGATCCCG GGGAGCCAGC TTGCTGGGAG AGCGGGACGG TCCGGAGCAA GCCCACAGGC AGAGGAGGCG ACAGAGGGAA AAAGGGCCGA GCTAGCCGCT CCAGTGCTGT ACAGGAGCCG 120 AAGGGACGCA CCACGCCAGC CCCAGCCCGG CTCCAGCGAC AGCCAACGCC TCTTGCAGCG 180 CGGCGGCTTC GAAGCCGCCG CCCGGAGCTG CCCTTTCCTC TTCGGTGAAG TTTTTAAAAG 240 CTGCTAAAGA CTCGGAGGAA GCAAGGAAAG TGCCTGGTAG GACTGACGGC TGCCTTTGTC 300 CTCCTCCTCT CCACCCCGCC TCCCCCACC CTGCCTTCCC CCCCTCCCCC GTCTTCTCTC 360 45 CCGCAGCTGC CTCAGTCGGC TACTCTCAGC CAACCCCCCT CACCACCCTT CTCCCCACCC 420 GCCCCCCGC CCCGTCGGC CCAGCGCTGC CAGCCCGAGT TTGCAGAGAG GTAACTCCCT 480 50 TTGGCTGCGA GCGGGCGAGC TAGCTGCACA TTGCAAAGAA GGCTCTTAGG AGCCAGGCGA 540 CTGGGGAGCG GCTTCAGCAC TGCAGCCACG ACCCGCCTGG TTAGAATTCC GGCGGAGAGA 600 ACCCTCTGTT TTCCCCCACT CTCTCTCCAC CTCCTCCTGC CTTCCCCACC CCGAGTGCGG 660 AGCAGAGATC AAAAGATGAA AAGGCAGTCA GGTCTTCAGT AGCCAAAAAA CAAAACAAAC 720
AAAAACAAAA AAGCCGAAAT AAAAGAAAAA GATAATAAACT CAGTTCTTAT TTGCACCTAC 780
TTCAGTGGAC ACTGAATTTG GAAGGTGGAG GATTTTGTTT TTTTCTTTTA AGATCTGGGC 840
ATCTTTTGAA TCTACCCTTC AAGTATTAAG AGACAGACTG TGAGCCTAGC AGGGCAGATC 900 55 TTGTCCACCG TGTGTCTTCT TCTGCACGAG ACTTTGAGGC TGTCAGAGCG CTTTTTGCGT 960 GGTTGCTCCC GCAAGTTTCC TTCTCTGGAG CTTCCCGCAG GTGGGCAGCT AGCTGCAGCG 1020 ACTACCGCAT CATCACAGCC TGTTGAACTC TTCTGAGCAA GAGAAGGGGA GGCGGGGTAA 1080 GGGAAGTAGG TGGAAGATTC AGCCAAGCTC AAGGATGGAA GTGCAGTTAG GGCTGGGAAG 1140
GGTCTACCCT CGGCCGCCGT CCAAGACCTA CCGAGGAGCT TTCCAGAATC TGTTCCAGAG 1200
CGTGCGCGAA GTGATCCAGA ACCCGGGCCC CAGGCACCCA GAGGCCGCAG GCGCAGCACC 1260
TCCCGGCGCC AGTTTGCTGC TGCTGCAGCA GCAGCAGCAG CAGCAGCAGC AGCAGCAGCA 1320 60 GCAGCAGCAG CAGCAGCAGC AGCAGCAAGA GACTAGCCCC AGGCAGCAGC AGCAGCAGCA 1380 65 GGGTGAGGAT GGTTCTCCCC AAGCCCATCG TAGAGGCCCC ACAGGCTACC TGGTCCTGGA 1440 GGGTIGAGGAT GGTTCTCCCC AAGCCCATCG TAGAGGCCCC ACAGGCTACC TGGTCCTGGA 1440
TGAGGAACAG CAACCTTCAC AGCCGCAGTC GGCCCTGGAG TGCCACCCCG AGAGAGGTTG 1500
CGTCCCAGAG CCTGGAGCCG CCGTGGCCGC CAGCAAGGGG CTGCCGCAGC AGCTGCCAGC 1560
ACCTCCGGAC GAGGATGACT CAGCTGCCCC ATCCACGTTG TCCCTGCTGG GCCCCACTTT 1620
CCCCGGCTTA AGCAGCTGCT CCGCTGACCT TAAAGACATC CTGAGCGAGG CCAGCACCAT 1680
GCAACTCCTT CAGCAACAGC AGCAGGAAGC AGTATCCGAA GGCAGCAGCA GCGGGAGAGC 1740
GAGGGAGGCC TCGGGGGCTC CCACTTCCTC CAAGGACAAT TACTTAGGGG GCACTTCGAC 1800 70 CATTTCTGAC AACGCCAAGG AGTTGTGTAA GGCAGTGTCG GTGTCCATGG GCCTGGGTGT 1860 GGAGGCGTTG GAGCATCTGA GTCCAGGGGA ACAGCTTCGG GGGGATTGCA TGTACGCCCC 1920 ACTITTGGGA GTTCCACCCG CTGTGCGTCC CACTCCTTGT GCCCCATTGG CCGAATGCAA 1980 75 AGGTTCTCTG CTAGACGACA GCGCAGGCAA GAGCACTGAA GATACTGCTG AGTATTCCCC 2040 TTTCAAGGGA GGTTACACCA AAGGGCTAGA AGGCGAGAGC CTAGGCTGCT CTGGCAGCGC 2100 TGCAGCAGGG AGCTCCGGGA CACTTGAACT GCCGTCTACC CTGTCTCTCT ACAAGTCCGG 2160

AAGAAAGCAC AA<u>TAA</u>AAATG AGTAACAGAA AAAGCACATA TACTAGCCTA ACAGATTGGC 1020 TTGTTTTAAA GCAAAGACTG AATTGAAGGT TACATGTTTT AGGATAAACT AATTTCTTTT 1080




TTGTTGGCAC ACCTTATTAC ATGTCTCCTG AACAAATGAA TCGCATGTCC TACAATGAGA 720 AATCAGATAT CTGGTCATTG GGCTGCTTGC TGTATGAGTT ATGTGCATTA ATGCCTCCAT 780 TTACAGCTTT TAGCCAGAAA GAACTCGCTG GGAAAATCAG AGAAGGCAAA TTCAGGCGAA 840 TTCCATACCG TTACTCTGAT GAATTGAATG AAATTATAC GAGGATGTTA AACTTAAAGG 900
ATTACCATCG ACCTTCTGTT GAAGAAATTC TTGAGAACCC TTTAATAGCA GATTTGGTTG 960
CAGACGAGCA AAGAAGAAAT CTTGAGAGAA GAGGGCGACA ATTAGGAGAG CCAGAAAAAT 1020
CGCAGGATTC CAGCCCTGTA TTGAGTGAGC TGAAACTGAA GGAAATTCAG TTACAGGAGC 1080
GAGAGCGAGC TCTCAAAGCA AGGAAGAAA GATTGGAGCA GAAAGAACAG GAGCTTTGTG 1140 5 TTCGTGAGAG ACTAGCAGAG GACAAACTGG CTAGAGCAGA AAATCTGTTG AAGAACTACA 1200 10 GCTTGCTAAA GGAACGGAAG TTCCTGTCTC TGGCAAGTAA TCCAGAACTT CTTAATCTTC 1260 CATCCTCAGT AATTAAGAAG AAAGTTCATT TCAGTGGGGA AAGTAAAGAG AACATCATGA 1320 GGAGTGAGAA TTCTGAGAGT CAGCTCACAT CTAAGTCCAA GTGCAAGGAC CTGAAGAAA 1380
GGCTTCACGC TGCCCAGCTG CGGGCTCAAG CCCTGTCAGA TATTGAGAAA AATTACCAAC 1440
TGAAAAGCAG ACAGATCCTG GGCATGCGC<u>T AG</u>CCAGGTAG AGAGACACAG AGCTGTGTAC 1500
AGGATGTAAT ATTACCAACC TTTAAAGACT GATATTCAAA TGCTGTAGTG TTGAATACTT 1560
GGCCCCATGA GCCATGCCTT TCTGTATAGT ACACATGATA TTTCTGGAATT GGTTTTACTG 1620
TTCTTCAGCA ACTATTGTAC AAAATGTTCA CATTTAATTT TTCTTTCTTTC TTTTAAGAAC 1680 15 ATATTATAAA AAGAATACTT TCTTGGTTGG GCTTTTAATC CTGTGTGTGA TTACTAGTAG 1740 GAACATGAGA TGTGACATTC TAAATCTTGG GAGAAAAAAT AATATTAGGA AAAAAAATATT 1800 TATGCAGGAA GAGTAGCACT CACTGAATAG TTTTAAATGA CTGAGTGGTA TGCTTACAAT 1860 20 TGTCATGTCT AGATTTAAAT TTTAAGTCTG AGATTTAAA TGTTTTTTGAG CTTAGAAAAC 1920 CCAGTTAGAT GCAATTTGGT CATTAATACC ATGACATCTT GCTTATAAAT ATTCCATTGC 1980 TCTGTAGTTC AAATCTGTTA GCTTTGTGAA AATTCATCAC TGTGATGTTT GTATTCTTTT 2040 TTTTTTTCTG TTTAACAGAA TATGAGCTGT CTGTCATTTA CCTACTTCTT TCCCACTAAA 2100 25 TAAAAGAATT CTTCAGTTA Seq ID NO: 96 Protein sequence: Protein Accession #: NP\_002488 30 31 41 5 t GIREFNPNIM ANEVERINMI TOSISGENEA RELATEDKIN ASEHOMOSAP IENSMPSRAE 60 DYEVLYTIGT GSYGRCQKIR RKSDGKILVW KELDYGSMTE AEKQMLVSEV NLLRELKHPN 120 IVRYYDRIID RTNTTLYIVM EYCEGGDLAS VITKGTKERQ YLDEEFVLRV MTQLTLALKE 180 35 CHRRSDGGHT VLHRDLKPAN VFLDGKQNVK LGDFGLARIL NHDTSFAKTF VGTPYYMSPE 240 OMNRMSYNEK SDIWSLGCLL YELCALMPPF TAFSQKELAG KIREGKFRRI PYRYSDELNE 300
ITRMLNLKD YHRPSVEEIL ENPLIADLVA DEQRRNLERR GRQLGEPEKS QDSSPVLSEL 360
KLKEIQLQER ERALKAREER LEQKEQELCV RERLAEDKLA RAENLLKNYS LLKERKFLSL 420
ASNPELLNLP SSVIKKKVHF SGESKENIMR SENSESQLTS KSKCKDLKKR LHAAQLRAQA 480 40 LSDIEKNYQL KSRQILGMR Seq 1D NO: 97 DNA sequence Nucleic Acid Accession #: NM\_007050.2 Coding sequence: 185-4576 (underlined sequences correspond to start and stop codons) 45 41 CCTCCCGCCT CAGTTCGCGC CGCGCCTCGG CTTGGAACGC AGGAGCGCCG GCTCCGGGAG CCCGAGCGGA GCCAGCCGC CGCACAGCCA GCGGCCGCCC CGGCGATGCG GGGCCACCCC 120 50 GCGCCCGCCC CAGTCCCGGC CCCGGCCCCC GCGGGAAGGG GCTGAGCTGC CCGCCGCCGC 180 CCGGATGCCG AGCCTCGCCC CAGCCTGCTC CTGAGGCTGC AGCTGCCGCC 240 ACTGCCCGGC GCCCGGGCTC AGAGCGCCCC AGGTGGCTGT TCCTTTGATG AGCACTACAG 300 CAACTGTGGT TATAGTGTGG CTCTAGGGAC CAATGGGTTC ACCTGGGAGC AGATTAACAC 360 AACGGAGAAA CCAATGCTGG ACCAGGCAGT GCCCACAGGA TCTTTCATGA TGGTGAACAG 420 55 CTCTGGGAGA GCCTCTGGCC AGAAGGCCCA CCTTCTCCTG CCAACCCTGA AGGAGAATGA 480 CACCCACTGC ATCGACTTCC ATTACTACTT CTCCAGCCGT GACAGGTCCA GCCCAGGGGC 540 CTTGAACGTC TACGTGAAGG TGAATGGTGG CCCCAAGGG AACCCTGTGT GGAATGTGTC 600 CGGGGTCGTC ACTGAAGGT GGGTGAAGGC AGAGCTCGCC ATCAGCACTT TCTGGCCACA 660
TTTCTATCAG GTGATATTTG AATCCGTCTC ATTGAAGGT CATCCTGGCT ACATCGCCGT 720
GGACGAGGTC CGGGTCCTTG CTCATCCATG CAGAAAAGCA CCTCATTTTC TGCGACTCCA 780
AAACGTGGAG GTGAATGTGG GGCAGAATGC CACATTTCAG TGCATTGCTG GTGGGAAGTG 840
GTCTCAGCAT GACAAGCTTT GGCTCCAGCA ATGGAATGGC AGGGACACGG CCCTGATGGT 900 60 CACCCGTGTG GTCAACCACA GGCGCTTCTC AGCCACAGTC AGTGTGGCAG ACACTGCCCA 960 GCGGAGCGTC AGCAAGTACC GCTGTGTGAT CCGCTCTGAT GGTGGGTCTG GTGTGTCCAA 1020 CTACGCGGAG CTGATCGTGA AAGAGCCTCC CACGCCCATT GCTCCCCAG AGCTGCTGGC 1080
TGTGGGGGCC ACATACCTGT GGATCAAGCC AAATGCCAAC TCCATCATCG GGGATGGCC 1140
CATCATCCTG AAGGAAGTGG AATATCGCAC CACCACAGGC ACGTGGGCAG AGACCCACAT 1200
AGTCGACTCT CCCAACTATA AGCTGTGGCA TCTGGACCCC GATGTTGAGT ATGAGATCCG 1260
AGTGCTCCTC ACACGACCAG GTGAGGGGGG TACGGGACCG CCAGGGGCTC CCCTCACCAC 1320 65 70 CAGGACCAAG TOTGCAGATC CGGTACATGG CCCACAGAAC GTGGAAATCG TAGACATCAG 1380 CAGGACCAAG TOTGCAGATC CCGTACATGG CCCACAGAAC GIGGAAATCG TAGACATCAG 1880
AGCCCGGCAG CTGACCCTGC AGTGGGAGCC CTTCGGCTAC GCGGTGACCC GCTGCCATAG 1440
CTACAACCTC ACCGTGCAGT ACCAGTATGT GTTCAACCAG CAGCAGTACG AGGCCGAGGA 1500
GGTCATCCAG ACCTCCTCCC ACTACACCCT GCGAGGCCTG CGCCCCTTCA TGACCATCCG 1560
GCTGCGACTC TTGCTGTCTA ACCCCGAGGG CCGAATGGAG AGCGAGGAGC TGGTGGTGCA 1620
GACTGAGGAA GACGTTCCAG GAGCTGTTCC TCTAGAAATCC ATCCAAGGGG GGCCCTTTGA 1680
GGAGAAGATC TACATCCAGT GGAAACCTCC CAATGAGACC AATGGGGTCA TCACGCTCTA 1740
CGAGATCAAC TACAAGGCTG TCGGCTCGCT GGACCCAAGT GCTGACCTCT CGAGCCAGAG 1800 75


GACCACCTAT TCCTTCACCA TCAAGGCCAG CACAGCAAAG GGCTTTGGGC CCCCTGTCAC 1920 CACTCGGATT GCCACCAAAA TTTCAGCTCC ATCCATGCCT GAGTACGACA CAGACACCCC 1980 ATTGAATGAG ACAGACACGA CCATCACAGT GATGCTGAAA CCCGCTCAGT CCCGGGGAGC 2040 5 TCCTGTCAGT GTTTATCAGC TGGTTGTCAA GGAGGAGCGA CTTCAGAAGT CACGGAGGGC 2100 AGCTGACATT ATTGAGTGCT TTTCGGTGCC CGTGAGCTAT CGGAATGCCT CCAGCCTCGA 2160 TTCTCTACAC TACTTTGCTG CTGAGTTGAA GCCTGCCAAC CTGCCTGTCA CCCAGCCATT 2220 TACAGTGGGT GACAATAAGA CATACAATGG CTACTGGAAC CCTCCTCTC TCCCCTGAA 2280 AAGCTACAGC ATCTACTTCC AGGCACTCAG CAAAGCCAAT GGAGAGACCA AAATCAACTG 2340 TGTTCGTCTG GCTACAAAAG CACCAATGGG CAGCGCCCAG GTGACCCCGG GGACTCCACT 2400 10 CTGCCTCCTC ACCACAGGTG CCTCCACCCA GAATTCTAAC ACTGTGGAGC CAGAGAAGCA 2460 GGTGGACAAC ACCGTGAAGA TGGCTGGCGT GATCGCTGGC CTCCTCATGT TCATCATCAT 2520 TCTCCTGGGC GTGATGCTCA CCATCAAAAG GAGAAGAAAT GCTTATTCCT ACTCCTATTA 2580 CTTGTCCCAA AGGAAGCTGG CCAAGAAGCA GAAGGAGACC CAGAGTGGAG CCCAGAGGGA 2640 15 GATGGGGCCT GTGGCCTCTG CCGACAAACC CACCAAG CTCAGCGCCA GCCGCAATGA 2700 TGAAGGCTTC TCTTCTAGTT CTCAGGACGT CAACGGATTC ACAGATGGCA GCCGCGGGGA 2760 GCTTTCCCAG CCCACCCTCA CGATCCAGAC TCATCCCTAC CGCACCTGTG ACCCTGTGGA 2820 GATGAGCTAC CCCCGGGACC AGTTCCAACT CGCCATCCGG GTGGCTGACT TGCTGCAGCA 2880 CATCACGCAG ATGAAGAGAG GCCAGGGCTA CGGGTTCAAG GAGGAATACG AGGCCTTACC 2940
AGAGGGGCAG ACAGCTTCGT GGGACACAGC CAAGGAGGAT GAAAACCGCA ATAAGAATCG 3000 20 ATATGGGAAC ATCATATCCT ACGACCATTC CCGGGTGAGG CTGCTGGTGC TGGATGGAGA 3060 CCCGCACTCT GACTACATCA ATGCCAACTA CATTGACGGA TACCATCGAC CTCGGCACTA 3120
CATTGCGACT CAAGGTCCGA TGCAGGAGAC TGTAAAAGGAC TTTTGGAGAA TGATCTGGCA 3180
GGAGAACTCC GCCAGCATCG TCATGGTCAC AAACCTGGTG GAAGTGGGCA GGGTGAAATG 3240
TGTGCGATAC TGGCCAGATG ACACGGAGGT CTACGGAGAC ATTAAAGTCA CCCTGATTGA 3300 25 AACAGAGCCC CTGGCAGAAT ACGTCATACG CACCTTCACA GTCCAGAAGA AAGGCTACCA 3360 TGAGATCCGG GAGCTCCGCC TCTTCCACTT CACCAGCTGG CCTGACCACG GCGTTCCCTG 3420 CTATGCCACT GGCCTTCTGG GCTTCGTCCG CCAGGTCAAG TTCCTCAACC CCCCGGAAGC 3480 TGGGCCCATA GTGGTCCACT GCAGTGCTGG GGCTGGCGG ACTGGCTGCT TCATTGCCAT 3540 30 TGACACCATG CTTGACATGG CCGAGAATGA AGGGGTGGTG GACATCTTCA ACTGCGTGCG 3600
TGAGCTCCGG GCCCAAAGGG TCAACCTGGT ACAGACAGAG GAGCAATATG TGTTTGTGCA 3660
CGATGCCATC CTGGAAGCGT GCCTCTGTGG CAACACTGCC ATCCCTGTGT GTGAGTTCCG 3720
TTCTCTCTAC TACAATATCA GCAGGCTGGA CCCCCAGACA AACTCCAGCC AAATCAAAGA 3780
TGAATTTCAG ACCCTCAACA TTGTGACACC CCGTGTGCGG CCCGAGGACT GCAGCATTGG 3840 35 GCTCCTGCCC CGGAACCATG ATAAGAATCG AAGTATGGAC GTGCTGCCTC TGGACCGCTG 3900 CCTGCCCTTC CTTATCTCAG TGGACGAGA ATCCAGCAAT TACATCAACG CAGCACTGAT 3960 GGATAGCCAC AAGCAGCCTG CCGCCTTCGT GGTCACCCAG CACCCTCTAC CCACACCGT 4020
GGCAGACTTC TGGAGGCTGG TGTTCGATTA CAACTGCTCC TCTGTGGTGA TGCTGAATGA 4080
GATGGACACT GCCCAGTTCT GTATGCAGTA CTGGCCTGAG AAGACCTCCG GGTGCTATGG 4140
GCCCATCCAG GTGGAGTTCG TCTCCGCAGA CATCGACGAG GACATCATCC ACAGAATATT 4200 40 CCGCATCTGT AACATGGCCC GGCCACAGGA TGGTTATCGT ATAGTCCAGC ACCTCCAGTA 4260 CATTGGCTGG CCTGCCTACC GGGACACGCC CCCCTCCAAG CGCTCTCTGC TCAAAGTGGT 4320 CCGACGACTG GAGAAGTGGC AGGAGCAGTA TGACGGGAGG GAGGGACGTA CTGTGGTCCA 4380 CTGCCTAAAT GGGGGAGGCC GTAGTGGAAC CTTCTGTGCC ATCTGCAGTG TGTGTGAGAT 4440 GATCCAGCAG CAAAACATCA TTGACGTGTT CCACATCGTG AAAACACTGC GTAACAACAA 4500 ATCCAACATG GTGGAGACCC TGGAACAGTA TAAATTTGTA TACGAGGTGG CACTGGAATA 4560 45 TTTAAGCTCC TTT<u>TAG</u>CTCA ATGGGATGGG GAACTGCCGG AGTCCAGAGG CTGCTGTGAC 4620 CAAGCCCCT TTTGTGTGAA TGGCAGTAAC TGGGCTCAGG AGCTCTGAGG TGGCACCCTG 4680 CCTGACTCCA AGGAGAAGAC TGGTGGCCCT GTGTTCCACG GGGGGCTCTG CACCTTCTGA 4740 50 GGGGTCTCCT GTTGCCGTGG GAGATGCTGC TCCAAAAGGC CCAGGCTTCC TTTTCAACCT 4800 AACCAGCCAC AGCCAAGGGC CCAAGCAAGAA GTACACCAC AAGCAAGGCC TTGGATTTCT 4860
GGCTCCCAGA CCACCTGCTT TTGTTCTGAG TTTGTGGATC TCTTGGCAAG CCAACTGTGC 4920
AGGTGCTGGG GAGTGGGAGG CTCCCCTGCC CTCCTTCTCC TTAGGAGTGG AGGAGATGTG 4980
TGTTCTGCTC CTCTACGTCA TGGAAAAGAT TGAGGCTCTT GGGGGTCACT GCTCTGCTGC 5040 55 CCCCTGCAAC CTCCTTCAGG GGCCTCTGGC ACCAGACATT TGCAGTCTGG ACCAGTGTGA 5100 CCTTACGATG TTCCCTAGGC CACAAGAGAG GCCCCCCATC CTCACACCTA ACCTGCATGG 5160 GGCTTCGCCC ACAACCATTC TGTACCCCTT CCCCAGCCTG GGCCTTGACC GTCCAGCATT 5220 CACTGGCCGG CCAGCTGTGT CCACAGCAGT TTTTGATAAA GGTGTTCTTT GCTTTTTTGT 5280 GTGGTCAGTG GGAGGGGTG GAACTGCAGG GAACTTCTCT GCTCCTCCTT GTCTTTTGTAA 5340 AAAGGGACCA CCTCCCTGGG GCAGGGCTTG GGCTGACCTG TAGGATGTAA CCCCTGTGTT 5400 TCTTTGGTGG TAGCTTTCTT TGGAAGAGAC AAACAAGATA AGATTTGATT ATTTTCCAAA 5460 GTGTATGTGA AAAGAAACTT TCTTTTGGAG GGTGTAAAAT CTTAGTCTCT TATGTCAAAA 5520 60 AGAAGGGGC GGGGAGTTT GAGTATGTAC CTCTAAGACA AATCTCTCGG GCCTTTTATT 5580 TITTCCTGGC AATGTCCTTA AAAGCTCCCA CCCTGGGACA GCATGCCACT GAGCAAGGAG 5640 65 AGATGGGTGA GCCTGAAGAT GGTCCCTTTG GTTTCTGGGG CAAATAGAGC ACCAGCTTTG 5700 TGCATAATTT GGATGTCCAA ATTTGAACTC CTTCCTAAAG AAACCCAGCA GCCACCTTGA 5760 AAAAGGCCAT TGTGGAGCCC ATTATACTTT GATTTAAAAT AGGCCAAGAG AATCAGGCCT 5820 GGAGATCTAG GGTCTTGTCC AAAGTGTGAG TGAGTCAATG AGAGGGAACC AACATTTGCT 5880 AAGTCTCTAC TGTATGCCAG GGATCATGCT TGGCACTTTC CATAGGACAT TTCACACAGT 5940 70 CCTTAGAACC CCCAGGAGAG AGCTACTGAC TTGTTATCAT CTCCATTTGA TCATCTCCTC 6000 CAATGAGGAA ACCCACGCAC CTTCCTTAGT AATGAAATCC TGGGTTCCAA AGGGGCAGGT 6060 AATGGCAATG AGACTTCTCC GTGCTGTTTT CTTCATCTTC TCTAAGCCAA GCAATTATTT 6120 TATGGAGGGA AAATAAGGCC AGAAACTTCT GAGCAGATAA CTCCACAAAT GGAAATTTAG 6180 TACTITCTTC CTGATGCCAG TTCTTCTGGG AAGCGCAGAA TTTCAGATAT ATTTTAGTAA 6240 CACATTCCCA GCTCCCCAGG AAAGCCAGTC TCATCTAATT TCTTAGTCAG TAAAAACAAT 6300 TCCCTGTTCC TTCAGGCTAT GAATGGACCA GCCAGGGAAA CTCTCGACCT TGATCTCTAG 6360 75 CCAGTGCTTA GGCCCAATAT CTGACAGCCT CAGGTGGGCT GGGACCTAGG AAGCTCCATC 6420

GGGGAAAGTG TTCAAGCTCC GGAATGAAAC CCACCACCTC TTTGTGGGTC TGTACCCAGG 1860

PCT/US02/02242 WO 02/059377

TTGAAGGCTG GTCTAGCCCC AGACAGGGCA TGAGGGGCAG AGAATTCAAG AAGGTACAGC 6480 TTTGGCCCTC AAGAGCCCAC TGTATGCTGG GGAAATGGAA CCATGGTGCA GTAGTGTGGA 6540 GTGGATGAGT GTTCCATGAG CCTAGGAGCA AGAAAGTCTC TTCGGCCTCG GGCTTCCTGG 6600 AGAAGGGGAC GTCCATTCCT GCTGGGTCTT AACAAGCATA AAAAGGAAAA AAAGGAAACT 6660 5 CAGGCAAAGG GATCCATATG TGCAATGGCA AAGAAATGTG AAAAGGCATT GGGAGAAGCA 6720 OTCTGGGGGA GGCCAGCCCA GTGCGGGCAC AGCACAACAC GGGGAGCAGC AAGAGATGAG 6780 CCAGGGTCCA GGAGACAGAT GCCCATCGCG AGTACAGACT TTGTCCTATT GGCAACAAGG 6840 AGTCCATGGA GCTTTAGAGA GATGCACTCA GCTTCGTGTT GGCCAAGACT CCTTCTGGGC 6900
CAATGGGGCT GCCTCTTTTC CTTTCATCAG ACACTGTGAA AACATTCCCT TAAGCGTGCA 6960
CTTTTTAATA TCACATCTAT TTGTCTGTCT GCTCATTGTT TTGTTGCTGG AACTAAATAT 7020
GCAATGGATC ATGAGACTCA GATTCTATGA GAAACCCAGG GTCTCTGCTT TACCACGGAG 7080
CAGGGTCACC AACCCAGATC TCCAGGCCCA TGAGGATGGA ACATGAAAGG AGCCGACAAA 7140 10 AGTTGCTTCC ATTGGCATGG GCTCTGGAGC TGTCCAGAAG TCCAGGGACA CCAGACTTGA 7200 TCAAGGAAGG GCTGTCACTT TAGAGGTTCA AAAGGAAGTG CCTCAAAGCA AAGGCAAGCA 7260 AAGGAACCC ACGATGAACT TGCTCTTTC CTTTGATGAG CCTCCCCA GGTGTATTTC 7320
AGCAGACCCC GGGGACCCAC CCCCACTGGG CCTGCTGGC TCCCTCGGCT CCAGCCCAAT 7380
GCCCAGCTG GCCTTCCCCA GCCTGCAAGG AGCCTGTAGC ATGGCAAATC TGCCTGCTGT 7440
ATGCTATTTT CTTAGATCTT GGTACATCCA GACAGGATGA GGGTGGAGGG AGAGCTATTT 7500
AACACAAATC CTAAGATTTT TTTCTGCTCA GGAAGGGGTG AAATAGCTGG CAGATACAAA 7560 15 20 AGACAGTIGG TITTATCATT TTAAATGGTA GGAATTTAAG GTGTGACTTC AGGGAGAAAC 7620 AAACTTGCAA AAAAAAAAA TCTCAGGCCA TGTTGGGGTA ACCCAGCAAG GGCCAGTGAT 7680 GATTTCCCCC AGCTCATCCC CTTATTTTCC CACAACCCAA CCATTCTCTA AAGCAGGACA 7740 GTGAATAGGT CTTAGGCCAG TGCACACAGG AAGAAATTGA GGCTTATGGA TGGGGATGAC 7800 TTCCCTAAGA TCCCATGGGA CAAGGATGTG GCAAGGCTTG GATGAGATGG GGCACCAGTG 7860 CCCAGGAATT TGAACATTTT CCTTTACCCA GGAAATCTCC GGAGCCAACA CCACCACCCC 7920 CAGGGGGTCT CCCCACCCA CCCCATTAC AGGGTGAGCT CAGCCTGTCA TGAGCAGAGG 7980 AAAATATTAT TAATGCTCTC TGAGTCTTTA CAACAGGAGC TCTTACCTCA TAGATGTGGG 8040 25 CTCTGTTTGG GGAAGATGCA AGGAAGTAAT GAGAAGCCCA GGAAATTTCT CCACCTGTGT 8100 TTATGGCCTA AATAGCTTCA GGATGTATCT TAGCTGCACT CCAACATTGC ATCCTTTCTG 8160° 30 GGGTGAAGAA TCTGGGCCAA CCAGGGGTCC TTGGGCCTCT AGAAGGCCAC AGTAGGCCTC 8220 TCTTTGTGGG AATGGAAGGG GACAGTTTGC TTTTAGTGCT GGCCCTCTCT GTGGGTGTGG 8280
CCTGCAAAGG AACCAACAGA CCCTATGCTG GGGACTCTAA CATGTGAGCT CATTAAATTC 8340
TTCCAGCATT CTAAAGGAGG GTTTGTGATT GTCACCATTT ACTGATGAGG AAACTAAGGC 8400
TCCTAGGGGA GAAATCACTT GCCCACAGTT CCACAGCTAG TGAGTGAATG AACCAGGATT 8460 35 TAAACCGGTT TTTTCTCACT ACAGAGACAA TATTTTTCCA CCATTGTATC TCACATTTTT 8520 CCCAGGAGGT TACCCATAAC AGAAGAGACT AGAGTGGAAC AGATACGTCA GTGGATAAAG 8580 CTCAAAGCAA ACAACAGTAA GCTTAAAATT CCTTCATAGT CTCATGTTTT ACGTTCACAA 8640 TTCATGCAAA ATTTGCATTC CACTTTCTGA TTTAGCCTTG TTGGTTTTAA TATGACTCTA 8700 40 TAAGGCATCT TCCAGTTGGG TGCTGGAAGG AACCCATTAA CTCACACTAG AATGATGAGG 9000 ATTTGCTCAT CTGGCGTGGA GAAGGATGAG CCCACAAAAC CCTAAAGGGA AAAGAGAAGC 9060 45 TGGACACAGC TGTACTCAGC AGATTCCTGA ATGCTAGGCT GGAAAGTGGT GCCTGTTGTC 9120 CAAGTGGAGT CACATGGTTG CTAATGTGGG CAAGTCTGAG GACACACTTC ATGAGCAGCT 9180 GGGGTCTGGA AGGCTCCTCA CTTTACCCTA GCCACACATA ATTACTGGGT GCCTACAGCA 9240
CCTAGCACCT TGGAGGGGGC ACTATTAGGA AATCGAGATT ACTATGGCAC AATTAATTCC 9300
TGGGTAAGGC ATGGGGTTGT GGTGGACAGA GCTCAGTCTT TAGTTTGAAC GAAAACATAC 9360
ATACATGAAA AACATACATG AAAAAAGGAC CCTCATCAAC ATTAGAAGGG GTAGATTTGG 9420 50 AGCACTTTAG GCAGGAAAAC AGGAACGCAA GGCCAGGAAA CTGGAACCCA GTGAATACTC 9480 AGAACCGAGG ATGCAGATGA CTTATTTAGC AAAATGGTCA CTTCTGTGAC ATAGCTGGAG 9540 AAAGGATGGG TAACAGCTTG CCAGAGCCAC TTGGAACAAG GGCAAATCTC AGTGTCTGGG 9600 GCAAAAGATG ATGCATTTCC CTCTGACCCA TCATGTTTAT TCATCCTCCA CTCCCCATTG 9660
CCACACTAGC TCTTGCTGTA AGTCCTCACC AGGATCTACA TTTCCTCGTC GCTGGTGGGA 9720
ACCCCTTAGA GTACATAGAG GTATCAGTCC AGTAAGACTG CTCTACACAA CAGAAGTGAG 9780
GCCCAGGGAG TAGCAGCCAG GCCCTTATCC TGTTACCTCT GCAGGAGTGA CTGCCCAACC 9840
CAGATCCAGA GACATTGAAG GAAATGATAA TTCCTTGGTA CCTCACTGCCTGCTGGGACACA 9900 55 ATGARCAGA GACATIGAAG GAAATGATAA TICCTTGGAT CCTGGCTGGC GTAAACAGGT 9960
CATCAGCACC AGGCTCAACC AGGAGTAACA TTCTGGAAGA CATGGGTGG CCCAAGAGGA 10020
AGCATGAACA GGACGCTGTT CCTAAGTCAT GTCAACAGGT TGTGCTGGGC CAGGATCCC 10080
AGGGAAAAAA ATGGTCAACC AACTGGAGG GTAGGTTAGA AGAAAAAAA CATAAACGTG 10140 60 GATAGTCATG TCATCTCAAA TCCCTGACTT GGCTTCCCA TTACTTGACA GTCTGAGGTC 10200 CTTCTTAGCC TGTGACCAGC TTCAAATCAC AGCCAAGTAA AACAAGGAAA TAGGAAAAGT 10260 65 AAATCCAACT AGAAGAGACA AGCTGAGATT CAGATTTGTT TACTCCTCCC ATGCAAAGTT 10320 TCCCTGTTGG AGGTTTTCCA TGTATACATG TCTAGAAGTG ATAGAATGCA AGGCCTTGGC 10380 TTTGTCTTGC AGGGATCTGC CTTTGAGGTC ATAGACTGAA CAGCAGGGAG AGAGGTTAGT 10440 TIGICTIC AGGARDATE IGC CITTURGUTC ATARCTICATE CACACADAR AGAGATICATE 10440
TGGATCTGAT CCTCCGAAGC ACAGCAGAGA TATCTAAGCC ATATTTGTGC ACATGAGCAG 10560
ACTCTTCTAG TTTTTTAGTA ACCAGGGATG GGCTTTTGCA TGGCACTGAC TATAGAGATG 10620
TCTTGTAGAG ATCAAGCCAG TCTTTTGCAT CCCACCTGCC CACCTCCAGA AGAGATGGGA 10680
AAAGGTCATC AAAGGGCATT CACCAACTGA AATCCACTCA TGAATGTTAG GTCTCTAAAA 10740 70 GGAGGCATCA ACACTCACAA TGGTAGCCTC CAAACCTAGC ATCCCACCTA TCTAAGAGCT 10800 CAGGGGTGGT CCACTGGGGC AGATACAAGG GAAGTGCAAG GGCTCAGGAT GAAAGAAAAT 10860 75 CTATTGGGAA GAGTTTTAGG GGCTTGATCA TTATGGGGCT TCCTTCTATA TCTGAGAACT 10920 GCTCTGGGTG GTGAGATGTG GACTCTGATC CTTAATTGGA ATGTTCGGAG AATGAGTGTC 10980 TGGTGGCCTT GAAGTGTTGG ACAGAAAAGT ATCAGTATAA AAGCCTGGAG CTCAGGGTAA 11040





Coding sequence: 67-363 (underlined sequences correspond to start and stop codons) 31 5 GAGACATTCC TCAATTGCTT AGACATATTC TGAGCCTACA GCAGAGGAAC CTCCAGTCTC 60 AGCACCATGA ATCAAACTGC GATTCTGATT TGCTGCCTTA TCTTTCTGAC TCTAAGTGGC 120 ATTCAAGGAG TACCTCTCTC TAGAACCGTA CGCTGTACCT GCATCAGCAT TAGTAATCAA 180 CCTGTTAATC CAAGGTCTTT AGAAAAACTT GAAATTATTC CTGCAAGCCA ATTTTGTCCA 240 CGTGTTGAGA TCATTGCTAC AATGAAAAAG AAGGGTGAGA AGAGATGTCT GAATCCAGAA 300 10 TCGAAGGCCA TCAAGAATTT ACTGAAAGCA GTTAGCAAGG AAATGTCTAA AAGATCTCCT 360

TAAAACCAGA GGGGAGCAAA ATCGATGCAG TGCTTCCAAG GATGGACCAC ACAGAGGCTG 420

CCTCTCCCAT CACTTCCCTA CATGGAGTAT ATGTCAAGCC ATAATTGTTC TTAGTTTGCA 480

GTTACACTAA AAGGTGACCA ATGATGGTCA CCAAATCAGC TGCTACTACT CCTGTAGGAA 540 15 GGTTAATGTT CATCATCCTA AGCTATTCAG TAATAACTCT ACCCTGGCAC TATAATGTAA 600 GCTCTACTGA GGTGCTATGT TCTTAGTGGA TGTTCTGACC CTGCTTCAAA TATTTCCCTC 660 ACCTTTCCCA TCTTCCAAGG GTACTAAGGA ATCTTTCTGC TTTGGGGTTT ATCAGAATTC 720 TCAGAATCTC AAATAACTAA AAGGTATGCA ATCAATCTG CTTTTTAAAG AATGCTCTTT 780
ACTTCATGGA CTTCCACTGC CATCCTCCA AGGGGCCCAA ATTCTTTCAG TGGCTACCTA 840
CATACAATTC CAAACACATA CAGGAAGGTA GAAATATCTG AAAATGTATG TGTAAGTATT 900
CTTATTTAAT GAAAGACTGT ACAAAGTATA AGTCTTAGAT GTATATATTT CCTATATTGT 960 20 TTTCAGTGTA CATGGAATAA CATGTAATTA AGTACTATGT ATCAATGAGT AACAGGAAAA 1020 TTTTAAAAAT ACAGATAGAT ATATGCTCTG CATGTTACAT AAGATAAATG TGCTGAATGG 1080 TTTTCAAATA AAAATGAGGT ACTCTCCTGG AAATATTAAG 25 Seq ID NO: 104 Protein sequence:
Protein Accession #: NP\_001556.1 31 .30 MNQTAILICC LIFLTLSGIQ GVPLSRTVRC TCISISNQPV NPRSLEKLEI IPASQFCPRV 60 EIIATMKKKG EKRCLNPESK AIKNLLKAVS KEMSKRSP Seq ID NO: 105 DNA sequence 35 NM 015068.1 Nucleic Acid Accession #: Coding sequence: 1170-2243 (underlined sequences correspond to start and stop codons) 40 GTAACAACCG TCACCCTGGG TCCCGACTGC CCACCTCCTC CTCCTCCCC TCCCCCAAC 60
AACAACAACA ACAACACTC CAAGCACACC GGCCATAAGA GTGCGTGTGT CCCCAACATG 120
ACCGAACGAA GAAGGGACGA GCTCTCTGAA GAGATCAACA ACTTAAGAGA GAAGGTCATG 180 AAGCAGTCGG AGGAGAACAA CAACCTGCAG AGCCAGGTGC AGAAGCTCAC AGAGGAGAAC 240 ACCACCTTC GAGAGCAAGT GGAACCCACC CCTGAGGATG AGGATGATGA CATCGAGCTC 300 45 CGCGGTGCTG CAGCAGCTGC TGCCCCACCC CCTCCAATAG AGGAAGAGTG CCCAGAAGAC 360 CTCCCAGAGA AGTTCGATGG CAACCCAGAC ATGCTGGCTC CTTTCATGGC CCAGTGCCAG 420 ATCTTCATGG AAAAGAGCAC CAGGGATTTC TCAGTTGATC GTGTCCGTGT CTGCTTCGTG 480 ACAAGCATGA TGACCGGCCG TGCTGCCCGT TGGGCCTCAG CAAAGCTGGA GCGCTCCCAC 540
TACCTGATGC ACAACTACCC AGCTTTCATG ATGGAAATGA AGCATGTCTT TGAAGACCCT 600
CAGAGGCGAG AGGTTGCCAA ACGCAAGATC AGACGCCTGC GCCAAGGCAT GGGGTCTGTC 660 50 CAGAGGCGAG AGGTTGCCAA ACGCAAGATC AGACGCCTGC GCCAAGGCAT GGGGTCTGTC 660
ATCGACTACT CCAATGCTTT CCAGATGATT GCCCAGGACC TGGATTGGAA CGAGCCTGCG 720
CTGATTGACC AGTACCACGA GGGCCTCAGC GACCACATTC AGGAGGAGCT CTCCCACCTC 780
GAGGTCGCCA AGTCGCTGTC TGCTCTGATT GGGCAGTGCA TTCACATTGA GAGAAGGCTG 840
GCCAGGGCTG CTGCAGCTCC CAAGCCACGC TCGCCACCCC GGGCGCTGGT GTTGCCTCAC 900
ATTGCAAGCC ACCACCAGGT AGATCCAACC GAGCCGTGG GAGGTGCCCG CATGCGCCTG 960
ACGCAGGAAG AAAAAGAAAG ACGCAGAAAG CTGAACCTGT GCCTCTACTG TGGAACAGGA 1020
GGTCACTACG CTGACAATTG TCCTGCCAAG GCCTCAAAGT CTTCGCCGGC GGGAAACTCC 1080 55 CCGGCCCGC TGTAGAGGGA CCTTCAGCGA CCGGGCCAGA AATAATAAGG TCCCCACAAG 1140 ATGATGCCTC ATCTCCACAC TTGCAAGTGA TGCTCCAGAT TCATCTTCCG GGCAGACACA 1200 60 CCCTGTTCGT CCGAGCCATG ATCGATTCTG GTGCTTCTGG CAACTTCATT GATCACGAAT 1260 ATGTTGCTCA AAATGGAATT CCTCTAAGAA TCAAGGACTG GCCAATACTT GTGGAAGCAA 1320 TTGATGGGCG CCCCATAGCA TCGGGCCCAG TTGTCCACGA AACTCACGAC CTGATAGTTG 1380 ACCTGGGAGA TCACCGAGAG GTGCTGTCAT TTGATGTGAC TCAGTCTCCA TTCTTCCCTG 1440 TCGTCCTAGG GGTTCGCTGG CTGAGCACAC ATGATCCCAA TATCACATGG AGCACTCGAT 1500 65 CTATCGTCTT TGATTCTGAA TACTGCCGCT ACCACTGCCG GATGTATTCT CCAATACCAC 1560 CTATCGTCTT TGATTCTGAA TACTGCCGCT ACCACTGCCG GATGTATTCT CCAATACCAC 1560
CATCGCTCCC ACCACCAGCA CCACAACCGC CACTCTATTA TCCAGTAGAT GGATACAGAG 1620
TTTACCAACC AGTGAGGTAT TACTATGTCC AGAATGTGA CACTCCAGTA GATGAGCACG 1680
TCTACCCAGA TCACCGCCTG GTTGACCCTC ACATAGAAAT GATACCTGGA GCACACAGTA 1740
TTCCCAGTGG ACATGTGAT TCACTGTCCG AACCTGAAAT GGCAGCTCTT CGAGATTTTG 1800
TGGCAAGAAA TGTAAAAGAT GGGCTAATTA CTCCAACGAT TGCACCTAAT GGAGCCCAAG 1860
TTCTCCAGGT GAAGAGGGGG TGGAAACTGC AAGTTTCTTA TGATTGCCGA GCTCCAAACA 1920 70 ATTTTACTAT CCAGAATCAG TATCCTCGCC TATCTATTCC AAATTTAGAA GACCAAGCAC 1980 ACCTGGCAAC GTACACTGAA TTCGTACCTC AAATACCTGG ATACCAAACA TACCCCACAT 2040 ATGCCGCGTA CCCGACCTAC CCAGTAGGAT TCGCCTGGTA CCCAGTGGGA CGAGACGGAC 2100 75 AAGGAAGATC ACTATATGTA CETGTGATGA TCACTTGGAA TCCACACTGG TACCGCCAGC 2160 CTCCGGTACC ACAGTACCCG CCGCCACAGC CGCCGCCTCC ACCACCACAC CCGCCGCCGC 2220 CTCCATCTTA CAGTACCCTG TAAATACCTG TCATGTCCTT CAGGATCTCT GCCCTCAAAA 2280

NM 001565.1

Nucleic Acid Accession #:

	TTTATTCCTG TTCAGCTTCT CAATCAGTGA CTGTGTGCTA AATTTTAGGC TACTGTATCT 2340 TCAGGCCACC TGAGGCACAT CCTCTCTGAA ACGGCTATGG AAGGTTAGGG CCACTCTGGA 2400 CTGGCACACA TCCTAAAGCA CCAAAAGACC TTCAACATTT TCTGAGAGCA ACAGAGTATT 2460
_	TGCCAATAAA TGATCTCTCA TTTTTCCACC TTGACTGCCA ATCTAACTAA AATAATTAAT 2520
5	AAGTTTACTT TCCAGCCAGT CCTGGAAGTC TGGGTTTTAC CTGCCAAAAC CTCCATCACC 2580
	ATCTAAATTA TAGGCTGCCA AATTTGCTGT TTAACATTTA CAGAGAAGCT GATACAAACG 2640
	CAGGAAATGC TGATTTCTTT ATGGAGGGGG AGACGAGGAG GAGGAGGACA TGACTTTTCT 2700
	TGCGGTTTCG GTACCCTCTT TTTAAATCAC TGGAGGACTG AGGCCTTATT AAGGAAGCCA 2760
10	AAATTATCGG TGCAGTGTGG AAAGGCTTCC GTGATCCTCT CGCTGCACCC TTAGAAACTT 2820 CACCGTCTTC AAACTCCATT TCCATGGTTC TGTTAATTCT CAAGGAGCAG CAACTCGACT 2880
•	GGTTCTCCCA GGAGCAGGAA AAACCCTTGT GACATGAAAC ATCTCAGGCC TGAAAAGAAA 2940
	GTGCTCTCTC AGATGGACTC TTGCATGTTA AGACTATGTC TTCACATCAT GGTGCAAATC 3000
	ACATGTACCC AATGACTCCG GCTTTGACAC AACACCTTAC CATCATCATG CCATGATGGC 3060
1.5	TTCCACAAAG CATTAAACCT GGTAACCAGA GATTACTGGT GGCTCCAGCG TTGTTAGATG 3120
15	TTCATGAAAT GTGACCACCT CTCAATCACC TTTGAGGGCT AAAGAGTAGC ACATCAAAAG 3180
	GACTCCAAAA TCCCATACCC AACTCTTAAG AGATTTGTCC TGGTACTTCA GAAAGAATTT 3240
	TCATGAGTGT TCTTAATTGG CTGGAAAAGC ACCAGCTGAC GTTTTGGAAG AATCTATCCA 3300 TGTGTCTGCC TCCATATGCA TCTGGGCATT TCATCTTCAG TCCCCTCATT AGACTGTAGC 3360
	ATTAGGATGT GTGGAGAGAG GAGAAATGAT TTAGCACCCA GATTCACACT CCTATGCCTG 3420
20	GAAGGGGGAC ATCTTTGAAG AAGAGGAATT AGGGCTGTGG ACACTGTCTT GAGGATGTGG 3480
	ACTICCTTAG TGAGCTCCAC ATTACTTGAT GGTAACCACT TCAAAAGGAT CAGAATCCAC 3540
	GTAATGAAAA AGGTCCCTCT AGAGGATGGA GCTGATGTGA AGCTGCCAAT GGATGAAAAG 3600
	CCTCAGAAAG CAACTCAAAG GACTCAAAGC AACGGACAAC ACAAGAGTTG TCTTCAGCCC 3660
25	AGTGACACCT CTGATGTCCC CTGGAAGCTT TGTGCTAACC TGGGACTGCC TGACTTCCTT 3720
23	TAGCCTGGTC CCTTGCTACT ACCTTGAACT GTTTTATCTA ACCTCTCTTT TTCTGTTTAA 3780 TTCTTTGCTA CTGCCATTGA CCCTGCTGCA GGATTTGTGT CATTTTCCTG CCTGGTTGCT 3840
	GAGACTCCAT TTTGCTGCCA CACACAGAGA TGTAAGAGGC AGGCTTTAAT TGCCAAAGCA 3900
	CAGTTTGAGC AGTAGAAAAC AACATGGTGT ATATCTCAAA TTGCCTGACA TGAAGAGGAG 3960
20	TCTAACGGTG AAGTTTCACT TTTCATCAGC ATCATCTTTC ACATGTTCAT TATCATCCGC 4020
30	TCTTATTCTT GCATGTTTAA ACACTTAAAA TTTTTAGTAT AATTTTTAGT GTGTTTTGAA 4080
	GTGGTGACTA GGCTTTCAAA AACTTCCATT GAATTACAAA GCACTATCCA GTTCTTATTG 4140
	TTAAACTAAG TAAAAATGAT AAGTAACATA GTGTAAAATA TTCCTTTACT GTGAACTTCT 4200 TACAATGCTG TGAATGAGAG GCTCCTCAGA ACTGGAGCAT TTGTATAATA ATTCATCCTG 4260
	TTCATCTTCA ATTTTAACAT CATATATAAT TTCAATTCTA TCAATTGGGC CTTTAAAAAT 4320
35	CATATAAAAG GATATAAAAT TTGAAAAGAG AAACCTAATT GGCTATTTAA TCCAAAACAA 4380
	CTITTITIT TCCTTCAATG GAATCAGAAA GCTTGTCAAT CACTCATGTG TTTTAGAGTA 4440
	ATTACTITTA AAATGGTGCA TITGTGCTTC TGAACTATTT TGAAGAGTCA CTTCTGTTTA 4500
	CCTCAAGTAT CAATTCATCC TCCATACATT TGAATTCAAG TTGTTTTTTTG TCAAATTTAC 4560
40	AGTTGTCAAT TGATCTTCAA GCTGCAGGGT GCCTAGAAAT GGGCCGTTGT CTGTAGCCCT 4620 GGCATGTGCA CACGGACATT TGCCACCACT GCAAGCAAAA GTCTGGAGAA GTTCACCAAC 4680
	GACAAGAACG ATTAGGGAAA ATATGCTGCT GTGGGTTAAC AACTCAGAAA GTCCCTGATC. 4740
	CACATTTGGC TGTTTACTAA AGCTTGTGAT TAACTTTTTG GCAGTGTGTA CTATGCTCTA 4800
	TTGCTATATA TGCTATCTAT AAATGTAGAT GTTAAGGATA AGTAATTCTA AATTTATTAT 4860
45	TCTATAGTTT TGAAGTTTGG TTAAGTTTCC TTTCACTCAA TTGATTTATT TTGTTGTTAA 4920
43	TCAAATTTAT GTTAATTGGA TCCTTTAAAT TTTTTTTGGC ATTTTCCAAC AAAAATGGCT 4980
	TTATTCATAA GAAAGGAAAA AAATCAATGG AATTTGATAT CTAAAGAAGT TAGAAAGGGA 5040 GCAAAATAAA AAACATAAAG GAGATAGATG AATTAGTAAG CAAATCAGTA GTCGAGTTTT 5100
	TCAAACTGGC AAAATTAATT AATTGACTTT TAGCCCAAAT TTACATTGTT AATTAAATCA 5160
<b>~</b> 0	AGAAGGAAGA AGATCTAAGA GCTCCCATTG ATAGGCAAGC CTAGAGAGAA CTAGCTAAAT 5220
50	TTATCATGCT AGGATATTGA AACACAGAAA GTTTACATAC ATTTATGAAG GGTCAATTTA 5280
	GTTTGGACAG TGAGGTATTT GTCTTAGTGG AAAAAAGGAG AATTAGTCTG ATCAAATCGT 5340
	GAAGTAATAC AGTGAACTTG CAGGTGCACA AAATAAGAGG GCCACATCTA TATGGTGCAG 5400
	TCTGGAATTC TGTTTAAGTT TGTAGGTACC TCTTGGACTT CTGAATTGAT CCAGTTGTCA 5460 TCCACCACAG ACATCTCACA TCAGATACAG ACAGTTCCAA GATTGACAAC AGAGAACAAC 5520
55	CTGCTGGAAA GACCTGGGCA GAAATGGAGA GCCCTGCGGG AACCATGCTA CATTTTCATC 5580
	TAAAGAGAGA ATGCACATCT GATGAGACTG AAAGTTCTTT GTTGTTTTAG ATTGTAGAAT 5640
	GGTATTGAAT TGGTCTGTGG AAAATTGCAT TGCTTTTATT TCTTTGTGTA ATCAAGTTTA 5700
	AGTAATAGGG GATATATAAT CATAAGCATT TTAGGGTGGG AGGGACTATT AAGTAATTTT 5760
60	AAGTGGGTGG GGTTATTTAG AATGTTAGAA TAATATTATG TATTAGATAT CGCTATAAGT 5820
00	GGACATGCGT ACTTACTTGT AACCCTTTAC CCTATAATTG CTATCCTTAA AGATTTCAAA 5880 TAAACTCGGA GGGAACTGCA GGGAGACCAA CTTATTTAGA GCGAATTGGA CATGGATAAA 5940
	AACCCCAGTG GGAGAAAGTT CAAAGGTGAT TAGATTAATA ATTTAATAGA GGATGAGTGA 6000
	CCTCTGATAA ATTACTGCTA GAATGAACTT GTCAATGATG GATGGTAAAT TTTCATGGAA 6060
	GTTATAAAAG TGATAAATAA AAACCCTTGC TTTTACCCCT GTCAGTAGCC CTCCTCCTAC 6120
65	CACTGAACCC CATTGCCCCT ACCCCTCCTT CTAACTTTAT TGCTGTATTC TCTTCACTCT 6180
	ATATTTCTCT CTATTTGCTA ATATTGCATT GCTGTTACAA TAAAAATTCA ATAAAGATTT 6240
	AGTGGTTAAG TGC
	Seg ID NO: 106 Protein sequence:
70	Protein Accession #: NP_055883.1
	<b>-</b>
	1 11 31 15 41 51

MTERRRDELS EEINNLREKV MKQSEENNNL QSQVQKLTEE NTTLREQVEP TPEDEDDDIE 60
LRGAAAAAAP PPPIEEECPE DLPEKFDGNP DMLAPFMAQC QIFMEKSTRD FSVDRVRVCF 120
VTSMMTGRAA RWASAKLERS HYLMHNYPAF MMEMKHVFED PQRREVAKRK IRRLRQGMGS 180
VIDYSNAFQM IAQDLDWNEP ALIDQYHEGL SDHIQEELSH LEVAKSLSAL IGQCIHIERR 240

395

Seq ID NO: 107 DNA sequence

LARAAAARKP RSPPRALVLP HIASHHQVDP TEPVGGARMR LTQEEKERRR KLNLCLYCGT 300 GGHYADNCPA KASKSSPAGN SPAPL

5 Nucleic Acid Accession #: NM\_003679.1 Coding sequence: 47-1507(underlined sequences correspond to start and stop codons) GGCACGAGCA GAAGCAACAA TAATTGTGAA AAATACTTCA GCAGTT<u>ATG</u>G ACTCATCTGT 60 CATTCAAAGG AAAAAAGTAG CTGTCATTGG TGGTGGCTTG GTTGGCTCAT TACAAGCATG 120 CTTTCTTGCA AAGAGGAATT TCCAGATTGA TGTATATGAA GCTAGGGAAG ATACTCGAGT 180 GGCTACCTTC ACACGTGGAA GAAGCATTAA CTTAGCCCTT TCTCATAGAG GACGACAAGC 240 CTTGAAAGCT GTTGGCCTGG AAGATCAGAT TGTATCCCAA GGTATTCCCA TGAGAGCAAG 300 10 15 AATGATCCAC TCTCTTTCAG GAAAAAAGTC TGCAATTCCC TATGGGACAA AGTCTCAGTA 360 TATTCTTTCT GTAAGCAGAG AAAATCTAAA CAAGGATCTA TTGACTGCTG CTGAGAAATA CCCCAATGTG AAAATGCACT TTAACCACAG GCTGTTGAAA TGTAATCCAG AGGAAGGAAT 480 GATCACAGTG CTTGGATCTG ACAAAGTTCC CAAAGATGTC ACTTGTGACC TCATTGTAGG 540 ATGTGATGGA GCCTATTCAA CTGTCAGATC TCACCTGATG AAGAAACCTC GCTTTGATTA 600
CAGTCAGCAG TACATTCCTC ATGGGTACAT GGAGTTGACT ATTCCACCTA AGAACGGAGA 660
TTATGCCATG GAACCTAATT ATCTGCATAT TTGGCCTAGA AATACCTTTA TGATGATTGC 720 20 ACTTCCTAAC ATGAACAAAT CATTCACATG TACTTTGTTC ATGCCCTTTG AAGAGTTTGA AAAACTICTA ACCAGTAATG ATGTGGTAGA TTTCTTCCAG AAATACTTTC CGGATGCCAT 840
CCCTCTAATT GGAGAGAAAC TCCTAGTGCA AGATTTCTTC CTGTTGCCTG CCCAGCCCAT 900 25 GATATCTGTA AAGTGCTCTT CATTTCACTT TAAATCTCAC TGTGTACTGC TGGGAGATGC 960 GATATCIGIA AAGIGCICTI CATTICACTI HAAATCICAC TIGGIACTIC TIGGIACTIC 1900
AGCTCATGCT ATAGTGCCGT TTTTTGGGCA AGGAATGAAT GCGGGGCTTTG AAGACTGCTT 1020
GGTATTTGAT GAGTTAATGG ATAAATTCAG TAACGACCTT AGTTTTGTGTC TTCCTGTGTT 1080
CTCAAGATTG AGAATCCCAG ATGATCACGC GATTTCAGAC CTATCCATGT ACAATTACAT 1140
AGAGATGCGA GCACATGTCA ACTCAAGCTG GTTCATTTTT CAGAAGAACA TGGAGAGATT 1200 30 TCTTCATGCG ATTATGCCAT CGACCTTTAT CCCTCTCTAT ACAATGGTCA CTTTTTCCAG 1260 AATAAGATAC CATGAGGCTG TGCAGCGTTG GCATTGGCAA AAAAAGGTGA TAAACAAAGG 1320 ACTCTTTTTC TTGGGATCAC TGATAGCCAT CAGCAGTACC TACCTACTTA TACACTACAT 1380 35 TAATTAAACT GAATGTAGAG TATCTCTGTA TGTTAATTGC AATTACTGGT TGGGGGGTGC 1680 ATTITAAAAG ATGAAACATG CAGCTTCCCT ACATTACACA CACTCAGGTT GAGTCATTCT 1740 AACTATAAAA GTGCAATGAC TAAGATCCTT CACTTCTCTG AAAGTAAGGC CCTAGATGCC 1800 40 TCAGGGAAGA CAGTAATCAT GCCTTTTCTT TAAAAGACAC AATAGGACTC GCAACAGCAT 1860 TGACTCAACA CCTAGGACTA AAAATCACAA CTTAACTAGC ATGTTAACTG CACTTTTCAT 1920
TACGTGAATG GAACTTACCT AACCACAGGG CTCAGACTTA CTAGATAAAA CCAGAAATGG 1980 AAATAAGGAA TTCAGGGGAG TTCCAGAGAC TTACAAAATG AACTCATTTT ATTTTCCCAC 2040 CTTCAAATAT AAGTATTATC ATCTATCTGT TTATCGTCTA TCTATCTATC ATCTATCTAT 2100 45 TCTATTTATT TATGTATTTA GAGATCAGGT CTCACTCTGT TGACCAGGCT GGAGTGCAGT 2220 GGTGAGATCT GGGTTCACTG CAACCTCTGC CTCCTGGGCT CAAGCATCC TCCCACTTCA 2280
GCCTCCCAAA TAGCTGGGGC TACCATGGTA TTTTTCAGTA GAGACCGGGT CTTGCCATGC 2340
TGCCCAGGCC AGTCTCAAAC TCCTGGCCTC ATGTGATCTG CCCACCTCAG CCTCCCAAAG 2400
TACAGGGATT AGAGTTGTGA GCCACCGCTG CCAGCCCAGA GTTACCCTCT AAAGATAAGA 2460 50 AAAAGGCTAT TAATATCATA CTAAGTGAAG GACAGGAAAG GGTTTTATTC ATAAATTAAA 2520 TGTCTACATG TGCCAGAATG GAAAGGAAAC AAGGGGAGAC AACTTTTATA GAAATACAAA 2580 GCCATTACTT TATTCAATTT CAGACCCTCA GAAGCAATTT ACTAATTTAT TCTTCGACTA 2640 CATACTGCAG CAGAACCAGC AATACACTTG ATTTTTAAAA GCACATTTAG TGAAATGTTT 2700 55 TCAGTTTGTA GGGAAAGAAA AAATAATTTT TCCTTCTACC CACTTTAGGT TCCTTGGCTG 2940 GGGCCCCTAT AACAAAAGAC AGATTGACAA GAGAAAAACA AACATAAATT TATTAGCGGG 3000 60 TATATGTAAT ATATATGTGG GAAATACAGG GGAATGAGCA AATCTCAAAG AGCTGGCGTC 3060 TARGACTCC CTGGCTTATA TAGCATCGAC AAAGAACAGT AAATTTTTAG AGAAACAA 3120
AAACAAAGAA AAAGAGCTTT GAGTCTGTAG GGGCAGCAAT TTGGGGGAAG CAAATATTAT 3180
GGAGTTTGCC TTGTAGATTC CTCTGGTGGT GGTCTCCAGG CTGACAAGGA TTCAAAGTTG 3240
TCTCTGAAAC TCCTCTTTGT CATACTGCAC ATATAAAACG TCTTTTGTTT CCAACAAGAG 3300 65 GATTTCTTTT TCATTCTAGA ATTATCTCCT TGATAACTTG ATCAGATATA GGACATGACA 3360 CTGAATAGAG TCCAACAGTA CAAAAAAAT TCAGTATGTT CTAGCTACTT CACACATGTG 3420 TACGCGACAG TTATTTTTAC AGTAAGGTAT TTTCGAGAAA AATGCATTAC GTGTTTTGGA 3480 AAATAGAGTA ATITAAAAAA TATATTTGAA ATGAAAATCT CCAACACATT AGAAGATGAT 3540 AAATAGATA GCCCATCGTG TGCCACAAGT GGTTTTTTCA TTATGTAAAG CACCCGTTGA 3600
ATTAAAAGAA TTTGTTTTTG TTCAACCTCT TCCTGAGGCC CAAGAGCATA TGGGCCAATC 3660
GGATTTCCTG CTGGACCACA AGGTTCTGTT GATATTACAT AGAAACGGGT ATTCCAGACA 3720
CTTCTTATGA TGAAAGGCC AAAGTGCAT CCAATTTAAG GCCCCATCTT TCGTTGCCAT 3780
TCTTCATTCC TACAAAGGAC GAACTTGGAT TACATCAACT TTGGACCCAT TGGTTTTGTC 3840 70 GCTGTCGTCA ACTGACAGTG ATTCACCACT GGTGATGATA AAAATGATGG AAGAAGAGTT 3900 75 GAAAGTCACT TTTTCTTTG GCCTGTCCCC ATCTTTCTGT GACATCACAA TGGGTCTGAT 3960 CTGCATTTCA CTTCCAGCTG CTGGTAGGTC TTTAGCAGGC CTCTGGCACC TCAGCAGTCG 4020 GAGGCACAGA AGCTGCAAAA GGGATCTTCG AAACTGGGCA GAGAAAAAAT AAAGTGGAAT 4080

ATTAAGTAAA AGTTGGGCAC TAATCTGGAT TAACATTCGA GGAAATCAGT TGAGCTGATT 4140 TAAGTTGTTT TITGTTTGTT AGCAGGTGTG GATGTGGGGT TATGTGGTCA TGCTCAGATC 4200 TACCTAAATC ACCCCAGAGC TITATGTCTT TTATTCATTC TAAATCTTAT TAACCGGAAT 4260 ATGTAGGACC ATTTCAATAC CTTGTAATCC TCCAAGCTTC AATCTGCACA CACTTTCTAT 4320 5 GAGGGCAGGT ACAACTATTA AGAGATTTTG AACATTAAGT TAGTCCACAA ATATTCAGTG 4380 GGCATCTACT AGGTGACAGC CACTGTGCTA TAATTAGAGA CITTTTACTA TAAGCATCAA 4440 AAACAGATAA GGCTCTTCCT GGCAGAGTTT ACAGCCTGGT GTACTTGCTA ATGTCTCTTT 4500 AAALAGATAA GGCTCTTCCT GGCAGAGTTT ACAGCCIGGT GTACTIGGTA ATGTCTCTTT 4500
AATTAGGTGA AGAATTTTTTTTTCTATCG AAATTACTAA TCAGTTGGGG AAAAAAAACA 4560
TATAGCAGAC AGCACTAATG TCATCAACAA ACATTGTTCT TCTCCGTGTC CTGGGTACAA 4620
CATCGAATAA TATTTCTTGG CCTCCTTTCC GCTTCTCCTC TCTGCTGTTC CTCTCTACAA 4680
GAACCTGGGA GGCCAACGCC TAAAGATCAT AATATCACAA TGGAAGGAAC CTAGATTCCT 4740
AAATGACTGC ATAGGACAGA TCCCATCTCC TCCACCCAAT ACATTATTAG ACTGAACTGT 4800
GACCTGAAAT GAGCAATAAA CTCTGTAATTA ATTCACTGAA ATGTTAGGTT TGCTTGTTAT 4860 10 AGTAGTCGGT CCATCATGAC CAGTAAAACA TAAATCAAAA GTTAATGTAA TTGTTATCCC 4920 15 ATTATTTAGA GCGAAATAAA TGTTGAATAT ATGGACTTTC TCAGATTAGG AAATACCAAT 4980 **ТААААТАТА АТАААТАССТ** Seq ID NO: 108 <u>Protein sequence:</u>
Protein Accession #: NP\_003670.1 20 31 41 MDSSVIQRKK VAVIGGGLVG SLQACFLAKR NFQIDVYEAR EDTRVATFTR GRSINLALSH 60 RGRQALKAVG LEDQIVSQGI PMRARMIHSL SGKKSAIPYG TKSQYILSVS RENLINKDLLT 120
AAEKYPNVKM HENHRLIKCN PEEGMITVLG SDKVPKDVTC DLIVGCDGAY STVRSHLMKK 180
PRFDYSQQYI PHGYMELTIP PKNGDYAMEP NYLHIWPRNT FMMIALPNMN KSFTCTLFMP 240
FEEFEKLLTS NDVVDFFQKY FPDAIPLIGE KLLVQDFFLL PAQPMISVKC SSFHFKSHCV 300
LLGDAAHAIV PFFGQGMNAG FEDCLVFDEL MDKFSNDLSL CLPVFSRLRI PDDHAISDLS 360 25 MYNYIEMRAH VNSSWFIFOK NMERFLHAIM PSTFIPLYTM VTFSRIRYHE AVQRWHWQKK 420 30 VINKGLFFLG SLIAISSTYL LIHYMSPRSF LCLRRPWNWI AHFRNTTCFP AKAVDSLEQI 480 Seq ID NO: 109 DNA sequence NM\_006115.1 Nucleic Acid Accession #: Coding sequence: 236-1765 (underlined sequences correspond to start and stop codons) 35 11 21 31 GCTTCAGGGT ACAGCTCCCC CGCAGCCAGA AGCCGGGCCT GCAGCCCCTC AGCACCGCTC 60 CGGGACACCC CACCCGCTTC CCAGGCGTGA CCTGTCAACA GCAACTTCGC GGTGTGGTGA 120
ACTCTCTGAG GAAAAACCAT TTTGATTATT ACTCTCAGAC GTGCGTGGCA ACAAGTGACT 180
GAGACCTAGA AATCCAAGCG TTGGAGGTCC TGAGGCCAGC CTAAGTCGCT TCAAAATGGA 240 40 ACGAAGGCGT TTGTGGGGTT CCATTCAGAG CCGATACATC AGCATGAGTG TGTGGACAAG 300 CCCACGGAGA CTTGTGGAGC TGGCAGGGCA GAGCCTGCTG AAGGATGAGG CCCTGGCCAT 360 45 TGCCGCCTG GAGTTGCTGC CCAGGGAGCT CTTCCCGCCA CTCTTCATGG CAGCCTTTGA 420 CGGGAGACAC AGCCAGACCC TGAAGGCAAT GGTGCAGGCC TGGCCCTTCA CCTGCCTCCC 480 CGGGAGACAC AGCCAGACCC TGAAGGCAAT GGTGCAGGCC TGGCCCTTCA CCTGCCTCCC 480
TCTGGGAGTG CTGATGAAGG GACAACATCT TCACCTGGAG ACCTTCAAAG CTGTGCTTGA 540
TGGACTTGAT GTGCTCCTTG CCCAGGAGGT TCGCCCCAGG AGGTGGAAAC TTCAAGTGCT 600
GGATTTACGG AAGAACTCTC ATCAGGACTT CTGGACTGTA TGGTCTGGAA ACAGGGCCAG 660
TCTGTACTCA TTTCCAGAGC CAGAAGCAGC TCAGCCCATG ACAAAGAAGC GAAAAGTAGA 720 50 TGGTTTGAGC ACAGAGGCAG AGCAGCCCTT CATTCCAGTA GAGGTGCTCG TAGACCTGTT 780 CCTCAAGGAA GGTGCCTGTG ATGAATTGTT CTCCTACCTC ATTGAGAAAG TGAAGCGAAA 840 CCTCAAGGAA GOTGCCTGTG ATGAATTGTT CTCCTACCTC ATGAGAAAG TGAAGCGAAA 840
GAAAAATGTA CTACGCCTGT GCTGTAAGAA GCTGAAGATT TTTGCAATGC CCATGCAGGA 900
TATCAAGATG ATCCTGAAAA TGGTGCAGCT GGACTCTATT GAAGATTTGG AAGTGACTTG 960
TACCTGGAAG CTACCCACCT TGGCGAAATT TTCTCCTTAC CTGGGCCAGA TGATTAATCT 1020
GCGTAGACTC CTCCTCTCCC ACATCCATGC ATCTTCCTAC ATTTCCCCGG AGAAGGAAGA 1080
GCAGTATATC GCCCAGTTCA CCTCTCAGTT CCTCAGTCTG CAGTGCCTGC AGGCTCTCTA 1140
TGTGGACTCT TTATTTTTCC TTAGAGGCCG CCTGGATCAG TTGCTCAGGC ACGTGATGAA 1200 55 CCCCTTGGAA ACCCTCTCAA TAACTAACTG CCGGCTTTCG GAAGGGGATG TGATGCATCT 1260 60 GTCCCAGAGT CCCAGCGTCA GTCAGCTAAG TGTCCTGAGT CTAAGTGGGG TCATGCTGAC 1320 CGATGTAAGT CCCGAGCCCC TCCAAGCTCT GCTGGAGAGA GCCTCTGCCA CCCTCCAGGA 1380 CCTGGTCTTT GATGAGTGTG GGATCACGGA TGATCAGCTC CTGCCTCCT CTGCCTTCCCT 1440
GAGCCACTGC TCCCAGCTTA CAACCTTAAG CTTCTACGGG AATTCCATCT CCATATCTGC 1500
CTTGCAGAGT CTCCTGCAGC ACCTCATCGG GCTGAGCAAT CTGACCCACG TGCTGTATCC 1560
TGTCCCCCTG GAGAGTTATG AGGACATCCA TGGTACCCTC CACCTGGAGA GGCTTGCCTA 1620
TCTGCATGCC AGGCTCAGGG AGTTGCTGTG TGAGTTGGGG CCCAGCA TGGTCTGCTA 1620 65 TAGTGCCACC CCTGTCCTC ACTGGGGA CAGAACCTTC TATGACCCGG AGCCCATCCT 1740
GTGCCCCTGT TTCATGCCTA ACTAGCTGGGG TGCACCATACT AAATGCTTCA TTCTGCATAC 1800
TTGGACACTA AAGCCAGGAT GTGCATGCAT CTTGAAGCAA CAAAGCAGCC ACAGTTTCAG 1860
ACAAATGTTC AGTGTGAGTG AGGAAAACAT GTTCAGTGAG GAAAAAACAT TCAGACAAAT 1920
GTTCAGTGAG GAAAAAAAAGG GGAAGTTGGG GATAGGCAGA TGTTGACTTG AGGAGTTAAT 1980 70 75

Seq ID NO: 110 Protein sequence:

Protein Accession #:

NP\_006106.1

11 21 31 41 51 MERRILWGSI QSRYISMSVW TSPRRLVELA GOSLLKDEAL AIAALELLPR ELFPPLFMAA 60 5 FDGRHSQTLK AMVQAWPFTC LPLGVLMKGQ HLHLETFKAV LDGLDVLLAQ EVRPRRWKLQ 120 VLDLRKNSHQ DFWTVWSGNR ASLYSFPEPE AAQPMTKKRK VDGLSTEAEQ PFIPVEVLVD 180 LFLKEGACDE LFSYLIEKVK RKKNVLRLCC KKLKIFAMPM QDIKMILKMV QLDSIEDLEV 240
TCTWKLPTLA KFSPYLGQMI NLRRLLLSHI HASSYISPEK EEQYIAQFTS QFLSLQCLQA 300
LYVDSLFFLR GRLDQLLRHV MNPLETLSIT NCRLSEGDVM HLSQSPSVSQ LSVLSLSGVM 360
LTDVSPEPLQ ALLERASATL QDLVFDECGI TDDQLLALLP SLSHCSQLTT LSFYGNSISI 420
SALQSLLQHL IGLSNLTHVL YPVPLESYED IHGTLHLERL AYLHARLREL LCELGRPSMV 480 10 WLSANPCPHC GDRTFYDPEP ILCPCFMPN 15 Seq ID NO: 111 DNA sequence NM 003815 Nucleic Acid Accession #: Coding sequence: 8-2452 (underlined sequences correspond to start and stop codons) 20 CGCTGCCATG CGGCTGGCGC TGCTCTGGGC CCTGGGGGCTC CTGGGCGCGG GCAGCCCTCT 60 GCCTTCCTGG CCGCTCCCAA ATATAGGTGG CACTGAGGAG CAGCAGGCAG AGTCAGAGAA 120 GGCCCGAGG GAGCCCTTGG AGCCCCAGGT CCTTCAGGAG CAGCAGGCAG AGTCAGAGAA 120
GGCCCGAGG GAGCCCTTGG AGCCCCAGGT CCTTCAGGAC GATCTCCCAA TTAGCCTCAA 180
AAAGGTGCTT CAGACCAGTC TGCCTGAGCC CCTGAGGATC AAGTTGGAGC TGGACGGTGA 240
CAGTCATATC CTGGAGCTGC TACAGAATAG GGAGTTGGTC CCAGGCCGCC CAACCCTGGT 300
GTGGTACCAG CCCGATGGCA CTCGGGTGGT CAGTGAGGGA CACACTTTGG AGAACTGCTG 360
CTACCAGGGA AGAGTGCGGG GATATGCAGG CTCCTGGGTG TCCATCTGCA CCTGCTCTGG 420
GCTCAGAGGC TTGGTGCTCC TGACCCCAGA GAGAAGCTAT ACCCTGGAGC AGGGGCCTGG 480 25 GGACCTTCAG GGTCCTCCCA TTATTTCGCG AATCCAAGAT CTCCACCTGC CAGGCCACAC 540 30 CTGTGCCCTG AGCTGGCGGG AATCTGTACA CACTCAGACG CCACCAGAGC ACCCCTGGG 600 ACAGCGCCAC ATTCGCCGGA GGCGGGATGT GGTAACAGAG ACCAAGACTG TGGAGTTGGT 660 CACACTGGAC ATTOCCGG AGGCCCAGAA ATACCGGGAC TCCAGCACC TGCTAAACCG 720
CACACTGGAA GTGGCCCTCT TGCTGGACAC ATTCTTCCGG CCCCTGAATG TACGAGTGGC 780
ACTAGTGGGC CTGGAGGCCT GGACCCAGCG TGACCTGGTG GAGATCAGCC CAAACCCAGC 840
TGTCACCCTC GAAAACTTCC TCCACTGGCG CAGGGCACAT TTGCTGCCTC GATTGCCCCA 900
TGACAGTGCC CAGCTGGTGA CTGGTACTTC ATTCTCTGGG CCTACGGTGG GCATTGCCCAT 960 35 TCAGAACTCC ATCTGTTCTC CTGACTTCTC AGGAGGTGTG AACATGGACC ACTCCACCAG 1020 CATCCTGGGA GTCGCCTCCT CCATAGCCCA TGAGTTGGGC CACAGCCTGG GCCTGGACCA 1080
TGATTTGCCT GGGAATAGCT GCCCCTGTCC AGGTCCAGCC CAGCCAGAA CCTGCATCAT 1140
GGAGGCCTCC ACAGACTTCC TACCAGGCCT GAACTTCAGC AACTGCAGCC GACGGGCCCT 1200
GGAGAAAGCC CTCCTGGATG GAATGGGCAG CTGCCTCTTC GAACGGCTGC CTAGCCTACC 1260 40 CCCTATGGCT GCTTTCTGCG GAAATATGTT TGTGGAGCCG GGCGAGCAGT GTGACTGTGG 1320 CTTCCTGGAT GACTGCGTCG ATCCCTGCTG TGATTCTTTG ACCTGCCAGC TGAGGCCAGG 1380 TGCACAGTGT GCATCTGACG GACCCTGTTG TCAAAATTGC CAGCTGCGCC CGTCTGGCTG 1440 GCAGTGTCGT CCTACCAGAG GGGATTGTGA CTTGCCTGAA TTCTGCCCAG GAGACAGCTC 1500
CCAGTGTCCC CCTGATGTCA GCCTAGGGGA TGGCGAGCCC TGCGCTGGCG GGCAAGCTGT 1560
GTGCATGCAC GGGCGTTGTG CCTCCTATGC CCAGCAGTGC CAGTCACTTT GGGGACCTGG 1620
AGCCCAGCCC GCTGCGCCAC TTTGCCTCCA GACAGCTAAT ACTCGGGGAA ATGCTTTTGG 1680 45 GAGCTGTGGG CGCAACCCCA GTGGCAGTTA TGTGTCCTGC ACCCCTAGAG ATGCCATTTG 1740
TGGGCAGCTC CAGTGCCAGA CAGGTAGGAC CCAGCCTCTG CTGGGCTCCA TCCGGGATCT 1800
ACTCTGGGAG ACAATAGATG TGAATGGGAC TGAGCTGAAC TGCAGCTGGG TGCACCTGGA 1860 50 CCTGGGCAGT GATGTGGCCC AGCCCCTCT GACTCTGCCT GGCACAGCCT GTGGCCCTGG 1920 CCTGGTGTGT ATAGACCATC GATGCCAGCG TGTGGATCTC CTGGGGGCAC AGGAATGTCG 1980 AAGCAAATGC CATGGACATG GGGTCTGTGA CAGCAACAGG CACTGCTACT GTGAGGAGGG 2040 55 CTGGGCACCC CCTGACTGCA CCACTCAGCT CAAAGCAACC AGCTCCCTGA CCACAGGGCT 2100 GCTCCTCAGC CTCCTGGTCT.TATTGGTCCT GGTGATGCTT GGTGCCGGCT ACTGGTACCG 2160 TGCCCGCCTG CACCAGCGAC TCTGCCAGCT CAAGGGACCC ACCTGCCAGT ACAGGGCAGC 2220 CCAATCTGGT CCCTCTGAAC GGCCAGGACC TCCGCAGAGG GCCCTGCTGG CACGAGGCAC 2280 TAAGTCTCAG GGGCCAGCCA AGCCCCCACC CCCAAGGAAG CCACTGCCTG CCGACCCCCA 2340 60 GGGCCGGTGC CCATCGGGTG ACCTGCCGG CCCAGGGGCT GGAATCCCGC CCCTAGTGGT 2400
ACCCTCCAGA CCAGCGCCAC CGCCTCCGAC AGTGTCCTCG CTCTACCTCT GACCTCTCCG 2460
GAGGTTCCGC TGCCTCCAAG CCGGACTTAG GGCTTCAAGA GGCGGCGTG CCCTCTGGAG 2520
TCCCCTACCA TGACTGAAGG CGCCAGAGAC TGGCGGTGTC TTAAGACTCC GGGCACCGCC 2580
ACGCGCTGTC AAGCAACACT CTGCGGACCT GCCGCGTAG TTGCAGCGGG GGCTTGGGGA 2640 65 GGGGCTGGGG GTTGGACGGG ATTGAGGAAG GTCCGCACAG CCTGTCTCTG CTCAGTTGCA 2700 ATAAACGTGA CATCTTGGGA GCGTTAAAAA AAAAAAAAA Seq ID NO: 112 <u>Protein sequence:</u>
Protein Accession #: NP\_003806.2 70 MRLALLWALG LLGAGSPLPS WPLPNIGGTE EQQAESEKAP REPLEPQVLQ DDLPISLKKV 60 LQTSLPEPLR IKLELDGDSH ILELLQNREL VPGRPTLVWY QPDGTRVVSE GHTLENCCYQ 120 GRVRGYAGSW VSICTCSGLR GLVVLTPERS YTLEQGPGDL QGPPIISRIQ DLHLPGHTCA 180 LSWRESVHTQ TPPEHPLGQR HIRRRRDVVT ETKTVELVIV ADHSEAQKYR DFQHLLNRTL 240 75 EVALLEDTFF RPLNVRVALV GLEAWTQRDL VEISPNPAVT LENFLHWRRA HLLPRLPHDS 300

PGNSCPCPGP APAKTCIMEA STDFLPGLNF SNCSRRALEK ALLDGMGSCL FERLPSLPPM 420
AAFCGNMFVE PGEQCDCGFL DDCVDPCCDS LTCQLRPGAQ CASDGPCCQN CQLRPSGWQC 480
RPTRGDCDLP EFCPGDSSQC PPDVSLGDGE PCAGGQAVCM HGRCASYAQQ CQSLWGPGAQ 540 5 PAAPLCLOTA NTRGNAFGSC GRNPSGSYVS CTPRDAICGQ LQCQTGRTQP LLGSIRDLLW 600 ETIDVNGTEL NCSWVHLDLG SDVAQPLLTL PGTACGPGLV CIDHRCQRVD LLGAQECRSK 660 CHGHGVCDSN RHCYCEEGWA PPDCTTQLKA TSSLTTGLLL SLLVLLVLVM LGAGYWYRAR 720 LHQRLCQLKG PTCQYRAAQS GPSERPGPPQ RALLARGTKS QGPAKPPPPR KPLPADPQGR 780 CPSGDLPGPG AGIPPLVVPS RPAPPPPTVS SLYL 10 Seq ID NO: 113 DNA sequence NM 002416 Nucleic Acid Accession #: Coding sequence: 40-417 (underlined sequences correspond to start and stop codons) 15 ATCCAATACA GGAGTGACTT GGAACTCCAT TCTATCACTA TGAAGAAAAG TGGTGTTCTT 60 20 AAGAAGTTC TGAAAGTTCG AAAATCTCAA CGTTCTCGTC AAAAGAAGAC TACATAAGAG 420 ACCACTICAC CAATAAGTAT TCTGTGTTAA AAATGTTCTA TTTTAATTAT ACCGCTATCA 480 TTCCAAAGGA GGATGGCATA TAATACAAAG GCTTATTAAT TTGACTAGAA AATTTAAAAC 540
ATTACTCTGA AATTGTAACT AAAGTTAGAA AGTTGATTTT AAGAATCCAA ACGTTAAGAA 600
TTGTTAAAGG CTATGATTGT CTTTGTTCTT CTACCACCCA CCAGTTGAAT TTCATCATGC 660
TTAAGGCCAT GATTTTAGCA ATACCCATGT CTACACAGAT GTTCACCCAA CCACATCCCA 720 25 CTCACAACAG CTGCCTGGAA GAGCAGCCCT AGGCTTCCAC GTACTGCAGC CTCCAGAGAG 780 30 TATCTGAGGC ACATGTCAGC AAGTCCTAAG CCTGTTAGCA TGCTGGTGAG CCAAGCAGTT 840 TGAAATTGAG CTGGACCTCA CCAAGCTGCT GTGGCCATCA ACCTCTGTAT TTGAATCAGC 900 CTACAGGCCT CACACACAAT GTGTCTGAGA GATTCATGCT GATTGTTATT GGGTATCACC 960 ACTGGAGATC ACCAGTGTGT GGCTTTCAGA GCCTCCTTTC TGGCTTTAGA AGCCATGTGA 1020
TTCCATCTTG CCCGCTCAGG CTGACCACATT TATTTCTTTT TGTTCCCCTT TGCTTCATTC 1080
AAGTCAGCTC TTCTCCATCC TACCACAATG CAGTGCCTTT CTTCTCCCA GTGCACCTGT 1140
CATATGCTCT GATTTATCTG AGTCAACTCC TTTCTCATCT TGTCCCCAAC ACCCCACAGA 1200 35 AGTGCTTTCT TCTCCCAATT CATCCTCACT CAGTCCAGCT TAGTTCAAGT CCTGCCTCTT 1260 AAATAAACCT TTTTGGACAC ACAAATTATC TTAAAACTCC TGTTTCACTT GGTTCAGTAC 1320 CACATGGGTG AACACTCAAT GGTTAACTAA TTCTTGGGTG TTTATCCTAT CTCTCCAACC 1380 40 AGATTGTCAG CTCCTTGAGG GCAAGAGCCA CAGTATATTT CCCTGTTTCT TCCACAGTGC 1440 CTAATAAT GTGGAACTA GGITTTAATA ATTITTTAAT TGATGTTAT ATGGCAGGG 1500
TGGCAACCAG ACCATTGTC CAGAGCAGGT GCTGGCTCTT TCCTGGCTAC TCCATGTTGG 1560
CTAGCCTCTG GTAACCTCTT ACTTATTATC TTCAGGACAC TCACTACAGG GACCAGGGAT 1620
GATGCAACAT CCTTGTCTTT TTATGACAGG ATGTTTGCTC AGCTTCTCCA ACAATAAGAA 1680 45 GCACGTGGTA AAACACTTGC GGATATTCTG GACTGTTTTT AAAAAATATA CAGTTTACCG 1740 AAAATCATAT AATCTTACAA TGAAAAGGAC TTTATAGATC AGCCAGTGAC CAACCTTTTC 1800 CCAACCATAC AAAAATTCCT TTTCCCGAAG GAAAAGGGCT TTCTCAATAA GCCTCAGCTT 1860 TCTAAGATCT AACAAGATAG CCACCGAGAT CCTTATCGAA ACTCATTITA GGCAAATATG 1920
AGTTTAATTG TCCGTTTACT TGTTTCAGAG TTTGTATTGT GATTATCAAT TACCACACCA 1980
TCTCCCATGA AGAAAGGGAA CGGTGAAGTA CTAAGCGCTA GAGGAAGCAG CCAAGTCGGT 2040
TAGTGGAAGC ATGATTGGTG CCCAGTTAGC CTCTGCAGGA TGTGGAAACC TCCTTCCAGG 2100
GGAGGTTCAG TGAATTGTT AGGAGAGGTT GTCTGTGGCC AGAATTTAAA CCTATACTCA 2160 50 CTTTCCCAAA TTGAATCACT GCTCACACTG CTGATGATTT AGAGTGCTGT CCGGTGGAGA 2220 TCCCACCCGA ACGTCTTATC TAATCATGAA ACTCCCTAGT TCCTTCATGT AACTTCCCTG 2280 55. AAAAATCTAA GTGTTTCATA AATTTGAGAG TCTGTGACCC ACTTACCTTG CATCTCACAG 2340 GTAGACAGTA TATAACTAAC AACCAAAGAC TACATATTGT CACTGACACA CACGTTATAA 2400 TCATTTATCA TATATATACA TACATGCATA CACTCTCAAA GCAAATAATT TTTCACTTCA 2460 AAACAGTATT GACTTGTATA CCTTGTAATT TGAAATATTT TCTTTGTTAA AATAGAATGG 2520 TATCAATAAA TAGACCATTA ATCAG 60 Seq ID NO: 114 Protein sequence: Protein Accession #: NP 002407 31 65 MKKSGVLFLL GIILLVLIGV OGTPVVRKGR CSCISTNQGT IHLQSLKDLK QFAPSPSCEK 60 IEIIATLKNG VQTCLNPDSA DVKELIKKWE KQVSQKKKQK NGKKHQKKKV LKVRKSQRSR 120 <sup>'</sup> 70 Seq ID NO: 115 DNA sequence Nucleic Acid Accession #: NM\_003238.1 Coding sequence: 182-1426 (underlined sequences correspond to start and stop codons) 75 CAAGCAGGAT ACGTTTTTCT GTTGGGCATT GACTAGATTG TTTGCAAAAG TTTCGCATCA 60 AAAACAAACA ACAACAACAA AAAACCAAAC AACTCTCCTT GATCTATACT TTGAGAATTG 120 399

AQLVTGTSFS GPTVGMAIQN SICSPDFSGG VNMDHSTSIL GVASSIAHEL GHSLGLDHDL 360

AATGCACTAC TGTGTGCTGA GCGCTTTTCT GATCCTGCAT CTGGTCACGG TCGCGCTCAG 240 CCTGTCTACC TGCAGCACAC TCGATATGGA CCAGTTCATG CGCAAGAGGA TCGAGGCGAT 300 CCGCGGGCAG ATCCTGAGCA AGCTGAAGCT CACCAGTCCC CCAGAAGACT ATCCTGAGCC 360 5 CGAGGAAGTC CCCCGGAGG TGATTTCCAT CTACAACAGC ACCAGGGACT TGCTCCAGGA 420 GAAGGCGAGC CGGAGGCGG CCGCCTGCGA GCGCGAGAGAG AGCGACGAAG AGTACTACGC 480
CAAGGAGGTT TACAAAATAG ACATGCCGCC CTTCTTCCCC TCCGAAAATG CCATCCGCC 540
CACTTTCTAC AGACCCTACT TCAGAATTGT TCGATTTGAC GTCTCAGCAA TGGAGAAGA 600
TGCTTCCAAT TTGGTGAAAG CAGAGTTCAG AGTCTTTCGT TTGCAGAACC CAAAAGCCAG 660
AGTGCCTGAA CAACGGATTG AGCTATATCA GATTCTCAAG TCCAAAGATT TAACATCTCC 720 10 AACCCAGCGC TACATCGACA GCAAAGTTGT GAAAACAAGA GCAGAAGGCG AATGGCTCTC 780 CTTCGATGTA ACTGATGCTG TTCATGAATG GCTTCACCAT AAAGACAGGA ACCTGGGATT 840
TAAAATAAGC TTACACTGTC CCTGCTGCAC TTTTGTACCA TCTAATAATT ACATCATCCC 900 AAATAAAAGT GAAGAACTAG AAGCAAGATT TGCAGGTATT GATGGCACCT CCACATATAC 960 CAGTGGTGAT CAGAAAACTA TAAAGTCCAC TAGGAAAAA AACAGTGGGA AGACCCACA 1020
TCTCCTGCTA ATGTTATTGC CCTCCTACAG ACTTGAGTCA CAACAGACCA ACCGGCGGAA 1080
GAAGCGTGCT TTGGATGCGG CCTATTGCTT TAGAAATGTG CAGGATAATT GCTGCCTACG 1140
TCCACTTTAC ATTGATTTCA AGAGGGATCT AGGGTGGAAA TGGATACACG AACCCAAAGG 1200
GTACAATGCC AACTTCTGTG CTGGAGCATG CCCGTATTTA TGGAGTTCAG ACACTCAGCA 1260 15 20 CAGCAGGGTC CTGAGCTTAT ATAATACCAT AAATCCAGAA GCATCTGCTT CTCCTTGCTG 1320 CGTGTCCCAA GATTTAGAAC CTCTAACCAT TCTCTACTAC ATTGGCAAAA CACCCAAGAT 1380 TGAACAGCTT TCTAATATGA TTGTAAAGTC TTGCAAATGC AGC<u>TAA</u>AATT CTTGGAAAAG 1440 TGGCAAGACC AAAATGACAA TGATGATGAT AATGATGATG ACGACGACAA CGATGATGGT 1500 TGTAACAAGA AAACATAAGA GAGCCTTGGT TCATCAGTGT TAAAAAAATTT TTGAAAAGGC 1560 GGTACTAGTT CAGACACTTT GGAAGTTTGT GTTCTGTTTG TTAAAACTGG CATCTGACAC 1620 25 AAAAAAAGTT GAAGGCCTTA TTCTACATTT CACCTACTTT GTAAGTGAGA GAGACAAGAA 1680 GCAAATTTTT TTAAA Seq ID NO: 116 Protein sequence: 30 Protein Accession #: NP\_003229.1 21 31 41 MHYCVLSAFL ILHLVTVALS LSTCSTLDMD QFMRKRIEAI RGQILSKLKL TSPPEDYPEP 60 35 EEVPPEVISI YNSTRDLLQE KASRRAAACE RERSDEEYYA KEVYKIDMPP FFPSENAIPP 120 TFYRPYFRIV RFDVSAMEKN ASNLVKAEFR VFRLQNPKAR VPEQRIELYQ ILKSKDLTSP 180
TQRYIDSKVV KTRAEGEWLS FDVTDAVHEW LHHKDRNLGF KISLHCPCCT FVPSNNYIIP 240
NKSEELEARF AGIDGTSTYT SGDQKTIKST RKKNSGKTPH LLLMLLPSYR LESQQTNRRK 300
KRALDAAYCF RNVQDNCCLR PLYIDFKRDL GWKWIHEPKG YNANFCAGAC PYLWSSDTQH 360 40 SRVLSLYNTI NPEASASPCC VSQDLEPLTI LYYIGKTPKI EQLSNMIVKS CKCS Seq ID NO: 117 DNA sequence Nucleic Acid Accession #: NM\_000095.1 Coding sequence: 26-2299 (underlined sequences correspond to start and stop codons) 45 21 31 41 CAGCÁCCCAG CTCCCCGCCÁ CCGCCATGGT CCCCGACACC GCCTGCGTTC TTCTGCTCAC 60 CCTGGCTGCC CTCGGCGCGT CCGGACAGGG CCAGAGCCCG TTGGGCTCAG ACCTGGGCCC 120 50 GCAGATGCTT CGGGAACTGC AGGAAACCAA CGCGGCGCTG CAGGACGTGC GGGACTGGCT 180 GCGGCAGCAG GTCAGGGAGA TCACGTTCCT GAAAAACACG GTGATGGAGT GTGACGCGTG 240 CGGGATGCAG CAGTCAGTAC GCACCGGCCT ACCCAGCGTG CGGCCCCTGC TCCACTGCGC 300 GCCCGGCTTC TGCTTCCCCG GCGTGGCCTG CATCCAGACG GAGAGCGGCG GCCGCTGCGG 360 CCCCTGCCCC GCGGGCTTCA CGGGCAACGG CTCGCACTGC ACCGACGTCA ACGAGTGCAA 420 55 CGCCCACCC TGCTTCCCCC GAGTCCGCTG TATCAACACC AGCCCGGGGT TCCGCTGCGA 480 GGCTTGCCCG CCGGGGTACA GCGGCCCCAC CCACCAGGGC GTGGGGCTGG CTTTCGCCAA 540 GGCCAACAAG CAGGTTTGCA CGGACATCAA CGAGTGTGAG ACCGGGCAAC ATAACTGCGT 600 CCCCAACTCC GTGTGCATCA ACACCCGGGG CTCCTTCCAG TGCGGCCCGT GCCAGCCCGG 660 CTTCGTGGGC GACCAGGCGT CCGGCTGCCA GCGCGGCGC ACAGCGCTTCT GCCCCGACGG 720 CTCGCCCAGC GAGTGCCACG AGCATGCAGA CTGCGTCCTA GAGCGCGATG GCTCGCGGTC 780 GTGCGTGTGT CGCGTTGGCT GGGCCGGCAA CGGGATCCTC TGTGGTCGCG ACACTGACCT 840 60 AGACGCCTTC CCGGACGAGA AGCTGCGCTG CCCGGAGCCG CAGTGCCGTA AGGACAACTG 900 CGTGACTGTG CCCAACTCAG GGCAGGAGGA TGTGGACCGC GATGGCATCG GAGACGCCTG 960 CGATCCGGAT GCCGACGGGG ACGGGGTCCC CAATGAAAAG GACAACTGCC CGCTGGTGCG 1020 65 GAACCCAGAC CAGCGCAACA CGGACGAGGA CAAGTGGGGC GATGCGTGCG ACAACTGCCG 1080
GTCCCAGAAG AACGACGACC AAAAGGACAC AGACCAGGAC GGCCGGGGCG ATGCGTGCGA 1140
CGACGACATC GACGGCGACC GGATCCGCAA CCAGGCCGAC AACTGCCCTA GGGTACCCAA 1200
CTCAGACCAG AAGGACAGTG ATGGCGATGG TATAGGGGAT GCCTGTGACA ACTGTCCCCA 1260
GAAGAGCAAC CCGGATCAGG CGGATGTGGA CCACGACTTT GTGGGAGATG CTTGTGACAG 1320 70 CGATCAAGAC CAGGATGGAG ACGGACATCA GGACTCTCGG GACAACTGTC CCACGGTGCC 1380 TAACAGTGCC CAGGAGGACT CAGACCACGA TGGCCAGGGT GATGCCTGCG ACGACGACGA 1440 CGACAATGAC GGAGTCCCTG ACAGTCGGGA CAACTGCCGC CTGGTGCCTA ACCCCGGCCA 1500 GGAGGACGCG GACAGGGACG GCGTGGGCGA CGTGTGCCAG GACGACTTTG ATGCAGACAA 1560 GGTGGTAGAC AAGATCGACG TGTGTCCGGA GAACGCTGAA GTCACGCTCA CCGACTTCAG 1620 GGCCTTCCAG ACAGTCGTGC TGGACCCGGA GGGTGACGCG CAGATTGACC CCAACTGGGT 1680 75 GGTGCTCAAC CAGGGAAGGG AGATCGTGCA GACAATGAAC AGCGACCCAG GCCTGGCTGT 1740 GGGTTACACT GCCTTCAATG GCGTGGACTT CGAGGGCACG TTCCATGTGA ACACGGTCAC 1800

TTGATTTCTT TTTTTTTATT CTGACTTTTA AAAACAACTT TTTTTTCCAC TTTTTTAAAA 180

PCT/US02/02242 WO 02/059377

GGATGACGAC TATGCGGGCT TCATCTTTGG CTACCAGGAC AGCTCCAGCT TCTACGTGGT 1860 CATGTGGAAG CAGATGGAGC AAACGTATTG GCAGGCGAAC CCCTTCCGTG CTGTGGCCGA 1920 GCCTGGCATC CAACTCAAGG CTGTGAAGTC TTCCACAGGC CCCGGGGAAC AGCTGCGGAA 1980
CGCTCTGTGG CATACAGGAG ACACAGAGTC CCAGGTGCGG CTGCTGTGGA AGGACCCGCG 2040
AAACGTGGGT TGGAAGGACA AGAAGTCCTA TCGTTGGTTC CTGCAGCACC GGCCCCAAGT 2100
GGGCTACATC AGGGTGCGAT TCTATGAGGG CCCTGAGCTG GTGGCCGACA GCAACGTGGT 2160
CTTGGACACA ACCATGCGGG GTGGCCGCCT GGGGGTCTTC TGCTTCTCCC AGGAGAACAT 2220 5 CATCTGGGCC AACCTGCGTT ACCGCTGCAA TGACACCATC CCAGAGGACT ATGAGACCCA 2280 TCAGCTGCGG CAAGCCTAGG GACCAGGGTG AGGACCCGCC GGATGACAGC CACCCTCACC 2340 GCGGCTGGAT GGGGGCTCTG CACCCAGCCC AAGGGGTGGC CGTCCTGAGG GGGAAGTGAG 2400 10 AAGGGCTCAG AGAGGACAAA ATAAAGTGTG TGTGCAGGG

Seq ID NO: 118 <u>Protein sequence:</u>
Protein Accession #: NP\_000086.1

15 31

MVPDTACVLL LTLAALGASG QGQSPLGSDL GPQMLRELQE TNAALQDVRD WLRQQVREIT 60
FLKNTVMECD ACGMQQSVRT GLPSVRPLLH CAPGFCFPGV ACIQTESGGR CGPCPAGFTG 120
NGSHCTDVNE CNAHPCFPRV RCINTSPGFR CEACPPGYSG PTHQGVGLAF AKANKQVCTD 180
INECETGQHN CVPNSVCINT RGSFQCGPCQ PGFVGDQASG CQRGAQRFCP DGSPSECHEH 240
ADCVLERDGS RSCVCRVGWA GNGILCGRDT DLDGFPDEKL RCPEPQCRKD NCVTVPNSGQ 300
EDVDRDGIGD ACDPDADGDG VPNEKDNCPL VRNPDQRNTD EDKWGDACDN CRSQKNDDQK 360 20 DTDQDGRGDA CDDDIDGDRI RNQADNCPRV PNSDQKDSDG DGIGDACDNC PQKSNPDQAD 420 25 VDHDFVGDAC DSDQDQDGDG HQDSRDNCPT VPNSAQEDSD HDGQGDACDD DDDNDGVPDS 480 RDNCRLVPNP GOEDADRDGV GDVCQDDFDA DKVVDKIDVC PENAEVTLTD FRAFQTVVLD 540 PEGDAQIDPN WVVLNQGREI VQTMNSDPGL AVGYTAFNGV DFEGTFHVNT VTDDDYAGFI 600 FGYQDSSFY VVMWKQMEQT YWQANPFRAV AEPGIQLKAV KSSTGPGEQL RNALWHTGDT 660 ESQVRLLWKD PRNVGWKDKK SYRWFLQHRP QVGYIRVRFY EGPELVADSN VVLDTTMRGG 720 RLGVFCFSQE NIIWANLRYR CNDTIPEDYE THQLRQA 30

Seq ID NO: 119 DNA sequence NM\_014211 Nucleic Acid Accession #: Coding sequence: 157-1479 (underlined sequences correspond to start and stop codons)

35 51 GGGACAGGGC TGAGGATGAG GAGAACCCTG GGGACCCAGA AGACCGTGCC TTGCCCGGAA 60 GTCCTGCCTG TAGGCCTGAA GGACTTGCCC TAACAGAGCC TCAACAACTA CCTGGTGATT 120 GTCCTGCCTG TAGGCCTGAA GGACTTGCCC TAACAGAGCC TCAACAACTA CCTGGTGAT 120
CCTACTTCAG CCCCTTGGTG TGAGCAGCTT CTCAACATGA ACTACAGCCT CCACTTGGCC 180
TTCGTGTGTC TGAGTCTCTT CACTGAGAGG ATGTGCATCC AGGGGAGTCA GTTCAACGTC 240
GAGGTCGGCA GAAGTGACAA GCTTTCCCTG CCTGGCTTTG AGAACCTCAC AGCAGGATAT 300
AACAAATTTC TCAGGCCCAA TTTTGGTGGA GAACCCGTAC AGATAGCGC GACTCTGGAC 360
ATTGCAAGTA TCTCTAGCAT TTCAGAGAGT AACATGGACT ACACAGCCAC CATATACCTC 420
CGACAGCGCT GGATGGACCA GCGGCTGGTG TTTAGAAGCAC ACAAGAGCTC CACTCTGGAT 480 40 45 GCCCGCCTCG TGGAGTTCCT CTGGGTGCCA GATACTTACA TTGTGGAGTC CAAGAAGTCC 540 TTCCTCCATG AAGTCACTGT GGGAAACAGG CTCATCCGCC TCTTCTCCAA TGGCACGGTC 600 CTGTATGCCC TCAGAATCAC GACAACTGTT GCATGTAACA TGGATCTGTC TAAATACCCC 660 ATGGACACAC AGACATGCAA GTTGCAGCTG GAAAGCTGGG GCTATGATGG AAATGATGTG 720 GAGTTCACCT GGCTGAGAG GAACGACTCT GTGCGTGGAC TGGAACACCT GCGGCTTGCT 780
CAGTACACCA TAGAGCGGTA TITCACCTTA GTCACCAGAT CGCAGCAGGA GACAGGAAAT 840
TACACTAGAT TGGTCTTACA GTTTGAGCTT CGGAGGAATG TTCTGTATTT CATTTTGGAA 900
ACCTACGTTC CTTCCACTTT CCTGGTGGTG TTGTCCTGGG TTTCATTTTG GATCTCTCTC 960 50 GATTCAGTCC CTGCAAGAAC CTGCATTGGA GTGACGACCG TGTTATCAAT GACCACACTG 1020 55 ATGATCGGGT CCCGCACTTC TCTTCCCAAC ACCAACTGCT TCATCAAGGC CATCGATGTG 1080 TACCTGGGGA TCTGCTTTAG CTTTGTGTTT GGGGCCTTGC TAGAATATGC AGTTGCTCAC 1140 TACCIGGGGA TCTGCITTAG CTTTGTGTTT GGGGCCTTGC TAGAATATGC AGTTGCTCAC 1140
TACAGTTCCT TACAGCAGAT GGCAGCCAAA GATAGGGGGA CAACAAAGGA AGTAGAAGAA 1200
GTCAGTATTA CTAATATCAT CAACAGCTC ATCTCCAGCT TTAAACGGAA GATCAGCTTT 1260
GCCAGCATTG AAATTTCCAG CGACAACGTT GACTACAGTG ACTTGACAAT GAAAACCAGC 1320
GACAAGTTCA AGTTTGTCTT CCGAGAAAAG ATGGGCAGGA TTGTTGATTA TTTCACAATT 1380
CAAAACCCCA GTAATGTTGA TCACATATTCC AAACTACTGT TTCCTTTGAT TTTTATGCTA 1440
GCCAATGTAT TTTACTGGGC ATACTACATG TATTTTTAAG CCAAATGTTAA ATTCCTTGCA 1500 60 TGCCATAGGT CTTCAACAGG ACAAGATAAT GATGTAAATG GTATTTTAGG CCAAGTGTGC 1560 TGCCATAGGT CTTCAACAGG ACAAGATAAT GATGTAAATG GTATTTTAGG CCAAGTGTGC 1560
ACCCACATCC AATGGTGCTA CAAGTGACTG AAATAATATT TGAGTCTTTC TGCTCAAAGA 1620
ATGAAGCTCC AACCATTGTT CTAAGCTGTG TAGAAGTCCT AGCATTATAG GATCTTGTAA 1680
TAGAAACATC AGTCCATTCC TCTTTCATCT TAATCAAGGA CATTCCCATG GAGCCCAAGA 1740
TTACAAATGT ACTCAGGGCT GTTTATTCGG TGGCTCCCTG GTTTGCATTT ACCTCATATA 1800
AAGAATGGGA AGGAGACCAT TGGGTAACCC TCAAGTGTCA GAAGTTGTTT CTAAAGTAAC 1860
TATACATGTT TTTTACTAAA TCTCTGCAGT GCTTATAAAAA TACATTGTG CCTATTTAGG 1920
GAGTAACATT TTCTAGTTTT TGTTTCTGGT TAAAATGAAAA TATGGGCTTA TGTCAATTCA 1980 65 70 TIGGAAGTCA ATGCACTAAC TCAATACCAA GATGAGTTIT TAAATAATGA ATATTATTTA 2040
ATACCACAAC AGAATTATCC CCAATTICCA ATAAGTCCTA TCATTGAAAA TTCAAAATATA 2100
AGTGAAGAAA AAATTAGTAG ATCAACAATC TAAACAAATC CCTCGGTTCT AAGATACAAT 2160
GGATTCCCCA TACTGGAAGG ACTCTGAGGC TITATTCCCC CACTATGCAT ATCTTATCAT 2220
TITATTATTA TACACACATC CATCCTAAAC TATACTAAAG CCCTTTTCCC ATGCATGGAT 2280
GGAAATGGAA GATTTTTTTG TAACTTGTTC TAGAAGTCTT AATATGGGCT GTTGCCATGA 2340
AGGCTTGCAG AATTGAGTCC ATTTTCTAGC TGCCTTTATT CACAATAGTA TGGGGTACTA 2400 TTGGAAGTCA ATGCACTAAC TCAATACCAA GATGAGTTTT TAAATAATGA ATATTATTTA 2040

401


75


AAAGTACTGG GTTGACTCAG AGAGTCGCTG TCATTCTGTC ATTGCTGCTA CTCTAACACT 2460 GAGCAACACT CTCCCAGTGG CAGATCCCCT GTATCATTCC ATGAGGAGGAGCA TTCATCCCTT 2520
TGCTCTAATG ATCAGGAATG ATGCTTATTA GAAAACAAAC TGCTTGACCC AGGAACAAGT 2580
GGCTTAGCTT AAGTAAACTT GGCTTTGCTC AGATCCCTGA TCCTTCCAGC TGGTCTGCTC 2640
TGAGTGGCTT ATCCCGCATG AGCAGGAGCG TGCTGGCCCT GAGTACTGAA CTTTCTGAGT 2700
AACAATGAGA CACGTTACAG AACCTATGTT CAGGTTGCGG GTGAGCTGCC CTCTCCAAAT 2760 5 CCAGCCAGAG ATGCACATTC CTCGGCCAGT CTCAGCCAAC AGTACCAAAA GTGATTTTTG 2820 AGTGTGCCAG GGTAAAGGCT TCCAGTTCAG CCTCAGTTAT TTTAGACAAT CTCGCCATCT 2880 TTAATTTCTT AGCTTCCTGT TCTAATAAAT GCACGGCTTT ACCTTTCCTG TCAGAAATAA 2940 10 ACCAAGGCTC TAAAAGATGA TTTCCCTTCT GTAACTCCCT AGAGCCACAG GTTCTCATTC 3000 CTTTTCCCAT TATACTTCTC ACAATTCAGT TTCTATGAGT TTGATCACCT GATTTTTTTA 3060 ACAAAATATT TCTAACGGGA ATGGGTGGGA GTGCTGGTGA AAAGAGATGA AATGTGGTTG 3120 TATGAGCCAA TCATATTTGT GATTITTTAA AAAAAGTTTA AAAGGAAATA TCTGTTCTGA 3180 AACCCCACTT AAGCATTGTT TTTATATAAA AACAATGATA AAGATGTGAA CTGTGAAATA 3240 15 AATATACCAT ATTAGCTACC CACC Seq ID NO: 120 <u>Protein sequence:</u>
Protein Accession #: NP\_055026.1 20 11 21 31 41 MNYSLHLAFV CLSLFTERMC IQGSQFNVEV GRSDKLSLPG FENLTAGYNK FLRPNFGGEP 60 VQIALTLDIA SISSISESNM DYTATIYLRQ RWMDQRLVFE GNKSFTLDAR LVEFLWVPDT 120 YIVESKKSFL HEVTVGNRLI RLFSNGTVLY ALRITTTVAC NMDLSKYPMD TQTCKLQLES 180 WGYDGNDVEF TWLRGNDSVR GLEHLRLAQY TIERYFTLVT RSQQETGNYT RLVLQFELRR 240
NVLYFILETY VPSTFLVVLS WVSFWISLDS VPARTCIGVT TVLSMTTLMI GSRTSLPNTN 300
CFIKAIDVYL GICFSFVFGA LLEYAVAHYS SLQQMAAKDR GTTKEVEEVS ITNIINSSIS 360
SFKRKISFAS IEISSDNVDY SDLTMKTSDK FKFVFREKMG RIVDYFTIQN PSNVDHYSKL 420 25 LFPLIFMLAN VFYWAYYMYF 30 Seq ID NO: 121 DNA sequence Nucleic Acid Accession #: NM\_001854 Coding sequence: 163-5582 (underlined sequences correspond to start and stop codons) 35 21 31 41 AACCATCAAA TITAGAAGAA AAAGCCCTTT GACTTTTTCC CCCTCTCCCT CCCCAATGGC 60 TGTGTAGCAA ACATCCCTGG CGATACCTTG GAAAGGACGA AGTTGGTCTG CAGTCGCAAT 120 TTCGTGGGTT GAGTTCACAG TTGTGAGTGC GGGGCTCGGA GATGGAGCCG TGGTCCTCTA 180 40 GGTGGAAAAC GAAACGGTGG CTCTGGGATT TCACCGTAAC AACCCTCGCA TTGACCTTCC 240
TCTTCCAAGC TAGAGAGGTC AGAGGAGCTG CTCCAGTTGA TGTACTAAAA GCACTAGATT 300
TTCACAATTC TCCAGAGGGA ATATCAAAAA CAACGGGATT TTGCACAAAC AGAAAGAATT 360
CTAAAGGCTC AGATACTGCT TACAGAGTTT CAAAGCAAGC ACAACTCAGT GCCCCAACAA 420 AACAGTTATT TCCAGGTGGA ACTITCCCAG AAGACTTITC AATACTATTT ACAGTAAAAC 480 45 CAAAAAAGG AATTCAGTCT TTCCTTTTAT CTATATATAA TGAGCATGGT ATTCAGCAAA TTGGTGTTGA GGTTGGGAGA TCACCTGTTT TTCTGTTTGA AGACCACACT GGAAAACCTG 600 CCCCAGAAGA CTATCCCCTC TTCAGAACTG TTAACATCGC TGACGGGAAG TGGCATCGGG 660 TAGCAATCAG CGTGGAGGAAG AAAACTGTGA CAATGATTGT TGATTGAAA AAGAAACCA 720
CGAAACCACT TGATAGAAGT GAGAGAGCAA TTGTTGATTGT TGATTGTAAG AAGAAACCA 720
CGAAACCACT TGATAGAAGT GAGAGAGCAA TTGTTGATAC CAATGGAATC ACGGTTTTTG 780
GAACAAGGAT TTTGGATGAA GAAGTTTTTG AGGGGGACAT TCAGCAGTTT TTGATCACAG 840
GTGATCCCAA GGCAGCATAT:GACTACTGTG AGCATTATAG TCCAGACTGT GACTCTTCAG 900 50 CACCCAAGGC TGCTCAAGCT CAGGAACCTC AGATAGATGA GTATGCACCA GAGGATATAA 960 TCGAATATGA CTATGAGTAT GGGGAAGCAG AGTATAAAGA GGCTGAAAGT GTAACAGAGG 1020
GACCCACTGT AACTGAGGAG ACAATAGCAC AGACGGAGGC AAACATCGTT GATGATTTTC 1080
AAGAATACAA CTATGGAACA ATGGAAGGTT ACCAGACAGA AGCTCCTAGG CATGTTTCTG 1140
GGACAAATGA GCCAAATCCA GTTGAAGAAA TATTTACTGA AGAATACTA ACGGGAGAGG 1200
ATTATGATTC CCAGAGGAAA AATTCTGAGG ATACACTATA TGAAAACAAA GAAATAGACG 1260 55 GCAGGGATTC TGATCTTCTG GTAGATGGAG ATTTAGGCGA ATATGATTTT TATGAATATA 1320 AAGAATATGA AGATAAACCA ACAAGCCCCC CTAATGAAGA ATTTGGTCCA GGTGTACCAG 1380 60 CAGAAACTGA TATTACAGAA ACAAGCATAA ATGGCCATGG TGCATATGGA GAGAAAGGAC 1440 AGAAAGGAGA ACCAGCAGTG GTTGAGCCTG GTATGCTTGT CGAAGGACCA CCAGGACCAG 1500
CAGGACCTGC AGGTATTATG GGTCCTCCAG GTCTACAAGG CCCCACTGGA CCCCCTGGTG 1560
ACCCTGGCGA TAGGGGCCCC CCAGGACGTC CTGGCTTACC AGGGGCTGAT GGTCTACCTG 1620
GTCCTCCTGG TACTATGTTG ATGTTACCGT TCCGTTATGG TGGTGATGGT TCCAAAGGAC 1680 65 CAACCATCTC TGCTCAGGAA GCTCAGGCTC AAGCTATTCT TCAGCAGGCT CGGATTGCTC 1740 TGAGAGGCCC ACCTGGCCCA ATGGGTCTAA CTGGAAGACC AGGTCCTGTG GGGGGGCCTG 1800 GTTCATCTGG GGCCAAAGGT GAGAGTGGTG ATCCAGGTCC TCAGGGCCCT CGAGGCGTCC 1860 GITCATCHOUGHCLAAAGGI GAGAATGGIG ATCAGGICE TCAGGICET CAAGGCITC 1800
AGGGTCCCCC TGGTCCAACG GGAAAACCTG GAAAAAGGG TCGTCCAGGT GCAGATGGAG 1920
GAAGAGGAAT GCCAGGAGAA CCTGGGGCAA AGGGAGATCG AGGGTTTGAT GGACTTCCGG 1980
GTCTGCCAGG TGACAAAGGT CACAGGGGTG AACGAGGTCC TCAAGGTCCT CCAGGTCCTC 2040
CTGGTGATGA TGGAATGAGG GGAGAAGATG GAGAAATTGG ACCAAGAGGT CTTCCAGGTG 2100 70 AAGCTGGCCC ACGAGGTTTG CTGGGTCCAA GGGGAACTCC AGGAGCTCCA GGGCAGCCTG 2160 GTATGGCAGG TGTAGATGGC CCCCAGGAC CAAAAGGGAA CATGGGTCCC CAAGGGGAGC 2220 CTGGGCCTCC AGGTCAACAA GGGAATCCAG GACCTCAGGG TCTTCCTGGT CCACAAGGTC 2280 75 CAATTGGTCC TCCTGGTGAA AAAGGACCAC AAGGAAAACC AGGACTTGCT GGACTTCCTG 2340 GTGCTGATGG GCCTCCTGGT CATCCTGGGA AAGAAGGCCA GTCTGGAGAA AAGGGGGCTC 2400 TGGGTCCCCC TGGTCCACAA GGTCCTATTG GATNNCCGGG CCCCCGGGGA GTAAAGGGAG 2460

CAGATGGTGT CAGAGGTCTC AAGGGATCTA AAGGTGAAAA GGGTGAAGAT GGTTTTCCAG 2520 GATTCAAAGG TGACATGGGT CTAAAAGGTG ACAGAGGAGA AGTTGGTCAA ATTGGCCCAA 2580 GAGGGNAAGA TGGCCCTGAA GGACCCAAAG GTCGAGCAGG CCCAACTGGA GACCCAGGTC 2640 CTTCAGGTCA AGCAGGAGAA AAGGGAAAAC TTGGAGTTCC AGGATTACCA GGATATCCAG 2700 5 GAAGACAAGG TCCAAAGGGT TCCACTGGAT TCCCTGGGTT TCCAGGTGCC AATGGAGAGA 2760 AAGGTGCACG GGGAGTAGCT GGCAAACCAG GCCCTCGGGG TCAGCGTGGT CCAACGGGTC 2820 CTCGAGGTTC AAGAGGTGCA AGAGGTCCCA CTGGGAAACC TGGGCCAAAG GGCACTTCAG 2880 GTGGCGATGG CCCTCCTGGC CCTCCAGGTG AAAGAGGTCC TCAAGGACCT CAGGGTCCAG 2940 TTGGATTCCC TGGACCAAAA GGCCCTCCTG GACCACCAGG AAGGATGGGC TGCCCAGGAC 3000
ACCCTGGGCA ACGTGGGGAG ACTGGATTTC AAGGCAAGAC CGGCCCTCCT GGGCCAGGGG 3060
GAGTGGTTGG ACCACAGGGA CCAACCGGTG AGACTGGTCC AATAGGGGAA CGTGGGTATC 3120 10 CTGGTCCTCC TGGCCCTCCT GGTGAGCAAG GTCTTCCTGG TGCTGCAGGA AAAGAAGGTG 3180 CAAAGGGTGA TCCAGGTCCT CAAGGTATCT CAGGGAAAGA TGGACCAGCA GGATTACGTG 3240 GTTTCCCAGG GGAAAGAGGT CTTCCTGGAG CTCAGGGTGC ACCTGGACTG AAAGGAGGGG 3300 AAGGTCCCCA GGGCCCACCA GGTCCAGTTG GCTCACCAGG AGAACGTGGG TCAGCAGGTA 3360 15 CAGCTGGCCC AATTGGTTTA CGAGGGCGCC CGGGACCTCA GGGTCCTCCT GGTCCAGCTG 3420 CAGCTGGCCC AATTGGTTTA CGAGGGCGC CGGGACCTCA GGGTCCTCT GGTCCAGCTG 3420
GAGAGAAAGG TGCTCCTGGA GAAAAAGGTC CCCAAGGGCC TGCAGGGAGA AATGGAGTTC 3480
AAGGTCCTGT TGGTCTCCCA GGGCCAGCTG GTCCTGCCGG CTCCCCTGGG GAAGACGGAG 3540
ACAAGGGTGA AATTGGTGAG CCGGGACAAA AAGGCAGCAA GGGTGGCAAG GGAGAAAATG 3600
GCCTCCCGG TCCCCCAGGT CTTCAAGGAC CAGTTGGTGC CCCTGGAATT GCTGGAGGTG 3660
ATGGTGAACC AGGTCCTAGA GGACAGCAGG GGATGTTTGG GCAAAAAGGT GATGAGGGTG 3720
CCAGAGGCTT CCCTGGACCT CCTGGTCCAA TAGGTCTTCA GGGTCTGCCA GCCCCACCTG 3780 20 GTGAAAAAGG TGAAAATGGG GATGTTGGTC CATGGGGGCC ACCTGGTCCT CCAGGCCCAA 3840 GAGGCCCTCA AGGTCCCAAT GGAGCTGATG GACCACAAGG ACCCCCAGGT TCTGTTGGTT 3900 CAGTTGGTGG TGTTGGAGAA AAGGGTGAAC CTGGAGAAGC AGGAAACCCA GGGCCTCCTG 3960
GGGAAGCAGG TGTAGGCGGT CCCAAAGGAG AAAGAGGAGA GCAAACCCA GGGCCTCCTG 3960
CTGGAGCTGC TGGACCTCCA GGTGCCAAGGAG AAAGAGGGAA GCTGGTCCAC 4020
CTGGAGCTGC TGTGGTTTT CCTGGAGATC CTGGTCCTCC TGGGGAACTT GGCCCTGCAG 4140 25 GTCAAGATGG TGTTGGTGGT GACAAGGGTG AAGATGGAGA TCCTGGTCAA CCGGGTCCTC 4200 CTGGCCCATC TGGTGAGGCT GGCCCACCAG GTCCTCCTGG AAAACGAGGT CCTCCTGGAG 4260 30 CTGCAGGTGC AGAGGGAAGA CAAGGTGAAA AAGGTGCTAA GGGGGAAGCA GGTGCAGAAG 4320 GTCCTCCTGG AAAAACCGGC CCAGTCGGTC CTCAGGGACC TGCAGGAAAG CCTGGTCCAG 4380 AAGGTCTTCG GGCATCCCT GGTCCTGTG GAGAACAGG TCTCCCTGGA 4540
AAGGTCTTCG GGGCATCCCT GGTCCTGTGG GAGAACAGG TCTCCCTGGA GCTGCAGGCC 4440
AAGATGGACC ACCTGGTCCT ATGGGACCTC CTGGCTTACC TGGTCTCAAA GGTGACCCTG 4500
GCTCCAAGGG TGAAAAGGGA CATCCTGGTT TAATTGGCCT GATTGGTCCT CCAGGAGAAC 4560
AAGGGGAAAA AGGTGACCGA GGGCTCCCTG GAACTCAAGG ATCTCCAGGA GCAAAAGGGG 4620
ATGGGGGAAT TCCTGGTCCT GCTGGTCCCT TAGGTCCACC TGGTCCTCCA GGCTTACCAG 4680 35 GTCCTCAAGG CCCAAAGGGT AACAAAGGCT CTACTGGACC CGCTGGCCAG AAAGGTGACA 4740 GTGGTCTTCC AGGGCCTCCT GGGCCTCCAG GTCCACCTGG TGAAGTCATT CAGCCTTTAC 4800 CAATCTTGTC CTCCAAAAAA ACGAGAAGAC ATACTGAAGG CATGCAAGCA GATGCAGGTG 4860
ATAATATTCT TGATTACTCG GATGGAATGG AAGAAATATT TGGTTCCCTC AATTCCCTGA 4920
AACAAGACAT CGAGCATATG AAATTTCCAA TGGGTACTCA GACCAATCCA GCCCGAACTT 4980
GTAAAGACCT GCAACTCAGC CATCCTGACT TCCCAGATGG TGAATATTGG ATTGATCCTA 5040 40 ACCAAGGTTG CTCAGGAGAT TCCTTCAAAG TTTACTGTAA TTTCACATCT GGTGGTGAGA 5100 45 CTTGCATITA TCCAGACAAA AAATCTGAGG GAGTAAGAAT TTCATCATGG CCAAAGGAGA 5160 AACCAGGAAG TTGGTTTAGT GAATITAAGA GGGGAAAACT GCTTTCATAC TTAGATGTTG 5220 AAGGAAATTC CATCAATATG GTGCAAATGA CATTCCTGAA ACTTCTGACT GCCTCTGCTC 5280
GGCAAAATTT CACCTACCAC TGTCATCAGT CAGCAGCCTG GTATGATGTTG TCATCAGGAA 5340
GTTATGACAA AGCACTTCGC TTCCTGGGAT CAAATGATGA GGAGATGTCC TATGACAATA 5400
ATCCTTTTAT CAAAACACTG TATGATGGTT GTACGTCCAG AAAAGGCTAT GAAAAAACTG 5460
TCATTGAAAT CAATACACCA AAAATTGATC AGGTACCTAT TGTTGATGTC ATGATCAGTG 5520 50 ACTITIGATION TCAGAATCAG AAGTTCGGAT TTGAAGTTGG TCCTGTTTGT TTTCTTGGCT 5580 AAGATTAAGA CAAAGAACAT ATCAAATCAA CAGAAAATGT ACCTTGGTGC CACCAACCCA 5640 AAGATTAAGA CAAAGAACAT ATCAAATCAA CAGAAAATGT ACCTTGGTGC CACCAACCCA 5640
TTTTGTGCCA CATGCAAGTT TTGAATAAGG ATGTATGGAA AACAACGCTG CATATACAGG 5700
TACCATTTAG GAAATACCGA TGCCTTTGTG GGGGCAGAAT CACAGACAAA AGCTTTGAAA 5760
ATCATAAAGA TATAAGTTGG TGTGGCTAAG ATGGAAACAG GGCTGATTCT TGATTCCCAA 5820
TTCTCAACTC TCCTTTTCCT ATTTGAATTT CTTTGGTGCT GTAGAAAACA AAAAAAGAAA 5880
AATATATATT CATAAAAAAT ATGGTGCTCA TTCTCATCCA TCCAGGATGT ACTAAAACAG 5940
TGTGTTTAAT AAATTGTAAT TATTTTGTGT ACAGTTCTAT ACTGTTATCT GTGTCCATTT 6000
CCAAAACTTG CACGTGTCCC TGAATTCCCC TGACTCTAAT TTATGAGGAT GCCGAACTCT 6060
GATGGCAATA ATATATGTAT TATGAAAATG AAGTTATGAT TTCCGATGAC CCTAAGTCCC 6120
TTTCTTTGGT TAATGAAA ATTCCTTTGT GTGTGTTT 55 60 TITCTTTGGT TAATGATGAA ATTCCTTTGT GTGTGTTT Seq ID NO: 122 Protein sequence:


65 Seq ID NO: 122 Protein sequence;
Protein Accession #: NP\_001845

403






BNSDOCID: <WO\_\_\_\_02059377A2\_I\_>



NEPSRVMPSQ PLHIVLESLK REGKEPLVLK GGLSSFKQNH ENLCDNSLQL QECREVGGGA 300 SAASSLLPOP IPTTPDIENA ELTPILPFLF LGNEODAODL DTMORLNIGY VINVTTHLPL 360 YHYEKGLFNY KRLPATDSNK QNLRQYFEEA FEFIEEAHQC GKGLLIHCQA GVSRSATIVI 420 5 AYLMKHTRMT MTDAYKFVKG KRPIISPNLN FMGQLLEFEE DLNNGVTPRI LTPKLMGVET 480 Seq ID NO: 131 DNA sequence NM\_005409.3 Nucleic Acid Accession #: 10 Coding sequence: 94-378 (underlined sequences correspond to start and stop codons) 31 21 TTCCTTTCAT GTTCAGCATT TCTACTCCTT CCAAGAAGAG CAGCAAAGCT GAAGTAGCAG 60 15 CAACAGCACC AGCAGCAACA GCAAAAAACA AACATGAGTG TGAAGGGCAT GGCTATAGCC 120 TIGGCTGTGA TATTGTGC TACAGTTGTT CAAGGCTTCC CCATGTTCAA AAGAGGACGC 180
TGTCTTTGCA TAGGCCCTGG GGTAAAAGCA GTGAAAAGTGG CAGATATTGA GAAAGCCTCC 240
ATAATGTACC CAAGTAACAA CTGTGACAAA ATAGAAGTGA TTATTACCCT GAAAGAAAAT 300
AAAGGACAAC GATGCCTAAA TCCCAAATCG AAGCAAGCAA GGCTTATAAT CAAAAAAAGTT 360 AAAGAAAGA ATTTT<u>TAA</u>AA ATATCAAAAC ATATGAAGTC CTGGAAAAGG GCATCTGAAA 420 AACCTAGAAC AAGTTTAACT GTGACTACTG AAATGACAAG AATTCTACAG TAGGAAACTG 480 20 AGACTTTTCT ATGGTTTTGT GACTTTCAAC TTTTGTACAG TTATGTGAAG GATGAAAGGT 540 GGGTGAAAGG ACCAAAAACA GAAATACAGT CTTCCTGAAT GAATGACAAT CAGAATTCCA 600 GGTTACCAA GGGTCCAGCA ATTAAATGGA TTTCTAGGAA AAGCTACCTT AAGAAAGGCT 660
GGTTACCATC GGAGTTTACA AAGTGCTTTC ACGTTCTTAC TTGTTGTATT ATACATTCAT 720
GCATTTCTAG GCTAGAGAAC CTTCTAGATT TGATGCTTAC AACTATTCTG TTGTGACTAT 780
GAGAACATTT CTGTCTCTAG AAGTTATCTG TCTGTATTGA TCTTTATGCT ATATTACTAT 840
CTGTGGTTAC AGTGGAGACA TTGACATTAT TACTGGAGTC AAGCCCTTAT AAGTCAAAAG 900 25 CATCTATGTG TCGTAAAGCA TTCCTCAAAC ATTTTTTCAT GCAAATACAC ACTTCTTTCC 960 30 CCAAATATCA TGTAGCACAT CAATATGTAG GGAAACATTC TTATGCATCA TTTGGTTTGT 1020 TTTATAACCA ATTCATTAAA TGTAATTCAT AAAATGTACT ATGAAAAAA TTATACGCTA 1080 TIGGATACTA GCAACAGTGC ACATATTICA TAACCAAATT AGCAGCACCG GTCTTAATTT 1140
GATGTTTTTC AACTTTTATT CATTGAGATG TTTTGAAGCA ATTAGGATAT GTGTGTTTAC 1200
TGTACTTTT GTTTTGATCC GTTTGTATAA ATGATAGCAA TATCTTGGAC ACATTTGAAA 1260
TACAAAATGT TTTTGTCTAC CAAAGAAAAA TGTTGAAAAA TAAGCAAATG TATACCTAGC 1320 35 AATCACTTTT ACTITITGTA ATTCTGTCTC TTAGAAAAAT ACATAATCTA ATCAATTTCT 1380 TTGTTCATGC CTATATACTG TAAAATTTAG GTATACTCAA GACTAGTTTA AAGAATCAAA 1440 Seq ID NO: 132 <u>Protein sequence:</u>
Protein Accession #: NP\_005400.1 40 31 41 51 21 45 MSVKGMAIAL AVILCATVVQ GFPMFKRGRC LCIGPGVKAV KVADIEKASI MYPSNNCDKI 60 EVIITLKENK GQRCLNPKSK QARLIIKKVE RKNF Seq ID NO: 133 DNA sequence NM 012342 Nucleic Acid Accession #: 50 Coding sequence: 373-1155 (underlined sequences correspond to start and stop codons) CTGGCGCGGG CGGGACTGC GGCGGATACC CTTGCGTGCT GTGGAGACCC TACTCTCTTC 60 GCTGAGAACG GCCGCTAGCG GGGACTGAAG GCCGGGAGCC CACTCCCGAC CCGGGGCTAG 120 CGTGCGTCCC TAGAGTCGAG CGGGGCAAGG GAGCCAGTGG CCGCCGACGG GGGACCGGGA 180 AACTTTTCTG GGCTCCTGGA GAGCCCTGTA GCCGCGCTCC ATGCTCCGGC AGCGGCCCGA 240 55 AACCAGCCC CGCCGCTGAC GGAGCCCGCC GCTCCGGGCA GGGCCCATGC CCTGCGCGCT 300 CCGGGGGTCG TAGCTGCCGC CGAGCCGGGG CTCCGGAAGC CGGCGGGGGC GCCGCGGCCG 360 TGCGGGGGCGT CAATGGATCG CCACTCCAGC TACATCTTCA TCTGGCTGCA GCTGGAGCTC 420
TGCGCCATGG CCGTGCTGCT CACCAAAGGT GAAATTCGAT GCTACTGTGA TGCTGCCAC 480
TGTGTAGCCA CTGGTTATAT GTGTAAATCT GAGCTCAGCG CCTGCTTCT TAGACTTCTT 540
GATCCTCAGA ACTCAAATTC CCCACTCACC CATGGCTGCC TGGACTCTCT TGCAAGCACG 600
ACAGACATCT GCCAAGCCAA ACAGGCCCGA AACCACTCTG GCACCACCAT ACCACCATTG 660 60 65 GAATGCTGTC ATGAAGACAT GTGCAATTAC AGAGGGCTGC ACGATGTTCT CTCTCCCC 720 AGGGGTGAGG CCTCAGGACA AGGAAACAGG TATCAGCATG ATGGTAGCAG AAACCTTATC 780 ACCAAGGTGC AGGAGCTGAC TTCTTCCAAA GAGTTGTGGT TCCGGGCAGC GGTCATTGCC 840 ACCAAGGIGC AGGACEGAC FICHTCCAAA GAGTIGIGGI TCCGGGCAGC GGICATTGCC 840
GTGCCCATTG CTGGAGGGCT GATTITAGTG TTGCTTATTA TGTTGGCCCT GAGGATGCTT 900
CGAAGTGAAA ATAAGAGGCT GCAGGATCAG CGGCAACAGA TGCTCTCCCG TTTGCACTAC 960
AGCTTTCACG GACACCATTC CAAAAAGGGG CAGGTTGCAA AGTTAGACTT GGAATGCATG 1020
GTGCCGGTCA GTGGGCACGA GAACTGCTGT CTGACCTGTG ATAAAATGAG ACAAGCAGAC 1080
CTCAGCAACG ATAAGATCCT CTCGCTTGTT CACTGGGGCA TGTACAGTGG GCACGGGAAG 1140
CTGGGAATTCG TATGACCGAG TCTTATCTGA ACACATTA CTGAACAGCTT TGAAGGCCTT 1200 70 TTGAGTTCTG CTGGACAGGA GCACTTTATC TGAAGACAAA CTCATTTAAT CATCTTTGAG 1260 75 AGACAAAATG ACCTCTGCAA ACAGAATCTT GGATATTTCT TCTGAAGGAT TATTTGCACA 1320 GACTTAAATA CAGTTAAATG TGTTATTTGC TTTTAAAATT ATAAAAAGCA AAGAGAAGAC 1380 TTTGTACACA CTGTCACCAG GGTTATTTGC ATCCAAGGGA GCTGGAATTG AGTACCTAAA 1440

MEYNKSHIOG AVHINCADKI SRRRLQQGKI TVLDLISCRE GKDSFKRIFS KEIIVYDENT 240



VTLTCTAENQ LERTVNSLNV SAISIPEHDE ADEISDENRE KVNDQAKLIV GIVVGLLLAA 540 LVAGVVYWLY MKKSKTASKH VNKDLGNMEE NKKLEENNHK TEA

5 Seq ID NO: 137 DNA sequence Nucleic Acid Accession #: XM\_030559 Coding sequence: 1-119 (underlined sequences correspond to start and stop codons) 10 ATGAACCGCA GCCACCGGCA CGGGGCGGGC AGCGGCTGCC TGGGCACTAT GGAGGTGAAG 60 AGCAAGTTTG GAGCTGAATT TCGTCGGTTT TCGCTGGAAA GATCAAAACC TGGAAAATTT 120
GAGGAGTTTT ATGGATTACT ACAACATGTT CATAAGATCC CCAATGTTGA CGTTTTGGTA 180 GGCTATGCAG ACATCCATGG AGACTTACTA CCTATAAATA ATGATGATAA TTATCACAAA 240 15 GCTGTTTCAA CGGCCAATCC ACTGCTTAGG ATATTTATAC AAAAGAAGGA AGAAGCAGAC 300 TACAGTGCCT TTGGTACAGA CACGCTAATA AAGAAGAAGA ATGTTTTAAC CAACGTATTG 360 CGTCCTGACA ACCATAGAAA AAAGCCACAT ATAGTCATTA GTATGCCCCA AGACTTTAGA 420 CCTGTGTCTT CTATTATAGA CGTGGATATT CTCCCAGAAA CGCATCGTAG GGTACGTCTT 480 TACAAATACG GCACGGAGAA ACCCTAGGA TTCTACATCC GGGATGGCTC CAGTGTCAGG 540
GTACACCCA ATGGCTTAGA AAAGGTTCCA GGGATCTTTA TATCCAGGCT TGTCCCAGGA 600
GGTCTGGCTC AAAGTACAGG ACTATTAGCT GTTAATGATG AAGTTTTAGA AGTTAATGGC 660
ATAGAAGTTT CAGGGAAGAG CCTTGATCAA GTAACAGACA TGATGATTGC AAATAGCCGT 720
AACCTCATCA TAACAGTAGA ACCGGCAAAC CAGAGGAATA ATGTTGTAGG GAACAGTCGG, 780 20 ACTTCTGGCA GTTCCGGTCA GTCTACTGAT AACAGCCTTC TTGGCTACCC ACAGCAGATT 840 25 GAACCAAGCT TTGAGCCAGA GGATGAAGAC AGCGAAGAAG ATGACATTAT CATTGAAGAC 900
AATGGAGTGC CACAGCAGAT TCCAAAAGCT GTTCCTAATA CTGAGAGCCT GGAGTCATTA 960
ACACAGATAG AGCTAAGCTT TGAGTCTGGA CAGAATGGCT TTATTCCCTC TAATGAAGTG 1020 AGCTTAGCAG CCATAGCAAG CAGCTCAAAC ACGGAATTTG AAACACATGC TCCAGATCAA 1080 AAACTCTTAG AAGAAGATGG AACAATCATA ACATTA<u>TGA</u> 30 Seq ID NO: 138 <u>Protein sequence:</u>
Protein Accession #: XP\_030559 41 51 35 MNRSHRHGAG SGCLGTMEVK SKFGAEFRRF SLERSKPGKF EEFYGLLQHV HKIPNVDVLV 60 MNRSHRHOA SOLLD IMEVA SAFOAERAG SLEASTOAN EEF TULLUT IMET TANK 1800 GYADIHGDLL PINNDDNYHK AVSTANPLLR IFIQKKEEAD YSAFOTDTLI KKKNVLTNVL 120 RPDNHRKKPH IVISMPQDFR PVSSIIDVDI LPETHRRVRL YKYGTEKPLG FYIRDGSSVR 180 VTPHGLEKVP GIFISRLVPG GLAQSTGLLA VNDEVLEVNG IEVSGKSLDQ VTDMMIANSR 240 NLIITVRPAN QRNNVVRNSR TSGSSGQSTD NSLLGYPQQI EPSFEPEDED SEEDDIIIED 300 NGVPQQIPKA VPNTESLESL TQIELSFESG QNGFIPSNEV SLAAIASSSN TEFETHAPDQ 360 40 KLLEEDGTII TL

409

45

It is understood that the examples described above in no way serve to limit the true scope of this invention, but rather are presented for illustrative purposes. All publications, sequences of accession numbers, and patent applications cited in this specification are herein incorporated by reference as if each individual publication or patent application were specifically and individually indicated to be incorporated by reference.

## WHAT IS CLAIMED IS:

			$\cdot$
1	1		A method of detecting a breast cancer-associated transcript in a cell
2	from a patient, the	he me	thod comprising contacting a biological sample from the patient with a
3	polynucleotide t	hat sel	lectively hybridizes to a sequence at least 80% identical to a sequence
4	as shown in Tab	les 1-2	25.
1	2		The method of claim 1, wherein the biological sample comprises
			The method of claim 1, wherein the biological sample comprises
2	isolated nucleic	acius.	·
1	3	•	The method of claim 2, wherein the nucleic acids are mRNA.
1	4	•	The method of claim 2, further comprising the step of amplifying
2	nucleic acids be	fore th	e step of contacting the biological sample with the polynucleotide.
1	5	•	The method of claim 1, wherein the polynucleotide comprises a
2	sequence as sho	wn in	Tables 1-25.
1	6	j.	The method of claim 1, wherein the polynucleotide is immobilized on
2	a solid surface.		
			·
1	7	•	The method of claim 1, wherein the patient is undergoing a therapeutic
2	regimen to treat	breast	cancer.
1	8	<u>.</u>	The method of claim 1, wherein the patient is suspected of having
2	breast cancer.		2.00 2.00.00 of classes, whose is the particle to the posterior of the contract of the contrac
2	breast cancer.		
1	9	·•	An isolated nucleic acid molecule consisting of a polynucleotide
2	sequence as sho	wn in	Tables 1-25.
	_	•	m 1 1 1 61. 6
1	1	0.	The nucleic acid molecule of claim 9, which is labeled.
1	1	1.	An expression vector comprising the nucleic acid of claim 9.

A host cell comprising the expression vector of claim 11.

1

12.

Ţ	13. An isolated polypeptide which is encoded by a nucleic acid molecule	е
2	having polynucleotide sequence as shown in Tables 1-25.	
1	14. An antibody that specifically binds a polypeptide of claim 13.	
1	15. The antibody of claim 14, further conjugated to an effector component	ent
1	16. The antibody of claim 15, wherein the effector component is a	
2	fluorescent label.	
1	17. The antibody of claim 15, wherein the effector component is a	
2	radioisotope or a cytotoxic chemical.	
1	18. The antibody of claim 15, which is an antibody fragment.	
1	19. The antibody of claim 15, which is a humanized antibody	
1	20. A method of detecting a breast cancer cell in a biological sample fro	m
2	a patient, the method comprising contacting the biological sample with an antibody of clair	m
3	14.	
1	21. The method of claim 20, wherein the antibody is further conjugated	to
2	an effector component.	
1	22. The method of claim 21, wherein the effector component is a	
2	fluorescent label.	
1	23. A method for identifying a compound that modulates a breast cancer	r-
2	associated polypeptide, the method comprising the steps of:	
3	(i) contacting the compound with a breast cancer-associated polypeptide, the	е
4	polypeptide encoded by a polynucleotide that selectively hybridizes to a sequence at least	
5	80% identical to a sequence as shown in Tables 1-25; and	
6	(ii) determining the functional effect of the compound upon the polypeptide	
1	24. A drug screening assay comprising the steps of	

2	(i) administering a test compound to a mammal having breast cancer or a cell
3	isolated therefrom;
4	(ii) comparing the level of gene expression of a polynucleotide that selectively
5	hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1-25 in a
6	treated cell or mammal with the level of gene expression of the polynucleotide in a control
7	cell or mammal, wherein a test compound that modulates the level of expression of the
8	polynucleotide is a candidate for the treatment of breast cancer.

#### (12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

# (19) World Intellectual Property Organization

International Bureau





(43) International Publication Date 1 August 2002 (01.08.2002)

PCT

# (10) International Publication Number WO 2002/059377 A3

(51) International Patent Classification<sup>7</sup>: G01N 33/48, C07K 16/18, C12N 15/12

C07K 14/47,

(74) Agent: HALLUIN, Albert, P.; Howrey Simon Arnold & White LLP, 301 Ravenswood Avenue, Box 34, Menlo Park, CA 94025 (US).

(21) International Application Number:

PCT/US2002/002242

(22) International Filing Date: 24 January 2002 (24.01.2002)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

60/263,965	24 January 2001 (24.01.2001)	US
60/265,928	2 February 2001 (02.02.2001)	US
09/829,472	9 April 2001 (09.04.2001)	US
60/282,698	9 April 2001 (09.04.2001)	US
60/288,590	4 May 2001 (04.05.2001)	US
60/294,443	29 May 2001 (29.05.2001)	US

- (71) Applicant: PROTEIN DESIGN LABS [US/US]; 225A Gateway Boulevard, South San Francisco, CA 94080-7019 (US).
- (72) Inventors: MACK, David, H.; 2076 Monterey Avenue, Menlo Park, CA 94025 (US). GISH, Kurt, C.; 37 Artuna Avenue, Piedmont, CA 94611 (US). AFAR, Daniel; 435 Visitacion Avenue, Brisbane, CA 94005 (US).

- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

#### Published:

with international search report

(88) Date of publication of the international search report:
1 April 2004

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: METHODS OF DIAGNOSIS OF BREAST CANCER, COMPOSITIONS AND METHODS OF SCREENING FOR MODULATORS OF BREAST CANCER

(57) Abstract: Described herein are genes whose expression are up-regulated or down-regulated in breast cancer. Related methods and compositions that can be used for diagnosis and treatment of breast cancer are disclosed. Also described herein are methods that can be used to identify modulators of breast cancer.



02/059377 A

Interrenal Application No PCT/US 02/02242

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 C07K14/47 G01N33/48 C07K16/18 C12N15/12 According to International Patent Classification (IPC) or to both national classification and IPC Minimum documentation searched (classification system followed by classification symbols) IPC 7 C07K Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practical, search terms used) EPO-Internal, Sequence Search, WPI Data, PAJ, BIOSIS C. DOCUMENTS CONSIDERED TO BE RELEVANT Category ° Citation of document, with indication, where appropriate, of the relevant passages Relevant to claim No. X DATABASE SWISSPROT 'Online! 1-19,23, 1 May 1992 (1992-05-01), "ODPA human" XP002254869 accession no. EBI 24 Database accession no. P08559 abstract WO 99/33869 A (CORIXA CORP) X 1-24 8 July 1999 (1999-07-08) cited in the application the whole document X WO 98/45328 A (CORIXA CORP) 1 - 2415 October 1998 (1998-10-15) cited in the application the whole document -/--X Further documents are listed in the continuation of box C. Х Patent family members are listed in annex. Special categories of cited documents: \*T\* tater document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the \*A\* document defining the general state of the art which is not considered to be of particular relevance invention \*E\* earlier document but published on or after the international "X" document of particular relevance; the claimed invention filing date cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone \*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another "Y" document of particular relevance; the claimed invention citation or other special reason (as specified) cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. document reterring to an oral disclosure, use, exhibition or other means document published prior to the international filing date but later than the priority date claimed \*&\* document member of the same patent family Date of the actual completion of the international search Date of mailing of the international search report 0 9, 01, 04 18 September 2003 Name and mailing address of the ISA Authorized officer European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Stolz, B Fax: (+31-70) 340-3016

Form PCT/ISA/210 (second shoot) (July 1992)

Interressinal Application No
PCT/US 02/02242

		PC1/US 02/02242
	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 00/22130 A (CHIRON CORP) 20 April 2000 (2000-04-20) cited in the application the whole document	1-24
X	WATSON M A ET AL: "ISOLATION OF DIFFERENTIALLY EXPRESSED SEQUENCE TAGS FROM HUMAN BREAST CANCER" CANCER RESEARCH, AMERICAN ASSOCIATION FOR CANCER RESEARCH, BALTIMORE, MD, US, vol. 54, no. 17, 1 September 1994 (1994-09-01), pages 4598-4602, XP000576043 ISSN: 0008-5472 the whole document	1-24
X	BURGER A M ET AL: "Detection of novel genes that are up-regulated (Dil2) or down-regulated (T1A12) with disease progression in breast cancer" MEDLINE, XP002217698 the whole document	1-24
X	MARTIN K J ET AL: "LINKING GENE EXPRESSION PATTERNS TO THERAPEUTIC GROUPS IN BREAST CANCER" CANCER RESEARCH, AMERICAN ASSOCIATION FOR CANCER RESEARCH, BALTIMORE, MD, US, vol. 60, no. 8, 15 April 2000 (2000-04-15), pages 2232-2238, XP001026395 ISSN: 0008-5472 the whole document	1-24
X	BERTUCCI F ET AL: "Gene expression profiling of primary breast carcinomas using arrays of cancidate genes" HUMAN MOLECULAR GENETICS, OXFORD UNIVERSITY PRESS, SURREY, GB, vol. 9, no. 20, 2000, pages 2981-2991, XP002225994 ISSN: 0964-6906 the whole document	1-24

Form PCT/ISA/210 (continuation of second sheet) (July 1992)



Box I	Observations where certain claims were found unsearchable (Continuation of Item 1 of first sheet)
This Inte	rnational Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:
1.	Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely:
2.	Claims Nos.: because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
з. 🗌	Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).
Box II	Observations where unity of invention is lacking (Continuation of Item 2 of first sheet)
This Inte	ernational Searching Authority found multiple inventions in this international application, as follows:
	see additional sheet
1.	As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2.	As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
з. 🗀	As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. X	No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:  See PCT/ISA/210 annex
Remark	The additional search fees were accompanied by the applicant's protest.  No protest accompanied the payment of additional search fees.

Form PCT/ISA/210 (continuation of first sheet (1)) (July 1998)

# FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

This International Searching Authority found multiple (groups of) inventions in this international application, as follows:

Invention 1

claims 1-24 (partially):

as far as they relate to the first gene of Table 1, pyruvate dehydrogenase El subunit alpha, and its uses

Inventions 2 - 4800

claims 1-24 (partially):

as far as they relate to any of the about 4800 genes listed in Tables 1--25

BNSDOCID: <WO\_\_\_\_02059377A3\_I\_>

formation on patent family members

Intermental Application No PCT/US 02/02242

····				101703	02/02242
Patent document cited in search report		Publication date		Patent family member(s)	Publication date
WO 9933869	Α	08-07-1999	US	6379951 B1	30-04-2002
			US	6365348 B1	02-04-2002
			ΑU	2010699 A	19-07-1999
			CA	2316397 A1	08-07-1999
			EΡ	1042360 A2	11-10-2000
			JP	2002507387 T	12-03-2002
			WO	9933869 A2	08-07-1999
			บร	6410507 B1	25-06-2002
			US	6432707 B1	13-08-2002
			US	2001018058 A1	30-08-2001
			ZA	9811800 A	23-06-1999
WO 9845328	Α	15-10-1998	US	6225054 B1	01-05-2001
			AU	6956098 A	30-10-1998
			BR	9808509 A	18-09-2001
			EP	1127893 A2	29-08-2001
			EP	0975666 A2	02-02-2000
			JP	2001521384 T	06-11-2001
			NO	994932 A	07-12-1999
			PL	336349 A1	19-06-2000
			TR	9903154 T2	21-08-2000
			WO	9845328 A2	15-10-1998
			US	2003125536 A1	03-07-2003
			US	6586570 B1	01-07-2003
			US	2002111467 A1	15-08-2002
			US	2002068285 A1	06-06-2002
			US	2002165371 A1	07-11-2002
			ZA	9802968 A	27-10-1998
			HU	0001270 A2	28-07-2000
*****			US	6344550 B1	05-02-2002
WO 0022130	Α	20-04-2000	AU	1316200 A	01-05-2000
			EP	1121437 A2	08-08-2001
			JP	2002527066 T	27-08-2002
			WO	0022130 A2	20-04-2000
			US	6468790 B1	22-10-2002
			US	2002009739 A1	24-01-2002

Form PCT/ISA/210 (patent family annex) (July 1992)